

APPENDIX N. REFERENCES

-
- ALABASTER, J. S. and R. L. WELCOMME. 1962. Effect of concentration of dissolved oxygen on survival of trout and roach in lethal temperatures. *Nature* (London), 194, 107.
- ALEXANDER, G. R. and D. S. SHETTER. 1961. seasonal mortality and growth of hatchery-reared brook and rainbow trout in East Fish lake, Montmorency County, Michigan, 1958-59. *Pap. Mich. Acad. Sci. & Arts Lett.*, 46: 317-328.
- ALLEN, K. O. and K. STRAWN, 1968. Heat tolerance of channel catfish *Ictalurus E,unctatus*. *Proc. Annu. Conf. Southeast Assoc. Game Fish Comm.* 21: 399-411.
- ALPAUGH, W. C. 1972. High lethal temperatures of golden shiners (*Notemigonus crysoleucas*). *Copeia*, 1972(1): 185.
- ANDREWS, J. W. and R. R. STICKNEY, 1972. Interaction of feeding rates and environmental temperature of growth, food conversion, and body composition of channel catfish. *Trans. Am. Fish. Soc.*, 101(1): 94-99.
- APPLEGATE, R. L. and J. W. MULLAN. 1967. Food of young largemouth bass, *Micropterus salmoides*, in a new and old reservoir. *Trans. Am. Fish. Soc.*, 96(1): 74-77.
- APPLEGATE, R. L., J. W. MULLAN, and D. I. MORAIS. 1967. Food and growth of six centrarchids from shoreline areas of Bull Shoals Reservoir. *Proc. Annu. Conf. Southeast Assoc. Game Fish Comm*, 20: 469-482.
- ATWATER, W. O. 1892. The chemical composition and nutritive values of food-fishes and aquatic invertebrates. *U.S. Fish Comm. Rept.*, 1888: 679-868.
- BAILEY, K. 1937. Composition of the myosins and myogen of skeletal muscle. *Biochem. J.*, 31: 1406-1413.
- BAILEY, R. M. and H. M. HARRISON, Jr. 1945. Food habits of the southern channel catfish (*Ictalurus lacustris punctatus*) in the Des Moines River, Iowa. *Trans. Am. Fish. Soc.*, 75: 111-138.
- BALDWIN, N. S. 1957. Food consumption and growth of brook trout at different temperatures. *Trans. Am. Fish. Soc.*, 86: 323-328.

- BALL, O. P. and O. B. COPE. 1961. Mortality studies on cutthroat trout **in Yellowstone Lake. U.S. Fish & Wildl. Servo Res. Rept., 55: 62p.**
- BANNER, A. and J. A. VAN ARMAN, 1973. **Thermal effects on eggs, larvae and juveniles of bluegill *sunfish*.** EPA Ecol. Res. Ser. Rept. EPA-R3-73-041: 111p.
- BASU, S. P. 1959. **Active respiration of fish in relation to ambient concentrations of oxygen and carbon dioxide. J. Fish. Res. Board Can., 16(2), 175-212.**
- BEAMISH, F.W.H. 1964(a). **Respiration of fishes with special emphasis on standard oxygen consumption. II. Influence of weight and temperature on respiration of several species. Can. J. Zool., 42: 177-188.**
- 1964(b). **Seasonal changes in the standard rate of oxygen consumption of fishes. Can. J. Zool., 42: 189-194.**
1972. **Ration size and digestion in largemouth bass, *Micropterus salmoides* lacepede. Can. J. Zool., 50(2): 153-164.**
- BEAMISH, F.W.H. and L. M. DICKIE. 1967. **Metabolism and biological production in fish, p. 215-242. In S. D. Gerking (ed.), Biological basis of freshwater fish production. Blackwell, Oxford and Edinburgh.**
- BEAMISH, F.W.H. and P. S. MOOKIERJII. 1964. **Respiration of fishes with special emphasis on standard oxygen consumption. I. Influence of weight and temperature on respiration of goldfish, *Carassius auratus* L. Can. J. Zool., 42: 161-175.**
- BISHAI, H. M. 1960. **Upper lethal temperatures for larval salmonids. J. Cons. Perma. Int. Explor. Mer, 25(2), 129-133.**
- BLACK, E. C. 1953. **Upper lethal temperatures of some British Columbia freshwater fishes. J. Fish. Res. Board Can., 10: 196-210.**
- BONN, E. W. 1952. **The food and growth rate of young white bass (*Morone chrysops*) in Lake Texoma. Trans. Am. Fish. Soc., 82: 213-221.**
- BRETT, J. R. 1944. **Some lethal temperature relations of Algonquin Park fishes. Publ. Ont. Fish. Res. Lab., 63: 1-49.**
1952. **Temperature tolerance of young Pacific salmon, genus *Oncorhynchus*. J. Fish. Res. Board Can., 9: 265-323.**

1964. **The respiratory metabolism and swimming performance of young sockeye salmon.** J. Fish. Res. Board Can., 21(5): 1183-1226.
1965. **The relation of size to rate of oxygen consumption and sustained swimming speed of sockeye salmon (Oncorhynchus nerka).** J. Fish. Res. Board Can., 22(6): 1491-1501-
1970. Temperature-animals-fishes, p. 515-560. *In* O. Kinne (ed.), **Marine Ecology, Vol. 1.** John Wiley & Sons, New York.
- BRETT, J. R., J. E. SHELBOURN, and C. T. SHOOP. 1969. **Growth rate and body composition of fingerling sockeye salmon, Oncorhynchus nerka, in relation to temperature and ration size.** J. Fish. Res. Board Can., 26(9): 2363-2394.
- BROCKSEN, R. W. 1966. **Influence of competition on the food consumption and production of animals in laboratory stream communities** MS thesis, Oregon State Univ., Corvallis. 82pp.
- BROWN, C.J.D. and R. J. GRAHAM. 1953. **Observations on the longnose sucker in Yellowstone Lake,** Trans. Am. Fish. Soc., 83: 38-46.
- BROWN, M. E. 1946. The growth of brown trout (Salmo trutta Linn.) **III. The effect of temperature on two-year-old trout.** J. Exptl. Biol., 22: 145-155.
1957. (ed.) **Physiology of fishes. Vol. 1,** Academic Press Inc., New York. 447pp.
- BULKLEY, R. V. 1970. **Feeding interaction between adult bass and their offspring.** Trans. Am. Fish. Soc., 99(4): 732-738.
- BULL, C. J. and W. C. MACKAY. 1976. **Nitrogen and phosphorus removal from lakes by fish harvest.** J. Fish. Res. Board Can., 33: 1374-1376.
- BURBRIDGE, R. G. 1974. **Distribution, growth, selective feeding, and energy transformations of young-of-the-year blueback herring, !loss aestivalis (Mitchill), in the James River, Virginia.** Trans. Am. Fish. Soc., 103(2): 297-311.
- BUTLER, R. L. 1965. **Freshwater drum, Aplodinotus grunniens, in the navigational impoundments of the upper Mississippi River.** Trans. Am. Fish. Soc., 94(4): 339-349.
- CARIANDER, K. D. 1969. **Handbook of freshwater fishery biology.** Iowa state Univ. Press, Ames, Iowa. 52pp.

1972. **Handbook of freshwater fisheries**, Vol. 2 (unpublished), Iowa State Univ., Ames, Iowa: 321-431.
- CHAPMAN, D. W., H. J. CAMPBELL, and J. D. FORTUNE, Jr. 1967. **Summer distribution and food of kokanee and trout in Elk Lake, Oregon.** Trans. Am. Fish. Soc., 96(3): 308-312.
- CHERRY, D. S. and R. K. GUTHRIE. 1975. **Significance of detritus or detritus-associated invertebrates to fish production in a new impoundment.** J. Fish. Res. Board Can., 30(10), 1799-1804.
- CIAUSERET, J. 1962. **Fish as a source of mineral nutrition.** In G. Borgstrom (ed.), **Fish as food. Vol. II. Nutrition sanitation and utilization.** Academic Press, New York. 777pp.
- COLMAN, J. A. 1970. **On the efficiency of food conversion of young plaice (Pleuronectes platessa).** J. Mar. Biol. Ass. U.K., 50(1), 113-120.
- COOPER, G. P. and J. L. FULLER. 1945. **A biological survey of Moosehead Lake and Haymook Lake, Maine.** Maine Dept. Inland Fish. Game, Fish Surv. Rept., 6: 16Opp.
- CUCIN, D. and H. A. REGIER. 1965. **Dynamics and exploitation of Lake whitefish in Southern Georgian Bay.** J. Fish. Res. Board Can., 23(2), 221-274.
- DALQUEST, W. W. and L. J. PETERS. 1966. **A life history study of four problematic fish in Lake Diversion, Archer and Baylor Counties, Texas.** Tex. Parks & Wildl. Dept. I.F. Rept. Ser., No. 6: 87p.
- DARNELL, R. M. and R. R. MEIEROTTO. 1961. **Determination of feeding chronology in fishes.** Trans. Am. Fish. Soc., 91(3): 313-320.
- DAVIES, P.M.C. 1964. **The energy relations of Carassius auratus L. I. Food input energy extraction efficiency at two experimental temperatures.** Comp. Biochem. Physiol., 12: 67-79.
- DAVIS, G. E. and C. E. WARREN. 1965. **Trophic relations of a sculpin in laboratory stream communities.** J. Wildl. Mgmt., 29, 846-871.
- DOBIE, J. 1959. **Note on food of northern logperch.** Trans. Am. Fish. Soc., 88(3): 213.
- ELLIS, M. M. 1937. **Some fishery problems in impounded waters.** Trans. Am. Fish. Soc., 66, 63-75.

- FERGUSON, R. G. 1958. The preferred temperature of *fish* and their midsummer distribution in temperate lakes and streams. *J. Fish Res. Board Can.*, 15(4): 607-624.
- FIDP.KE, M., G. KEIZ, and G. WANGORSCH. 1954. Über die temperatur-stoffwechsel-relation und die warmresistenz einiger süsswasserfische und des flusskrebse. *Z. Fischerei u. Hilfswiss* 3: 241-301.
- FORBES, S. A. and R. E. RICHARDSON. 1920. The fishes of Illinois. 2nd ed. Illinois Natural History Survey. 357pp.
- FRY, F.E.J. 1947. Effects of the environment on animal activity. *Univ. Toronto Stud., Biol. Ser. No. 55.* Pub. of Ontario Fish. Res. Lab., No. 68: 62pp.
1957. The aquatic respiration of fish, p. 1-79. In H. E. Brown (ed.), *The physiology of fishes*, Vol. t. Academic Press, Inc., New York.
- FRY, F.E.J. and J. S. HART. 1948. The relation of temperature to oxygen consumption in the goldfish. *Biol. Bull.*, 94: 66-77.
- FRY, F.E.J., J. S. HART, and K. F. WALKER. 1946. Lethal temperature relations for a sample of young speckled trout, *Savelinus fontinalis*. *Univ. Toronto Biol. Ser. No. 54.* Univ. Toronto Press, Toronto: 9-35.
- GALLIGAN, J. P. 1962. Depth distribution of lake trout and associated species in Cayuga Lake, New York. *N.Y. Fish & Game J.*, 9: 44-68.
- GAMMON, J. R. 1963. Conversion of food in young muskellunge. *Trans. Am. Fish. Soc.*, 92(2): 163-184.
- GARHON, H. 1888. Preliminary report on the animals of the Mississippi bottoms near Quincy, Illinois, in August, 1888. Part 1, Rept. (Board of ill. state Fish Comm.) to Governor of ill.: 62-113.
- GEEIL, G. H., T. G. NORTHCOTE, G. F. HARTMAN, and C. C. LINDSEY. 1966. Life histories of two species of catostomid fishes in Sixteenmile Lake, British Columbia, with particular reference to inlet stream spawning. *J. Fish. Res. Board Can.*, 23(11): 1761-1788.
- GENG, H. 1925. Der Futterwert der natürlichen Fischnahrung. *Ztschr. f. Fischerei*, 23: 137-165.
- GERKING, S. D. 1952(a). The protein metabolism of sunfishes of different ages. *Physiol. Zool.*, 25(4): 356-372.

- 1952(b). Vital statistics of the fish population of Gordy Lake, Indiana. Trans. Am. Fish. Soc. 82: 48-67.
1955. Influence of rate of feeding on body compositions and protein metabolism of bluegill sunfish. Physiol. Zool., 28(4): 267-292.
1962. Production and food utilization in a population of bluegill sunfish. Ecol. Monographs, 32: 31-78.
1972. Revised food consumption estimate of a bluegill sunfish population in Wyland lake, Indiana, U.S.A. J. Fish Biol. 4: 301-308.
- GIBSON, E. S. and F.E.J. FRY. 1954. The performance of the lake trout, Salvelinus namaycush, at various levels of temperature and oxygen pressure. Can. J. Zool., 32: 252-260.
- GRAHAM, J. M. 1949. Some effects of temperature and oxygen pressure on the metabolism and activity of the speckled trout Salvelinus fontinalis. Can. J. Res., 27: 270-288.
- GREEN, E. H. 1899. The chemical composition of the sub-dennal connective tissue of the ocean sun-fish. Bull. U.S. Fish Comm., 19: 321-324.
- GROEBNER, J. F. 1960. Appraisal of the sport fishery catch in a bass-panfish lake of southern Minnesota. Lake Francis, LeSueur County, 1952-1957. Minn. Dept. Conserv. Invest. Rept. 225: 17pp.
- GROSS, W. L., E. W. ROELFS, and P. O. FROMM. 1965. Influence of photoperiod on growth of green sunfish Lepomis cyanellus. J. Fish. Res. Board Can. 22(6): 1379-1386.
- HALL, D. J., W. E. COOPER, and E. E. WERNER. 1970. An experimental approach to production dynamics and structure of freshwater animal communities. Limnol. Oceanogr., 15: 839-926.
- HANSEN, D. J. 1971. Evaluation of stocking cutthroat trout, Salmo clarki, in Munsel Lake, Oregon. Trans. Am. Fish. Soc. 100(1): 55-60.
- HARPER, J. L., R. JARMAN, and J. T. YACOVINO. 1969. Food habits of young striped bass Morone saxatilis (Walbaum), in culture ponds. Proc. Annu. Con. Southeast Assoc. Game Fish Comm., 22: 373-380.
- HARRIS, R.H.D. 1952. A study of the sturgeon sucker in Great Slave Lake, 1950-51. M.S. thesis, Univ. Alberta. 44pp.

1962. Growth and reproduction of the longnose sucker, Catostomus catostomus (Forster), in Great Slave Lake. *J. Fish. Res. Board Can.* 19(1): 113-126.
- HART, J. S. 1947. Lethal temperature relations of certain fish in the Toronto region. *Trans. Royal Soc. Can. sec. 5; 41:* 57-71.
1952. Geographical variations of some physiological and morphological characters *in* certain freshwater fish. *Univ. Toronto BioI. ser. No. 60.* Univ. Toronto Press, Toronto. 79pp.
- HARTMAN, W. L. 1959. Biology and vital statistics of rainbow trout in the Finger Lakes region, New York. *N.Y. Fish and Game J.*, 6(2): 121-178.
- HASKEIL, W. L. 1959. Diet of the Mississippi threadfin shad, Dorosoma petenense atchafalayae, in Ari.ona. *Copeia*, 1959(4): 298-301.
- HATCH, R. W. and D. A. WEBSTER. 1961. Trout production in four central Adirondack Mountain lakes. *Cornell Univ. Agric. Exp. Sta. Mem.*, 272: 82pp.
- HAYNE, D. W., G. E. HALL, and H. M. NICHOLS. 1967. An evaluation of cove sampling of fish populations in Douglas Reservoir, TeM.essee. *Res. Fish. Res. Symp. † South. Div., Amer. Fish. Soc., Univ. Georgia*, Athens, April 5-7, 1967: 244-297.
- HICKMAN, G. D. and M. R. DEWEY. 1973. Notes on the upper lethal temperature of the dustystripe shiner, Notropis pilsbryi, and the bluegill, Lepomis macrochirus. *Trans. Am. Fish. Soc.*, 102(4): 838-840.
- HOKANSON, K.E.F. and C. F. KLEINER. Unpublished data. *Nat. Wat. Qual. Lab., Oak Ridge, Tenn.*
- HOKANSON, K.E.F., J. H. McCORMICK, and B. R. JONES. 1973. Temperature requirements for embryos and larvae of the northern pike, Esox lucius (Linnaeus). *Trans. Am. Fish. Soc.*, 102: 89-100. -
- HORNING, W. B., II and R. E. PEARSON. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass (Micropterus dolomieui). *J. Fish. Res. Board Can.*, 30(8): 1226-1230.
- HOUSER, A. Unpublished data. *South Central Res. Invest., Fish & Wildl. Servo, Fayetteville, Ark.*
- HUNT, B. P. 1952. Food relationships between Florida spotted gar and other organisms in the Tamiami Canal, Dade County, Florida. *Trans. Am. Fish. Soc.*, 82: 13-33.

1960. Digestion rate and food consumption of Florida gar, warmouth, and largemouth bass. *Trans. Am. Fish. Soc.*, 89(2): 206-211.
- HUNT, B. P. and W. F. CARBINE. 1950. Food of young pike, *Esox lucius* L., and associated fishes in Peterson's Ditches, Houghton Lake, Michigan. *Trans. Am. Fish. Soc.*, 80: 67-83.
- MIVING, R. B. 1954. Ecology of the cutthroat trout in Henrys Lake, Idaho. *Trans. Am. Fish. Soc.*, 84: 275-296.
- IVIEV, V. S. 1939. Balance of energy of carps. *Zool. J.*, 18: 303-318.
1961. Experimental ecology of the feeding of fishes. Yale Univ. Press, New Haven, VIII + 302pp.
- JENKINS, R. M. 1967. The influence of some environmental factors on standing crop and harvest of fishes in U.S. reservoirs. *Res. Fish. Res. Sympⁿ* Southern Div. Am. Fish. Soc., Athens, Georgia: 298-321.
- JENKINS, R. M. 1974. Reservoir management prognosis: migraines or miracles. *Proc. 27th Annual Coni. Southeast Assoc. Game Fish Comm.*, 1973: 374-385.
1976. Prediction of fish production in Oklahoma reservoirs on the basis of environmental variables. *Annu. Okla. Acad. Sci.*, No.5: 11-20.
- JENKINS, R. M. and D. I. MORAIS. 1971. Reservoir sport fishing effort and harvest in relation to environmental variables, p. 371-384. In G. E. Hall (ed.), *Reservoir Fisheries & Limnology*, Am. Fish. Soc., Spec. Publ. No.8.
1977. (In press) Estimation of prey-predator relation in the predator-stocking-evaluation reservoirs. *Proc. Cont. Southeast Assoc. Game Fish Comm.*, 30.
- JEPPSON, P. W. and W. S. PLATTS. 1959. Ecology and control of the Columbia squawfish in Northern Idaho lakes. *Trans. Am. Fish. Soc.*, 88(3): 197-202.
- JOB, S. V. 1955. The oxygen consumption of Salvelinus fontinalis. *Limn. Toronto Stud. Biol. Ser. No. 61*. Publ. Ontario Fish. Res. Lab. 73. 39pp.
- JOHNSON, F. H. and A. R. PETERSON. 1955. Comparative harvest of northern pike by summer angling and winter darkhouse spearing from Ball Club Lake, Itasca County, Minnesota. *Minn. Div. Game Fish Invest. Rept.*, 164: 1-11.
- JOHNSON, L. 1966. Experimental determination of food consumption of pike, *Esox lucius*, for growth and maintenance. *J. Fish. Res. Board Can.*, 23: 1495-1505.

- JOHNSON, R. P. 1963. studies on the life history and ecology of the **bigmouth buffalo, Ictiobus cyprinellus** (Valenciennes). **J. Fish. Res. Board Can.**, 20(6): 1397-1429.
- KEAST, A. 1965. Resource subdivision amongst cohabiting fish species in a bay, Lake Opinicon, Ontario. **Proc. 8th Con! Great Lakes Res.** (Great Lakes Res. Div., Univ. Mich. Publ. 13): 106-132.
1968. Feeding biology of the black crappie, **omans nigromaculatus**. **J. Fish. Res. Board Can.**, 25(2): 285-297.
- KEAST, A. and D. WEBB. 1966. Mouth and body form relative to feeding ecology in the fish fauna of a small lake, Lake Opinicon, Ontario. **J. Fish. Res. Board Can.**, 23(12): 1845-1874.
- KEAST, A. and L. WELSH. 1968. Daily feeding periodicities, food uptake rates, and dietary changes with hour of day in some fishes. **J. Fish. Res. Board Can.**, 25(6): 1133-1144.
- KELSO, J.R.M. 1972. Conversion, maintenance and assimilation for walleye, **Stizostedion vitreum vitreum**, as affected by size, diet, and temperature. **J. Fish. Res. Board Can.**, 29(8): 1181-1192.
- KEVERN, N. R. 1966. Feeding rate of carp estimated by a radioisotopic method. **Trans. Am. Fish. Soc.**, 95(4), 363-371.
- KIUMBI, R. V., J. NOBIE, and C. E. HOFFMAN. 1970. Influence of temperature and photoperiod on growth, food consumption, and food conversion efficiency of channel catfish. **Proc. Annu. Conf. Southeast Game Fish Comm.**, 24: 519-531.
- KIMSEY, J. B., R. H. HAGY, and G. H. McCAMMON. 1957. Progress report on the Mississippi threadfin shad, **Dorosoma petenense atchafalaya**, in the Colorado River for 1956. **Calif. Inland Fish. Admin. Rept.** 57-23: 48pp.
- KITCHELL, J. F., J. F. KOONCE, and P. S. TENNIS. 1975. Phosphorus flux through fishes. **Verh. Internat. Verein. Limnol.**, 19: 2478-2484.
- KOBASHI, T. and Y. DEGUCHI. 1971. Studies on the excrements of the fish. **Bull. Coll. Agric. Vet. Med. Nihon Univ.**, 28: 92-99.
- KOLEHMAINEN, S. E. 1974. Daily feeding rates of bluegill (**Lepomis macrochirus**) determined by a refined radioisotope method. **J. Fish. Res. Board Can.**, 31(1), 67-74.

- KROKIIN, E. M. 1959. Determination *of* daily food ration of young sockeye and three-spined stickleback by the respiration method. **Fish. Res. Board. Can., Translation Ser. No. 209, from Izvestiia Tikhookeanskove Nauchno-issledovatelskovo Instituta Rybnovo Khoziaistva: Okeanografii, 44: 97-110.**
- KUTKUHN, J. H. 1958. Utilization of plankton by juvenile gizzard. shad *in* a shallow prairie lake. **Trans. Am. Fish. Soc., 87: 80-103.**
- LARKIN, P. A. and S. B. SMITH. 1953. Some effects *of* introduction *of* the reidside shiner on the kamloops trout in Paul Lake, British ColU11lbia. **Trans. Am. Fish. Soc., 83: 161-175.**
- LARKIN, P. A., J. G. TERPENNING, and R. R. PARKER. 1956. Size as a determinant of growth rate *in* rainbow trout, Salma gairdnerL **Trans. Am. Fish. Soc., 86: 84-96.**
- LATTA, W. C. 1962. Periodicity of mortality of brook trout during first summer of life. **Trans. Am. Fish. Soc., 91(4): 408-411.**
- LEONARD, J. W. and F. A. LEONARD. 1946. An analysis Of the feeding habits of rainbow trout and lake trout in Birch Lake, Cass County, Michigan. **Trans. Am. Fish. Soc., 76: 301-314.**
- LEWIS, W. M., R. HEIDINGER, W. KIRK, W. CHAPMAN, and D. JOHNSON. 1974. Food intake of the largemouth bass. **Trans. Am. Fish. Soc., 103(2): 277-280.**
- LINEWEAVER, H. and D. BJRK. 1934. The determination of enzyme dissociation constants. **J. Amer. Chem. Soc., 56: 658-666.**
- MANN, K. H. 1965. Energy transformations by a population of fish in the River Thames. **J. Anim. Ecol., 34: 253-275.**
1969. The dynamics of aquatic ecosystems, p. 1-81. In J. B. Cragg (ed.), **Advances in ecological research**, Academic Press, London.
- MANOOCH, C. S., III. 1973. Food habits *of* yearling and adult striped bass, Morone saxatilis (Walbaum), from Albennarle Sound, North Carolina. **Chesapeake Sci., 14(2): 73-86.**
- MARKUS, H. C. 1932. The extent to which temperature changes influence food consumption in largemouth bass. **Trans. Am. Fish. Soc., 62: 202-210.**
- MARTIN, N. V. 1952. A study of the lake trout, Salvelinus namaycush, in two Algonquin Park, Ontario, lakes. **Trans. Am. Fish. Soc., 81: 111-137.**

- MATHUR, D. 1972. Seasonal food habits of adult white crappie, Pomoxis annularis Rafinesque, in Conowingo Reservoir. Am. Midl. Nat., 87(1): 236-241.
- MATHUR, D. and T. W. ROBBINS. 1971. Food habits and feeding chronology of young white crappie, Pomoxis annularis Rafinesque, in Conowingo Reservoir. Trans. Am. Fish. Soc., 100(2): 307-311.
- MAYNARD, L. A. 1951. Animal nutrition, 3rd. ed. New York: McGraw-Hill. 474pp.
- McCAMMON, G. W. and C. M. SEELEY. 1961. Survival, mortality, and movements of white catfish and brown bullheads in Clear lake, California. Calif. Fish and Game, 47(J): 237-255.
- McCAULEY, R. W. and W. L. POND. 1971. Temperature selection of rainbow trout (Salmo gairdneri) fingerlings in vertical and horizontal gradients. J. Fish. Res. Board Can., 28: 1801-1804.
- McCAULEY, R. W. and J. S. TAIT. 1970. Preferred temperature of yearling lake trout Salvelinus namaycush. J. Fish. Res. Board Can., 27(10): 1729-1733.
- McCAULEY, R. W. and L.A.A. READ. 1973. Temperature selection by juvenile and adult yellow perch (Perea flavescens) acclimated to 24°C. J. Fish. Res. Board Can., 30(8): 1253-1255.
- McCOMISH, T. S. 1967. Food habits of bigmouth and bluntnose minnow in Lewis and Clarke Lake and the Missouri River. Trans. Am. Fish. Soc., 96(1): 70-74.
1971. laboratory experiments on growth and food conversion by the bluegill. PhD dissertation, Univ. of Missouri, Columbia, Mo.
- McCORMICK, E. M. 1940. A study of the food of some Reelfoot Lake fishes. Rept. Reelfoot Lake BioI. Sta., Vol. 4: 64-75.
- McCORMICK, J. H., et al. 1973. Effects of temperature on incubation success and early growth and survival of the white sucker, Catostomus commersoni. Manuscript.
- McCORMICK, J. H., K.E.F. HOKANSON, and B.R. JONES. 1972. Effects of temperature on growth and survival of young brook trout, Salvelinus fontinalis. J. Fish. Res. Board Can. 29(8): 1107-1112.
- McCORMICK, J. H. and M. MISCHUK. 1973. Effects of temperature on growth and survival of young-of-the-year emerald shiner (Notropis atherinoides). Manuscript.

- McFADDEN, J. T. 1961. A population study of the brook trout, Salvelinus fontinalis. WUdl. Monogr., 7: 73pp.
- MICHAELIS, L. and M. L. MENTEN. 1913. Biochemische Zeitschrift, 49: 333.
- MILLER, R. V. 1967. Food of the threadfin shad, Dorosoma tenense, in Lake Cmct, Arkansas. Trans. Am. Fish. Soc., 96(3): 243-246.
- MINCKLEY, W. L. 1961. Spring food of juvenile blue catfish from the Ohio River. Trans. Am. Fish. Soc. • 91(1): 95.
- MINCKIEY, W. L. and J. E. DEACON. 1959. Biology of the flathead catfish in Kansas. Trans. Am. Fish. Soc., 88(4): 344-355.
- MINCKIEY, W. L., J. E. JOHNSON, J. N. RINNE, and S. E. WILLOUGHBY. 1970. Foods of buffalofishes, genus Ictiobus, in central Arizona reservoirs. Trans. Am. Fish. Soc., 99(2): 333-342.
- MOMOT, W T. 1965. Food habits of the brook trout in West Lost Lake. Trans. Am. Fish. Soc., 94(2): 188-191.
- MONGEAU, J. R. 1954. Valeur alimentavie comparative des larves aquatiques d'insectes et des poissons pour le croissance du brackets (Esox lucius L.). Annales de L'ACFAS, 20: 80-85.
1955. Valeur alimentaire comparative les lanes aquatiques d'insectes at des poissons pour le croissance du brackets (Esox lucius L.) de moines d' un an. Annales de L'ACFAS, 21: 96-101.
- MOSER, B. B. 1968. Food habits of the white bass in Lake Texoma with special reference to the threadfin shad. MS. thesis, univ. of Okla., 319pp.
- MRAZ, D. and C. W. THREINEN. 1955. Angler's harvest, growth rate and population estimate of the largemouth bass of Browns Lake, Wisconsin. Trans. Am. Fish. Soc. • 85: 241-256.
- MULLAN, J. W and R. L. APPLGATE. 1970. Food habits of five centrarchids during filling of Beaver Reservoir, 1965-66. U.S. llept. Int., Bur. Sport Fish & Wildl. Tech. Paper No. 50. 16pp.
- MULIAN, J. W, R. L. APPLGATE, and W. C. RAINWATER. 1968. Food of 10g-perch (Percina caprodes), and brook silverside (LabideBthes sicculus), in a new and old Ozark reservoir. Trans. Am. Fish. Soc., 97(3): 300-305.
- NATIONAL RESERVOM RESEARCH PROGRAM. 1974. A compilation of multiple regression formulas for use in estimating fish standing crop and angler harvest and effort in U.S. reservoirs. U.S. Dept Int., Fish & Wildl. Serv., Natl. Reservoir Res. Frog., 11pp mimeo.

1976 u.s. reservoir inventory. U.S. Dept. Int., Fish & Wildl. Serv., Natl. Reservoir Res. Prog., 36pp mimeo.

- NEILL, W H , Jr., K. STRAWN, and J. E. DUNN. 1966. Heat resistance experiments with the longear sunfish (Lepomis megalotis). Ark. Acad. Sci. Proc., 20: 39-49.**
- NETSCH, N. F. and A. WITT, Jr. 1962. Contributions to the life history of the longnose gar, (LeEisosteus osseus) in Missouri. Trans. Am. Fish. Soc., 91(3): 51-262.**
- NEW YORK STATE. 1952. Hatchery feeding chert. 3rd ed.**
- NIIMI, A. J. and F.W.H. BEAMISH. 1974. Bioenergetics and growth of largemouth bass (Micropterus salmoides) in relation to body weight and temperature. Can. J. Zool., 52(4): 447-456.**
- NORSTROM, R. J., A. E. MCKINNON, and A.S.W. DeFREITAS. 1976. A bio-energetics-based model for pollutant accumulation by fish. Simulation of PCB and methylmercury residue levels in Ottawa River yellow perch (Perea flavescens). J. Fish. Res. Board Can., 33(2): 248-267.**
- NOTTINGHAM, P. M. 1952. The alkaline hydrolysis and hydrolytic products of fish protein. Ph.D. thesis, Univ. of Aberdeen, Scotland.**
- DISON, D. E. 1957. statistics of a walleye sport fishery in a Minnesota Lake. Trans. Am. Fish. Soc., 87: 52-72.**
- OLSON, P. A. and R. F. FOSTER. 1955. Temperature tolerance of eggs and young of Columbia River chinook salmon. Trans. Am. Fish. Soc., 85: 203-207.**
- PARKER, M. 1975. Similarities between the uptake of nutrients and the ingestion of prey. Verh. Internat. Verein. Limnol., 19: 56-59.**
- PATRIARCHE, M. H. 1968. Production and theoretical equilibrium yields for the bluegill (Lepomis macrochirus) in two Michigan lakes. Trans. Am. Fish. Soc., 97(3): 242-251.**
- PEARSE, A. S. 1916. The food of the shore fishes of certain Wisconsin lakes. U.S. Bur. Fish. Bull•• 35: 245-292.**
- 1921. Distribution and food of the fishes of Green Lake, Wisconsin in summer. U.S. Bur. Fish. Bull., 37: 253-272.**

- PECK, F. W. 1965. Growth studies of laboratory and wild population samples of smallmouth bass (Micropterus dolomieu lacepede) with applications to mass marking of fishes. MS. thesis, Univ. of Ark., Fayetteville.
- PENTELOW, F.T.K. 1939. The relation between growth and food consumption in the brown trout (Salmo trutta). J. Exp. 8101., 16: 446-473.
- PIERCE, R. J. and T. WISSMIG. 1974. Energy cost of food utilization in the bluegill (Lepomis macrochirus). Trans. Am. Fish. Soc., 103(1): 38-45.
- PRATHER, E. E. 1950. Efficiency of food conversion by young largemouth bass Micropterus salmoides (lacepede). Trans. Am. Fish. Soc., 80: 154-157.
- PRICE, J. W. 1963. A study of the food habits of some Lake Erie fish. Bull. Ohio 8101. Sur., 2(1): 1-89.
- RAINWATER, F. H. 1962. Composition of rivers of the conterminous United States. Hydrol. Invest. Atlas HA-61. U.S. Geol. Surv.
- HAWSON, D. S. 1961. The lake trout of Lac la Poudre, Saskatchewan. J. Fish. Res. Board Can., 18: 423-462.
- RAWSON, D. S. and C. A. ELSEY. 1948. Reduction in the longnose sucker population of Pyramid Lake, Alberta, in an attempt to improve angling. Trans. Am. Fish. Soc., 78. 13-31.
- RAWSTRON, R. R. 1967. Harvest, mortality, and movement of selected warm-water fishes in Folsom Lake California. Calif. Fish & Game, 53(1). 40-48.
- REID, G. K., Jr. 1949. Food of the black crappie Pomoxis nigromaculatus (LeSueur), in Orange Lake, Florida. Trans. Am. Fish. Soc., 79. 145-154.
- REIGHARD, J. 1913. An ecological reconnaissance of the fishes of Douglas Lake, Cheboygan County, Michigan, in midsummer. U.S. Bur. Fish. Bull., 33. 219-249.
- REPSYS, A. J., R. L. APPLGATE, and D. C. HALES. 1916. Food and food selectivity of the black bullhead, Ictalurus melas, in Lake Poinsett, South Dakota. J. Fish. Res. Board Can. 33(4): 768-775.
- RICKER, W. E. 1945. Natural mortality among Indiana bluegill sunfish. Ecology, 26. 111-121.

1947. Mortality rates in some ~~little-exploited~~ populations of fresh-water fishes. *Trans. Am. Fish. Soc.*, 77: 114-128.
1958. Handbook of computations for biological statistics of fish populations. *Fish Res. Board Can., Bull.* 119, 300pp.
1975. Computation and interpretation of biological statistics of fish populations. *Fish. Res. Board Can., Bull.* 91: 382pp.
- SCIJMORE, H. J. 1955. Notes on the fish population structure of a typical rough-fish-erappie lake of southern Minnesota. *Minn. Dept. Conserv. Invest. Rept.*, 162: 1-11.
- SCIDMORE, W. J. and D. E. WOODS. 1960. Some observations on competition between several species of fish for summer foods in four Minnesota lakes in 1955, 1956, and 1957. *Minn. Fish Game Invest. Fish. Ser.* No.2. 13-24.
- SCOTT, D. P. 1964. Thermal resistance of pike (*Esox lucius* L.), muskellunge (*E. masquinongy*), and their F1 hybrid. *J. Fish. Res. Board Can.* 21(5). 1043-1049.
- SEABURG, K. and J. MOYLE. 1964. Feeding habits, digestion rates, and growth of some Minnesota warmwater fishes. *Trans. Am. Fish. Soc.*, 93. 269-285.
- SNOW, H. E. 1971. Harvest and feeding habits of largemouth bass in Murphy Flowage, Wisconsin. *Wise. Dept. Nat. Res. Tech. Bull.* r No. 50. 25pp.
- SOWMON, D. J. and A. E. BRAFIELD. 1972. The energetics of feeding, metabolism and growth of perch (*Perea fluviatilis* L.). *J. Animal Ecol.*, 41. 699-718.
- SPOOR, W. A. 1946. A quantitative study of the relationships between activity and oxygen consumption of the goldfish. *Bio. Bull.* 91: 312-325.
- STAROSTKA, V. J. and R. L. APPLGATE. 1970. Food selectivity of bigmouth buffalo, *Ictiobus cyprinellus*, in Lake Poinsett, South Dakota. *Trans. Am. Fish. Soc.*, 99(3). 571-576.
- STICKNEY, R. R. and J. W. ANDREWS. 1971. The influence of photoperiod on growth and food conversion of channel catfish. *Progr. Fish-cult.*, 33(4). 204-205.
- STRAWN, K. 1961. Growth of largemouth bass fry at various temperatures. *Trans. Am. Fish. Soc.*, 90: 334-335.

- STRAWN, K. and J. DUNN. 1967. **Resistance of Texas salt marsh and freshwater marsh fishes to heat death at various salinities.** Tex. Tech. ser. 1967: 57-76.
- SUMMERFELT, R. C., P. E. MAUCK, and G. MENSINGER. 1971. Food habits of the carp, Cyprinus carpio L., in five Oklahoma Reservoirs. Proc. Annu. Con!. Southeast Assoc. Game Fish Comm., 24: 352-377.
1972. Food habits of river carpsucker and freshwater drum in four Oklahoma Reservoirs. Proc. Okla. Acad. Sci., 52: 19-26.
- SWEDBERG, D. V. 1968. Food and growth of the freshwater drum in Lewis and Clark Lake, South Dakota. Trans. Am. Fish. Soc., 97(4): 442-447.
- SWENSON, W. A. and L. L. SMITH, Jr. 1973. Gastric digestion, food consumption, feeding periodicity, and food conversion efficiency in walleye (Stizostedion vitreum vitreum). J. Fish. Res. Board Can., 30(9): 1327-1336.
- TAFANELLI, R. t P. E. MAUCK, and G. MENSINGER. 1971. Food habits of bigmouth and smallmouth buffalo from four Oklahoma reservoirs. Proc. Annu. Con!. Southeast Assoc. Game Fish Comm., 24: 649-658.
- THOMPSON, D. H. 1941. The fish production of inland streams and lakes, p. 206-217. In J. G. Needham (ed.), Symposium on Hydrobiology, Univ. Wise. Press, Madison.
- TURNER, P. R. and R. C. SUIMMERFELT. 1971. Food habits of adult flathead catfish, Pylodictus olivaris (Rafinesque), in Oklahoma reservoirs. Proc. Anna. Conf. Southeast Assoc. Game Fish Comm., 24: 387-401.
- TYLER, R. E. and R. V. KIUMB!. 1973. Temperature-light effects on growth, food consumption, food conversion efficiency, and behavior of blue catfish, Ictalurus furcatus (leSueur). Proc. Annu. Conf. Southaast Assoc. Game Fish Comm., 26: 553-565.
- U.S. GEOLOGICAL SURVEY. 1963. U.S. Water Resources Development Map.
- U.S. GEOIDGICAL SURVEY. Water Resources Data. Part 2. Water Quality Records (Data for various states, 1970-75).
- WALBURG, C. H. 1961. Natural mortality of American shad. Trans. Am. Fish. Soc., 90(2): 228-229.
- WALBURG, C. H. and W. R. NELSON. 1966. Carp, river carpsucker, smallmouth buffalo, and bigmouth buffalo in Lewis and Clark Lake, Missouri River. U.S. Dept. Int., Fish & Wildl. Serv., Bur. Sport Fish & Wildl. Res. Rept. 69. 30pp.

- WARREN, C. E. and G. E. DAVIS. 1967. laboratory studies on the feeding, bioenergetics and growth of fish, p. 175-214. In S. D. Gerking (ed.), **Biological basis of freshwater fish production**. Blackwell, Oxford and Edinburgh.
- WEATHERLEY, A. H. 1963. Thermal stress and interrenal tissue in the perch Perca fluviatilis (Linnaeus). Proc. Zool. Soc. London 141, Part 3: 527-555.
- WELSH, J. P. 1952. A population study of Yellowstone black spotted trout (Salmo clarkii lewisi Girard). Ph.D. thesis. Stanford Univ. IBOpp••
- WILLIAMS, W. E. 1959. Food conversion and growth rates for largemouth and smallmouth bass in laboratory aquaria. Trans. Am. Fish. Soc., 88(2): 125-127.
1970. Summer food of juvenile black bullheads (Ictalurus m. melas) of Mitchell Lake, Wexford County, Michigan. Trans. Am. Fish. Soc., 99(3), 597-599.
- WINBERG, G. G. 1956. Rate of metabolism and food requirement of fishes. Trans. from Russian by Fish Res. Board Can. Transl. Serie No. 194: 251pp.
- WINGFIELD, C. A. 1940. The effect of certain environmental factors in the growth of brown trout (Salmo trutta L.). J. Exp. Biol., 17: 435-448.
- WISSING, T. E. 1974. Energy transforonation by young-of-the-year white bass Marone chrysops (Rafinesque) in Lake Mendota, Wisconsin. Trans. Am. Fish. Soc., 103(1): 32-37.
- WORSHAM, R. L. 1975. Nitrogen and phosphorus levels in water associated with a channel catfish (Ictalurus punctatus) feeding operation. Trans. Am. Fish. Soc., 104(4): 811-815.
- ZIMMERMAN, C. J. 1970. Growth and food of the brook silverside, Labidesthes sicculus, in Indiana. Trans. Am. Fish. Soc., 99(2): 435-438.