

REFERENCES

- Admiraal, W. 1977. Influence of light and temperature on growth rate of estuarine benthic diatoms in culture. *Mar. Biol.* 39:1-9.
- Alexander, G. R., and D. S. Shetter. 1961. Seasonal mortality and growth of hatchery-reared brook and rainbow trout in East Fish Lake, Montmorency County, Michigan, 1958-59. *Pap. Mich. Acad. Sci., Arts Lett.* 46:317-328.
- Alexander, M. 1965. Microbial Ecology. John Wiley and Sons, N. Y. 511 pp.
- Allen, K. O., and K. Strawn. 1968. Heat tolerance of channel catfish Ictalurus punctatus. *Proc. Ann. Conf. Southeast Assoc. Game Fish Comm.* 21:399-411.
- Allen, W. E. 1932. Marine plankton diatom of Lower California in 1931. *Bot. Gaz.* 95:485-492.
- Ambler, J. W., and B. W. Frost. 1974. The feeding behavior of a predatory planktonic copepod, Tortanus discaudatus. *Limnol. Oceanogr.* 19:446-451.
- Andrews, J. W., and R. R. Stickney. 1972. Interaction of feeding rates and environmental temperature on growth, food conversion, and body composition of channel catfish. *Trans. Am. Fish. Soc.* 101(1):94-99
- Andronikova, I. N. 1978. Estimation of the role of zooplankton in the processes of self-purification. *Int. Ver. Theoret. Angew. Limnol. Verh.* 20:1022-1025.
- Apstein, C. 1910. Hat ein Organismus in der Tiefe gelebt, in der er gefischt ist? *Internat. Rev. Ges. Hydrobiol. Hydrograph.* 3:17-33.
- Ball, O. P., and O. B. Cope. 1961. Mortality studies on cutthroat trout in Yellowstone Lake. *U. S. Fish Wildl. Serv. Res. Rep.* 55:62 pp.
- Bannister, T. T. 1979. Quantitative description of steady state, nutrient-saturated algal growth, including adaptation. *Limnol. Oceanogr.* 24:76-96.

- Bansal, M. K. 1976. Nitrification in natural streams. *Wat. Poll. Cont. Fed. J.* 48:2380-2393.
- Barlocher, F., and B. Kendrick. 1975. Assimilation efficiency of Gammarus pseudolimnaeus (Amphipoda) feeding on fungal mycelium or autumn-shed leaves. *Oikos* 26:55-59.
- Bates, S. S. 1976. Effects of light and ammonium on nitrate uptake by two species of estuarine phytoplankton. *Limnol. Oceanogr.* 21(2):212-218.
- Beamish, F. W. H. 1964. Respiration of fishes with special emphasis on standard oxygen consumption. II. Influence of weight and temperature on respiration of several species. *Can. J. Zool.* 42:177-188.
- Beardall, J., and J. A. Raven. 1981. Transport of inorganic carbon and the 'CO₂ concentrating mechanism' in Chlorella emersonii (Chlorophyceae). *J. Phycol.* 17: 134-141.
- Berg, K. 1952. On the oxygen consumption of Ancyliidae (Gastropoda) from an ecological point of view. *Hydrobiologia* 4:225-267.
- Berg, K., P. M. Jonsson, and K. W. Ockelmann. 1962. The respiration of some animals from the profundal zone of a lake. *Hydrobiologia* 19:1-39.
- Berg, K., and K. W. Ockelmann. 1959. The respiration of freshwater snails. *J. Exp. Biol.* 36:690-708.
- Berman, T. 1976. Release of dissolved organic matter by photosynthesizing algae in Lake Kinneret, Israel. *Freshwater Biol.* 6:13-18.
- Bernard, F. 1963. Vitesses de chute chez Cyclococcolithus fragilis Lohm. . Consequences pour le cycle vital des mers chaudes.
- Bernard, F., and B. Elkaim. 1962. *C. R. Hebd. Seanc. Acad. Sci., Paris* 254:4208-4210.

- Bigelow, J. H., J. C. Dehaven, C. Dzitzer, P. Eilers, J. C. H. Peeters. 1977. Assessment of long-run ecological balances, Vol. III. In: Protecting an estuary from floods -- a policy analysis of the Oosterschelde, the Rand Corporation, Santa Monica, 215 pp.
- Birmingham, B. C., J. R. Coleman, and B. Colman. 1982. Measurements of photorespiration in algae. *Plant Physiol.* 69:259-262.
- Bishop, J. W. 1968. Respiratory rates of migrating zooplankton in the natural habitat. *Limnol. Oceanogr.* 13:58-62.
- Black, E. C. 1953. Upper lethal temperatures of some British Columbia freshwater fishes. *J. Fish. Res. Board. Can.* 10:196-210.
- Blazka, P. 1966. Metabolism of natural and cultured populations of Daphnia related to secondary production. *Int. Ver. Theoret. Angew. Limnol. Verh.* 16:380-385.
- Blum, J. J. 1966. Phosphate uptake by phosphate-starved Euglena. *J. Gen. Physiol.* 49:1125-1137.
- Bogdan, K. G., and D. C. McNaught. 1975. Selective feeding by Diaptomus and Daphnia. *Verh. Int. Verh. Limnol.* 19.
- Borchardt, J. A. 1966. Nitrification in the activated sludge process. In: The activated sludge process, Div. of Sanitary and Water Resources Eng., Univ. Mich., Ann Arbor.
- Bott, T. L. 1975. Bacterial growth rates and temperature optima in a stream with a fluctuating thermal regime. *Limnol. Oceanogr.* 20:191-197.
- Boylen, C. W. and Brock, T. D. 1973. Bacterial decomposition processes in Lake Wingra sediments during winter. *Limnol. Oceanogr.* 18:628-634.
- Bramlette, M. N. 1961. In: Oceanography, M. Sears (ed.), Am. Assoc. Advmt. Sci., Washington, D. C. No. 67:345-366.

- Brandl, Z., and C. H. Fernando. 1975. Food consumption and utilization in two freshwater cyclopoid copepods (Mesocyclops edax and Cyclops vicinus). Int. Rev. Ges. Hydrobiol. 60:471-494.
- Brett, J. R. 1944. Some lethal temperature relations of Algonquin Park fishes. Publ. Ont. Fish. Res. Lab. 63: 1-49.
- Brett, J. R. 1952. Temperature tolerance of young Pacific salmon, genus Oncorhynchus. J. Fish. Res. Board. Can. 9:265-323.
- Brett, J. R., J. E. Shelbourn, and C. T. Shoop. 1969. Growth rate and body composition of fingerling sockeye salmon, Oncorhynchus nerka, in relation to temperature and ration size. J. Fish. Res. Bd. Can. 26:2363-2394.
- Buikema, A. L., Jr. 1972. Oxygen consumption of the cladoceran, Daphnia pulex, as a function of body size, light and light acclimation. Comp. Biochem. Physiol. 42:877-888.
- Burbridge, R. G. 1974. Distribution, growth, selective feeding, and energy transformations of young-of-the-year blueback herring, Alosa aestivalis (Mitchell), in the James River, Virginia. Trans. Am. Fish. Soc. 103(2):297-311.
- Burns, C. W. 1969. Relations between filtering rate, temperature, and body size in four species of Daphnia. Limnol. Oceanogr. 14:693-700.
- Burns, C. W., and F. H. Rigler. 1967. Comparison of filtering rates of Daphnia rosea in lake water and in suspensions of yeast. Limnol. Oceanogr. 12:492-502.
- Burns, N. M., and F. Rosa. 1980. In situ measurement of settling velocity of organic carbon particles and 10 species of phytoplankton. Limnol. Oceanogr. 25:855-864.
- Burris, J. E., R. Wedge, and A. Lane. 1981. Carbon dioxide limitation of photosynthesis of freshwater phytoplankton. J. Freshwater Ecol. 1:81-96.

- Butler, R. L. 1965. Freshwater drum, Apldinotus grunniens, in the navigational impoundments of the upper Mississippi River. Trans. Am. Fish. Soc. 94(4):339-349.
- Calvert, S. E. 1966. Accumulation of diatomaceous silica in the sediments of the Gulf of California. Geol. Soc. of Am. Bull. 77:569-596.
- Caperon, J., and J. Meyer. 1972. Nitrogen-limited growth of marine phytoplankton -- I. Changes in population characteristics with steady-state growth rate. Deep-Sea Res. 19:601-618.
- Carney, J. F., and R. R. Colwell. 1976. Heterotrophic utilization of glucose and glutamate in an estuary: Effect of season and nutrient load. Appl. Environ. Microbiol. 31:227-233.
- Carpenter, E. J., and R. R. L. Guillard. 1971. Intraspecific differences in nitrate half-saturation constants for three species of marine phytoplankton. Ecology 52:183-185.
- Castenholz, R. W. 1964. The effect of daylength and light intensity on the growth of littoral marine diatoms in culture. Physiol. Plant. 17:951-963.
- Castenholz, R. W. 1969. The thermophilic cyanophytes of Iceland and the upper temperature limit. J. Phycology 5:360-368.
- Chisholm, S. W., R. G. Stross, and P. A. Nobbs. 1975. Environmental and intrinsic control of filtering and feeding rates in Artic Daphnia. J. Fish. Res. Bd. Can. 32:219-226.
- Clark, A. S., and J. C. H. Carter. 1974. Population dynamics of cladocerans in Sunfish Lake, Ontario. Can. J. Zool. 52:1235-1242.
- Clendenning, K. A., T. E. Brown, and H. C. Eyster. 1956. Can. J. Bot. 34:943-966.
- Cloern, J. E. 1977. Effects of light intensity and temperature on Cryptomonas ovata (Cryptophyceae) growth and nutrient uptake rates. J. Phycol. 13:389-395.

- Collins, C. D., and C. W. Boylen. 1982a. Physiological responses of Anabaena variabilis (Cyanophyceae) to instantaneous exposure to various combinations of light intensity and temperature. *J. Phycol.* 18:206-211.
- Collins, C. D., and C. W. Boylen. 1982b. Ecological consequences of long-term exposure of Anabaena variabilis to shifts in environmental conditions. *Appl. Environ. Microbiol.* 44:141-148.
- Cohen, M. F. 1958. Experimental study of ingestion and assimilation in Daphnia (Cladocera). Ph.D. Thesis, Yale University, New Haven, Conn. 56 p.
- Comita, G. W. 1968. Oxygen consumption in Diaptomus. *Limnol. Oceanogr.* 13:51-57.
- Comita, G. W. 1972. The seasonal zooplankton cycles, production and transformations of energy in Severson Lake, Minn. *Arch. Hydrobiol.* 70:14-66.
- Cooper, W. E. 1965. Dynamics and production of a natural population of fresh-water amphipod, Hyalella azteca. *Ecol. Mono.* 35:377-394.
- Courchaine, R. J. 1968. Significance of nitrification in stream analysis -- effects on the oxygen balance. *J. Water Poll. Cont. Fed.* 40:835.
- Craddock, D. R. 1976. Effects of increased water temperatures on Daphnia pulex. U. S. Fish and Wildl. Serv. Fish. Bull. 74:403-408.
- Cummins, K. W. 1973. Trophic relations of aquatic insects. *Ann. Rev. Entolmo.* 18:183-206.
- Cummins, K. W., R. R. Costa, R. E. Rowe, G. A. Moshire, R. M. Scanlon, and R. K. Zajdel. 1969. Ecological energetics of a natural population of the predaceous zooplankton Leptodora kindtii Flocke (Cladocera). *Oikos* 20:189-223.
- Czeczuga, B., and E. Bobiatynska-Ksok. 1970. The extent of consumption of the energy contained in the food suspension by Ceriodaphnia reticulata. In: Z. Kajak and A. Hillbricht-Ilkowska (eds.), Productivity Problems of Freshwater, PWN Polish Scientific Publ. Warsaw, pp. 739-748.

- Davies, P. M. C. 1964. The energy relations of Carassius auratus L. I. Food input energy extraction efficiency at two experimental temperatures. *Comp. Biochem.* 12:67-79.
- Davis, G. E., and C. E. Warren. 1965. Trophic relations of a sculpin in laboratory stream communities. *J. Wildl. Mgmt.* 29:846-871.
- Dodson, S. I. 1972. Mortality in a population of Daphnia rosea. *Ecology* 53:1011-1023.
- Duncan, A., F. Schiemer, and R. A. Klekowski. 1974. A preliminary study of feeding rates on bacterial food by adult females of a benthic nematode, Plectus palustris de Man 1880. *Polskie Archiwum Hydrobiologii* 21:249-258.
- Dunstan, W. M. 1973. A comparison of the photosynthesis-light intensity relationship in phylogenetically different marine microalgae. *J. Exp. Mar. Biol. Ecol.* 13:181-187.
- Durbin, E. G. 1974. Studies on the autecology of the marine diatom Thalassiosira nordenskioldii Cleve. I. The influence of daylength, light intensity, and temperature on growth. *J. Phycol.* 10:220-225.
- Duval, W. S., and G. H. Geen. 1976. Diel feeding and respiration rhythms in zooplankton. *Limnol. Oceanogr.* 21:823-829.
- Environmental Laboratory. 1982. "CE-QUAL-R1: A Numerical One-Dimensional Model of Reservoir Water Quality; User's Manual," Instruction Report E-82-1, U.S. Army Engineer Waterways Experiment Station, C.E., Vicksburg, Miss.
- Eppley, R. W., and P. R. Sloan. 1966. Growth rates of marine phytoplankton : correlation with light adsorption by cell chlorophyll a. *Physiol. Plant.* 19:47-59.
- Eppley, R. W., and W. H. Thomas. 1969. Comparison of half-saturation constants for growth and nitrate uptake of marine phytoplankton. *J. Phycol.* 5:375-379.

- Eppley, R. W., R. W. Holmes, and E. Paasche. 1967a. Periodicity in cell division and physiological behavior of Ditylum brightwellii, a marine planktonic diatom, during growth in light-dark cycles. Arch. Microbiol. 56:305-23.
- Eppley, R. W., R. W. Holmes, and J. D. H. Strickland. 1967b. Sinking rates of marine phytoplankton measured with a fluorometer. J. Exp. Mar. Biol. Ecol. 1:191-208.
- Eppley, R. W., J. N. Rogers, and J. J. McCarthy. 1969. Half-saturation constants for uptake of nitrate and ammonia by marine phytoplankton. Limnol. Oceanogr. 14:912-920.
- Evans, F. C., E. E. Goldreich, S. R. Weibel, and G. G. Robeck. 1968. Treatment of urban stormwater runoff. J. Water Poll. Contr. Fed. 40:R162-170.
- Fenchel, T. 1970. Studies on the decomposition of organic detritus derived from turtle grass Thalassia testudinum. Limnol. Oceanogr. 15:14-20
- Ferguson, R. G. 1958. The preferred temperature of fish and their midsummer distribution in temperate lakes and streams. J. Fish Res. Bd. Can. 15(4):607-624.
- Finenko, Z. Z., and D. K. Krupatkina-Aki-Nina. 1974. Effect of inorganic phosphorus on the growth rate of diatoms. Mar. Biol. 26:193-201.
- Fisher, Z. 1970. Elements of energy balance in grass carp. Ctenopharyngodon idella Val. Pol. Arch. Hydrobiol. 17:421-434.
- Fitzgerald, G. P. 1964. The effect of algae on BOD measurements. Nat. Poll. Con. Fed. J. 36:1524-1542.
- Florke, M., G. Keiz, and G. Wangorsch. 1954. Uber die temperature temperatur-stoffwechsel-relation und die warmresistenz einiger süsswasserfische und des flusskrebsses. Z. Fischerei u. Hilfswiss 3:241-301.
- Fogg, G. E. 1969. The physiology of an algal nuisance. Proc. R. Soc. B 173:175-189.

- Fogg, G. E. 1973. Phosphorus in primary aquatic plants. *Water Res.* 7:77-91.
- Forester, T. H. 1971. Carbon limitation of algal photosynthesis. Unpubl. MS Thesis, Univer. of Missouri, Columbia.
- Fowler, S. W., and L. F. Small. 1972. *Limnol. Oceanogr.* 17:293-296.
- Fox, H. H., and B. G. Simmonds. 1933. Metabolic rates of aquatic arthropods from different habitats. *J. Exp. Biol.* 10:67-74.
- Fox, H. M., B. G. Simmonds, and R. Washbourn. 1935. Metabolic rates of ephemeropterid nymphs from swiftly flowing and from still waters. *J. Exp. Biol.* 12:179-184.
- Fox, H. M., C. A. Wingfield, and B. G. Simmonds. 1937. The oxygen consumption of ephemeropterid nymphs from flowing and from still waters in relation to the concentration of oxygen in the water. *J. Exp. Biol.* 14:210-218.
- Frank, P. W., C. D. Boll, and R. W. Kelly. 1957. Vital statistics of laboratory cultures of Daphnia pulex DeGeer as related to density. *Physiol. Zool.* 30:287-305.
- Frost, B. W. 1972. Effects of size and concentration of food particles on the feeding behavior of marine plankton copepod Calanus pacificus. *Limnol. Oceanogr.* 17:805-815.
- Frost, W. H., and H. W. Streeter. 1924. Bacteriological studies. Public Health Bulletin 143, U. S. Public Health Service, Washington, D. C.
- Fry, F. E. J., J. S. Hart, and K. F. Walter. 1946. Lethal temperature relations for a sample of young speckled trout, Salvelinus fontinalis. *Univ. Toronto Biol. Ser.* No. 54. Univ. Toronto Press, Toronto:9:35.
- Fuhs, G. W., S. D. Demmerle, E. Canelli, and M. Chen. 1972. Characterization of phosphorus-limited plankton algae. *Limnol. Oceanogr. Special Symposia Vol 1:113-133.*

- Gammon, J. R. 1963. Conversion of food in young muskellunge. Trans. Am. Fish. Soc. 92(2):183-184.
- Gargas, E. 1975. A manual for phytoplankton primary production studies in the Baltic Sea. The Baltic Marine Biologists in cooperation with the Danish Agency of Environmental Protection.
- Gaudy, R. 1974. Feeding four species of pelagic copepods under experimental conditions. Mar. Biol. 25:125-141.
- Gavis, J. and J. F. Ferguson. 1975. Kinetics of carbon dioxide uptake by phytoplankton at high pH. Limnol. Oceanogr. 20:211-221.
- Geen, G. H., T. G. Northcote, G. F. Hartman, and C.C. Lindsey. 1966. Life histories of two species of catostomid fishes in Sixteenmile Lake, British Columbia, with particular reference to inlet stream spawning. J. Fish. Res. Bd. Can. 23(1):1761-1788.
- Gehrs, C. W., and A. Robertson. 1975. Use of life tables in analyzing the dynamics of copepod populations. Ecology 56:665-671.
- Geldreich, E. E., L. C. Best, B. A. Kenner, and D. J. Van Donsel. 1968. The bacteriological aspects of stormwater pollution. J. Water Poll. Contr. Fed. 40:1861.
- Geller, W. 1975. Die Nahrungsaufnahme von Daphnia pulex in Abhängigkeit von der Futterkonzentration, der Temperatur, der Körpergröße und dem Hungerzustand der Tiere (The food uptake of Daphnia pulex as a function of food concentration, temperature, animals body length, and starvation). Arch. Hydrobiol. Supplementband 48:47-107 (Fish. Mar. Serv. Can. Trans. Ser. No. 4017, 1977, 96 p.).
- Gerking, S. D. 1952a. The protein metabolism of sunfishes of different ages. Physiol. Zool. 25(4):358-372.
- Gerking, S. D. 1952b. Vital statistics of the fish population of Gordy Lake, Indiana. Trans. Am. Fish. Soc. 82:48-67.
- Gerking, S. D. 1955. Influence of rate of feeding on body compositions and protein metabolism of bluegill sunfish. Physiol. Zool. 28(4):267-292.

- Gibson, E. S., and F. E. J. Fry. 1954. The performance of the lake trout, Salvelinus namaycush, at various levels of temperature and oxygen pressure. *Can. J. Zool.* 32: 252-260.
- Goldman, J. C., D. B. Porcella, E. J. Middlebrooks, and D. F. Toerien. 1972. The effects of carbon on algal growth -- its relationship to eutrophication. *Water Res.* 6: 637-679.
- Goldman, J. C., W. J. Oswald, and D. Jenkins. 1974. The kinetics of inorganic carbon-limited algal growth. *J. Wat. Poll. Contr. Fed.* 46:554-574.
- Goldman, J. C., and S. J. Graham. 1981. Inorganic carbon limitation and chemical composition of two freshwater green microalgae. *Appl. Environ. Microbiol.* 41:60-70.
- Golterman, H. L. 1975. Physiological Limnology. Elsevier, Amsterdam.
- Gophen, M. 1976. Temperature dependence of food intake, ammonia excretion and respiration in Ceriodaphnia reticulata (Jurine) (Lake Kinneret, Israel). *Freshwater Biol.* 6:451-455.
- Gordon, D. C. 1966. The effects of the deposit feeding polychaete Pectinaria gouldii on the intertidal sediments of Barnstable Harbor. *Limnol. Oceanogr.* 11:327-332.
- Grafius, E. 1973. Food consumption and utilization by five species of stream detritivores. Ann. Progress Report 1972, Coniferous Forest Biome, International Biol. Program.
- Graham, J. M. 1949. Some effects of temperature and oxygen pressure on the metabolism and activity of the speckled trout Salvelinus fontinalis. *Can. J. Res.* 27:270-288.
- Green, J. D. 1975. Feeding and respiration in the New Zealand copepod Calamoecia lucasi Brady. *Oecologia* (Berlin) 21:345-358.
- Groebner, J. F. 1960. Appraisal of the sport fishery catch in a bass-panfish lake of southern Minnesota, Lake Francis, LeSueur County, 1952-1957. *Minn. Dept. Conserv. Invest. Rept.* 225:17 pp.

- Gruendling, C. K. 1971. Ecology of the epipelagic algal communities in Marion Lake, British Columbia. *J. Phycol.* 7:239-249.
- Gulati, R. D. 1978. Vertical changes in filtering, feeding and assimilation rates of dominant zooplankters in a stratified lake. *Int. Ver. Theoret. Angew. Limnol. Verh.* 20:950-956.
- Guillard, R. R. L., and J. H. Ryther. 1962. Studies on the marine planktonic diatoms. I. Cyclotella nana Hustedt, and Detonula confervacea (Cleve) Gran. *Can. J. Microbiol.* 8:229-239.
- Gunninson, D., and M. Alexander. 1975. Resistance and susceptibility of algae to decomposition by natural microbial communities. *Limnol. Oceanogr.* 20:64-70.
- Gutel'mackher, B. L. 1977. Quantitative evaluation of phyto- and bacterioplankton in the feed ration of planktonic crustaceans. *Hydrobiological J.* 9:15-20.
- Guthrie, J. E., and R. A. Brust. 1969. Elimination of radiocesium by an aquatic Hemipteran Lethocerus americanus (Belostomatidae). *Can. Entomol.* 101:856-861.
- Hall, D. J. 1964. An experimental approach to the dynamics of a natural population of Daphnia galeata mendotae. *Ecology* 45:94-112.
- Hall, D. J., W. E. Cooper, and E. E. Werner. 1970. An experimental approach to the production dynamics and structure of freshwater animal communities. *Limnol. Oceanogr.* 15:839-928.
- Hall, G. H. 1982. Apparent and measured rates of nitrification in the hypolimnion of a mesotrophic lake. *Appl. Environ. Microbiol.* 43:542-547.
- Hallmark, M. D., and C. R. Ward. 1972. The life history and life process studies of the water scavenger beetle, Hydrophilus triangularis Say. *Desert Biome Res. Memo.* 49-72, Utah State Univ., Logan, 24 pp.
- Halmann, M., and M. Stiller. 1974. Turnover and uptake of dissolved phosphate in freshwater. A study in Lake Kinneret. *Limnol. Oceanogr.* 19:774-783.

- Haney, J. F. 1973. An in situ examination of the grazing activities of natural zooplankton communities. Arch. Hydrobiol. 72:87-132.
- Hanlon, R. D. G. 1982. The breakdown and decomposition of allochthonous and autochthonous plant litter in an oligotrophic lake (Llyn Frongoch). Hydrobiologia 88: 281-288.
- Hansen, D. J. 1971. Evaluation of stocking cutthroat trout, Salmo clarki, in Munsel Lake, Oregon. Trans. Am. Fish. Soc. 100(1):55-60.
- Hargrave, B. T. 1969. Similarity of oxygen uptake by benthic communities. Limnol. Oceanogr. 14:801-805.
- Hargrave, B. T. 1970. The utilization of benthic microflora by Hyalella azteca (Amphipoda). Arch. Hydrobiol. 72: 427-437.
- Hargrave, B. T. 1972. Aerobic decomposition of sediment and detritus as a function of particle surface area and organic content. Limnol. Oceanogr. 17:582-597.
- Hart, J. S. 1947. Lethal temperature relations of certain fish in the Toronto region. Trans. Royal Soc. Can. Sec. 5; 41:57-71.
- Hart, J. S. 1952. Geographical variations of some physiological and morphological characters in certain freshwater fish. Univ. Toronto Biol. Ser. No. 60. Univ. Toronto. 79 pp.
- Harvey, H. W. 1937. Note on selective feeding by Calanus. J. Mar. Biol. Assoc. UK 22:97-100.
- Hatch, R. W., and D. A. Webster. 1961. Trout production in four central Adirondack Mountain Lakes. Cornell Univ. Agric. Exp. Sta. Mem. 272:82 pp.
- Hattori, A. 1962. Light-induced reduction of nitrate, nitrite and hydroxylamine in a blue-green alga, Anabaena cylindrica. Plant Cell Physiol. 3:355-369.
- Hayward, R. S., and D. N. Gallup. 1976. Feeding, filtering and assimilation in Daphnia schoedleri Sars as affected by environmental conditions. Arch. Hydrobiol. 77:139-163.

- Hecky, R. E., and P. Kilham. 1974. Environmental control of phytoplankton cell size. *Limnol. Oceanogr.* 19(2): 361-365.
- Heiman, D. R., and A. W. Knight. 1975. The influence of temperature on the bioenergetics of the carnivorous stonefly nymph, Acroneuria californica Banks (Plecoptera: Perlidae). *Ecology* 56:105-116.
- Hendry, G. R., and E. Welch. 1973. The effects of nutrient availability and light intensity on the growth kinetics of natural phytoplankton communities. Presentation, Am. Soc. Limnol. Oceanogr. 36th Annual Meeting, Salt Lake City, Utah.
- Heywood, J., and R. W. Edwards. 1962. Some aspects of the ecology of Potamopyrgus jenkinsi Smith. *J. Animal Ecology* 31:239-250.
- Hillbricht-Ilkowska, A., and A. Karabin. 1970. An attempt to estimate consumption, respiration and production of Leptodora kindtii (Focke) in field and laboratory experiments. *Polskie Archiwum Hydrobiologii* 17:81-86.
- Hobson, L. A. 1974. Effects of interaction of irradiance, daylength, and temperature on division rates of three species of marine unicellular algae. *Can. Fish. Res. Bd. J.* 31:391-395.
- Holm, N. P., and D. E. Armstrong. 1981. Role of nutrient limitation and competition in controlling the populations of Asterionella formosa and Microcystis aeruginosa in semicontinuous culture. *Limnol. Oceanogr.* 26:622-634.
- Hoogenhout, H., and J. Amesz. 1965. Growth rates of photosynthetic microorganisms in laboratory studies. *Arch. Mikrobiol.* 50:10-24.
- Horning, W. B., II, and R. E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass (Micropterus dolomieu). *J. Fish. Res. Bd. Can.* 30(8):1226-1230.
- Hoskins, J. K., C. C. Ruchhoft, and L. G. Williams. 1927. A study of the pollution and natural purification of the Illinois River. I -- Surveys and Laboratory Studies. Public Health Bulletin No. 171.

- Hutchinson, G. E. 1957. A Treatise on Limnology. I. Geography, Physics and Chemistry. John Wiley and Sons, NY.
- Ignatiades, L., and T. J. Smayda. 1970. Autecological studies on the marine diatom Rhizosolenia fragilissima Bergon. I. The influence of light, temperature, and salinity. *J. Phycology* 6:332-339.
- Ivanova, M. B., and R. Z. Klekowski. 1972. Respiratory and filtration rates in Simocephalus vetulus (O. F. Muller) (Cladocera) at different pH. *Polskie Archiwum Hydrobiologii* 19:303-318.
- Ivlev, V. 1939a. Balance of energy carps. *Zool. J.* 18:303-318.
- Ivlev, V. 1939b. Transformation of energy by aquatic animals. *Int. Rev. G. Hydrobiol. Hydrogr.* 38:449-458.
- Janik, J. J., W. D., Taylor, and V. W. Lambou. 1981. Estimating phytoplankton biomass and productivity. Miscellaneous Paper E-81-2, U. S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.
- Jeanjean, R. 1969. Influence de la carence en phosphoric sur les vitesses d'absorption du phosphate par les Chlorelles. *Bull. Soc. Fr. Physiol. Veg.* 15:159-171.
- Jewell, W. J., and P. L. McCarty. 1971. Aerobic decomposition of algae. *Env. Sci. Tech.* 5:1023-1031.
- Jitts, H. R., C. D. McAllister, K. Stephens, and J. D. H. Strickland. 1964. The cell division rates of some marine phytoplankton as a function of light and temperature. *J. Fish. Res. Bd. Can.* 21:139-157.
- Johnson, F. H., and A. R. Peterson. 1955. Comparative harvest of northern pike by summer angling and winter darkhouse spearing from Ball Club Lake, Itasca County, Minn. *Minn. Div. Game Fish Invest. Rept.* 164: 1-11.
- Johnson, L. 1966. Experimental determination of food consumption of pike, Esox lucius, for growth and maintenance. *J. Fish. Res. Bd. Can.* 23:1495-1505.

- Johnson, M. G., M. F. P. Michalski, and A. E. Christie. 1979. Effects of acid mine wastes on phytoplankton communities of two northern Ontario Lakes. J. Fish. Res. Bd. Can. 27:425-444.
- Jorgensen, E. G. 1968. The adaptation of plankton algae. II. Aspects of the temperature and the temperature adaptation of Skeletonema costatum. Physiol. Plant. 21:423-427.
- Jorgenson, C. B. 1975. Comparative physiology of suspension-feeding. Ann. Rev. Phys. 37:57-79.
- Kajak, Z., and K. Dusoge. 1970. Production efficiency of Procladius choreus Mg (Chironomidae, Diptera) and its dependence on the trophic conditions. Polskie Arch. Hydrobiol. 17:217-224.
- Kersting, K., and C. Van De Leeuw-Leegwater. 1976. Effect of food concentration on the respiration of Daphnia magna. Hydrobiol. 49:137-142.
- Ketchum, B. H. 1939. The absorption of phosphate and nitrate by illuminated cultures of Nitzschia closterium. Am. J. Bot. 26:399-407.
- Kibby, H. V. 1971. Effect of temperature on the feeding behavior of Daphnia rosea. Limnol. Oceanogr. 16:580-581.
- Kilambi, R. V., J. Noble, and C. E. Hoffman. 1970. Influence of temperature and photoperiod on growth, food consumption, and food conversion efficiency of channel catfish. Proc. Annu. Conf. Southeast Game Fish. Comm. 24:519-531.
- King, D. L. 1970. The role of carbon in eutrophication. J. Water Poll. Con. Fed. 42:2035-2051.
- Kirk, J. T. O. 1975. A theoretical analysis of the contribution of algal cells to the attenuation of light within natural waters. I. General treatment of suspensions of pigmented cells. New Phytol. 75:11-20.
- Kittrell, F. W., and S. A. Furfari. 1963. Observations of coliform bacteria in streams. J. Water Poll. Contr. Fed. 35:1361.
- Kittrell, F. W., and O. W. Kochtitzky, Jr. 1947. Natural purification characteristics of a shallow turbulent stream. Sewage Works J. 19:1032.

- Klekowski, R. Z. 1970. Bioenergetic budgets and their application for estimation of production efficiency. *Pol. Arch. Hydrobiol.* 17:55-80.
- Klekowski, R. A., and E. A. Shushkina. 1966b. Ernährung, atmung, wachstum and energie umformung in Macrocyclops albidus (Jurine). *Verh. Int. Ver. Limnol.* 16:399-418.
- Klekowski, R. Z., E. Fischer, Z. Fischer, M. B. Ivanova, T. Prus, E. A. Shushkina, T. Stachurska, Z. Stepien, and H. Zzromska-Rduzka. 1970. Energy budgets and energy transformation efficiencies of several animal species of different feeding types. In: Z. Kajak and A. Hillbricht-Ilkowska (eds.), Productivity Problems of Freshwater, PWN Pol. Scient. Publ., Warsaw, 749-763.
- Klock, J. W. 1971. Survival of coliform bacteria in wastewater treatment lagoons. *J. Water Poll. Contr. Fed.* 43:2071.
- Knowles, G., A. L. Downing, and M. J. Barrett. 1965. Determination of kinetic constants for nitrifying bacteria in mixed culture, with the aid of an electronic computer. *J. Gen. Microbiol.* 38:263-278.
- Knudsen, G. 1965. Induction of nitrate reductase in synchronized cultures of Chlorella pipenoidosa. *Biochim. Biophys. Acta* 103:495-502.
- Kobashi, T., and Y. Deguchi. 1971. Studies on the excrements of the fish. *Bull. Coll. Agric. Vet. Med. Nihon Univ.*, 28: 92-99.
- Kolbe, R. W. 1957. Freshwater diatoms from Atlantic deep-sea sediments. *Science* 126:1053-1056.
- Kormondy, E. J. 1968. Weight loss of cellulose and aquatic macrophytes in a Carolina Bay. *Limnol. Oceanogr.* 13: 522-526.
- Krokhin, E. M. 1959. Determination of daily food ration of young sockeye and three-spined stickleback by the respiration method. *Fish. Res. Bd. Can. Translation Series No.* 209.

- Kryutchkova, N. M., and V. G. Kondratyuk. 1966. The dependence of the feeding filtration rate of some types of Cladocera on temperature. *Doklady Akademii Nauk Belorusskii SSR*, 10:120-123. (in Russian).
- Lane, E. W. 1938. Notes on formation of sand. *Trans. Am. Geophys. Union* 18:505-508.
- LaRow, E. J., J. W. Wilkinson, and K. D. Kumar. 1975. The effect of food concentration and temperature on respiration and excretion of herbivorous zooplankton. *Int. Ver. Theoret. Angew. Limnol. Verh.* 19:966-973.
- Latta, W. C. 1962. Periodicity of mortality of brook trout during first summer of life. *Trans. Am. Fish. Soc.* 91:409-411.
- Laws, E. A., and D. C. Wong. 1978. Studies of carbon and nitrogen metabolism by three marine phytoplankton species in nitrate-limited continuous culture. *J. Phycol.* 14:406-416.
- Lawton, J. H. 1970. Feeding and food energy assimilation in larvae of the damselfly *Pyrrohosoma nymphula* (Sulzer) (Odonata:Zygoptera). *J. Animal Ecology* 39:669-689.
- Leidy, G. R., and R. M. Jenkins. 1977. The development of fishery compartments and population rate coefficients for use in reservoir ecosystem modeling. Contract Rept. CR-Y-77-1, U. S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.
- Leidy, G. R., and G. R. Ploskey. 1980. Simulation modeling of zooplankton and benthos in reservoirs: Documentation and development of model constructs. Tech. Report E-80-4. U.S. Army Engineer Waterways Experiment Station, Vicksburg, Miss.
- Levinton, J. 1977. Feedback and structure in deposit-feeding benthic communities. In: *Biology of Benthic Organisms*, B. F. Keegan, P. P. Ceidigh, and P. J. S. Boaden (eds.) Pergamon Press, NY. 409-449.
- Li, W. K. W., and I. Morris. 1982. Temperature adaptation in *Phaeodactylum tricornutum* Bohlin: Photosynthetic rate compensation and capacity. *J. Exp. Mar. Biol. Ecol.* 58:135-150.

- Likens, G. E. 1975. Primary productivity of inland aquatic ecosystems. In: H. Lieth, and R. H. Whittaker (ed.) The Primary Productivity of the Biosphere, Springer-Verlag, N.Y.
- Lisitsyn, A. P., Y. I. Belyayev, Y. A. Bogdanov, and A. N. Bogoyavlenskiy. 1967. Distribution relationships and forms of silicon suspended in waters of the world ocean. *Int. Geol. Rev.* 9:253-274.
- Lohmann, K. E. 1942. Geology and biology of North Atlantic deep-sea cores between Newfoundland and Ireland. Prof. Pap. U. S. Geol. Surv. 196-B:55-94.
- Lombardo, P. S. 1973. Mathematical Model of Quality in Rivers and Impoundments. Hydrocomp, Inc. Palo Alto, Calif.
- MacIsaac, J. H., and R. C. Dugdale. 1969. The kinetics of nitrate and ammonia uptake by natural populations of marine phytoplankton. *Deep-Sea Res.* 16:16-27.
- Madsen, B. L., P. N. Markmann, and G. Rasmussen. 1977. *Vand* 8:4-8.
- Mahloch, J. L. 1974. Comparative analysis of modeling techniques for coliform organisms in streams. *Appl. Microbiol.* 27:340.
- Malone, C. R., and D. J. Nelson. 1969. Feeding rates of freshwater snails (Goniobasis clavaeformis) determined with cobalt 60. *Ecology* 50:728-730.
- Mann, K. H. 1956. A study of the oxygen consumption of five species of leech. *J. Exp. Biol.* 33:615-626.
- Mann, K. H. 1965. Energy transformations by a population of fish in the River Thames. *J. Anim. Ecol.* 34:253-275.
- Mann, K. H. 1972. Ecological energetics of the seaweed zone in a marine bay on the Atlantic Coast of Canada. I. Zonation and biomass of seaweeds. *Mar. Biol.* (Berlin) 12:1-10.
- Manuilova, E. F. 1958. The question of the role of bacterial numbers in the development of Cladocera in natural conditions. *Doklady Akademii Nauk SSSR Biological Science Section* 120:438-441.

- Marais, G. V. R. 1974. Faecal bacterial kinetics in stabilization ponds. J. San. Eng. Div. ASCE 100(EEI):119.
- Marchant, R., and H. B. N. Hynes. 1981. Field estimates of feeding rates for Gammarus pseudolimnaeus (Crustacea: Amphipoda) in the Credit River, Ontario. Freshwat. Biol. 11:27-36.
- Margalef, R. 1961. Velocidad de sedimentacion de organismos pasivos del fitoplancton. Investigacion Pesq. 18:3-8.
- Marra, J. 1978. Phytoplankton photosynthetic response to vertical movement in a mixed layer. Mar. Biol. 46: 203-208.
- Marshall, S. M., and A. P. Orr. 1956. On the biology of Calanus finmarchicus. IX. Feeding and digestion in the young stages. J. Mar. Biol. Assoc. UK 35:587-603.
- McCammon, G. W., and C. M. Seeley. 1961. Survival, mortality and movements of white catfish and brown bullheads in Clear Lake, California, Calif. Fish and Game 47(3): 237-255.
- McCauley, R. W., and J. S. Tait. 1970. Preferred temperature of yearling lake trout, Salvelinus namaycush. J. Fish. Res. Bd. Can. 27(10):1729-1733.
- McCauley, R. W., and L. A. A. Read. 1973. Temperature selection by juvenile and adult yellow perch (Perca flavescens) acclimated to 24 degrees Can. J. Fish. Res. Bd. Can. 30(8):1253-1255.
- McComish, T. S. 1971. Laboratory experiments on growth and food conversion by the bluegill. Ph.D. Dissertation, Univ. of Missouri, Columbia, Mo.
- McCormick, H. H., and M. Mischuk. 1973. Effects of temperature on growth and survival of young-of-the-year emerald shiner (Notropis atherinoides). Unpublished manuscript.
- McCullough, D. A. 1975. The bioenergetics of three aquatic insects determined by radioisotopic analyses. M.S. Thesis, Idaho State Univ., Moscow.

- McDiffett, W. F. 1970. The transformation of energy by a stream detritivore, Pteronarcys scotti (Plecoptera). Ecology 51:975-988.
- McMahon, J. W. 1965. Some physical factors influencing the feeding behavior of Daphnia magna Straus. Can. J. Zool. 43:603-611.
- McMahon, J. W., and F. H. Rigler. 1965. Feeding rate of Daphnia magna Straus in different foods labeled with radioactive phosphorus. Limnol. Oceanogr. 10:105-113.
- McNeill, S., and J. H. Lawton. 1970. Annual production and respiration in animal populations. Nature 225:472-474.
- McQueen, D. J. 1970. Grazing rates and food selection of Diaptomus oregonensis (Copepoda) from Marion Lake, British Columbia. J. Fish. Res. Bd. Can. 27:13-20.
- Megard, R. O., W. S. Comles, P. D. Smith, and A. S. Knoll. 1980. Attenuation of light and daily integral rates of photosynthesis attained by planktonic algae. Limnol. Oceanogr. 24:1038-1050.
- Mitchell, R., and C., Chamberlain. 1978. Survival of indicator organisms. In: Berg, G. (ed.); Indicators of Enteric Contamination in Natural Waters. Ann Arbor Science Publ. Inc., Ann Arbor, pp 15-38.
- Monokov, A. V. 1972. Review of studies on feeding of aquatic invertebrates conducted at the Institute of Biology of Inland Waters, Academy of Science, USSR. J. Fish. Res. Bd. Can. 29:363-383.
- Monokov, A. V., and Y. I. Sorokin. 1961. Quantitative data on the feeding of daphnids. Trudy Instituta Biologii Vodokhranilishcha Akademii Nauk SSSR, 4:251-261 (in Russian).
- Moore, J. W. 1975. The role of algae in the diet of Asellus aquaticus L. and Gammarus pulex L. Anim. Ecol. 144:719-730.
- Moshiri, G. A., K. W. Cummins, and R. R. Costa. 1969. Respiratory energy expenditures by the predaceous zooplankter Leptodora kindtii (Focke) (Crustacea: Cladocera). Limnol. Oceanogr. 14:475-484.

- Mraz, D., and C. W. Threinen. 1955. Angler's harvest, growth rate and population estimate of the largemouth bass of Browns Lake, Wisconsin. *Trans. Am. Fish. Soc.* 85:241-256.
- Mullin, M. M. 1963. Some factors affecting the feeding of marine copepods of the genus Calanus. *Limnol. Oceanogr.* 8:239-250.
- Mullin, M. M., and E. R. Brooks. 1970. Growth and metabolism of two planktonic marine copepods as influenced by temperature and type of food. In: Marine Food Chains, J. H. Steele (ed.), Univ. of Calif. Press, Berkeley, pp. 74-95.
- Myers, J., and J. Graham. 1961. On the mass culture of algae. III. Light diffusers: high vs low temperature Chlorellas. *Plant Physiol.* 36:342-346.
- Nalewajko, C. 1966. Photosynthesis and excretion in various planktonic algae. *Limnol. Oceanogr.* 11:1-10.
- Nauwerck, A. 1959. Zur Bestimmung der filtrierate limnischer Planktontiere. *Arch. Hydrobiol. Supplementband* 25:83-101.
- Neill, W. H., Jr., K. Strawn, and J. E. Dunn. 1966. Heat resistance experiments with the longear sunfish (Lepomis megalotis). *Ark. Acad. Sci. Proc.* 20:39-49.
- Niimi, A. J., and F. W. H. Beamish. 1974. Bioenergetics and growth of largemouth bass (Micropterus salmoides) in relation to body weight and temperature. *Can. J. Zool.* 52(4):447-456.
- Nilsson, L. M. 1974. Energy budget of a laboratory population of Gammarus pulex (Amphipoda). *Oikos* 25:35-42.
- Nyholm, N. 1978. A simulation model for phytoplankton growth and nutrient cycling in eutrophic, shallow lakes. *Ecol. Modelling* 4:279-310.
- Odum, E. P., and A. A. de la Cruz. 1967. Particulate organic detritus in a Georgia salt marsh-estuarine ecosystem. In: G. H. Lauff (ed.), Estuaries. Am Assoc. Adv. Sci. Wash., D.C., pp. 383-388.

- Olson, D. E. 1957. Statistics of a walleye sport fishery in a Minnesota Lake. *Trans. Am. Fish. Soc.* 87:52-72.
- Olson, P. A., and R. F. Foster. 1955. Temperature tolerance of eggs and young of Columbia River chinook salmon. *Trans. Am. Fish. Soc.* 85:203-207.
- Olson, P. A., and M. E. Rueger. 1968. Relationship of oxygen requirements to index organism classification of immature aquatic insects. *J. Water Poll. Contr. Fed. (Research Supplement)* 40:R188-R202.
- Otsuki, A., and T. Hanya. 1972. Production of dissolved organic matter from dead green algal cells. I. Aerobic microbial decomposition. *Limnol. Oceanogr.* 17:248-257.
- Otto, C. 1974. Growth and energetics in a larval population of Potamorphylax cingulatus (Steph.) (Tricoptera) in a south Swedish stream. *J. Animal Ecology* 43:339-361.
- Paasche, E. 1968. Marine plankton algae grown with light-dark cycles. II. Ditylum brightwellii and Nitzschia turgidula. *Physiol. Plant.* 21:66-77.
- Paffenhoffer, G. A. 1976. Feeding, growth, and food conversion of the marine planktonic copepod Calanus helgolandicus. *Limnol. Oceanogr.* 21:39-50.
- Parson, T. R., and J. D. H. Strickland. 1963. On the production of particulate organic carbon by heterotrophic processes in sea water. *Deep-Sea Res.* 8:211-222.
- Parsons, T. R., R. J. LeBrasseur, and J. D. Fulton. 1967. Some observations on the dependence of zooplankton grazing on the cell size and concentration of phytoplankton blooms. *J. Oceanogr. Soc. (Japan)* 23:10-17.
- Parsons, T. R., and M. Takahashi. 1973. *Limnol. Oceanogr.* 18(4):511-515.
- Patriarche, M. H. 1968. Production and theoretical equilibrium yield for the bluegill (Lepomis macrochirus) in two Michigan Lakes. *Trans. Am. Fish. Soc.* 97(3):242-251.

- Peck, F. W. 1965. Growth studies of laboratory and wild population samples of smallmouth bass (Micropterus dolomieu Lacepede) with applications to mass marking of fishes. M.S. Thesis, Univ. of Ark., Fayetteville.
- Penchen'-Finenko, G. A. 1977. Efficiency of food assimilation by planktonic crustaceans in different trophic conditions. Zoologicheskii Zhurnal 56:1458-1465. (English translation available as Fisheries and Marine Service of Canada Translation Series No. 4188, 1978, 13 p.)
- Petipa, T. S., E. V. Pavlova, and G. N. Mironov. 1970. The food structure, utilization and transport of energy by trophic levels in the planktonic communities. In: Marine Food Chains, J. H. Steele (ed.), Univ. Calif., Berkeley, pp. 142-167.
- Pickett, J. M. 1975. Growth of Chlorella in a nitrate-limited chemostat. Plant Physiol. 55:223-225.
- Piecznska. 1972. Wiadomosci Ekologiczne 18:131-140.
- Pierce, R. J., and T. Wissing. 1974. Energy cost of food utilization in the bluegill (Lepomis macrochirus). Trans. Am. Fish. Soc. 103(1):38-45.
- Pilarska, J. 1977. Eco-physiological studies of Brachionis rubens Ehrbg. (Rotatoria). II. Production and respiration. Polskie Archiwum Hydrobiologii 24:329-341.
- Plfatzer-Schultz, I. 1970. On respiration of various life-stages of Chironomus strenzkei Fittfau (Diptera). Z. Vergl. Physio. 67:179-185.
- Prezelin, B. B., and B. M. Sweeney. 1977. Characterization of photosynthetic rhythms in marine dinoflagellates. II. Photosynthesis-irradiance curves and in vivo chlorophyll a fluorescence. Plant Physiol. 60:388-392.
- Prus, T. 1971. The assimilation efficiency of Asellus aquaticus L. (Crustacea, Isopoda). Freshwater Biol. 1:281-305.

- Quasim, S. Z., P. M. A. Bhattathiri, and V. P. Dovassoy. 1973. Mar. Biol. 21:299-304.
- Rawson, D. S. 1961. The lake trout of Lac la Range, Saskatchewan. J. Fish. Res. Board Can. 18:423-462.
- Rawstron, R. R. 1967. Harvest mortality, and movement of selected warm-water fishes in Folsom Lake, California. Calif. Fish and Game 53(1):40-48.
- Rhee, G-Yull. 1973. A continuous culture study of phosphate uptake, growth rate and polyphosphate in Scenedesmus sp. J. Phycol. 9:495-506.
- Rhee, G-Yull, and I. J. Gotham. 1981a. The effects of environmental factors on phytoplankton growth: Temperature and the interaction of temperature with nutrient limitation. Limnol. Oceanogr. 26:635-648.
- Rhee, G-Yull, and I. J. Gotham. 1981b. The effects of environmental factors on phytoplankton growth: Light and the interaction of light with nitrate limitation. Limnol. Oceanogr. 26:649-659.
- Richman, S. 1958. The transformation energy of Daphnia pulex. Ecol. Monogr. 28:273-291.
- Richman, S. 1964. Energy transformation studies on Diaptomus oregonensis. Int. Ver. Theoret. Angew. Limnol. Verh. 15:654-659.
- Ricker, W. E. 1945. Natural mortality among Indian bluegill sunfish. Ecology 26:111-121.
- Ricker, W. E. 1947. Mortality rates in some little-exploited populations of fresh-water fishes. Trans. Am. Fish. Soc. 77:114-128.
- Ricker, W. E. 1958. Handbook of computations for biological statistics of fish populations. Fish Res. Board Can. Bull. 119, 300 pp.
- Rigler, F. H. 1961. The relation between concentration of food and feeding rate of Daphnia magna Straus. Can. J. Zool. 39:857-768.
- Riley, G. A. 1943. Bull. Bingham Oceanogr. Coll. 8, Art. 4, 53 pp.

- Riley, G. A., H. Stommel, and D. F. Bumpus. 1949. Quantitative ecology of the plankton of the western North Atlantic. Bull. Bingham Oceanogr. Coll. 12:1-169.
- Riley, G. A., and R. von Aux. 1949. J. Mar. Res. 8(11):60-72.
- Rogers, K. H., and C. M. Breen. 1982. Decomposition of Potamogeton cuspus I. Effects of drying on the pattern of mass and nutrient loss. Aquatic Bot. 12: 1-12.
- Ryther, J. H. 1954. Inhibitory effects of phytoplankton upon the feeding of Daphnia magna with reference to growth, reproduction, and survival. Ecology 35:522-533.
- Salonen, K., J. Sarvala, I. Hakala, and M.-L. Viljanen. 1976. Limnol. Oceanogr. 21(5)724-730.
- Saunders, G. W. 1972. The transformation of artificial detritus in lake water. Mem. Ist. Ital. Idrobiol. Dott Marco de Marchi, Pallanza, Italy 29 (Suppl): 261-288.
- Scavia, D., and B. J. Eadie. 1976. The use of measurable coefficients in process formulations: Zooplankton grazing. Ecol. Modell. 2:315-319.
- Schindler, J. E. 1968. Feeding, assimilation and respiration rates of Daphnia magna under various environmental conditions and their relation to production estimates. J. Anim. Ecol. 37:369-385.
- Schindler, J. E. 1971. Food quality and zooplankton nutrition. J. Anim. Ecol. 40:589-595.
- Schindler, D. W., and E. J. Fee. 1973. Diurnal variation of dissolved inorganic carbon and its use in estimating primary production and CO₂ invasion in Lake 227. J. Fish. Res. Bd. Can. 30:1501-1510.
- Schneider, J. C. 1973. Influence of diet and temperature on food consumption and growth by yellow perch, with supplemental observations on the bluegill. Mich. Dept. Nat. Res. Fish Res. Rept. No. 1802. 25 pp.

- Scott, D. P. 1964. Thermal resistance of pike (Esox lucius L.), muskellunge (E. masquinongy), and their F1 hybrid. J. Fish. Res. Board Can. 21(5):1043-1049.
- Sedell, J. R., F. J. Triska, and N. S. Triska. 1975. The processing of conifer and hardwood leaves in two coniferous forest streams: I. Weight loss and associated invertebrates. Verh. Internat. Verein. Limnol. 19:1617-1627.
- Semenova, L. M. 1974. The feeding habits of Bosmina coregoni Baird (Cladocera). Hydrobiological J. 10: 28-34.
- Sepers, A. B. J. 1981. The aerobic mineralization of amino acids in the saline Lake Grevelingen and the freshwater Haringvliet basin (The Netherlands). Arch. Hydrobiol. 92:114-129.
- Shamieh, E. H. 1968. The role of alkalinity in lagoons. MS Thesis, Univ. of Missouri, Columbia (unpubl.).
- Shelef, G. 1968. Kinetics of algal systems in waste treatment. Light intensity and nitrogen concentration as growth-limiting factors. Ph.D. Thesis, Univ. Calif., Berkely.
- Shushkina, E. A., and G. A. Pecen'. 1964. Food rations and its assimilation by carnivorous Cyclops and Daphnia longispina; determination with the radiocarbon method. In: Trudy 10 Nauk Konf. po Vnutrennyh Vodoemah Pribaltiki, Minsk, pp. 312-322 (in Russian).
- Smayda, T. J. 1969. Experimental observations on the influence of temperature, light, and salinity on cell division of the marine diatom Detonula confervacea (Cleve) Gran. J. Phycol. 5:150-157.
- Smayda, T. J. 1971. Normal and accelerated sinking of phytoplankton in the sea. Mar. Geol. 11:105-122.
- Smayda, T. J. 1974. Some experiments on the sinking characteristics of two freshwater diatoms. Limnol. Oceanogr. 19(4):628-635.
- Smayda, T. J., and B. J. Boleyn. 1965. Experimental observations on the floatation of marine diatoms. I. Thalassiosira cf. nana, Thalassiosira rotula and Nitzschia seriata. Limnol. Oceanogr. 10:499-509.

- Smayda, T. J., and B. J. Boleyn. 1966. Experimental observations on the floatation of marine diatoms. III. Bacteriastrum hyalinum and Chaetoceros lauderi. Limnol. Oceanogr. 11:35-43.
- Smirnov, N. N. 1962. Eurycercus lamellatus (O. F. Muller) (Chydoridae, Cladocera): Field observations and nutrition. Hydrobiologia 20:280-295.
- Smith, W. O. 1979. A carbon budget for the autotrophic ciliate Mesodinium rubrum. J. Phycol. 15:27-33.
- Smith, R. C., and K. S. Baker. 1978. The bio-optical state of ocean waters and remote sensing. Limnol. Oceanogr. 23:247-259.
- Sorokin, C., and R. W. Krauss. 1962. Effects of temperature and illumination on Chlorella growth uncoupled from cell division. Plant Physiology 37:37-42.
- Sorokin, C., and J. Myers. 1953. A high temperature strain of Chlorella. Science, Washington, D. C. 117:330-331.
- Sorokin, Y. I. 1966. Carbon-14 method in the study of nutrition of aquatic animals. Int. Rev. Ges. Hydrobiol. 51:209-224.
- Sorokin, Y. I. 1969. The seasonal dynamics of the productivity of the plankton of the shore area and the open part of the Volga arm of the Rybinsk Reservoir. Biologiya Vnutrennykh Vod Informatsionii Byulleten' 3:7-10 (in Russian).
- Soyza, K. 1973. Energetics of Aphelenchus avenae in mono-azenic culture. Proceedings of the Helminthological Society of Washington 40:1-10.
- Spence, D. H. N. 1981. Light quality and plant responses underwater. In: H. Smith (ed). Plants and the Daylight Spectrum, pp. 245-276. Academic Press, NY.
- Spencer, D. F., and C. A. Lembi. 1981. Factors regulating the spatial distribution of the filamentous alga Pithophora oedogonia (Chlorophyceae) in an Indiana Lake. J. Phycol. 17:168-173.
- Steele, J. H. 1962. Environmental control of photosynthesis in the sea. Limnol. Oceanogr. 7:137-150.

- Steemann-Nielsen, E. 1952. On detrimental effects of high light intensities on the photosynthetic mechanism. *Physiol. Plant.* 5:334-344.
- Steemann-Nielsen, E., and E. G. Jorgensen. 1968. The adaptation of plankton algae I. General part. *Physiol. Plant.* 21:401-413.
- Stockner, J. G. 1971. Ecological energetics and natural history of Hedriodiscus truquii (diptera) in two thermal spring communities. *J. Fish. Res. Bd. Can.* 28:73-94.
- Strawn, K. 1961. Growth of largemouth bass fry at various temperatures. *Trans. Am. Fish. Soc.* 90:334-335.
- Sushchenya, L. M. 1958. Quantitative data on the filtration feeding of planktonic Crustacea. *Doklady Vish. Shkoli Biol Sci.* 1:16-20. (in Russian)
- Talling, J. F. 1955. The relative growth rates of three plankton diatoms in relation to underwater radiation and temperature. *Ann. Bot. N.S.* 19:329-341.
- Tamiya, H. T., T. Sasa, T. Nikei, and S. Ishibashi. 1965. Effects of variation of daylength, day and night temperatures, and intensity of daylight on the growth of Chlorella. *J. Gen. Appl. Microbiol.* 4:298-307.
- Tanaka, N., M. Nakanishi, and H. Kadota. 1974. Nutritional interrelation between bacteria and phytoplankton in a pelagic ecosystem. In: R. R. Colwell and R. V. Mouta (eds.), Effects of the Ocean Environment on Microbial Activities. Univ. Park Press, Baltimore, pp. 495-509.
- Teal, J. M. 1957. Community metabolism in a temperate cold spring. *Ecol. Monograph.* 27:283-302.
- Tezuka, Y. 1971. Feeding of Daphnia on planktonic bacteria. *Japan. J. Ecol.* (Nippon Seitai Gakkaishi) 21:127-134.
- Thomann, R. V. et al. 1971. The effect of nitrification on the dissolved oxygen of streams and estuaries. *Env. Eng. and Sci. Prog.* Manhattan College, Bronx, NY.

- Thomas, W. H., and A. N. Dodson. 1968. Effects of phosphate concentration on cell division rates and yield of a tropical oceanic diatom. *Biol. Bull.* 134: 199-208.
- Thompson, D. H. 1941. The fish production of inland streams and lakes, pp. 206-217. In: J. G. Needham (ed.), *Symposium on Hydrobiology*, Univ. Wisc. Press, Madison.
- Tison, D. L., and D. H. Pope. 1980. Effect of temperature on mineralization by heterotrophic bacteria. *Appl. Environ. Microbiol.* 39:584-587.
- Tison, D. L., D. P. Pope, and C. W. Boylen. 1980. Influence of seasonal temperature on the temperature optima of bacteria in sediments of Lake George, New York, *Appl. Environ. Microbiol.* 39:675-677.
- Titman, D., and P. Kilham. 1976. Sinking in freshwater phytoplankton: Some ecological implications of cell nutrient status and physical mixing processes. *Limnol. Oceanogr.* 21(3):109-117.
- Toerien, D. F., and B. Cavari. 1982. Effect of temperature on heterotrophic glucose uptake, mineralization, and turnover rates in lake sediments. *Appl. Environ. Microbiol.* 43:1-5.
- Toetz, D., L. Varga, and D. Loughran. 1973. Half-saturation constants for uptake of nitrate and ammonia by reservoir plankton. *Ecology* 54:903-908.
- Turner, J. T. 1977. Sinking rates of fecal pellets from the marine copepod Pontella meadii. *Mar. Biol.* 40(3): 249-259.
- Underhill, P. A. 1977. Nitrate uptake kinetics and clonal variability in the neritic diatom Biddulphia aurita. *J. Phycol.* 13:170-176.
- Vaccaro, R. F. 1969. The response of natural microbial populations in seawater to organic enrichment. *Limnol. Oceanogr.* 14:726-735.
- van Lierre, L., W. Zevenboom, and L. R. Mur. 1977. Nitrogen as a limiting factor for the growth of the blue green alga Oscillatoria agardhii. *Prog. Water Tech.* 8:301-312.

- Verduin, J. 1952. Photosynthesis and growth rates of live diatom communities in western Lake Erie. *Ecology* 33: 163-169.
- Verduin, J. 1982. Components contributing to light extinction in natural waters: Methods of isolation. *Arch. Hydrobiol.* 93:303-312.
- Verity, P. G. 1981. Effects of temperature, irradiance and daylength on the marine diatom Leptocylindrus danicus Cleve. I. Photosynthesis and cellular composition. *J. Exp. Mar. Biol. Ecol.* 55:79-91.
- Vinogradov, M. Y. 1961. Food sources of the deep water fauna. Speed of decomposition of dead pteropoda. *Dokl. Akad. Nauk SSSR, Oceanology* 138:1439-1442; translated in *American Geophysical Union* 136/141: 39-42.
- Von Muller, H. 1972. Wachstum und phosphatbedarf von Nitzschia octinastroides (Lemm.) V. Goor in statischer und homokontinuierlicher Kultur unter Phosphatlimitierung. *Arch. Hydrobiol. Suppl.* 38: 399-484.
- Walburg, C. H. 1961. Natural mortality of American shad. *Trans. Am. Fish. Soc.* 90(2):228-229.
- Wallen, D. G., and L. D. Cartier. 1975. Molybdenum dependence, nitrate uptake and photosynthesis of freshwater plankton algae. *J. Phycol.* 11:345-349.
- Warren, C. E., and G. E. Davis. 1967. Laboratory studies on the feeding, bioenergetics and growth of fish, pp. 175-214. In: S. D. Gerking (ed.), Biological Basis of Freshwater Fish Production. Blackwell, Oxford and Edinburgh, London.
- Wetzel, R. G. 1975. Limnology. W. B. Saunders. Philadelphia.
- Wetzel, R. G., P. H. Rich, M. C. Miller, and H. L. Allen. 1972. Metabolism of dissolved particulate detrital carbon in a temperate hardwater lake. *Mem. Ist Ital. Idrobiol. Suppl.* 29:185-243.
- Whittaker, R. H. 1975. Communities and Ecosystems, MacMillan Publishing Co., Inc., NY.

- Wild, H. E., C. N. Sawyer, and T. C. McMahon. 1971. Factors affecting nitrification kinetics. *J. Water Poll. Contr. Fed.* 43:1845-1854.
- Williams, D. T. 1980. Determination of light extinction coefficients in lakes and reservoirs. In: H. G. Stefan (ed.), *Surface Water Impoundments, Proceedings of the Symposium on Surface Water Impoundments*, ASCE, Minn.
- Williams, W. E. 1959. Food conversion and growth rates for largemouth and smallmouth bass in laboratory aquaria. *Trans. Am. Fish. Soc.* 88:125-127.
- Williams, P. J. LeB. 1982. Microbial contribution to overall plankton community respiration--Studies in enclosures, In: G. D. Grice and M. R. Reeve (eds.), Marine Mesocosms: Biological and Chemical Research in Experimental Ecosystems, Springer-Verlag, NY. pp. 305-321.
- Williams, P. J., L. B. Yentsch, and C. S. Yentsch. 1976. An examination of photosynthetic production, excretion of photosynthetic products and heterotrophic utilization of dissolved organic compounds with reference to results from a coastal subtropical sea. *Mar. Biol.* 35:31-40.
- Winberg, G. G. 1956. Rate of metabolism and food requirement of fishes. *Trans. from Russian by Fish Res. Board Can. Transl. Ser. No.* 194:251.
- Winberg, G. G., V. S. Ivlev, T. P. Platoria, and L. L. Rossolimno. 1934. Procedures for determining organic matter. Experiment on a calorific evaluation of food supplies in a body of water. *Trudy Limnologicheskogo Sta. Kosiono* 18:25-40 (in Russian).
- Winterbourn, M. J. 1974. The life histories, trophic relations and production of Stenoperla prasina (Plecoptera) and Deleatidium sp. (Ephemeroptera) in a New Zealand river. *Freshwater Biol.* 4:507-524.
- Wissing, T. E. 1974. Energy transformation by young-of-the-year white bass Morone chrysops (Rafinesque) in Lake Mendota, Wisconsin. *Trans. Am. Fish. Soc.* 103(1):32-37.

- Wright, R. T. 1975. Studies on glycolic acid metabolism by freshwater bacteria. *Limnol. Oceanogr.* 20:626-633.
- Wuhrmann, K. 1972. Stream purification. In: Water Pollution Microbiology, R. Mitchell (ed.), Interscience, NY.
- Yakovleva, N. A. 1969. The nutrition of the ostracod Herpetocypris reptans (Baird) (Fam. Cypridae). Hydrobiological Journal 5:15-18.
- Zimmerman, U. 1969. Okologische and physiologische Untersuchungen an der planktonischen Blaugale Oscillatoria rubescens, D. C., unter besonderer Beruchischtigung von Licht und Temperatur. *Schweiz. Z. Hydrol.* 31:1-58.
- Zison, S. W., W. B. Mills, B. Deimer, and C. W. Chen. 1978. Rates, constants and kinetics formulations in surface water quality modeling. EPA-600/3-78-105.