
## September 22, 2014



## VIA FIRST CLASS U.S. MAIL AND E-MAIL Attachment Contains Confidential Business Information

Chief, Environmental Enforcement Section Environment and Natural Resources Division U.S. Department of Justice P.O. Box 7611, Ben Franklin Station Washington, DC 20044-7611

Director, Water Enforcement Division
Office of Enforcement and Compliance Assurance
U.S. Environmental Protection Agency
Mail Code 2243A
1200 Pennsylvania Ave., NW
Washington, DC 20460

Director, Water Division
U.S. Environmental Protection Agency, Region 5
77 W. Jackson Blvd. (W-15J)
Chicago, IL 60604

Re: United States v. Lake Michigan Trans-Lake Shortcut, Inc., d/b/a Lake Michigan Carferry Service and S.S. Badger, No. 1:13-cv-317, DOJ Case No. 90-5-1-1-10771 (W.D. Mich.)

## Dear Sir or Madam:

Pursuant to Paragraph 43B of the Amendment to the Consent Decree, attached please find the lab analysis of coal purchased to be used on the S.S. Badger during the 2014 Operating Season starting in September 2014. The lab analysis reports the ash, mercury, and sulfur content of the coal purchased. If additional coal is purchased for use during the 2014 Operating Season, LMC will provide additional analyses. With this submission, LMC has fulfilled the requirements set forth in Paragraph 43B of the Amendment to the Consent Decree.

Please do not hesitate to contact me if you have questions or require additional information.


Very truly yours,

Charles R. Leonard

Vice-President, Navigation

Lake Michigan Carferry Service

Attachment





Twin Ports Testing, Inc. 1301 North 3rd Street Superior, WI 54880

715-392-7114 800-373-2562 715-392-7163

www.twinportstesting.com Report No:

**Analytical Test Report** 

USR:W214-0647-01

Issue No:

This report replaces all privious issues

Client:

Attention:

PO No: 1222.05 Signed:

Stephen Sundeen

Chemistry Laboratory Manager

7/24/2014 Date of Issue:

THIS DOCUMENT SHALL NOT BE REPRODUCED EXCEPT IN FULL

Sample Details

Sample Log No: Sample Designation: Sample Recognized As: W214-0647-01

Coal

Stoker - South West 07/18/14

Sample Date: Sample Time:

Arrival Date:

7/21/2014

Toot Bounte

Test Results				
			MOISTURE	AS
	METHOD	UNITS	FREE	RECEIVED
Moisture - Total	<b>ASTM D3173</b>	wt. %		3.53
Ash	<b>ASTM D3174</b>	wt. %	6.20	5.98
Volatile Matter	<b>ASTM D3175</b>	wt. %		
Fixed Carbon by Difference	ASTM D3172	wt. %		
Sulfur	<b>ASTM D4239</b>	wt. %	0.93	0.90
30₂	Calculated	lb/mmbtu		1.25
Net Cal. Value at Const. Pressure	ISO 1928	GJ/tonne		
Net Cal. Value at Const. Pressure	ISO 1928	J/g		
Gross Cal. Value at Const. Vol.	<b>ASTM D5865</b>	J/g	32796	31637
Gross Cal. Value at Const. Vol.	ASTM D5865	Btu/lb	14100	13602
Carbon	<b>ASTM D5373</b>	wt. %		
Hydrogen*	<b>ASTM D5373</b>	wt. %		
Nitrogen	<b>ASTM D5373</b>	wt. %		
Oxygen*	<b>ASTM D3176</b>	wt. %		
"Note: As received values do not include hy	ydrogen and oxygen in the tota	I moisture.		
Chlorine	ASTM D6721	mg/kg		
Fluorine	ASTM D3761	mg/kg		
Mercury	ASTM D6722	mg/kg	0.044	0.042
Sodium Oxide in Ash	ASTM D3682	wt. %		
Hardgrove Grindability Index	ASTM D409	wt./index		

1 " A PER	•	20	er.	-
Com		100	9 6	w
-				_