

Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.

Chapter 173-204 WAC

SEDIMENT MANAGEMENT STANDARDS

WAC

PART I—GENERAL INFORMATION

173-204-100	Authority and purpose.
173-204-110	Applicability.
173-204-120	Antidegradation and designated use policies.
173-204-130	Administrative policies.

PART II—DEFINITIONS

173-204-200	Definitions.
-------------	--------------

PART III—SEDIMENT QUALITY STANDARDS

173-204-300	Purpose.
173-204-310	Sediment quality standards designation procedures.
173-204-315	Confirmatory marine sediment biological tests.
173-204-320	Marine sediment quality standards.
173-204-330	Low salinity sediment quality standards.
173-204-340	Freshwater sediment quality standards.

PART IV—SEDIMENT SOURCE CONTROL

173-204-400	General considerations.
173-204-410	Sediment quality goal and sediment impact zone applicability.
173-204-412	Marine finfish rearing facilities.
173-204-415	Sediment impact zones.
173-204-420	Sediment impact zone maximum criteria.

PART V—SEDIMENT CLEANUP STANDARDS

173-204-500	Sediment cleanup decision process and policies.
173-204-520	Cleanup screening levels criteria.

173-204-570	Sediment cleanup standards.
-------------	-----------------------------

173-204-590	Sediment recovery zones.
-------------	--------------------------

PART VI—SAMPLING AND TESTING PLANS/RECORDKEEPING

173-204-600	Sampling and testing plan standards.
-------------	--------------------------------------

PART I—GENERAL INFORMATION

WAC 173-204-100 Authority and purpose. (1) This chapter is promulgated under the authority of chapter 90.48 RCW, the Water Pollution Control Act; chapter 70.105D RCW, the Model Toxics Control Act; chapter 90.70 RCW, the Puget Sound Water Quality Authority Act; chapter 90.52 RCW, the Pollution Disclosure Act of 1971; chapter 90.54 RCW, the Water Resources Act of 1971; and chapter 43.21C RCW, the state Environmental Policy Act, to establish marine, low salinity and freshwater surface sediment management standards for the state of Washington.

(2) The purpose of this chapter is to reduce and ultimately eliminate adverse effects on biological resources and significant health threats to humans from surface sediment contamination by:

(a) Establishing standards for the quality of surface sediments;

(b) Applying these standards as the basis for management and reduction of pollutant discharges; and

(c) Providing a management and decision process for the cleanup of contaminated sediments.

(3) Part III, Sediment quality standards of this chapter provides chemical concentration criteria, biological effects criteria, human health criteria, and other toxic, radioactive, biological, or deleterious substances criteria which identify surface sediments that have no adverse effects, including no acute or chronic adverse effects on biological resources and no significant health risk to humans, as defined in this regulation. The sediment quality standards provide a regulatory and management goal for the quality of sediments throughout the state.

(7) This chapter establishes and defines a goal of minor adverse effects as the maximum level of sediment contamination allowed in sediment impact zones under the provisions of Part IV, Sediment source control standards and as the cleanup screening levels for identification of sediment cleanup sites and as the minimum cleanup levels to be achieved in all cleanup actions under Part V, Sediment cleanup standards.

Note: All codes, standards, statutes, rules or regulations cited in this chapter are available for inspection at the Department of Ecology, P.O. Box 47703, Olympia, Washington 98504-7703.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-100, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-100, filed 3/27/91, effective 4/27/91.]

WAC 173-204-110 Applicability. (1) The sediment quality standards of WAC 173-204-300 through 173-204-315, and 173-204-350, and the sediment cleanup standards of WAC 173-204-500 through 173-204-580 shall apply to all surface sediments.

(2) The sediment quality standards of WAC 173-204-320, 173-204-330, and 173-204-340 shall apply to marine, low salinity and freshwater surface sediments, respectively.

(3) The source control standards of WAC 173-204-400 through 173-204-420 shall apply to each person's actions which exposes or resuspends surface sediments which exceed, or otherwise cause or potentially cause surface sediments to exceed, the applicable standards of WAC 173-204-320 through 173-204-340.

(4) The sediment recovery zone standards of WAC 173-204-590 shall apply to each person's cleanup action decision made pursuant to WAC 173-204-580 where the selected cleanup action leaves in place marine, low salinity, or freshwater sediments that exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(5) The sediment quality standards of WAC 173-204-320 through 173-204-340 shall not apply:

(a) Within a sediment impact zone as authorized by the department under WAC 173-204-415; or

(b) Within a sediment recovery zone as authorized by the department under WAC 173-204-590; or

(c) To particulates suspended in the water column; or

(d) To particulates suspended in a permitted effluent discharge.

(6) Nothing in this chapter shall constrain the department's authority to make appropriate sediment management decisions on a case-specific basis using best professional judgment and latest scientific knowledge for cases where the standards of this chapter are reserved or standards are not available.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-110, filed 3/27/91, effective 4/27/91.]

WAC 173-204-120 Antidegradation and designated use policies. (1) Antidegradation policy. The antidegradation policy of the state of Washington as generally guided by chapters 90.48 and 90.54 RCW, is applicable to any person's new or increased activity and shall apply to this chapter as follows:

(a) Existing beneficial uses shall be maintained and protected and no further degradation which would interfere with or become injurious to existing beneficial uses shall be allowed.

(b) No degradation of existing sediment quality shall be allowed of waters constituting an outstanding national resource, such as waters of national and state parks and scenic and recreation areas, wildlife refuges, and waters of exceptional recreational or ecological significance.

(c) Whenever surface sediments are of a higher quality (i.e., lower chemical concentrations or adverse biological

response) than the criteria assigned to said sediments, the existing surface sediment quality shall be protected and waste and other materials and substances shall not be allowed to contaminate such sediments or reduce the existing sediment quality thereof, except in those instances where:

(i) It is clear, after satisfactory public participation and intergovernmental coordination, that overriding considerations of the public interest will be served;

(ii) All wastes and other materials and substances proposed for discharge that may contaminate such sediments are provided with all known, available and reasonable methods of prevention, control, and treatment and/or best management practices;

(iii) The reduction of existing surface sediment quality is authorized by the department; and

(iv) Existing beneficial uses are maintained and protected, and no degradation which would interfere with and/or become injurious to existing sediment beneficial uses and/or causes long-term, irreparable harm to the environment is allowed.

(2) Designated use policy. The policy of the department and the purpose of this chapter shall be to manage waste discharges and sediment quality so as to protect existing beneficial uses and move towards attainment of designated beneficial uses as specified in section 101 (a)(2) of the federal Clean Water Act (33 USC 1251, et seq.) and chapter 173-201 WAC, the Water quality standards for surface waters of the state of Washington. This policy is applicable to any person's existing or proposed actions which may affect surface sediment quality.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-120, filed 3/27/91, effective 4/27/91.]

WAC 173-204-130 Administrative policies. The department shall implement this chapter in accordance with the following policies:

(1) The department shall seek to implement, and as necessary modify this chapter to protect biological resources and human health consistent with WAC 173-204-100(2). To implement the intent of this subsection, the department shall use methods that accurately reflect the latest scientific knowledge consistent with the definitions contained in WAC 173-204-200 (14) and (15), as applicable.

(2) At the interface between surface sediments, ground water or surface water, the applicable standards shall depend on which beneficial use is or could be adversely affected, as determined by the department. If beneficial uses of more than one resource are affected, the most restrictive standards shall apply.

(3) It shall be the goal of the department to modify this chapter so that methods such as confirmatory biological tests, sediment impact zone models, use of contaminated sediment site ranking models, etc., continue to accurately reflect the latest scientific knowledge as established through ongoing validation and refinement.

(4) Any person or the department may propose an alternate technical method to replace or enhance the application of a specific technical method required under this chapter. Using best professional judgment, the department shall pro-

vide advance review and approval of any alternate technical method proposed prior to its application. Application and use of alternate technical methods shall be allowed when the department determines that the technical merit of the resulting decisions will improve the department's ability to implement and meet the intent of this chapter as described in WAC 173-204-100(2), and will remain consistent with the scientific intent of definitions contained in WAC 173-204-200 (14) and (15). The department shall maintain a record of the department's decisions concerning application for use of alternate technical methods pursuant to this subsection. The record shall be made available to the public on request.

(6) The department shall conduct an annual review of this chapter, and modify its provisions every three years, or as necessary. Revision to this chapter shall be made pursuant to the procedures established within chapter 34.05 RCW, the Administrative Procedure Act.

(9) Test sediments evaluated for compliance with the sediment quality standards of WAC 173-204-320 through 173-204-340 and/or the sediment impact zone maximum criteria of WAC 173-204-420 and/or the cleanup screening levels criteria of WAC 173-204-520 shall be sampled and analyzed using the Puget Sound Protocols or other methods approved by the department. Determinations made pursuant to this chapter shall be based on sediment chemical and/or biological data that were developed using an appropriate quality assurance/quality control program, as determined by the department.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-130, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-130, filed 3/27/91, effective 4/27/91.]

PART II—DEFINITIONS

WAC 173-204-200 Definitions. For the purpose of this chapter, the following definitions shall apply:

(1) "Acute" means measurements of biological effects using surface sediment bioassays conducted for time periods that are relatively short in comparison to the life cycle of the test organism. Acute effects may include mortality, larval abnormality, or other endpoints determined appropriate by the department.

(2) "Amphipod" means crustacean of the Class Amphipoda, e.g., *Rhepoxynius abronius*, *Ampelisca abdita*, or *Eohaustorius estuarius*.

(3) "Appropriate biological tests" means only tests designed to measure directly, or through established predictive capability, biologically significant adverse effects to the

established or potential benthic or aquatic resources at a given location, as determined by rule by the department.

(4) "Beneficial uses" means uses of waters of the state which include but are not limited to use for domestic, stock watering, industrial, commercial, agricultural, irrigation, mining, fish and wildlife maintenance and enhancement, recreation, generation of electric power, and preservation of environmental and aesthetic values, and all other uses compatible with the enjoyment of the public waters of the state.

(5) "Best management practices" or "BMPs" means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of surface sediments of the state. BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or water disposal, or drainage from raw material storage.

(6) "Bioassay" means a test procedure that measures the response of living plants, animals, or tissues to a sediment sample.

(7) "Chronic" means measurements of biological effects using sediment bioassays conducted for, or simulating, prolonged exposure periods of not less than one complete life cycle, evaluations of indigenous field organisms for long-term effects, assessment of biological effects resulting from bioaccumulation and biomagnification, and/or extrapolated values or methods for simulating effects from prolonged exposure periods. Chronic effects may include mortality, reduced growth, impaired reproduction, histopathological abnormalities, adverse effects to birds and mammals, or other endpoints determined appropriate by the department.

(8) "Contaminated sediment" means surface sediments designated under the procedures of WAC 173-204-310 as exceeding the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(9) "Control sediment sample" means a surface sediment sample which is relatively free of contamination and is physically and chemically characteristic of the area from which bioassay test animals are collected. Control sediment sample bioassays provide information concerning a test animal's tolerance for stress due to transportation, laboratory handling, and bioassay procedures. Control sediment samples cannot exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(10) "Department" means the department of ecology.

(11) "Freshwater sediments" means surface sediments in which the sediment pore water contains less than or equal to 0.5 parts per thousand salinity.

(12) "Low salinity sediments" means surface sediments in which the sediment pore water contains greater than 0.5 parts per thousand salinity and less than 25 parts per thousand salinity.

(13) "Marine finfish rearing facilities" shall mean those private and public facilities located within state waters where finfish are fed, nurtured, held, maintained, or reared to reach the size of release or for market sale.

(14) "Marine sediments" means surface sediments in which the sediment pore water contains 25 parts per thousand salinity or greater.

(15) "Minor adverse effects" means a level of effects that:

(a) Has been determined by rule by the department, except in cases subject to WAC 173-204-110(6); and

(b) Meets the following criteria:

(i) An acute or chronic adverse effect to biological resources as measured by a statistically and biologically significant response relative to reference in no more than one appropriate biological test as defined in WAC 173-204-200(3); or

(ii) A statistically and biologically significant response that is significantly elevated relative to reference in any appropriate biological test as defined in WAC 173-204-200(3); or

(iii) Biological effects per (b)(i) or (ii) of this subsection as predicted by exceedance of an appropriate chemical or other deleterious substance standard, except where the prediction is overridden by direct biological testing evidence pursuant to (b)(i) and (ii) of this subsection; and

(c) Does not result in significant human health risk as predicted by exceedance of an appropriate chemical, biological, or other deleterious substance standard.

(16) "No adverse effects" means a level of effects that:

(a) Has been determined by rule by the department, except in cases subject to WAC 173-204-110(6); and

(b) Meets the following biological criteria:

(i) No acute or chronic adverse effects to biological resources as measured by a statistically and biologically significant response relative to reference in any appropriate biological test as defined in WAC 173-204-200(3); and

(ii) No acute or chronic adverse biological effect per (b)(i) of this subsection as predicted by exceedance of an appropriate chemical or other deleterious substance standard, except where the prediction is overridden by direct biological testing evidence pursuant to (b)(i) of this subsection; and

(iii) Does not result in significant human health risk as predicted by exceedance of an appropriate chemical, biological, or other deleterious substance standard.

(17) "Other toxic, radioactive, biological, or deleterious substances" means contaminants which are not specifically identified in the sediment quality standards chemical criteria of WAC 173-204-320 through 173-204-340 (e.g., organic debris, tributyltin, DDT, etc.).

(18) "Person" means an individual, firm, corporation, association, partnership, consortium, joint venture, commercial entity, industry, private corporation, port district, special purpose district, irrigation district, unit of local government, state government agency, federal government agency, Indian tribe, or any other entity whatsoever.

(19) "Practicable" means able to be completed in consideration of environmental effects, technical feasibility and cost.

(20) "Puget Sound basin" or "Puget Sound" means:

(a) Puget Sound south of Admiralty Inlet, including Hood Canal and Saratoga Passage;

(b) The waters north to the Canadian border, including portions of the Strait of Georgia;

(c) The Strait of Juan de Fuca south of the Canadian border; and

(d) All the lands draining into these waters as mapped in water resources inventory areas numbers 1 through 19, set forth in water resources management program established pursuant to the Water Resources Act of 1971, chapter 173-500 WAC.

(21) "Puget Sound protocols" means *Puget Sound Estuary Program. 1986. As amended. Recommended Protocols for Measuring Selected Environmental Variables in Puget Sound, U.S. Environmental Protection Agency, Region 10, Seattle, WA (looseleaf).*

(22) "Reference sediment sample" means a surface sediment sample which serves as a laboratory indicator of a test animal's tolerance to important natural physical and chemical characteristics of the sediment, e.g., grain size, organic content. Reference sediment samples represent the nonanthropogenically affected background surface sediment quality of the sediment sample. Reference sediment samples cannot exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(23) "Sediment impact zone" means an area where the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 are exceeded due to ongoing permitted or otherwise authorized wastewater, storm water, or nonpoint source discharges and authorized by the department within a federal or state wastewater or storm water discharge permit, or other formal department authorization.

(24) "Sediment recovery zone" means an area where the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 are exceeded as a result of historical discharge activities, and authorized by the department as a result of a cleanup decision made pursuant to WAC 173-204-580, Cleanup action decision.

(25) "Site units" means discrete subdivisions of an individual contaminated sediment site that are being evaluated for the purpose of establishing cleanup standards. Site units are based on consideration of unique locational, environmental, spatial, or other conditions determined appropriate by the department, e.g., cleanup under piers, cleanup in eelgrass beds, cleanup in navigational lanes.

(26) "Surface sediments" or "sediment(s)" means settled particulate matter located in the predominant biologically active aquatic zone, or exposed to the water column. Sediment(s) also includes settled particulate matter exposed by human activity (e.g., dredging) to the biologically active aquatic zone or to the water column.

(27) "Test sediment" means a sediment sample that is evaluated for compliance with the sediment quality standards of WAC 173-204-320 through 173-204-340 and/or the sediment impact zone maximum criteria of WAC 173-240-420 and/or the cleanup screening levels criteria of WAC 173-204-520.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-200, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-200, filed 3/27/91, effective 4/27/91.]

PART III—SEDIMENT QUALITY STANDARDS

WAC 173-204-300 Purpose. The sediment quality standards of WAC 173-204-320 through 173-204-340 include chemical concentration criteria, biological effects cri-

teria, human health criteria, other toxic, radioactive, biological, or deleterious substances criteria, and nonanthropogenically affected sediment quality criteria which are used to identify sediments that have no adverse effects on biological resources, and correspond to no significant health risk to humans. Designation determinations using the sediment quality standards of WAC 173-204-320 through 173-204-340 shall be conducted as stipulated in WAC 173-204-310, Sediment quality standards designation procedures.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-300, filed 3/27/91, effective 4/27/91.]

WAC 173-204-310 Sediment quality standards designation procedures. Any person may use these procedures to determine a sediment's designation using the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. Any person who designates test sediments using the procedures of this section shall meet the sampling and testing plan requirements of WAC 173-204-600 and records management requirements of WAC 173-204-610. Test sediments designated using the procedures of this section shall be sampled and analyzed using the Puget Sound protocols or other methods approved by the department, and shall use an appropriate quality assurance/quality control program, as determined by the department. A sediment sample that passes the initial designation procedures is designated as complying with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, until such time as any person or the department confirms the sediment designation as failing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. A sediment sample that fails the initial designation procedures is designated as not complying with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, until such time as any person or the department confirms the sediment designation as passing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. A sediment sample that passes or fails the confirmatory designation procedures is designated as such under the procedures of WAC 173-204-310. Sediments shall be designated with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 as follows:

(1) Initial designation. Sediments that have been chemically analyzed for the applicable chemical concentration criteria of WAC 173-204-320 through 173-204-340 shall be designated as follows:

(a) Sediments with chemical concentrations equal to or less than all the applicable chemical and human health criteria are designated as having no adverse effects on biological resources, and not posing a significant health threat to humans, and pass the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(b) Sediments with chemical concentrations which exceed any one applicable chemical or human health criterion in WAC 173-204-320 through 173-204-340 are designated as having adverse effects on biological resources or posing significant human health threats, and fail the sediment quality standards of WAC 173-204-320 through 173-204-340, pending confirmatory designation.

(2) Confirmatory designation. Any person or the department may confirm the designation of sediments which have either passed or failed initial designation procedures listed in subsection (1) of this section using the applicable biological testing of WAC 173-204-315, as required below. Sediment samples that pass all the required confirmatory biological tests are designated as passing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, notwithstanding the sediment's previous initial designation under subsection (1) of this section. Any sediment sample which fails any one of the required confirmatory biological tests shall be designated as failing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, notwithstanding the sediment's previous initial designation under subsection (1) of this section. The confirmatory biological test standards are described below.

(a) To confirm the designation of a sediment which either passed or failed any applicable chemical concentration criterion established in WAC 173-204-320 through 173-204-340, the sediment shall be tested for:

(i) Two of the acute effects biological tests described in the applicable standards of WAC 173-204-315; and

(ii) One of the chronic effects biological tests described in the applicable standards of WAC 173-204-315.

(b) Sediments with chemical concentrations which either passed or failed any applicable human health criterion of WAC 173-204-320 through 173-204-340 shall be eligible for confirmatory designation as follows: Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(3) Initial and confirmatory designation of sediments which contain other toxic, radioactive, biological, or deleterious substances. Sediments which contain other toxic, radioactive, biological, or deleterious substances, as defined in WAC 173-204-200(16), shall be designated by the department using the following procedures.

(a) The department shall:

(i) Identify individual contaminants of concern;

(ii) Identify appropriate and practicable sampling and analysis methodologies;

(iii) Identify test interpretation standards for initial and confirmatory designation; and

(iv) Identify acceptable levels of sediment contamination for sediments which contain other toxic, radioactive, biological, or deleterious substances.

(b) Where sediment containing other toxic, radioactive, biological or deleterious substances may also be contaminated by chemicals identified in WAC 173-204-320 through 173-204-340, the department shall require application of the appropriate tests and standards of WAC 173-204-320 through 173-204-340, as determined by the department, in addition to any requirements developed pursuant to (a) of this subsection.

(c) The department may use all or some of the sediment biological tests of WAC 173-204-320 through 173-204-340 to designate sediments with other toxic, radioactive, biological or deleterious substances in cases where those tests are technically appropriate, as determined by the department.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-310, filed 3/27/91, effective 4/27/91.]

WAC 173-204-315 Confirmatory marine sediment biological tests. (1) The following five acute and chronic effects biological tests shall be used to confirm designation of Puget Sound marine sediments using the procedures described in WAC 173-204-310(2). Use of alternate biological tests shall be subject to the review and approval of the department using the procedures of WAC 173-204-130(4).

(a) Acute effects tests.

(i) Amphipod: Ten-day mortality sediment bioassay for the Amphipod, i.e., *Rhepoxynius abronius*, *Ampelisca abdita*, or *Eohaustorius estuarius*.

(ii) Larval: Any one of the following mortality/abnormality sediment bioassays:

(A) *Crassostrea gigas*, i.e., Pacific oyster;

(B) *Mytilus (edulis) galloprovincialis*, i.e., Blue mussel;

(C) *Strongylocentrotus purpuratus*, i.e., Purple sea urchin;

(D) *Strongylocentrotus droebachiensis*, i.e., Green sea urchin; or

(E) *Dendraster excentricus*, i.e., Sand dollar.

(b) Chronic effects tests.

(i) Benthic infaunal abundance: Abundance of the following major taxa: Class Crustacea, Class Polychaeta, and Phylum Mollusca.

(ii) Juvenile polychaete: Twenty-day growth rate of the juvenile polychaete *Neanthes arenaceodentata*; or

(iii) Microtox saline extract: Decreased luminescence from the bacteria *Vibrio fischeri* after a fifteen minute exposure.

(2) Performance standards for control and reference sediment biological test results. The biological tests of this section shall not be considered valid unless test results for the appropriate control and reference sediments meet the performance standards of (a) through (e) of this subsection. The department may reject the results of a reference sediment biological test based on unacceptably high variability.

(a) Amphipod: The control sediment shall have less than ten percent mortality over the test period. The reference sediment shall have less than twenty-five percent mortality.

(b) Larval: The seawater control sample shall have less than thirty percent combined abnormality and mortality (i.e., a seventy percent normal survivorship at time-final).

(c) Benthic abundance: The reference benthic macroinvertebrate assemblage shall be representative of areas of Puget Sound removed from significant sources of contaminants, and to the extent possible shall have the following characteristics:

(i) The taxonomic richness of benthic macroinvertebrates and the abundances of higher taxonomic groups shall reflect seasonality and natural physical-chemical conditions (e.g., grain size composition and salinity of sediments, water depth) in a reference area, and not be obviously depressed as a result of chemical toxicity;

(ii) Normally abundant species that are known to be sensitive to chemical contaminants shall be present;

(iii) Normally rare species that are known to become abundant only under chemically disturbed conditions shall be rare or absent; and

(iv) The abundances of normally rare species that control community structure through physical modification of the sediment shall be similar to those observed at the test sediment site.

(d) Juvenile polychaete: The control sediment shall have less than ten percent mortality and mean individual growth of ≥ 0.72 mg/ind/day per dry weight basis. The reference sediment shall have a mean individual growth rate which is at least eighty percent of the mean individual growth rate found in the control sediment. Control sediments exhibiting growth below 0.72 mg/ind/day may be approved by the department on a case-by-case basis.

(e) Microtox: Reserved: The department shall determine performance standards on a case-by-case basis as necessary to meet the intent of this chapter.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-315, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW, 91-08-019 (Order 90-41), § 173-204-315, filed 3/27/91, effective 4/27/91.]

WAC 173-204-320 Marine sediment quality standards. (1) Goal and applicability.

(a) The sediment quality standards of this section shall correspond to a sediment quality that will result in no adverse effects, including no acute or chronic adverse effects on biological resources and no significant health risk to humans.

(b) The marine sediment quality standards of this section shall apply to marine sediments located within Puget Sound as defined in WAC 173-204-200(19).

(c) Non-Puget Sound marine sediment quality standards. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Chemical concentration criteria. The chemical concentrations in Table I establish the marine sediment quality standards chemical criteria for designation of sediments.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in this table.

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

Table I
Marine Sediment Quality Standards
—Chemical Criteria

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	57
CADMIUM	5.1
CHROMIUM	260
COPPER	390
LEAD	450
MERCURY	0.41
SILVER	6.1
ZINC	410

CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	370
NAPHTHALENE	99
ACENAPHTHYLENE	66
ACENAPHTHENE	16
FLUORENE	23
PHENANTHRENE	100
ANTHRACENE	220
2-METHYLNAPHTHALENE	38
HPAH	960
FLUORANTHENE	160
PYRENE	1000
BENZ(A)ANTHRACENE	110
CHRYSENE	110
TOTAL BENZOFLUORANTHENES	230
BENZO(A)PYRENE	99
INDENO (1,2,3,-C,D) PYRENE	34
DIBENZO (A,H) ANTHRACENE	12
BENZO(G,H,I)PERYLENE	31
1,2-DICHLOROBENZENE	2.3
1,4-DICHLOROBENZENE	3.1
1,2,4-TRICHLOROBENZENE	0.81
HEXACHLOROBENZENE	0.38
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	61
DI-N-BUTYL PHTHALATE	220
BUTYL BENZYL PHTHALATE	4.9
BIS (2-ETHYLHEXYL) PHTHALATE	47
DI-N-OCTYL PHTHALATE	58
DIBENZOFURAN	15
HEXACHLOROBUTADIENE	3.9
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	12

CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	420
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	360
BENZYL ALCOHOL	57
BENZOIC ACID	650

(3) Biological effects criteria. For designation of sediments pursuant to WAC 173-204-310(2), sediments are determined to have adverse effects on biological resources when any one of the confirmatory marine sediment biological tests of WAC 173-204-315(1) demonstrate the following results:

(a) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality exceeds twenty-five percent, on an absolute basis.

(b) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment and the test sediment mean normal survivorship is less than eighty-five percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than fifteen percent relative to time-final in the reference sediment).

(c) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any one of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta, and the test sediment abundance is statistically different (t test, $p \leq 0.05$) from the reference sediment abundance.

(d) Juvenile polychaete: The test sediment has a mean individual growth rate of less than seventy percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(e) Microtox: The mean light output of the highest concentration of the test sediment is less than eighty percent of the mean light output of the reference sediment, and the two means are statistically different from each other (t test, $p \leq 0.05$).

(4) Marine sediment human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Marine sediment other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological or deleterious substances in, or on, sediments shall be at or below levels which cause no adverse effects in marine biological resources, and below levels which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter pursuant to WAC 173-204-310(3).

(6) Nonanthropogenically affected sediment quality criteria. Whenever the nonanthropogenically affected sediment

quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a greater health threat to humans) than the applicable sediment quality standards assigned for said sediments by this chapter, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the sediment quality standards of WAC 173-204-320.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-320, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-320, filed 3/27/91, effective 4/27/91.]

WAC 173-204-330 Low salinity sediment quality standards. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-330, filed 3/27/91, effective 4/27/91.]

WAC 173-204-340 Freshwater sediment quality standards. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-340, filed 3/27/91, effective 4/27/91.]

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-350, filed 3/27/91, effective 4/27/91.]

PART IV—SEDIMENT SOURCE CONTROL

WAC 173-204-400 General considerations.

mining whether it is practicable to minimize and/or eliminate sediment impact zones.

(c) The department shall implement the standards of WAC 173-204-400 through 173-204-420 so as to prevent the creation of new contaminated sediment cleanup sites identified under WAC 173-204-530(4).

(12) For the sediment source control standards of WAC 173-204-400 through 173-204-420, any and all references to violation of, potential to violate, exceedance of, or potential to exceed the applicable standards of WAC 173-204-320 through 173-204-340 shall also apply to the antidegradation and designated use policies of WAC 173-204-120. Any exceedances or potential exceedances of the antidegradation or designated use policies of WAC 173-204-120 shall meet the applicable requirements of WAC 173-204-400 through 173-204-420.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-400, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-400, filed 3/27/91, effective 4/27/91.]

WAC 173-204-410 Sediment quality goal and sediment impact zone applicability. (1) Goal and policies.

(a) It is the established goal of the department to manage source control activities to reduce and ultimately eliminate adverse effects on biological resources and significant health threats to humans from sediment contamination.

(b) The stated policy of the department shall be to only authorize sediment impact zones so as to minimize the number, size, and adverse effects of all zones, with the intent to eliminate the existence of all such zones whenever practicable. The department shall consider the relationship between environmental effects, technical feasibility and cost in deter-

(e) Administrative orders and certifications establishing sediment impact zones for dredged material disposal sites shall describe establishment, maintenance, and closure requirements for the authorized site, consistent with the requirements described in (a) of this subsection.

(8) The source control standards of WAC 173-204-400 through 173-204-420 are applicable in cases where the sediment quality standards of WAC 173-204-320 through 173-204-340 are reserved.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-410, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW, 91-08-019 (Order 90-41), § 173-204-410, filed 3/27/91, effective 4/27/91.]

WAC 173-204-412 Marine finfish rearing facilities.

(1) Purpose. This section sets forth the applicability of this chapter to marine finfish rearing facilities only. This section also identifies marine finfish rearing facility siting, operation, closure and monitoring requirements to meet the intent of this chapter, as applicable.

(2) Applicability. Marine finfish rearing facilities and their associated discharges are not subject to the authority and purpose standards of WAC 173-204-100 (3) and (7), and the marine sediment quality standards of WAC 173-204-320 and the sediment impact zone maximum criteria of WAC 173-204-420, within and including the distance of one hundred feet from the outer edge of the marine finfish rearing facility structure. Marine finfish rearing facilities are not subject to the sediment impact zone standards of WAC 173-204-415.

(3) Sediment monitoring. Sediment quality compliance and monitoring requirements for marine finfish rearing facilities shall be addressed through National Pollutant Discharge Elimination System or other permits issued by the department for facility operation. Marine finfish rearing facilities shall meet the following sediment quality monitoring requirements:

(a) Any person with a new facility shall identify a baseline sediment quality prior to facility operation for benthic infaunal abundance, total organic carbon and grain size in the location of the proposed operation and downcurrent areas that may be potentially impacted by the facility discharge;

(b) Any person with an existing operating facility shall monitor sediment quality for total organic carbon levels and identify the location of any sediments in the area of the facility statistically different (t test, $p \leq 0.05$) from the total organic carbon levels identified as facility baseline levels or statistically different from the applicable total organic carbon levels as identified in Table 1:

Silt-Clay Particles (percent Dry Weight)	Total Organic Carbon (percent Dry Weight)
0-20	0.5
20-50	1.7
50-80	3.2
80-100	2.6

(7) Dredged material and fill discharge activities subject to authorization under Section 401 of the federal Clean Water Act via chapter 90.48 RCW and chapter 173-225 WAC, establishment of implementation procedures of application for certification, are not subject to the standards of WAC 173-204-415 but are subject to the standards of WAC 173-204-400 through 173-204-410 and 173-204-420 as follows:

(a) Requirements for dredging activities and disposal sites shall be established by the department using best available dredged material management guidelines and applicable federal and state rules. These guidelines shall include the Puget Sound dredged disposal analysis (PSDDA) dredged material testing and disposal requirements cited in:

(i) *Management Plan Report - Unconfined Open-Water Disposal Of Dredged Material, Phase I, (Central Puget Sound), June 1988, or as amended;*

(ii) *Management Plan Report - Unconfined Open-Water Disposal Of Dredged Material, Phase II, (North And South Puget Sound), September 1989, or as amended;* and

(iii) *Users Manual For Dredged Material Management In Puget Sound, November 1990, or as amended.*

(b) In coordination with other applicable federal and state and local dredged material management programs, the department may issue administrative orders to establish approved disposal sites, to specify disposal site use conditions, and to specify disposal site monitoring requirements.

(c) The department may authorize sediment impact zones for dredged material disposal via federal Clean Water Act Section 401 certification actions.

(d) As determined necessary by the department, the department may authorize sediment impact zones for dredged material disposal via administrative orders issued under authority of chapter 90.48 RCW. The department shall authorize sediment impact zones for all Puget Sound dredged disposal analysis disposal sites via administrative orders issued under authority of chapter 90.48 RCW.

(c) The locations and frequency of monitoring for total organic carbon, benthic infaunal abundance and other parameters shall be determined by the department and identified in the applicable National Pollutant Discharge Elimination System permit;

(d) Antibacterials. Reserved: The department shall determine on a case-by-case basis the methods, procedure, locations, and frequency for monitoring antibacterials associated with the discharge from a marine finfish rearing facility;

(e) Closure. All permitted marine finfish rearing facilities shall monitor sediments impacted during facility operation to document recovery of sediment quality to background levels. The department shall determine on a case-by-case basis the methods, procedure, locations, and frequency for monitoring sediments after facility closure.

(4) Sediment impact zones. Marine finfish rearing facilities and their associated discharges that are permitted under a National Pollutant Discharge Elimination System permit are hereby provided a sediment impact zone by rule for any sediment quality impacts and biological effects within and including the distance of one hundred feet from the outer edge of the marine finfish rearing facility structure.

(a) The department may authorize an individual marine finfish rearing facility sediment impact zone for any sediments beyond a distance of one hundred feet from the facility perimeter via National Pollutant Discharge Elimination System permits or administrative actions. The authorized sediment impact zone shall meet the benthic infaunal abundance requirements of the sediment impact zone maximum criteria, WAC 173-204-420 (3)(c)(iii). Marine finfish rearing facilities that exceed the sediment quality conditions of subsection (3)(b) of this section beyond a distance of one hundred feet from the facility perimeter shall:

(i) Begin an enhanced sediment quality monitoring program to include benthic infaunal abundance consistent with the requirements of the National Pollutant Discharge Elimination System permit. The sediment quality monitoring program shall include a benthic infaunal abundance reference sediment sample as required in subsection (3)(a) of this section or a benthic infaunal abundance reference sediment sample in compliance with WAC 173-204-200(21); and

(ii) Be consistent with the sediment source control general considerations of WAC 173-204-400 and the sediment quality goal and sediment impact zone applicability requirements of WAC 173-204-410, apply for a sediment impact zone as determined necessary by the department.

(b) Administrative orders or permits establishing sediment impact zones for marine finfish rearing facilities shall describe establishment, maintenance, and closure requirements as determined necessary by the department.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-412, filed 12/29/95, effective 1/29/96.]

WAC 173-204-415 Sediment impact zones. The purpose of this section is to set forth the standards for establishment, maintenance, and closure of sediment impact zones to meet the intent of sediment quality dilution zones authorized pursuant to RCW 90.48.520, except for sediment impact zones authorized under WAC 173-204-410(7). The depart-

ment shall authorize all sediment impact zones via discharge permits or other formal administrative actions.

(1) General requirements. Authorization, modification and renewal of a sediment impact zone by the department shall require compliance with the following general requirements:

(a) Permits authorizing wastewater discharges to surface waters of the state of Washington under authority of chapter 90.48 RCW shall be conditioned so that the discharge receives:

(i) All known, available and reasonable methods of prevention, control, and treatment prior to discharge, as required by chapters 90.48, 90.52, and 90.54 RCW; and

(ii) Best management practices as stipulated by the department.

(b) The maximum area, and maximum chemical contaminant concentration and/or allowable maximum biological effect level within sediments assigned to a sediment impact zone shall be as authorized by the department, in accordance with the standards of this section.

(c) The department shall determine that the person's activity generating effluent discharges which require authorization of a sediment impact zone is in the public interest.

(d) The department shall determine that any person's activity generating effluent discharges which require authorization of a sediment impact zone has adequately addressed alternative waste reduction, recycling, and disposal options through application of all known, available and reasonable methods of prevention, control, and treatment to minimize as best practicable the volume and concentration of waste contaminants in the discharge.

(e) The area boundaries of the sediment impact zone established by the department shall include the minimum practicable surface area, not to exceed the surface area allowed under subsection (4) of this section.

(f) Adverse effects to biological resources within an authorized sediment impact zone shall be maintained at the minimum chemical contamination and biological effects levels practicable at all times. The department shall consider the relationship between environmental effects, technical feasibility and cost in determining the minimum practicable chemical contamination and biological effects levels. Adverse effects to biological resources within an authorized sediment impact zone shall not exceed a minor adverse effects level as a result of the discharge, as determined by the procedures of subsection (4) of this section.

(g) The operational terms and conditions for the sediment impact zone shall be maintained at all times.

(h) Final closure of the sediment impact zone shall be conducted in strict accordance with the department's sediment impact zone authorization.

(i) Documents authorizing a sediment impact zone shall require that the permitted discharge not result in a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, outside the area limits of the established zone.

(j) All applications to the department for sediment impact zone authorizations shall be subject to public notice, comment and hearing procedures defined but not limited to the applicable discharge permit or other formal administrative

tive action requirements of chapter 43.21C RCW, the State Environmental Policy Act, chapter 197-11 WAC, SEPA rules, chapter 90.48 RCW, chapter 163-216 WAC, the State waste discharge permit program, and chapter 173-220 WAC, National Pollutant Discharge Elimination System Permit Program prior to issuance of the authorization. In determining the need for, location, and/or design of any sediment impact zone authorization, the department shall give consideration to all comments received during public review of the proposed sediment impact zone application.

(3) Locational considerations. The department shall require any person applying for a sediment impact zone to submit information concerning potential location considerations of the zone. The location of an authorized sediment impact zone shall avoid whenever possible and minimize adverse impacts to areas of special importance. Prior to authorization of a sediment impact zone, the department shall consider all pertinent information from the applicant, all affected parties, local, state and federal agencies, federally recognized Indian tribes, and the public concerning locational considerations, including but not limited to:

- (a) Spawning areas;
- (b) Nursery areas;
- (c) Waterfowl feeding areas;
- (d) Shellfish harvest areas;
- (e) Areas used by species of economic importance;
- (f) Tribal areas of significance;
- (g) Areas determined to be ecologically unique;

- (h) Water supply intake areas;
- (i) Areas used for primary contact public recreation;
- (j) High quality waters that constitute an outstanding national resource; and
- (k) Areas where sediment quality is substantially better than levels necessary for protection of biological resources and human health.

(5) Maintenance requirements.

(c) For the purpose of this section, a clear demonstration shall consist of:

(i) Use of the sediment impact zone model(s) "CORMIX," "PLUMES," and/or "WASP" or other model(s) to demonstrate a

discharge(s) is the source of the violation or potential violation; and

(ii) Use of one or more of the following methods to demonstrate a violation of the sediment impact zone authorization or the sediment impact zone maximum criteria of WAC 173-204-420:

(A) Direct sediment sampling. A violation of the sediment impact zone authorization and/or the sediment impact zone maximum criteria of WAC 173-204-420 is demonstrated when:

(I) The average chemical concentration for three stations within the sediment impact zone exceeds the sediment impact zone maximum criteria of WAC 173-204-420 due to the discharge source. This concentration average shall not include stations for which complete biological testing information shows that the biological effects requirements of WAC 173-204-420, or the authorized sediment impact zone if applicable, are met; or

(II) The biological effects at each of any three stations within the sediment impact zone exceed the sediment impact zone maximum biological effects criteria of WAC 173-204-420 or the authorized sediment impact zone as applicable, due to the discharge source; or

(B) Monitoring data which demonstrates a chemical contaminant concentration gradient toward the discharge source exists in sediments which violates the sediment impact zone authorization or the standards of WAC 173-204-420; or

(C) A trend analysis of the effluent chemical discharge quality and in-place sediment monitoring data which statistically demonstrates an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420; or

(D) Field depositional (e.g., sediment traps) and/or effluent particulate (e.g., centrifuge analysis) data which demonstrate an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420; or

(E) Mathematical or computer modeling which demonstrates an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420.

limitations, requirements, and compliance time periods are sufficient to meet the standards of this section as applicable.

(1) Applicability.

(a) The marine sediment impact zone maximum chemical criteria, and the marine sediment biological effects criteria, and the marine sediment human health criteria, and the marine sediment other toxic, radioactive, biological or deleterious substance criteria and the marine sediment nonanthropogenically affected sediment criteria of this section shall apply to marine sediments within Puget Sound.

(b) Non-Puget Sound marine sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(c) Low salinity sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(d) Freshwater sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Puget Sound marine sediment impact zone maximum chemical criteria. The maximum chemical concentration levels that may be allowed within an authorized sediment impact zone due to a permitted or otherwise authorized discharge shall be at or below the chemical levels stipulated in Table II, Sediment Impact Zone Maximum Chemical Criteria, except as provided for by the marine sediment biological effects restrictions of subsection (3) of this section, and any compliance time periods established under WAC 173-204-410 (6)(d) and 173-204-415.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in WAC 173-204-320(2).

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-415, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-415, filed 3/27/91, effective 4/27/91.]

WAC 173-204-420 Sediment impact zone maximum criteria. This section establishes minor adverse effects as the maximum chemical contaminant concentration, maximum health risk to humans, maximum biological effects level, maximum other toxic, radioactive, biological, or deleterious substance level, and maximum nonanthropogenically affected sediment quality level allowed within authorized sediment impact zones due to an existing or proposed discharge. If the department determines that the standards of this section are or will be exceeded as a result of an existing or proposed discharge(s), the department shall authorize a sediment impact zone or modify a sediment impact zone authorization consistent with the standards of WAC 173-204-400 through 173-204-420 such that individual permit effluent

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenz(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

Table II
Puget Sound Marine Sediment Impact Zones
Maximum Chemical Criteria

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	93
CADMIUM	6.7
CHROMIUM	270
COPPER	390
LEAD	530
MERCURY	0.59
SILVER	6.1
ZINC	960

CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	780
NAPHTHALENE	170
ACENAPHTHYLENE	66
ACENAPHTHENE	57
FLUORENE	79
PHENANTHRENE	480
ANTHRACENE	1200
2-METHYLNAPHTHALENE	64
HPAH	5300
FLUORANTHENE	1200
PYRENE	1400
BENZ(A)ANTHRACENE	270
CHRYSENE	460
TOTAL BENZOFLUORANTHENES	450
BENZO(A)PYRENE	210
INDENO (1,2,3,-C,D) PYRENE	88
DIBENZO (A,H) ANTHRACENE	33
BENZO(G,H,I)PERYLENE	78
1,2-DICHLOROBENZENE	2.3
1,4-DICHLOROBENZENE	9
1,2,4-TRICHLOROBENZENE	1.8
HEXACHLOROBENZENE	2.3
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	110
DI-N-BUTYL PHTHALATE	1700
BUTYL BENZYL PHTHALATE	64
BIS (2-ETHYLHEXYL) PHTHALATE	78
DI-N-OCTYL PHTHALATE	4500
DIBENZOFURAN	58
HEXACHLOROBUTADIENE	6.2
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	65

CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	1200
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	690

CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
BENZYL ALCOHOL	73
BENZOIC ACID	650

(3) Puget Sound marine sediment impact zone maximum biological effects criteria. The maximum biological effects level that may be allowed within an authorized sediment impact zone shall be at or below a minor adverse biological effects level. The acute and chronic effects biological tests of WAC 173-204-315(1) may be used to determine compliance with the minor adverse biological effects restriction within an authorized sediment impact zone as follows:

(a) When using biological testing to determine compliance with the maximum biological effects criteria within a sediment impact zone, a person shall select and conduct any two acute effects tests and any one chronic effects test.

(b) The biological tests shall not be considered valid unless test results for the appropriate control and reference sediment samples meet the performance standards described in WAC 173-204-315(2).

(c) The sediment impact zone maximum biological effects level is established as that level below which any two of the biological tests in any combination exceed the criteria of WAC 173-204-320(3), or one of the following biological test determinations is made:

(i) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality is greater than a value represented by the reference sediment mean mortality plus thirty percent; or

(ii) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment sample and the test sediment mean normal survivorship is less than seventy percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than thirty percent relative to time-final in the reference sediment); or

(iii) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any two of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta and the test sediment abundances are statistically different (t test, $p \leq 0.05$) from the reference sediment abundances; or

(iv) Juvenile polychaete: The test sediment has a mean individual growth rate of less than fifty percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(4) Puget Sound marine sediment impact zone maximum human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Puget Sound marine sediment impact zone maximum other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological or deleterious substances in, or on, sediments shall be below levels which

cause minor adverse effects in marine biological resources, or which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(6) Puget Sound marine sediment impact zone maximum nonanthropogenically affected sediment criteria. Whenever the nonanthropogenically affected sediment quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a higher threat to human health) than the applicable sediment impact zone maximum criteria established under this section, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the standards of WAC 173-204-420.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-420, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-420, filed 3/27/91, effective 4/27/91.]

PART V—SEDIMENT CLEANUP STANDARDS

WAC 173-204-500 Sediment cleanup decision process and policies.

adverse effects of all zones, with the intent to eliminate the existence of all such zones whenever practicable.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-500, filed 3/27/91, effective 4/27/91.]

(4) It is the policy of the department to manage sediment cleanup actions towards the goal of reducing and ultimately eliminating adverse effects on biological resources and significant health threats to humans from sediment contamination. To achieve this goal, the department will pursue sediment cleanup decisions and cleanup standards that are as close as practicable to the sediment quality standards of WAC 173-204-320 through 173-204-340, including the consideration of net environmental effects, cost and technical feasibility. The department shall only authorize sediment recovery zones so as to minimize the number, size and

criteria, methods, and procedures necessary to meet the intent of this chapter.

(c) Low salinity sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(d) Freshwater sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels chemical criteria. The chemical concentration criteria in Table III establish the Puget Sound marine sediment cleanup screening levels and minimum cleanup levels chemical criteria.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in WAC 173-204-320(2).

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenz(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

WAC 173-204-520 Cleanup screening levels criteria.

(1) Applicability.

(a) The marine sediment cleanup screening levels chemical criteria, and the marine sediment biological effects criteria, and the marine sediment other toxic, radioactive, biological, or deleterious substance criteria, and the marine sediment nonanthropogenically affected criteria of this section shall apply to marine sediments within Puget Sound. The cleanup screening levels establish minor adverse effects as the level above which station clusters of potential concern are defined, and at or below which station clusters of low concern are defined, per the procedures identified in WAC 173-204-510(2). The cleanup screening levels also establish the levels above which station clusters of potential concern are defined as cleanup sites, per the procedures identified in WAC 173-204-530, Hazard assessment. The criteria in Table III and this section also establish minor adverse effects as the Puget Sound marine sediment minimum cleanup level to be used in evaluation of cleanup alternatives per the procedures of WAC 173-204-560, and selection of a site cleanup standard(s) per the procedures of WAC 173-204-570.

(b) Non-Puget Sound marine sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the

Table III
Puget Sound Marine Sediment
Cleanup Screening Levels
and
Minimum Cleanup Levels —
Chemical Criteria

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	93
CADMIUM	6.7
CHROMIUM	270
COPPER	390
LEAD	530
MERCURY	0.59
SILVER	6.1
ZINC	960

CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	780
NAPHTHALENE	170
ACENAPHTHYLENE	66
ACENAPHTHENE	57
FLUORENE	79
PHENANTHRENE	480
ANTHRACENE	1200
2-METHYLNAPHTHALENE	64
HPAH	5300
FLUORANTHENE	1200
PYRENE	1400
BENZ(A)ANTHRACENE	270
CHRYSENE	460
TOTAL BENZOFLUORANTHENES	450
BENZO(A)PYRENE	210
INDENO (1,2,3,-C,D) PYRENE	88
DIBENZO (A,H) ANTHRACENE	33
BENZO(G,H,I)PERYLENE	78
1,2-DICHLOROBENZENE	2.3
1,4-DICHLOROBENZENE	9
1,2,4-TRICHLOROBENZENE	1.8
HEXACHLOROBENZENE	2.3
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	110
DI-N-BUTYL PHTHALATE	1700
BUTYL BENZYL PHTHALATE	64
BIS (2-ETHYLHEXYL) PHTHALATE	78
DI-N-OCTYL PHTHALATE	4500
DIBENZOFURAN	58
HEXACHLOROBUTADIENE	6.2
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	65

CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	1200
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	690
BENZYL ALCOHOL	73
BENZOIC ACID	650

(3) Puget Sound marine sediment cleanup screening levels and minimum cleanup level biological criteria. The biological effects criteria of this subsection establish the Puget Sound marine sediment cleanup screening level, and the Puget Sound marine sediment minimum cleanup level criteria.

(a) The acute and chronic effects biological tests of WAC 173-204-315(1) shall be used to:

(i) Identify the Puget Sound marine sediment cleanup screening level for the purpose of screening sediment station clusters of potential concern using the procedures of WAC 173-204-510(2); and

(ii) Identify the Puget Sound marine sediment cleanup screening level for the purpose of identifying station clusters of low concern and/or cleanup sites using the hazard assessment procedures of WAC 173-204-530(4); and/or

(iii) Identify the Puget Sound marine sediment minimum cleanup level to confirm minimum cleanup level determinations using the procedures of WAC 173-204-570(3).

(b) When using biological testing to determine if station clusters exceed the cleanup screening level or to identify the minimum cleanup level for a contaminated site, test results from at least two acute effects tests and one chronic effects test shall be evaluated.

(c) The biological tests shall not be considered valid unless test results for the appropriate control and reference sediment samples meet the performance standards described in WAC 173-204-315(2).

(d) The cleanup screening level and minimum cleanup level is exceeded when any two of the biological tests exceed the criteria of WAC 173-204-320(3); or one of the following test determinations is made:

(i) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality is greater than a value represented by the reference sediment mean mortality plus thirty percent.

(ii) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment and the test sediment mean normal survivorship is less than seventy percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than thirty percent relative to time-final in the reference sediment).

(iii) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any two of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta and the test sample abundances are statistically different (t test, $p \leq 0.05$) from the reference abundances.

(iv) Juvenile polychaete: The test sediment has a mean individual growth rate of less than fifty percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(4) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological, or deleterious substances in, or on, sediments shall be at or below levels which cause minor adverse effects in marine biological resources, or which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(6) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels nonanthropogenically affected sediment criteria. Whenever the nonanthropogenically affected sediment quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a higher threat to human health) than the applicable cleanup screening levels or minimum cleanup levels criteria established under this section, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the standards of WAC 173-204-520.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-520, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-520, filed 3/27/91, effective 4/27/91.]

WAC 173-204-570 Sediment cleanup standards. (1) Applicability and purpose. This section establishes the sediment cleanup standards requirements for cleanup actions required under authority of chapter 90.48 and/or 70.105D RCW, and/or this chapter, and describes the process to determine site-specific cleanup standards.

(2) Cleanup objective. The sediment cleanup objective shall be to eliminate adverse effects on biological resources and significant health threats to humans from sediment contamination. The sediment cleanup objective for all cleanup actions shall be the sediment quality standards as defined in WAC 173-204-320 through 173-204-340, as applicable. The sediment cleanup objective identifies sediments that have no acute or chronic adverse effects on biological resources, and which correspond to no significant health risk to humans, as defined in this chapter.

(3) Minimum cleanup level. The minimum cleanup level is the maximum allowed chemical concentration and level of biological effects permissible at the cleanup site to be achieved by year ten after completion of the active cleanup action.

(a) The minimum cleanup levels criteria of WAC 173-204-520 shall be used in evaluation of cleanup alternatives per the procedures of WAC 173-204-560, and selection of a site cleanup standard(s) per the procedures of this section.

(b) The Puget Sound marine sediment minimum cleanup level is established by the following:

(i) Sediments with chemical concentrations at or below the chemical criteria of Table III shall be determined to meet the minimum cleanup level, except as provided in (b)(iv) of this subsection; and

(ii) Sediments with chemical concentrations that are higher than the chemical criteria of Table III shall be deter-

mined to exceed the minimum cleanup level, except as provided in (b)(iii) of this subsection; and

(iii) Sediments with biological effects that do not exceed the levels of WAC 173-204-520(3) shall be determined to meet the minimum cleanup level; and

(iv) Sediments with biological effects that exceed the levels of WAC 173-204-520(3) shall be determined to exceed the minimum cleanup level; and

(v) Sediments which exceed the sediment minimum cleanup level human health criteria or the other toxic, radioactive, biological, or deleterious substances criteria or the nonanthropogenically affected criteria of WAC 173-204-520 as determined by the department, shall be determined to exceed the minimum cleanup level.

(4) Sediment cleanup standard. The sediment cleanup standards are established on a site-specific basis within an allowable range of contamination. The lower end of the range is the sediment cleanup objective as defined in subsection (2) of this section. The upper end of the range is the minimum cleanup level as defined in subsection (3) of this section. The site specific cleanup standards shall be as close as practicable to the cleanup objective but in no case shall exceed the minimum cleanup level. For any given cleanup action, either a site-specific sediment cleanup standard shall be defined, or multiple site unit sediment cleanup standards shall be defined. In all cases, the cleanup standards shall be defined in consideration of the net environmental effects (including the potential for natural recovery of the sediments over time), cost and engineering feasibility of different cleanup alternatives, as determined through the cleanup study plan and report standards of WAC 173-204-560.

(5) All cleanup standards must ensure protection of human health and the environment, and must meet all legally applicable federal, state, and local requirements.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-570, filed 3/27/91, effective 4/27/91.]

WAC 173-204-590 Sediment recovery zones. (1) The purpose of this section is to set forth the requirements for establishment and monitoring of sediment recovery zones to meet the intent of sediment quality dilution zones authorized pursuant to RCW 90.48.520. The standards of this section are applicable to cleanup action decisions made pursuant to WAC 173-204-580 where selected actions leave in place marine, low salinity, or freshwater sediments that exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(2) General requirements. Authorization of a sediment recovery zone by the department shall require compliance with the following general requirements:

(a) The sediment recovery zone shall be determined by application of the department's sediment recovery zone computer models "CORMIX," "PLUMES," and/or "WASP," or an alternate sediment recovery zone model(s) approved by the department under WAC 173-204-130(4) as limited by the standards of this section and the department's best professional judgment.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-590, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-590, filed 3/27/91, effective 4/27/91.]

**PART VI—SAMPLING AND TESTING
PLANS/RECORDKEEPING**

WAC 173-204-600 Sampling and testing plan standards.

(3) Sediment sampling locations and procedures and testing protocols and interpretations shall be those included in the Puget Sound protocols as amended and/or other methods approved by the department.

(4) The department reserves the right to revise these sampling and testing protocols when:

(a) The Puget Sound protocols are modified or updated per the approval of the department; or

(b) The department determines the Puget Sound protocols are not applicable to, or appropriate for analysis of sediment chemical contamination in any given case.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-600, filed 3/27/91, effective 4/27/91.]