

Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.

Chapter NR 102

WATER QUALITY STANDARDS FOR WISCONSIN SURFACE WATERS

Subchapter I — General

| | |
|-----------|--|
| NR 102.01 | Purpose. |
| NR 102.02 | Applicability. |
| NR 102.03 | Definitions. |
| NR 102.04 | Categories of surface water uses and criteria. |
| NR 102.05 | Application of standards. |
| NR 102.06 | Phosphorus. |
| NR 102.10 | Outstanding resource waters. |
| NR 102.11 | Exceptional resource waters. |
| NR 102.12 | Great Lakes system. |
| NR 102.13 | Fish and aquatic life waters. |
| NR 102.14 | Taste and odor criteria. |

Subchapter II — Water Quality Standards For Temperature

| | |
|------------|--|
| NR 102.20 | Purpose. |
| NR 102.22 | Definitions. |
| NR 102.23 | Categories of standards applicable to temperature. |
| NR 102.24 | General water quality criteria for temperature. |
| NR 102.245 | Temperature criteria for limited aquatic life communities. |
| NR 102.25 | Ambient temperatures and water quality criteria for the protection of fish and other aquatic life. |
| NR 102.26 | Site-specific ambient temperatures. |
| NR 102.27 | Site-specific water quality criteria. |
| NR 102.28 | Cold shock standard. |
| NR 102.29 | Rate of temperature change standard. |
| NR 102.30 | Variances to water quality standards for temperature. |

Note: Chapter NR 102 as it existed on September 30, 1973 was repealed and a new chapter NR 102 was created, effective October 1, 1973. Corrections made under s. 13.93 (2m) (b) 7., Stats., Register, August, 1997, No. 500.

Subchapter I — General

NR 102.01 Purpose. (1) The purpose of this chapter is to establish, in conjunction with chs. NR 103 to 105, water quality standards for surface waters of the state pursuant to s. 281.15, Stats. This chapter describes the designated use categories for such waters and the water quality criteria necessary to support these uses. This chapter and chs. NR 103 to 105 constitute the water quality standards for the surface waters of Wisconsin.

(2) The long-range goal of Wisconsin water quality standards is to protect the use of water resources for all lawful purposes. Water quality standards shall protect the public interest, which includes the protection of public health and welfare and the present and prospective uses of all waters of the state for public and private water supplies, propagation of fish and other aquatic life and wild and domestic animals, domestic and recreational purposes, and agricultural, commercial, industrial, and other legitimate uses. In all cases where the potential uses are in conflict, water quality standards shall protect the general public interest.

(3) Water quality standards serve as a basis for developing and implementing control strategies to achieve legislative policies and goals. Water quality standards are the basis for deriving water quality based effluent limitations and the limitations shall be determined to attain and maintain uses and criteria, unless more stringent effluent limitations are established to protect downstream waters. Water quality standards also serve as a basis for decisions in other regulatory, permitting or funding activities that impact water quality.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89; CR 07-111: am. (1), (2) and (3) Register September 2010 No. 657, eff. 10-1-10.

NR 102.02 Applicability. The provisions of this chapter are applicable to surface waters of Wisconsin.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

NR 102.03 Definitions. In this chapter, the following definitions are applicable to terms used:

(1) “Ambient temperature” means the typical existing temperature of a surface water outside the direct influence of any point source discharge, which may include daily and seasonal changes.

(2) “Mixing zone” means a region in which a discharge of different characteristics than the receiving water is in transit and progressively diluted from the source to the receiving system.

(3) “Natural conditions” means the normal daily and seasonal variations in climatic and atmospheric conditions, and the existing

physical and chemical characteristics of a water or the course in which it flows.

(4) “Natural temperature” means the normal existing temperature of a surface water including daily and seasonal changes outside the zone of influence of any artificial inputs.

(5) “Resource management” means the application of control techniques to enhance or preserve a surface water in accordance with statutory provisions and in the general public interest.

(6) “Sanitary survey” means a thorough investigation and evaluation of a surface water including bacteriological sampling to determine the extent and cause of any bacterial contamination.

(7) “Surface waters” means all natural and artificial named and unnamed lakes and all naturally flowing streams within the boundaries of the state, but not including cooling lakes, farm ponds and facilities constructed for the treatment of wastewaters (the term waters as used in this chapter means surface waters).

(8) “Unauthorized concentrations of substances” means pollutants or other chemicals introduced into surface waters without prior permit or knowledge of the department, but not including accidental or unintentional spills.

History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; r. (1), renun. from NR 102.01, Register, February, 1989, No. 398, eff. 3-1-89; cr. (10), Register, May, 1993, No. 449, eff. 6-1-93; CR 07-111: cr. (intro.) and (1), r. (8) to (10), renun. (1) to (7) to be (2) to (8) Register September 2010 No. 657, eff. 10-1-10.

NR 102.04 Categories of surface water uses and criteria.

(1) **GENERAL.** To preserve and enhance the quality of waters, surface water uses and criteria are established to govern water management decisions. Practices attributable to municipal, industrial, commercial, domestic, agricultural, land development or other activities shall be controlled so that all surface waters including the mixing zone meet the following conditions at all times and under all flow and water level conditions:

(a) Substances that will cause objectionable deposits on the shore or in the bed of a body of water, shall not be present in such amounts as to interfere with public rights in waters of the state.

(b) Floating or submerged debris, oil, scum or other material shall not be present in such amounts as to interfere with public rights in waters of the state.

(c) Materials producing color, odor, taste or unsightliness shall not be present in such amounts as to interfere with public rights in waters of the state.

(d) Substances in concentrations or combinations which are toxic or harmful to humans shall not be present in amounts found to be of public health significance, nor shall substances be present in amounts which are acutely harmful to animal, plant or aquatic life.

(2) **REVISED USES AND CRITERIA.** The following uses and criteria may be revised as new information or advancing technology

indicate that revisions are in the public interest. Water used for hydropower and commercial shipping depends mainly on quantity, depth and elevation; consequently, no specific quality criteria for these uses have been prepared.

(3) FISH AND OTHER AQUATIC LIFE USES. All surface waters shall belong in one of the fish and other aquatic life subcategories described in this subsection. Only those use subcategories identified in pars. (a) to (c) shall be considered suitable for the protection and propagation of a balanced fish and other aquatic life community as provided in the federal water pollution control act amendments of 1972, P.L. 92-500; 33 USC 1251 et seq.

(a) *Cold water communities.* This subcategory includes surface waters capable of supporting a community of cold water fish and other aquatic life, or serving as a spawning area for cold water fish species. This subcategory includes, but is not restricted to, surface waters identified as trout water by the department of natural resources (Wisconsin Trout Streams, publication 6-3600 (80)).

(b) *Warm water sport fish communities.* This subcategory includes surface waters capable of supporting a community of warm water sport fish or serving as a spawning area for warm water sport fish.

(c) *Warm water forage fish communities.* This subcategory includes surface waters capable of supporting an abundant diverse community of forage fish and other aquatic life.

(d) *Limited forage fish communities.* (Intermediate surface waters). This subcategory includes surface waters of limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of forage fish and other aquatic life.

(e) *Limited aquatic life.* (Marginal surface waters). This subcategory includes surface waters of severely limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of aquatic life.

(4) CRITERIA FOR FISH AND AQUATIC LIFE. Except for natural conditions, all waters classified for fish and aquatic life shall meet the following criteria:

(a) *Dissolved oxygen.* Except as provided in par. (b) and s. NR 104.02 (3), the dissolved oxygen content in surface waters may not be lowered to less than 5 mg/L at any time.

(b) *Dissolved oxygen for cold waters.* Water bodies classified as trout waters by the department (Wisconsin Trout Streams, publication 6-3600 (80)) or as great lakes or cold water communities may not be altered from natural background dissolved oxygen levels to such an extent that trout populations are adversely affected. Additionally, all of the following conditions shall be met:

1. Dissolved oxygen in classified trout streams shall not be artificially lowered to less than 6.0 mg/L at any time, nor shall the dissolved oxygen be lowered to less 7.0 mg/L during the spawning season.

2. The dissolved oxygen in great lakes tributaries used by stocked salmonids for spawning runs shall not be lowered below natural background during the period of habitation.

(c) *pH.* The pH shall be within the range of 6.0 to 9.0, with no change greater than 0.5 units outside the estimated natural seasonal maximum and minimum.

(d) *Other substances.* Unauthorized concentrations of substances are not permitted that alone or in combination with other materials present are toxic to fish or other aquatic life. Surface waters shall meet the acute and chronic criteria as set forth in or developed pursuant to ss. NR 105.05 and 105.06. Surface waters shall meet the criteria which correspond to the appropriate fish and aquatic life subcategory for the surface water, except as provided in s. NR 104.02 (3).

(e) *Temperature.* Water quality criteria for temperature shall be determined and applied pursuant to subch. II. Heated effluent

shall not cause lethality, inside or outside of the mixing zone, to animal, plant or other aquatic life.

(5) RECREATIONAL USE. (a) *General.* All surface waters shall be suitable for supporting recreational use and shall meet the criteria specified in sub. (6). A sanitary survey or evaluation, or both to assure protection from fecal contamination is the chief criterion for determining the suitability of a water for recreational use.

(b) *Exceptions.* Whenever the department determines, in accordance with the procedures specified in s. NR 210.06 (3), that wastewater disinfection is not required to protect recreational uses, the criteria specified in par. (a) and in chs. NR 103 and 104 do not apply.

(6) CRITERIA FOR RECREATIONAL USE. As bacteriological guidelines, the membrane filter fecal coliform count may not exceed 200 colonies per 100 ml as a geometric mean and may not exceed 400 colonies per 100 ml in more than 10% of all samples during any month. Samples shall be required at least 5 times per month.

(7) PUBLIC HEALTH AND WELFARE USE. (a) *General.* All surface waters shall be suitable for supporting public health and welfare.

(b) *Exceptions.* Whenever the department determines a discharge of heated effluent is not exposed or situated in a manner that may pose a realistic potential for scalding of humans, the criterion specified in sub. (8) (c) does not apply.

(8) CRITERIA FOR PUBLIC HEALTH AND WELFARE USE. (a) *General.* The criteria developed pursuant to ss. NR 105.08 and 105.09 shall be met regardless of whether the surface water is used for public drinking water supply or the applicable fish and aquatic life subcategory.

(b) *Taste and odor criteria.* All surface waters providing public drinking water supplies or classified as cold water or warm water sport fish communities as described in sub. (3) shall meet the taste and odor criteria specified or developed pursuant to s. NR 102.14.

(c) *Temperature criteria.* To protect humans from being scalded, the water temperature of a discharge may not exceed 120°F unless specifically authorized under provisions in subchs. V or VI of ch. NR 106.

(9) WILDLIFE USE AND CRITERIA. (a) *Use.* All surface waters shall be suitable for supporting wildlife.

(b) *Criteria.* The criteria specified in or developed pursuant to s. NR 105.07 shall be met.

History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; am. (3), Register, December, 1977, No. 264, eff. 1-1-78; renum. from NR 102.02, r. (3) (d) 1. to 3., and (5), renum. (3) (intro.) to (d) (intro.) and (e) and (4) to be (4) (intro.) to (e) and (5) and am. (4) (a), (d), (e) (intro.) and (5), cr. (6) and (7), Register, February, 1989, No. 398, eff. 3-1-89; am. (3) (intro.), (6), (7), r. (3) (a), renum. (3) (b) to (f) to be (3) (a) to (e) and am. (3) (a), Register, August, 1997, No. 500, eff. 9-1-97; CR 07-111: am. (title), (1) (intro.), (2), (3) (intro.), (4) (title) and (a), r. (4) (b), (e) 1. and (5) to (7), renum. (4) (e) (intro.), 2. and 3. to be (4) (b) and am. (4) (b) (intro.), cr. (4) (e) and (5) to (9) Register September 2010 No. 657, eff. 10-1-10; correction in (8) (c) made under s. 13.92 (4) (b) 7., Stats., Register September 2010 No. 657.

NR 102.05 Application of standards. **(1) ANTIDegradation.** (a) No waters of the state shall be lowered in quality unless it has been affirmatively demonstrated to the department that such a change is justified as a result of necessary economic and social development, provided that no new or increased effluent interferes with or becomes injurious to any assigned uses made of or presently possible in such waters.

(b) *Classification system.* For the purposes of this subsection, all surface waters of the state, or portions thereof, shall be classified as one of the following:

1. Outstanding resource waters as listed in s. NR 102.10,
 2. Exceptional resource waters as listed in s. NR 102.11,
 3. Great Lakes system waters as listed in s. NR 102.12 (1),
 4. Fish and aquatic life waters as described in s. NR 102.13,
- or
5. Waters listed in tables 3 through 8 in ss. NR 104.05 to 104.10.

(2) STREAMFLOW. Water quality standards will not be maintained under all natural occurrences of flow, temperature, or other water quality characteristics. The determination of water quality based effluent limitations or other management practices shall be based upon the following conditions except as provided in ch. NR 106 for toxic and organoleptic substances and whole effluent toxicity:

(a) The average minimum 7-day low streamflow which occurs once in 10 years (7-day Q_{10}); or,

(b) In the case of dissolved oxygen and wherever sufficient data on streamflow and temperature are available, by application of a 0.274% level of nonattainment. This is equivalent to an expected nonattainment of the dissolved oxygen criterion of one day per year.

(3) MIXING ZONES. Water quality standards shall be met at every point outside of a mixing zone. The size of the mixing zone shall be based on such factors as effluent quality and quantity, available dilution, temperature, current, type of outfall, channel configuration and restrictions to fish movement. For toxic and organoleptic substances with water quality criteria or secondary values specified in or developed pursuant to chs. NR 102 and 105, allowable dilution shall be determined as specified in ch. NR 106 in addition to the requirements specified in this subsection. As a guide to the delineation of a mixing zone, the following shall be taken into consideration:

(a) Limiting mixing zones to as small an area as practicable, and conforming to the time exposure responses of aquatic life.

(b) Providing passageways for fish and other mobile aquatic organisms.

(c) Where possible, mixing zones being no larger than 25% of the cross-sectional area or volume of flow of a flowing water body and not extending more than 50% of the width.

(d) Final acute criteria and secondary values specified in or developed pursuant to s. NR 105.05 for the fish and aquatic life subcategory for which the receiving water is classified not being exceeded at any point in the mixing zone.

(e) Mixing zones not exceeding 10% of an inland lake's total surface area.

(f) Mixing zones not adversely impacting spawning or nursery areas, migratory routes, nor mouths of tributary streams.

(g) Mixing zones not overlapping, but where they do, taking measures to prevent adverse synergistic effects.

(h) Restricting the pH to values greater than 4.0 s.u. and to values less than 11.0 s.u. at any point in the mixing zone for the protection of indigenous fish and fish food organisms.

(5) RESOURCE MANAGEMENT EXEMPTIONS. Application of chemicals for water resource management purposes in accordance with statutory provisions is not subject to the requirements of the standards except in case of water used for public water supply.

(6) ANALYTICAL PROCEDURES. (a) The criteria in the Radiation Protection Code, s. DHS 157.44, shall apply to the disposal and permissible concentrations of radioactive substances.

(b) Methods used for analysis of samples shall be as set forth in ch. NR 219 unless alternative methods are specified by the department.

History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; renum. (5) and (6) to be (6) and (7), cr. (5), Register, July, 1975, No. 235, eff. 8-1-75; r. and recr. (3), Register, August, 1981, No. 308, eff. 9-1-81; correction in (7) made under s. 13.93 (2m) (b) 7., Stats., cr. (4) (h), Register, September, 1984, No. 345, eff. 10-1-84; renum. from NR 102.03, r. (1), cr. (1) (b), renum. (2) to (7) to be (1) (a) to (6) and am. (2), (3) (intro.) and (d) and (6), Register, February, 1989, No. 398, eff. 3-1-89; am. (1) (b) 3., (3) (intro.) and (d), Register, August, 1997, No. 500, eff. 9-1-97; correction in (6) (a) made under s. 13.93 (2m) (b) 7., Stats. Register July 2006 No. 607, eff. 8-1-06; correction in (6) (a) made under s. 13.92 (4) (b) 7., Stats., Register July 2010 No. 655; CR 07-111: am. (3) (intro.), (b), (c), (e) and (f), r. (4) Register September 2010 No. 657, eff. 10-1-10.

History: Cr. Register, July, 1975, No. 235, eff. 8-1-75; am. Register, October, 1986, No. 370, eff. 11-1-86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3-1-89; am. Register, November, 1992, No. 443, eff. 12-1-92.

NR 102.06 Phosphorus. (1) GENERAL. This section identifies the water quality criteria for total phosphorus that shall be met in surface waters.

(2) DEFINITIONS. In this section:

(a) "Drainage lake" means a lake with an outlet stream that continually flows under average summer conditions based on the past 30 years.

(b) "Ephemeral stream" means a channel or stream that only carries water for a few days during and after a rainfall or snowmelt event and does not exhibit a flow during other periods, and includes, but is not limited to, grassed waterways, grassed swales, and areas of channelized flow as defined in s. NR 243.03 (7).

(c) "Mean water residence time" means the amount of time that a volume of water entering a waterbody will reside in that waterbody.

(d) "Nearshore waters" means all waters of Lake Michigan or Lake Superior within the jurisdiction of the State of Wisconsin in the zone extending from the shore to a depth of 10 meters, based on the long-term mean elevation for Lake Superior of 183.4 meters (601.7 feet) and for Lake Michigan of 176.5 meters (579.0 feet).

(e) "Open waters" mean all waters of Lake Michigan or Lake Superior within the jurisdiction of the State of Wisconsin with depths greater than nearshore waters.

(f) "Reservoir" means a waterbody with a constructed outlet structure intended to impound water and raise the depth of the water by more than two times relative to the conditions prior to construction of the dam, and that has a mean water residence time of 14 days or more under summer mean flow conditions using information collected over or derived for a 30 year period.

(fm) "Seepage lake" means a lake that does not have an outlet stream that continually flows under average summer conditions based on the past 30 years.

(g) "Stratified lake or reservoir" means a lake or reservoir where either of the following equations results in a value of greater than 3.8:

Maximum Depth (meters) — 0.1

$\text{Log}_{10}\text{Lake Area (hectares)}$

Maximum Depth (feet)* 0.305 — 0.1

$\text{Log}_{10}\text{Lake Area (acres)} * 0.405$

(i) "Stratified two-story fishery lake" means a stratified lake which has supported a cold water fishery in its lower depths within the last 50 years.

(j) "Total phosphorus" means all of the phosphorus in a water sample analyzed using the methods identified under the provisions of s. NR 219.04 (1).

(3) STREAMS AND RIVERS. To protect the fish and aquatic life uses established in s. NR 102.04 (3) on rivers and streams that generally exhibit unidirectional flow, total phosphorus criteria are established as follows:

(a) A total phosphorus criterion of 100 ug/L is established for the following rivers or other unidirectional flowing waters:

1. Apple River from the outlet of the Apple River Flowage in Amery to the St. Croix River, excluding Black Brook Flowage.

2. Bad River from confluence with the Marengo River within the Bad River Indian Reservation downstream to Lake Superior.

3. Baraboo River from highway 58 in La Valle to the Wisconsin River.

4. Bark River from confluence with Scuppernong River near Hebron to the Rock River.

5. Black River from confluence with Cunningham Creek near Neillsville to Mississippi River, excluding Lake Arbutus.

6. Brule River from state highway 55 in Forest County downstream to Menominee River.

7. Buffalo River from confluence with Harvey Creek near Mondovi to Mississippi River.

8. Chippewa River from Lake Chippewa in Sawyer County to Mississippi River, excluding Holcombe Flowage, Cornell Flowage, Old Abe Lake, Lake Wissota and Dells Pond.
 9. Crawfish River from confluence with Beaver Dam River to Rock River.
 10. East Branch Pecatonica River from confluence with Apple Branch Creek near Argyle to Pecatonica River.
 11. Eau Claire River from confluence with Bridge Creek near Augusta to Chippewa River, excluding Altoona Lake.
 12. Embarrass River from confluence with Pigeon River near Clintonville to Wolf River.
 13. Flambeau River from outlet of Turtle–Flambeau Flowage in Iron County to Chippewa River, excluding Pixley Flowage, Crowley Flowage and Dairyland Flowage.
 14. Fox River from outlet of Lake Puckaway near Princeton to Green Bay, excluding Lake Butte des Morts and Lake Winnebago.
 15. Fox River from confluence with Mukwonago River near Mukwonago to state line, excluding Tichigan Lake.
 16. Grant River from confluence with Rattlesnake Creek near Beetown to Mississippi River.
 17. Jump River from confluence with the North Fork and the South Fork of the Jump rivers in Price County to Holcombe Flowage.
 18. Kickapoo River from confluence with Weister Creek near La Farge to Wisconsin River.
 19. Kinnickinnic River from confluence with Wilson Park Creek in Milwaukee to Milwaukee River.
 20. La Crosse River from confluence with Fish Creek near Bangor to Mississippi River, excluding Neshonoc Lake.
 21. Lemonweir River from outlet of New Lisbon Lake in New Lisbon to Wisconsin River, excluding Decorah Lake.
 22. Little Wolf River from confluence with South Branch Little Wolf River near Royalton to Wolf River.
 23. Manitowoc River from confluence of North Branch and South Branch Manitowoc rivers to the opening at the end of the piers at Lake Michigan.
 24. Menominee River from confluence with Brule River to the opening at the end of the piers at Green Bay.
 25. Menomonee River from confluence with Little Menomonee River to Milwaukee River.
 26. Milwaukee River from confluence with Cedar Creek downstream to the openings of the breakwaters at Lake Michigan.
 27. Mississippi River main channels and side channels.
 28. Namekagon River from outlet of Trego Lake near Trego to St. Croix River.
 29. Oconto River from confluence with Peshtigo Brook to the opening at the end of the piers at Green Bay.
 30. Pecatonica River from confluence with Vinegar Branch near Darlington to state line.
 31. Pelican River from confluence with Slaughterhouse Creek near Rhinelander to Wisconsin River.
 32. Peshtigo River from confluence with Brandywine Creek downstream to Green Bay, excluding Cauldron Falls Flowage and High Falls Flowage.
 33. Pine River from confluence with Popple River in Florence County to Menominee River, excluding Pine River Flowage.
 34. Red Cedar River from confluence with Brill River to Chippewa River, excluding Rice Lake, Tainter Lake and Lake Menomin.
 35. Rock River from outlet of Sinissippi Lake downstream to the state line, excluding Lake Koshkonong.
 36. St. Croix River from confluence with Namekagon River downstream to Mississippi River, excluding Lake St. Croix near Hudson.
 37. St. Louis River from state line to the opening between Minnesota Point and Wisconsin Point at Lake Superior.
 38. Sheboygan River from outlet of Sheboygan Marsh to the opening at the end of the piers at Lake Michigan.
 39. South Fork of Flambeau River from state highway 13 near Fifield to Flambeau River.
 40. Sugar River from outlet of Albany Lake to state line, excluding Decatur Lake.
 41. Tomahawk River from outlet of Willow Reservoir to Lake Nokomis.
 42. Trempealeau River from confluence with Pigeon Creek near Whitehall to Mississippi River.
 43. White River from outlet of White River Flowage in Ashland County to Bad River.
 44. Wisconsin River from the Rhinelander Dam to Mississippi River, excluding Lake Alice, Lake Mohawksin, Alexander Lake, Lake Wausau, Mosinee Flowage, Lake Dubay, Wisconsin River Flowage, Biron Flowage, Petenwell Flowage, Castle Rock Flowage and Lake Wisconsin.
 45. Wolf River from confluence with Hunting Creek in Langlade County to Lake Poygan.
 46. Yahara River from outlet of Lake Kegonsa to Rock River.
- (b) Except as provided in subs. (6) and (7), all other surface waters generally exhibiting unidirectional flow that are not listed in par. (a) are considered streams and shall meet a total phosphorus criterion of 75 ug/L.
- (4) RESERVOIRS AND LAKES.** Except as provided in sub. (1), to protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5), total phosphorus criteria are established for reservoirs and lakes, as follows:
- (a) For stratified reservoirs, total phosphorus criterion is 30 ug/L. For reservoirs that are not stratified, total phosphorus criterion is 40 ug/L.
 - (b) For the following lakes that do not exhibit unidirectional flow, the following total phosphorus criteria are established:
 1. For stratified, two–story fishery lakes, 15 ug/L.
 2. For lakes that are both drainage and stratified lakes, 30 ug/L.
 3. For lakes that are drainage lakes, but are not stratified lakes, 40 ug/L.
 4. For lakes that are both seepage and stratified lakes, 20 ug/L.
 5. For lakes that are seepage lakes, but are not stratified lakes, 40 ug/L.
 - (c) Waters impounded on rivers or streams that don't meet the definition of reservoir in this section shall meet the river and stream criterion in sub. (3) that applies to the primary stream or river entering the impounded water.
- (5) GREAT LAKES.** To protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5) on the Great Lakes, total phosphorus criteria are established as follows:
- (a) For both open and nearshore waters of Lake Superior, 5 ug/L.
 - (b) For both open and nearshore waters of Lake Michigan, excluding waters identified in par. (c), 7 ug/L.
 - (c) For the portion of Green Bay from the mouth of the Fox River to a line from Long Tail Point to Point au Sable, the water clarity and other phosphorus–related conditions that are suitable for support of a diverse biological community, including a robust and sustainable area of submersed aquatic vegetation in shallow water areas.
- (6) EXCLUSIONS.** The following waters are excluded from subs. (3) (b), (4) and (5):
- (a) Ephemeral streams.
 - (b) Lakes and reservoirs of less than 5 acres in surface area.
 - (c) Wetlands, including bogs.

(d) Waters identified as limited aquatic life waters in ch. NR 104. Limited aquatic life waters are those subject to the criteria in s. NR 104.02 (3) (b) (2).

(7) **SITE-SPECIFIC CRITERIA.** A criterion contained within this section may be modified by rule for a specific surface water segment or waterbody. A site-specific criterion may be adopted in place of the generally applicable criteria in this section where site-specific data and analysis using scientifically defensible methods and sound scientific rationale demonstrate a different criterion is protective of the designated use of the specific surface water segment or waterbody.

Note: Reservoirs, two-story fishery lakes and water bodies with high natural background phosphorus concentrations are the most appropriate water bodies for site-specific criteria.

Note: When placing a water body on the 303 (d) list as impaired for phosphorus, the department considers factors such as frequency and duration of criterion exceedances, the time of year of the exceedance and the magnitude of each exceedance above the applicable criterion. The department may also choose to consider other factors such as the concentration of suspended algae and floating plants; density of benthic algae; macrophyte density; minimum and daily change in dissolved oxygen levels due to diurnal swings; water clarity; and natural background phosphorus concentrations. The 303 (d) list is a list of impaired waters established by the department and approved by US EPA pursuant to 33 USC 1313 (d) (1) (A) and 40 CFR 130.7. Information on frequency and duration is contained in the department's impaired waters listing guidance, "Wisconsin Consolidated Assessment and Listing Methodology."

History: Cr. Register, July, 1975, No. 235, eff. 8-1-75; am. Register, October, 1986, No. 370, eff. 11-1-86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3-1-89; am. Register, November, 1992, No. 443, eff. 12-1-92; **CR 10-035; r. and recr. Register November 2010 No. 659, eff. 12-1-10; renumbering of (2) (fm) made under s. 13.92 (4) (b) 1., Stats., Register November 2010 No. 659.**

NR 102.07 Lake Michigan and Lake Superior thermal standards. **History:** Cr. Register, September, 1973, No. 213, eff. 10-1-73; r. and recr. Register, July, 1975, No. 235, eff. 8-1-75; renum. from NR 102.05, Register, February, 1989, No. 398, eff. 3-1-89; CR 07-111; r. Register September 2010 No. 657, eff. 10-1-10.

NR 102.08 Mississippi river thermal standards. **History:** Cr. Register, July, 1975, No. 235, eff. 8-1-75; renum. from NR 102.06, Register, February, 1989, No. 398, eff. 3-1-89; CR 07-111; r. Register September 2010 No. 657, eff. 10-1-10.

NR 102.09 Review of thermal standards. **History:** Cr. Register, July, 1975, No. 235, eff. 8-1-75; am. Register, February, 1977, No. 254, eff. 3-1-77; renum. from NR 102.07, Register, February, 1989, No. 398, eff. 3-1-89; CR 07-111; r. Register September 2010 No. 657, eff. 10-1-10.

NR 102.10 Outstanding resource waters. (1) The following surface waters are designated as outstanding resource waters:

(a) *National wild and scenic rivers.* All rivers designated under the national wild and scenic rivers act, as amended, 16 USC 1271 to 1287, except those portions flowing through Indian reservations, including:

1. St. Croix river between the northern boundary of the Hudson city limits and the St. Croix flowage dam in Douglas county except that the portion of the St. Croix river from the northern boundary of the St. Croix Falls city limits to a distance one mile below the STH 243 bridge at Osceola shall be classified exceptional resource waters under s. NR 102.11.

2. Namekagon river between its confluence with the St. Croix river and the outlet of Lake Namekagon in Bayfield county.

(b) *State wild and scenic rivers.* All state wild and scenic rivers designated under s. 30.26, Stats., including:

1. Pike river and its headwater branches in Marinette county.

2. Pine river and its headwater branches in Florence and Forest counties.

3. Popple River and its headwater branches in Florence and Forest counties.

4. The portion of the Brunsweler River (Martin Hanson Wild River) from the point in Ashland County at which it leaves T44N R4W S22 QSW QSW downstream to the point at which it crosses the boundary of the Chequamegon-Nicolet National Forest at T45N R4W S22 QNW.

5. Portions of the Totogatic River in Bayfield, Sawyer, Washburn, Douglas, and Burnett Counties as described in the following table:

SEG 1: From the outlet of Totogatic Lake located in Bayfield County to the upstream end of Nelson Lake at the southern edge of the walleye spawning refuge located in Sawyer County.

SEG 2: From a point 500 feet below the dam in the Totogatic Wildlife Area located in Washburn County to the upstream end of the Colton Flowage located in Washburn County.

SEG 3: From a point 500 feet below the dam that forms the Colton Flowage located in Washburn County to the point where the river crosses the Washburn-Douglas County line immediately above the upstream end of the Minong Flowage.

SEG 4: From the bridge on CTH "I" that crosses the river located in Washburn County to the confluence of the river with the Namekagon River located in Burnett County.

Note: Section NR 302.02 (1) contains a detailed description of the extent of the Pike, Pine, and Popple river systems designated as Wild Rivers.

(c) Wolf river upstream of the northern Menominee county line.

(d) The following Class I trout waters:

1. Adams county — Big Roche-a-Cri creek
2. Barron county — Yellow river
3. Bayfield county — Flag river, Sioux river
4. Burnett county — North Fork Clam river, South Fork Clam river
5. Chippewa county — Duncan creek, Elk creek, McCann creek
6. Dane county — Black Earth creek above the easternmost CTY KP crossing
7. Door county — Logan creek
8. Douglas county — Bois Brule river and its tributaries including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth
9. Dunn county — Elk creek
10. Florence county — Brule river including Montagne creek and Riley creek tributaries; tributaries to the Pine-Popple rivers including Chipmunk, Cody, Haley, Haymarsh, Lamon Tangué, Lepage, Lunds, Martin, Olson, Patten, Pine, Riley, Rock, Simpson, Seven Mile, Wakefield and Woods creeks; Little Popple river (T38N R19E S3)
11. Forest county — Brule river
13. Kewaunee county — Little Scarboro creek
14. Langlade county — Clearwater creek, Drew creek, Evergreen river, South Branch Oconto river
15. Lincoln county — Center fork New Wood creek, Little Pine creek, Prairie river
16. Marathon county — Holt creek, Spranger creek, Plover river
17. Marinette county — Cedarville creek, Otter creek, Holmes creek, East Thunder creek, North fork Thunder river, Eagle creek, Little Eagle creek, Plumadore creek, Meadow brook, Upper Middle Inlet creek, Middle Inlet creek, Wausaukee river, Little Wausaukee creek, Coldwater brook, Medicine brook, South Branch Miskauno creek, Miskauno creek, Swede John creek, South Branch Pemebonwon river, Spikehorn creek, Silver creek, Little Silver creek, Sullivan creek; tributaries to the Pike river including Little South Branch Pike river, Camp D creek, Camp F creek, Camp 9 creek, Cole creek, Glen creek, Harvey creek, North Branch Harvey creek, South Branch Harvey creek, Hemlock creek, Holloway creek, K.C. creek, Little Harvey creek, Lost creek, MacIntire creek, Phillips creek, Sackerson creek, Shinn's branch, Sidney creek, Smeesters creek, Springdale brook, Whiskey creek
18. Marquette county — Chaffee creek, Lawrence creek, Tagatz creek
19. Monroe county — Rullands Coulee creek

| | | | | | |
|------------------------------|--|-----|---|---------------------------|---|
| East Fork White River | All-Class I Portion | 2d. | Bayfield & Ashland | Beartrap Creek | SEG 1: Origin to Bad River Indian Reservation Boundary |
| Eighteen Mile Cr. & Tribs. | All-Class I Portion | | | | |
| Fish Creek (Main) | All including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. | 2h. | Bayfield, Ashland & Sawyer | West Fork Chipewewa River | SEG 1: Origin (Outlet of Chipewewa Lake) to Inlet of Day Lake SEG 2: Outlet of Day Lake to Inlet of Upper Clam Lake SEG 3: Outlet of Upper Clam Lake to Inlet of Lower Clam Lake SEG 4: Outlet of Lower Clam Lake to Inlet of Cattail Lake SEG 5: Outlet of Cattail Lake to Inlet of Meadow Lake SEG 6: Outlet of Meadow Lake to Inlet of Partridge Crop Lake SEG 7: Outlet of Partridge Crop Lake to Inlet of Moose Lake SEG 8: Outlet of Moose Lake to Sawyer County Highway "B" |
| Long Lake Branch & Tribs. | From below Drummond Lake to White River All-Class I Portions | | | | |
| No. Fork Fish Creek & Tribs. | All-Class I & II Portions | | | | |
| Onion River & Tribs. | All-Class I Portions including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. | | | | |
| Pikes Creek & Tribs. | All-Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. | | | | |
| Sioux River & Tribs. | All-Class I & II Portions including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. | 2p. | Bayfield, Sawyer, Washburn, Douglas & Burnett | Totagatic River | SEG 1: All portions included as Wild River under SEG 1 of par. (b) 5. SEG 2: All portions included as Wild River under SEG 2 of par. (b) 5., and the 500 feet immediately downstream of the dam in the Totagatic Wildlife Area in Washburn County |
| So. Fork White River | All-Class I Portion | | | | |
| Thompson Creek | All-Class I Portion | | | | |
| Twenty Mile Creek | All-Class I & II Portions | | | | |
| White River | All-Class I Portion | | | | |
| Whittlesey Creek & Tribs. | All-Class I Portions including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. | | | | |

| | | | | | | | |
|----|---------|--|--|-----|-------------------|--|--|
| | | | SEG 3: All portions included as Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River designation at the Douglas/Washburn County line to the inlet of Minong Flowage | 4. | Dane | Mt. Vernon Creek | All—Class I Portion |
| | | | | 5. | Door | Mink River | All |
| | | | | 5m. | Douglas | Amnicon River | SEG 1: Origin (Outlet of Amnicon Lake) to Inlet of Lyman Lake SEG 2: Outlet of Lyman Lake to mouth at Lake Superior, including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. |
| | | | SEG 4: All portions included as Wild River under SEG 4 of par. (b) 5. | | | Moose River | All |
| | | | | | | Spruce River | All |
| | | | | | | St. Croix River | SEG 1: Outlet of Upper St. Croix Lake to Inlet of St. Croix Flowage |
| 3. | Burnett | North Fork Clam River | County Highway “H” to Confluence with Clam River | | | | |
| | | Tributaries to the N. & S. Forks of the Clam River | All—Class I & II Portions | 6. | Forest | Allen Creek | All |
| | | | | | | Brule Creek | All |
| | | | | | | Elvoy Creek | All |
| | | | | | | Jones Creek | Class I & II portions |
| | | | | | | Otter Creek (T37N R14E S23, North Otter Creek) | All |
| | | | | 6m. | Forest & Langlade | Swamp Creek | SEG 1: Outlet of Lake Lucerne to Mole Lake Indian Reservation Boundary SEG 3: All below Mole Lake Indian Reservation Boundary to Confluence of Wolf River |
| | | | | 7. | Grant | Little Green River | All |
| | | | | 7m. | Iron & Ashland | Tyler Forks | SEG 1: Origin in Iron County to Bad River Indian Reservation Eastern Boundary in Ashland County SEG 3: From Bad River Indian Reservation Southern Boundary to Confluence with Bad River |
| | | | | | | Potato River | SEG 1: Origin to Bad River Indian Reservation Boundary |

| | | | | | | | |
|------|-----------------------------|---------------------------------|---|------|------------------|---------------------------------|--|
| 8. | Iron, Ashland & Price | Flambeau River | SEG 1: Turtle– Flambeau Flowage (Outlet @ Turtle– Flambeau Dam) to Inlet of Upper Park Falls Flowage | 17. | Richland | Elk Creek | All |
| 9. | LaCrosse | Berge Coulee Creek | All | 18. | Rusk | Devils Creek | All–Class I & II Portions |
| 10. | Langlade | Elton Creek | Class I Portion | | | Soft Maple Creek | SEG 1: Origin to Rusk County Highway “F” |
| | | Evergreen Creek | All | | | So. Fork Main Creek | Class I & II Por- tions (T35N R3W S28 downstream to T34N R4W S11) |
| | | Mayking Creek | All | | | Swift Creek | Outlet of Island Lake to Inlet of Fireside Lake |
| | | Michelson Creek | All | | | | |
| | | Mid Branch Embarrass River | Class I Portion | 19. | Sauk | Otter Creek | From headwaters to southern section line of T11N R6E S33 |
| 10m. | Lincoln | New Wood River | Origin (T33N R4E S14) to Conflu- ence with Wiscon- sin River | | | Parfrey’s Glen | From headwaters to CTH DL |
| 11. | Marathon | Falstad Creek | Class II Portion | 20. | Sawyer | Benson Creek | All–Class I Portion |
| | | So. Branch Embar- rass River | Class I Portion | | | Couderay River | SEG 1: Origin at Outlet of Billy Boy Flowage to Inlet of Grimh Flowage (Including Waters within Lac Courte Oreilles Indian Reservation) |
| 12. | Marinette | No. Branch Beaver Creek | Entire River & tributaries | | | Eddy Creek | All–Class I Portion |
| 13. | Oneida | Noisy Creek | Class II Portion | | | Grindstone Creek | All–Class I Portion |
| | | Squirrel River | Outlet of Squirrel Lake to Conflu- ence with Toma- hawk River | | | Knuteson Creek | SEG 1: Outlet of Wise Lake to Inlet of Knuteson Lake |
| | | Tomahawk River | SEG 2: Outlet of Willow Flowage Dam to Inlet of Lake Nokomis | | | | SEG 2: Outlet of Knuteson Lake to Inlet of Lake Che- tek |
| 14. | Pierce | Kinnickinnic River | From Powell Dam to St. Croix River | | | Little Weirgor Creek & Tribs | All–Class I & II Portions |
| 15. | Polk | Sand Creek & Tribbs | All–Class I & II Portions | | | McDermott Brook | All |
| 15e. | Polk & Burnett | Clam River | SEG 1: Outlet of Clam Falls Flow- age to Inlet of Clam Lake | | | Mosquito Brook | All–Class I Portion |
| | | | SEG 2: Outlet of Lower Clam Lake to Section Line @ T39N R16W S21/22 | | | Teal River | Outlet of Teal Lake to Conflu- ence with West Fork Chippewa River |
| 15m. | Price | Elk River | SEG 1: Headwa- ters to Inlet of Musser Lake | 20m. | Sawyer & Rusk | Thornapple River | SEG 1: Origin to Rusk County Highway “J” |
| | Price & Lincoln | Spirit River | Outlet of Spirit Lake to Inlet of Spirit River Flow- age | | | Chippewa River | SEG 1: Dam at Chippewa Flowage to Inlet of Radis- son Flowage (T38N R7W S13) |
| 16. | Price, Rusk & Sawyer | So. Fork Flambeau River | All–Round L. Dam downstream to Jxn with No. Fork Flambeau R. | | | | |

| | | | | | | | |
|------|-------------------|---------------------------|---|--|-------------------|---|---|
| 21. | Shawano | Middle Br. Embarrass R. | Origin to but not including Homme Pond | 23. | Washburn | Beaver Brook | All—Class I Portion |
| | | No. Br. Embarrass R. | Origin to CTH J | | | Sawyer Creek | All—Class I & II Portions |
| | | So. Br. Embarrass R. | Origin to but not including Tigerton Pond | | | So. Fork Bean Brook | All—Class I Portion |
| 21g. | Taylor & Chippewa | Yellow River | SEG 1: Confluence with South Fork Yellow River to Inlet of Chequamegon Waters Flowage SEG 2: Outlet of Chequamegon Waters Flowage (at Miller Dam) to State Highway 64/73 | 23m. | Washburn & Barron | Bear Creek | SEG 1: Outlet of Kekegama Lake to Inlet of Bear Lake SEG 2: Outlet of Bear Lake to Inlet at Stump Lake |
| 21r. | Taylor & Price | Silver Creek | SEG 1: Origin to Westboro Sanitary District Outfall | (1m) (a) The following lakes are designated as outstanding resource waters: | | | |
| 22. | Vilas | Allequash Creek & Springs | Class I & II Portions | 1. | Ashland | Bad River Slough Kakagon Slough | Lake Superior within ¼ mile of the shoreline of the islands within the Apostle Island National Lakeshore |
| | | Brule Creek | All | 2. | Barron | Bear Lake (T36N R12W S2; also in Washburn County) Red Cedar Lake (also in Washburn County) Sand Lake Silver Lake | |
| | | East Br. Blackjack Cr. | All | 3. | Bayfield | Bark Bay Slough Diamond Lake Lake Owen | Lake Superior within ¼ mile of the shoreline of the islands within the Apostle Island National Lakeshore |
| | | Elvoy Creek & Springs | Class I & II Portions | | | Lower Eau Claire Lake (also in Douglas County) Middle Eau Claire Lake Namekagon Lake | |
| | | Manitowish River | SEG 1: Adjacent to Dam Road Downstream to Inlet of Boulder Lake SEG 2: Outlet of Boulder Lake to Inlet of Island Lake | | | Pike Chain of Lakes (Pike, Millicent, Buskey Bay, Hart, Twin Bear, Eagle, Flynn and Hildur Lakes) Star Lake Upper Eau Claire Lake | |
| | | Mishonagon Creek | Class I & II Portions | 4. | Burnett | Big Sand Lake McKenzie Lake (also in Washburn County) Middle McKenzie Lake (also in Washburn County) Sand Lake (T40N R15W S25) | |
| | | Siphon Creek | All | 4m. | Chippewa | Chain Lake (also in Rusk County) | |
| | | Spring Meadow Creek | Class I Portion | 5. | Columbia | Crystal Lake (T12N R10E S1) | |
| | | Tamarack Creek | All | 6. | Douglas | Bardon Lake (Whitefish Lake) Bond Lake Lake Nebagamon | |
| 22m. | Vilas & Oneida | Wisconsin River | SEG 1: Origin (Outlet of Lac Vieux Desert) to Inlet of Water-smeet Lake | | | Lower Eau Claire Lake (also in Bayfield County) St. Croix (Gordon) Flowage Upper St. Croix Lake | |

- | | | | |
|-----|-----------|--|--|
| 7. | Florence | Edith Lake Keyes Lake Lost Lake Perch Lake Riley Lake, South | Smith Lake Spider Lake Teal Lake Whitefish Lake |
| 8. | Forest | Butternut Lake Franklin Lake Lucerne Lake (Stone) Metonga Lake | 18. Vilas Black Oak Lake Crab Lake Crystal Lake (T41N R7E S27) Lac Vieux Desert North Twin Lake Palette Lake (Clear) Partridge Lake Plum Lake South Twin Lake Star Lake Stormy Lake Trout Lake White Sand Lake (T42N R7E S26) |
| 9. | Iron | Catherine Lake Cedar Lake Gile Flowage Hewitt Lake Owl Lake Trude Lake Turtle–Flambeau Flowage | 19. Walworth Lulu Lake |
| 9m. | Marinette | Caldron Falls Flowage (also in Oconto County) | 20. Washburn Bass Lake (T40N R10W S17) Bear Lake (T36N R12W S2; also in Barron County) Long Lake McKenzie Lake (also in Burnett County) Middle McKenzie Lake (also in Burnett County) Red Cedar Lake (also in Barron County) Shell Lake Stone Lake (T39N R10W S24) |
| 10. | Oconto | Archibald Lake Bass Lake (T32N R15E S9) Bear Paw Lake Boot Lake Caldron Falls Flowage (also in Marinette County) Chain Lake | 21. Waukesha Spring Lake (T5N R18E S9) |
| 11. | Oneida | Big Carr Lake Clear Lake (T39N R7E S16) Little Tomahawk Lake Tomahawk Lake Two Sisters Lake Willow Flowage | 22. Waupaca Graham Lake (Nelson) North Lake |
| 12. | Polk | Pipe Lake | 23. Waushara Gilbert Lake Lucerne Lake (Egans) Norwegian Lake Pine Lake (Springwater) |
| 13. | Price | Cochran Lake Tucker Lake | |
| 14. | Rusk | Bass Lake (T34N R9W S16) Fish Lake Island Chains of Lakes (Chain {also in Chippewa County}, Clear, McCann, and Island Lakes) Three Lakes No. 1 (T36N R9W S25) | |
| 15. | St. Croix | Bass Lake (T30N R19W S23) Perch Lake | |
| 16. | Sauk | Devils Lake | |
| 17. | Sawyer | Barker Lake Blaisdell Lake Evergreen Lake Grindstone Lake Lac Court Oreilles Lake Chippewa (Chippewa Flowage) Nelson Lake Osgood Lake Perch Lake (T42N R6W S25) Round Lake (Big Round) Sand Lake | |

(2) The waters in sub. (1) and (1m) may not be lowered in quality.

(3) Surface waters, or portions thereof, may be added to, or deleted from, the outstanding resource waters designation through the rule making process under the provisions of ch. 227, Stats., and s. NR 2.03.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89; am. (1) (d), cr. (1) (e), Register, July, 1989, No. 403, eff. 8-1-89; cr. (1) (f) and (1m), am. (2), Register, May, 1993, No. 449, eff. 6-1-93; am. (1m) 6., 9. and 11., cr. (1m) 9m., Register, February, 1998, No. 506, eff. 3-1-98; CR 05-089: am. (1) (d) 8., (f) 2., (1m) 1. and 3. Register July 2006 No. 607, eff. 8-1-06; CR 05-105: renum. (1) (f) 1. to be 1t. and am., cr. (1) (f) 1d., 1h., 1p., 2d., 2h., 2p., 5m., 6m., 7m., 10m., 15e., 15s., 20m., 21g., 21r., 22m., and 23m., am. (1) (f) 3., 8. 13., 18., 20., 22., and 23., Register November 2006 No. 611, eff. 12-1-06; reprinted to correct error in (1) (d) 6. Register March 2008 No. 627; CR 09-123: am. (1) (b) 1., 2., (d) 10., 17., 22., 29., 30., (f) 1d., 2p., 6., 8., 10., 20., 22., 22m., (1m) (a) 2. to 6., 9m., 10., 13., 14., 17., 18., 20., cr. (1) (b) 3. to 5. and (1m) (a) 4m. Register July 2010 No. 655, eff. 8-1-10; renumber of (1m) to (1m) (a) made under s. 13.92 (4) (b) 1., Stats., Register July 2010 No. 655.

NR 102.11 Exceptional resource waters. (1) Surface waters which provide valuable fisheries, hydrologically or geologically unique features, outstanding recreational opportunities, unique environmental settings, and which are not significantly impacted by human activities may be classified as exceptional resource waters. All the following surface waters are designated as exceptional resource waters:

(a) Class I trout waters listed in Wisconsin Trout Streams publication 6-3600 (80) that are not listed in s. NR 102.10.

(b) Other Class I trout waters:

1. Abraham Coulee creek in section 29, township 20 north, range 8 west from its headwaters to the upstream crossing of Oak Ridge Drive in Trempealeau county.
2. Bear creek originating in section 3, township 20 north, range 7 west in Trempealeau county.
3. Biser creek originating in section 19, township 12 north, range 3 west in Sauk county.
4. Bostwick creek from CTH M upstream 6.2 miles to the headwaters in LaCrosse county.
5. Bufton Hollow creek originating in section 19, township 12 north, range 2 west in Richland county.
6. Columbus creek originating in section 29, township 20 north, range 6 west in Jackson county.
7. Dutch creek originating in section 12, township 19 north, range 8 west in Trempealeau county.
8. Joe Coulee creek originating in section 1, township 20 north, range 7 west in Trempealeau county.
9. Little creek originating in section 21, township 20 north, range 6 west in Jackson county.
10. Marble creek originating in section 30, township 10 north, range 3 east in Sauk county.
11. Marshall creek originating in section 4, township 11 north, range 1 west in Richland county.
12. Martin creek originating in section 23, township 6 north, range 2 east in Iowa county.
13. South Bear creek originating in section 2, township 12 north, range 2 west in Richland county.
14. Spring brook downstream from CTH Y south of Antigo to its confluence with the Eau Claire river in Marathon county.
15. Spring Valley creek from the headwaters to SE 1/4, SE 1/4, section 33, township 16 north, range 1 east in Monroe county.
16. Unnamed creek 2-12 originating in section 36, township 20 north, range 7 west in Trempealeau county.
17. Unnamed creek 4-9 originating in section 4, township 11 north, range 1 west in Richland county.
18. Unnamed creek 5-6 originating in section 6, township 19 north, range 8 west in Trempealeau county.
19. Unnamed creek 7-4 originating in section 6, township 20 north, range 7 west in Trempealeau county.
20. Unnamed creek 8-9 originating in section 5, township 20 north, range 7 west in Trempealeau county.
21. Unnamed creek 8-14 originating in section 1, township 20 north, range 8 west in Trempealeau county.
22. Unnamed creek 9-13 originating in section 4, township 20 north, range 6 west in Jackson county.
23. Unnamed creek 10-8 originating in section 3, township 11 north, range 1 west in Richland county.
24. Unnamed creek 10-10 originating in section 14, township 20 north, range 6 west in Jackson county.
25. Unnamed creek 11-4 originating in section 1, township 20 north, range 7 west in Trempealeau county.
26. Unnamed creek 11-7 originating in section 2, township 20 north, range 7 west in Trempealeau county.
27. Unnamed creek 13-3a originating in section 19, township 20 north, range 6 west in Jackson county.
28. Unnamed creek 13-3b originating in section 6, township 20 north, range 6 west in Trempealeau county.
29. Unnamed creek 15-13 originating in section 1, township 20 north, range 8 west in Trempealeau county.
30. Unnamed creek 15-4 originating in section 3, township 20 north, range 6 west in Trempealeau county.

31. Unnamed creek 16-2 originating in section 22, township 20 north, range 6 west in Jackson county.

32. Unnamed creek 17-5 originating in SE 1/4, section 5, township 20 north, range 6 west in Jackson county.

33. Unnamed creek 24-3a originating in section 18, township 11 north, range 1 west in Richland county.

34. Unnamed creek 26-7 originating in section 2, township 21 north, range 5 west in Jackson county.

35. Unnamed creek 34-2 originating in section 17, township 20 north, range 8 west in Trempealeau county.

36. Unnamed creek 34-15 originating in section 27, township 20 north, range 7 west in Trempealeau county.

37. Unnamed stream originating in section 33, township 10 north, range 3 east in Sauk county.

38. Washington Coulee creek originating in section 29, township 20 north, range 6 west in Jackson county.

(c) The following Class II trout waters:

1. Ashland county — White river above the Bad River Indian reservation

2. Bayfield county — White river

3. Dane county — Mt. Vernon creek

4. Forest county — North Branch Oconto river

5. Grant county — Blue river

6. Iowa county — Blue river

7. Langlade county — Prairie river, South Branch Oconto river

8. Lincoln county — Prairie river

9. Marquette county — Mekan river

10. Oconto county — North Branch Oconto river, South Branch Oconto river

11. Pierce county — Rush river

12. Portage county — Tomorrow river

13. Richland county — Willow creek

14. St. Croix county — Willow river, Race Branch

15. Waushara county — Mekan river

(d) The following cold or warm water streams and rivers or portions thereof:

| | | | |
|-----|------------------|--|--|
| 1g. | Ashland | Bad River | SEG 2: Outfall in Mellen at NE $\frac{1}{4}$ SW $\frac{1}{4}$ S6 T44N R2W to Bad River Indian Reservation Boundary |
| 1r. | Ashland & Sawyer | East Fork Chipewewa River | SEG 2: Ashland County Highway "N" to Confluence of Rocky Run Creek (Includes Glidden POTW) |
| 1t. | Barron | Brill River | All-Class II Portion |
| 2. | Crawford | Copper Creek Plum Creek Sugar Creek Tainter Creek | All All From headwaters to T10N R6W S10 From Vernon County Line to CTH B |

| | | | | | | |
|-----|---|--|---|------|--------------------------|---|
| 3. | Dane | Blue Mounds Branch | All | | Hefty Cr., Center Branch | All |
| | | Deer Creek | All | | Liberty Creek | All |
| | | Dunlap Creek | All | | Norwegian Creek | All |
| | | Elvers Creek (Bohn Cr.) | All | | Richland Creek | All |
| | | Flynn Creek | All | | Ross Crossing | All |
| | | Fryes Feeder Creek | All | | Sylvester Creek | All |
| | | Garfoot Creek | All | | Spring Valley Creek | All |
| | | Milum Creek | All | | Ward Creek | All |
| | | Rutland Branch | All | 13. | Green & Rock | Allen Creek |
| | | Ryan Creek | All | | | Below Evansville |
| | | Schalpbach Creek | All | 14. | Iowa | Harker-Lee-Martin System |
| | | Sixmile Creek | All | | | From headwaters to T6N R2E S10 |
| | | Spring Creek (Lodi) | All | 15. | Iron | Manitowish River |
| | | | | 15m. | Iron & Ashland | Vaughn Creek |
| 4. | Dane, Sauk, Iowa, Grant, Richland, Crawford | Wisconsin River | From below Prairie du Sac to Prairie du Chien | | | SEG 1: Origin to Bad River Indian Reservation Boundary |
| 5. | Dane & Green | Little Sugar River | Above New Glarus | 16. | Jackson | Trempealeau River |
| | | Story Creek (Tipperary) | All | | | From STH 95 at Hixton to CTHP at Taylor |
| | | Sugar River | All | 17. | Jefferson & Rock | Allen Creek |
| 6. | Dunn | Sand Creek | From Chippewa County Line to mouth | 18. | Kewaunee | Casco Creek |
| 7. | Eau Claire | Lowes Creek | From Hwy 37 & 85 upstream to headwaters | | | From T24N R24E S19 downstream of Rock Ledge to Kewaunee River |
| 8. | Fond du Lac | Feldner's Creek | From headwaters to Mischo's Millpond | 19. | La Crosse | Bostwick Creek |
| | | Auburn Lake Creek (Lake Fifteen Creek) | Entire Creek above & below Auburn Lake | | | From headwaters to County Hwy 'O' |
| 9. | Forest | Armstrong Creek | All | | | All |
| | | Middle Br. Peshtigo R. | All | 20. | Lafayette | Galena River |
| | | North Br. Peshtigo R. | All | | | From headwaters to Buncombe Road |
| | | North Br. Popple R. | All | 21. | Langlade | East Br. Eau Claire R. |
| | | West Br. Armstrong Creek | Class II Portion | | | From STH 64 upstream to fire-lane crossing in T33N R11E S35 SW1/4 |
| 10. | Grant | Doc Smith Branch | All | | | Hunting River |
| | | Little Platte River | From Arthur downstream to Platte River | 22. | Lincoln | North Br. Prairie River |
| 11. | Grant & Iowa | Big Spring Branch | From Springhead to Blue River | | | From headwaters to CTHJ to T33N R8E |
| 12. | Green | Burgy Creek | All | | | Silver Creek |
| | | Gill Creek | All | 23. | Manitowoc | Branch River |
| | | Hefty Creek, North Branch | All | 24. | Monroe | Big Creek |
| | | | | | | All |
| | | | | | | From headwaters to Acorn Rd (S7) |
| | | | | | | Farmers Valley Creek & Tribs |
| | | | | | | From headwaters to I-90 (S19) |
| | | | | | | Soper Creek |
| | | | | | | All |

| | | | | | | | |
|------|----------------------|---|---|------|---|--|---|
| 25. | Oneida | Bearskin Creek | From Tomahawk River to Little Bearskin Lake | | E. Branch Mill Creek | All | |
| 25m. | Oneida & Lincoln | Wisconsin River | SEG 2: Hat Rapids Dam to Lincoln County A crossing SEG 4: Grandfather Dam to Inlet of Alexander Lake | | Happy Hollow Creek Higgins Creek Hood Hollow Creek Jacquish Hollow Creek | All-Trib to Willow Creek All-Trib to Mill Creek All-Trib to Mill Creek All-Trib to Willow Creek | |
| 26. | Pierce | Big River Cady Creek | Class I Portion From CTH P upstream | | Kepler Branch Mill Creek | All-Trib to Mill Creek From headwaters to above Boaz | |
| 26b. | Polk | Trimbelle River St. Croix River | All From the northern boundary of the St. Croix Falls city limits to a distance one mile below the STH 243 bridge at Osceola | | Miller Branch Pine Valley Creek Ryan Hollow | All-Trib to Mill Creek All-Trib to Mill Creek All-Trib to West Branch Mill Creek | |
| 26c. | Polk & Burnett | Clam River | SEG 3: Section Line @ T39N R16W S21/22 to Inlet of Clam River Flowage SEG 4: Outlet of Clam River Flowage to Confluence with St. Croix River | | Wheat Hollow Creek W. Branch Mill Creek | All All | |
| 26g. | Price | North Fork Jump River | SEG 1: Origin (outlet of Cranberry Lake) to Inlet of Spring Creek Flowage SEG 2: Outlet of Spring Creek Flowage to Confluence with South Fork Jump River | 28. | Rock | Bass Creek East Fork Raccoon Cr. Little Turtle Creek Raccoon Creek Spring Brook (T2N R14E S27) Turtle Creek Unnamed Creek T2N R14E S31 | All All All All All All |
| 26n. | Price, Rusk & Taylor | Jump River | SEG 1: Confluence of the North Fork Jump River and South Fork Jump River to the Village of Jump River | 29. | Rusk | Big Weirgor Creek Main Creek Soft Maple Creek | All-Class III Portion Rusk County Highway P to Inlet of Holcombe Flowage SEG 2: Rusk County Highway "F" to Confluence with Chippewa River |
| 26r. | Price, Sawyer, Rusk | Flambeau River | SEG 2: Crowley Dam to Inlet of Big Falls Flowage | 30. | Rusk, Taylor & Chippewa | Jump River | From Village of Jump River downstream to Holcombe Flowage |
| 26w. | Price & Taylor | South Fork Jump River | Origin to Confluence with North Fork Jump River | 31. | Sauk | Beaver Creek (Trib to Dell Creek) Camels Creek (Trib to Dell Creek) Dell Creek | All All All |
| 27. | Richland | Babb Hollow Hanzel Creek (Hansell) Melancthon Creek Coulter Hollow Creek | All-Trib to Mill Creek All-Trib to Melancthon Cr. Class II Section All-Trib to Mill Creek | 31m. | Sawyer | Couderay River | SEG 2: Dam at Grimh Flowage to Confluence with Chippewa River |

| | | | | | | | |
|------|--------------------------|--|--|-----|-------------------------------|---|--|
| 32. | Shawano | Kroenke Creek Red River | Class II Portion From Lower Red Lake Dam to Wolf River | 40. | Waukesha | Genesee Creek Mukwonago River | Above STH 59 From Eagle Springs Lake to Upper Phantom Lake |
| | | West Br. Red River | Class II Portion | | | Oconomowoc River | From below North Lake to Okauchee Lake |
| 33. | Sheboygan | Ben Nutt Creek | Class II Portion to Junction with Mill Creek | 41. | Waupaca | Blake Brook & Branches Little Wolf River | Class II Portion From junction with Wolf River upstream to Manawa Dam |
| 34. | St. Croix | Apple River | From NSP plant below CTH I to Mouth | | | Waupaca River | Class II portion |
| | | Cady Creek | All | 42. | Waupaca, Outagamie, & Shawano | Embarrass River | From Wolf River upstream to dam at Pella |
| | | Willow River | Extend Class II Portion into Delta in Lake Mallilieu | 43. | Wauksara | Lower Pine River | From below Wild Rose Mill pond to dam at Poy Sippi |
| 35. | St. Croix & Pierce | St. Croix River | From No. Boundary of Hudson City limits to the river mouth in Pierce Co. | | | | |
| 35m. | Taylor & Price | Silver Creek | SEG 2: Westboro Sanitary District Outfall to Confluence with South Fork Jump River | | | | |
| 36. | Trempealeau | Buffalo River | From Hwy 53 to Strum Pond | | | | |
| 37. | Vernon | Bishop Branch Cheyenne Valley Creek Coon Creek | All All From La Crosse county line to Chaseburg | | | | |
| | | Frohock Valley Creek | All | | | | |
| | | Hornby Creek | All | | | | |
| | | Reads Creek | All | | | | |
| | | Tainter Creek | All | | | | |
| 38. | Vilas | Manitowish River | From Rest Lake Dam downstream to Iron County line | | | | |
| 38m. | Vilas & Oneida | Wisconsin River | SEG 2: State Highway 70 to Inlet at Rainbow Flowage (Oneida County Line) SEG 3: Outlet of Rainbow Flowage (Oneida County Highway "D" to Inlet of Rhineland Flowage (T37N R8E S8 SE¼NE¼) | | | | |
| 39. | Washington & Fond du Lac | E. Branch Milwaukee R. | From Long Lake outlet to STH 28 | | | | |

(2) The waters identified in sub. (1) may not be lowered in quality except as provided in ch. NR 207.

(3) Surface waters, or portions thereof, may be added to, or deleted from, the exceptional resource waters designation through the rule making process under the provisions of ch. 227, Stats., and s. NR 2.03.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89; cr. (1) (c), Register, July, 1989, No. 403, eff. 8-1-89; cr. (1) (d), Register, May, 1993, No. 449, eff. 6-1-93; CR 05-105: renum. (1) (d) 1. to be 1t., cr. 1g., 1r., 15m., 25m., 26c., 26n., 26r., 26w., 31m., 35m., and 38m., am. 29., Register November 2006 No. 611, eff. 12-1-06; CR 09-123: am. (1) (b) 1., 5., 12., 15., 16., 23., 27., 33., 34., 37., (d) 5., 8., 15., 17., 28., 34., 39. and 42., cr. (1) (d) 26b. Register July 2010 No. 655, eff. 8-1-10.

NR 102.12 Great Lakes system. (1) The Great Lakes system includes all the surface waters within the drainage basin of the Great Lakes.

(2) For the purpose of administering ch. NR 207 and consistent with chs. NR 105 and 106, the waters identified in sub. (1) are to be protected from the impacts of persistent, bioaccumulating toxic substances by avoiding or limiting to the maximum extent practicable increases in these substances.

(3) The waters of the Lake Superior basin shall be managed to prevent any new or increased discharges of the following pollutants: DDT, DDE and metabolites, chlordane, toxaphene, hexachlorobenzene, 2,3,7,8 TCDD, octachlorostyrene, mercury and PCB's. For purposes of administering ch. NR 207, new or increased discharges of these pollutants shall be prohibited unless the applicant certifies at time of application, that the new or increased discharge is necessary after utilization of best technology in process or control using waste minimization, pollution prevention, municipal pretreatment programs, material substitution or other means of commercially available technologies which have demonstrated capability for similar applications.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89; r. and recr. (1), am. (2), Register, August, 1997, No. 500, eff. 9-1-97; CR 05-089: cr. (3) Register July 2006 No. 607, eff. 8-1-06.

NR 102.13 Fish and aquatic life waters. All surface waters not included in s. NR 102.05 (1) (b) 1., 2., 3. or 5. are fish and aquatic life waters.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

NR 102.14 Taste and odor criteria. (1) At certain concentrations, substances may not be toxic to humans, but may impart undesirable taste or odor to water or aquatic organisms

ingested by humans. The taste and odor criterion is derived to prevent substances from concentrating in surface waters or accumulating in aquatic organisms to a level which results in undesirable tastes or odors to human consumers.

(2) The taste and odor criterion is derived as follows:

(a) For substances which impart tastes and odors to waters, the taste and odor criterion shall equal that threshold concentration (TC_w) below which objectionable tastes or odors to human consumers do not occur. Threshold concentrations for substances imparting tastes and odors to water are listed in Table 1.

Table 1

Threshold Concentrations (TC_w) for Substances Causing Taste and Odor in Water

| Substance | Threshold Concentration (ug/L) ¹ |
|-------------------------------------|---|
| Acenaphthene | 20 |
| Chlorobenzene | 20 |
| 2-Chlorophenol | 0.1 |
| 3-Chlorophenol | 0.1 |
| 4-Chlorophenol | 0.1 |
| Copper | 1000 |
| 2,3-Dichlorophenol | 0.04 |
| 2,4-Dichlorophenol | 0.3 |
| 2,5-Dichlorophenol | 0.5 |
| 2,6-Dichlorophenol | 0.2 |
| 3,4-Dichlorophenol | 0.3 |
| 2,4-Dimethylphenol | 400 |
| Hexachlorocyclopentadiene | 1 |
| 2-Methyl-4-Chlorophenol | 1800 |
| 3-Methyl-4-Chlorophenol | 3000 |
| 3-Methyl-6-Chlorophenol | 20 |
| Nitrobenzene | 30 |
| Pentachlorophenol | 30 |
| Phenol | 300 |
| 2,3,4,6-Tetrachlorophenol | 1 |
| 2,4,5-Trichlorophenol | 1 |
| 2,4,6-Trichlorophenol | 2 |
| Zinc | 5000 |

¹ A threshold concentration expressed in micrograms per liter (ug/L) can be converted to milligrams per liter (mg/L) by dividing the threshold concentration by 1000.

(b) For substances which impart tastes or odors to aquatic organisms, the taste and odor criterion shall be calculated as follows:

$$TOC = \frac{TC^1}{BAF}$$

- Where:
- TOC = Taste and odor criterion in milligrams per liter (mg/L).
 - TC = Threshold concentration in milligrams of substance per kilogram of wet tissue weight (mg/kg) of the aquatic organism being consumed below which undesirable taste and odor is not detectable to human consumers as derived in par. (d).
 - BAF = Aquatic life bioaccumulation factor with units of liter per kilogram (L/kg) as derived in s. NR 105.10.

(c) The lower of the taste and odor criteria derived as specified in pars. (a) and (b) is applicable to surface waters classified as public water supplies. The taste and odor criteria derived as specified in par. (b) are applicable to cold water and warm water sport fish communities.

(d) Threshold concentrations for substances imparting tastes or odors to water (TC_w) other than those listed in Table 1 and threshold concentrations for substances imparting tastes or odors to aquatic organisms (TC_f) shall be selected by the department using its best professional judgment.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89; am. (2) (b) and (c), Register, August, 1997, No. 500, eff. 9-1-97.

Subchapter II — Water Quality Standards For Temperature

NR 102.20 Purpose. The purpose of this subchapter is to establish water quality standards for temperature pursuant to s. 281.15 (1), Stats. Water quality standards for temperature shall protect fish and other aquatic life from mortality, immobilization, loss of equilibrium, impaired growth, adverse reproductive effects, and other sub-lethal effects.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.22 Definitions. In this subchapter, the following definitions are applicable to terms used:

(1) “Acute effects” means any effect resulting in death or immobilization. For temperature, the acute criteria of this subchapter are based on Upper Incipient Lethal Temperature (UILT) values that are not representative of immediate lethality.

(2) “cfs” means cubic feet per second, usually pertaining to stream or effluent flow.

(3) “Cold shock” means exposure of aquatic organisms to a rapid decrease in temperature and a sustained exposure to low temperature that induces abnormal behavioral or physiological performance and may lead to death.

(4) “Daily maximum temperature” means the highest allowed water temperature for a calendar day, outside a mixing zone allowed in this subchapter.

(5) “Great Lakes” means the open Wisconsin waters of Lake Superior, Lake Michigan, Green Bay and Chequamegon Bay, as well as adjoining open waters that exhibit characteristics of Lake Superior, Lake Michigan, Green Bay or Chequamegon Bay, or in other ways are determined by the department to be equivalent to these waters.

(6) “Maximum weekly average temperature” means the highest allowed arithmetic mean of all daily maximum temperatures during a calendar week, outside mixing zone allowed in this subchapter.

(7) “mgd” means million gallons per day.

(8) “Sub-lethal effects” means effects resulting in inadequate gonad development, gamete production and viability, spawning or growth.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.23 Categories of standards applicable to temperature. The department shall establish water quality standards for temperature to protect the following:

(1) Public health and welfare uses, as established in s. NR 102.04 (7) and (8).

(2) Fish and other aquatic life uses as established in s. NR 102.04 (3). For exclusive purpose of the application of water quality standards for temperature, the warm water sport fish and warm water forage fish communities, as defined in s. NR 102.04 (3) (b) and (c), are treated together as warm water communities.

(3) Great Lakes communities as defined in s. NR 102.22 (6). This use exists only for the regulation of discharges of heat.
History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.24 General water quality criteria for temperature. **(1)** There may be no temperature changes that may adversely affect aquatic life.

(2) Natural daily and seasonal temperature fluctuations shall be maintained.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.245 Temperature criteria for limited aquatic life communities. **(1)** For the purposes of temperature criteria, all surface waters classified as diffused surface waters, wetlands and wastewater effluent channels, as defined in s. NR 104.02 (1), shall be characterized as limited aquatic life communities.

(2) The department may, as appropriate, characterize other surface waters not identified in sub. (1) as limited aquatic life communities.

(3) The temperature in waters classified as limited aquatic life shall be restricted as follows:

(a) Temperatures at any point in waters classified as wastewater effluent channels may not exceed 120°F.

(b) Temperatures at any point in waters classified as wetlands shall not exceed the standards in ch. NR 103.

(c) Temperatures at any point in waters not identified in par. (a) or (b) may not exceed 86°F. Additionally, all conditions of ch. NR 103 shall be met.

Note: The department recognizes there are legitimate concerns that not all wetlands and ephemeral streams are the biological equivalents of other limited aquatic life waters, and is in the process of re-evaluating the wetland and ephemeral stream

classifications to determine if and when full fish and aquatic life conditions should be applied.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.25 Ambient temperatures and water quality criteria for the protection of fish and other aquatic life.

(1) GENERAL. In the absence of site-specific ambient temperature data or water quality criteria as determine in s. NR 102.26 or 102.27, respectively, the applicable ambient temperatures, sub-lethal water quality criteria, and acute water quality criteria shall be as specified in subs. (2) to (5). For determinations made in subs. (2) to (5), all of the following conditions shall apply:

(a) The ambient temperature, sub-lethal water quality criterion, and acute water quality criterion specified for any calendar month shall be applied simultaneously to establish the protection needed for each identified fish and other aquatic life use.

(b) Sub-lethal water quality criteria are to be applied as maximum weekly average temperatures.

(c) Acute water quality criteria are to be applied as daily maximum temperatures.

(d) Water quality criteria for temperature shall be applied in accordance with the mixing zone provisions of s. NR 102.05 (3).

(e) Final acute and sub-lethal water quality criteria for temperature specified in or developed pursuant to ss. NR 102.24 to 102.26 shall not be exceeded at any point outside the mixing zone. Additionally, site-specific mixing zone studies may be required when deemed appropriate by the department.

(2) NON-SPECIFIC WATERS. The values listed in Table 2 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life unless other values specified in subs. (3) to (5) are applicable or approved by the department pursuant to s. NR 102.26 or 102.27.

Table 2
Ambient Temperatures and Water Quality Criteria for Temperature for Non-Specific Waters
 (All values are expressed as degrees Fahrenheit)

| Month | Cold ⁴ | | | Warm — Large ⁵ | | | Warm — Small ⁶ | | | LFF ⁷ | | |
|-------|-------------------|-----------------|----------------|---------------------------|----|----|---------------------------|----|----|------------------|----|----|
| | Ta ¹ | SL ² | A ³ | Ta | SL | A | Ta | SL | A | Ta | SL | A |
| JAN | 35 | 47 | 68 | 33 | 49 | 76 | 33 | 49 | 76 | 37 | 54 | 78 |
| FEB | 36 | 47 | 68 | 33 | 50 | 76 | 34 | 50 | 76 | 39 | 54 | 79 |
| MAR | 39 | 51 | 69 | 36 | 52 | 76 | 38 | 52 | 77 | 43 | 57 | 80 |
| APR | 47 | 57 | 70 | 46 | 55 | 79 | 48 | 55 | 79 | 50 | 63 | 81 |
| MAY | 56 | 63 | 72 | 60 | 65 | 82 | 58 | 65 | 82 | 59 | 70 | 84 |
| JUN | 62 | 67 | 72 | 71 | 75 | 85 | 66 | 76 | 84 | 64 | 77 | 85 |
| JUL | 64 | 67 | 73 | 75 | 80 | 86 | 69 | 81 | 85 | 69 | 81 | 86 |
| AUG | 63 | 65 | 73 | 74 | 79 | 86 | 67 | 81 | 84 | 68 | 79 | 86 |
| SEP | 57 | 60 | 72 | 65 | 72 | 84 | 60 | 73 | 82 | 63 | 73 | 85 |
| OCT | 49 | 53 | 70 | 52 | 61 | 80 | 50 | 61 | 80 | 55 | 63 | 83 |
| NOV | 41 | 48 | 69 | 39 | 50 | 77 | 40 | 49 | 77 | 46 | 54 | 80 |
| DEC | 37 | 47 | 69 | 33 | 49 | 76 | 35 | 49 | 76 | 40 | 54 | 79 |

1 Ta = ambient temperature

2 SL = sub-lethal criteria

3 A = acute criteria

4 Cold = waters with a fish and aquatic life use designation of “cold water community”

5 Warm — Large = waters with a fish and aquatic life use designation of “warm water sport fish community” or “warm water forage fish community” and unidirectional 7Q10 flows ≥ 200 cfs (129 mgd)

6 Warm — Small = waters with a fish and aquatic life use designation of “warm sport fish community” or “warm water forage fish community” and unidirectional 7Q10 flows < 200 cfs (129 mgd)

7 LFF = waters with a fish and aquatic life use designation of “limited forage fish community”

(3) **SPECIFIC LARGE RIVERS.** The values listed in Table 3 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life for the identified water segments unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 3
Ambient Temperatures and Water Quality Criteria for Temperature for Specific Large Rivers
(All values are expressed as degrees Fahrenheit)

| Month | Mississippi River ⁴ | | | Rock River ⁵ | | | Upper Wisconsin River ⁶ | | | Lower Wisconsin River ⁷ | | | Lower Fox River ⁸ | | |
|-------|--------------------------------|-----------------|----------------|-------------------------|----|----|------------------------------------|----|----|------------------------------------|----|----|------------------------------|----|----|
| | Ta ¹ | SL ² | A ³ | Ta | SL | A | Ta | SL | A | Ta | SL | A | Ta | SL | A |
| JAN | 32 | 49 | 75 | 33 | 49 | 76 | 33 | 49 | 76 | 32 | 49 | 75 | 35 | 49 | 76 |
| FEB | 33 | 50 | 76 | 35 | 50 | 76 | 33 | 50 | 76 | 32 | 50 | 75 | 35 | 50 | 76 |
| MAR | 36 | 52 | 76 | 38 | 52 | 77 | 35 | 52 | 76 | 37 | 52 | 77 | 38 | 52 | 77 |
| APR | 47 | 55 | 79 | 49 | 55 | 79 | 44 | 55 | 78 | 48 | 55 | 79 | 50 | 55 | 80 |
| MAY | 60 | 65 | 82 | 64 | 65 | 84 | 60 | 65 | 82 | 61 | 65 | 83 | 62 | 65 | 83 |
| JUN | 72 | 75 | 85 | 71 | 75 | 85 | 70 | 75 | 85 | 71 | 75 | 85 | 73 | 76 | 85 |
| JUL | 76 | 80 | 86 | 74 | 79 | 86 | 75 | 80 | 86 | 75 | 80 | 86 | 77 | 81 | 87 |
| AUG | 76 | 79 | 86 | 73 | 79 | 85 | 73 | 79 | 85 | 74 | 79 | 86 | 76 | 80 | 86 |
| SEP | 67 | 73 | 84 | 66 | 72 | 84 | 65 | 72 | 84 | 67 | 72 | 84 | 68 | 73 | 85 |
| OCT | 54 | 61 | 81 | 54 | 61 | 81 | 51 | 61 | 80 | 53 | 61 | 80 | 53 | 61 | 80 |
| NOV | 40 | 50 | 77 | 40 | 50 | 77 | 39 | 50 | 77 | 40 | 50 | 77 | 42 | 50 | 78 |
| DEC | 33 | 49 | 76 | 34 | 49 | 76 | 33 | 49 | 76 | 33 | 49 | 76 | 35 | 49 | 76 |

1 Ta = ambient temperature

2 SL = sub-lethal criteria

3 A = acute criteria

4 Mississippi River = applies to any portion of Wisconsin's Mississippi River reach

5 Rock River = applies to waters downstream of Lake Koshkonong

6 Upper Wisconsin River = applies to waters upstream of Petenwell Dam

7 Lower Wisconsin River = applies to waters downstream of Petenwell Dam to the confluence with the Mississippi River

8 Lower Fox River = applies to waters downstream of the Lake Winnebago outlet

(4) **INLAND LAKES AND IMPOUNDMENTS.** The values listed in Table 4 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life for inland lakes and impoundments unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 4
Ambient Temperatures and Water Quality Criteria for Temperature for Inland Lakes and Impoundments
(All values are expressed as degrees Fahrenheit)

| Month | Northern ⁴ | | | Southern ⁵ | | |
|-------|-----------------------|-----------------|----------------|-----------------------|----|----|
| | Ta ¹ | SL ² | A ³ | Ta | SL | A |
| JAN | 35 | 49 | 76 | 35 | 49 | 77 |
| FEB | 34 | 52 | 76 | 39 | 52 | 78 |
| MAR | 35 | 55 | 76 | 41 | 55 | 78 |
| APR | 41 | 60 | 78 | 49 | 60 | 80 |
| MAY | 55 | 67 | 81 | 58 | 68 | 82 |
| JUN | 67 | 75 | 85 | 70 | 75 | 86 |
| JUL | 72 | 79 | 86 | 77 | 80 | 87 |
| AUG | 71 | 79 | 86 | 76 | 80 | 87 |
| SEP | 63 | 72 | 84 | 67 | 73 | 85 |
| OCT | 52 | 61 | 80 | 54 | 61 | 81 |
| NOV | 43 | 50 | 78 | 42 | 50 | 78 |
| DEC | 35 | 49 | 76 | 35 | 49 | 77 |

1 Ta = ambient temperature

2 SL = sub-lethal criteria

3 A = acute criteria

4 Northern = applicable for those lakes and impoundments north of State Highway 10

5 Southern = applicable for those lakes and impoundments south of State Highway 10

(5) **GREAT LAKES WATERS.** The values listed in Table 5 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for the protection of fish and aquatic life for Great Lakes waters identified in s. NR 102.22 (5) unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 5
Ambient Temperatures and Water Quality Criteria for Temperature for Great Lakes Waters of Wisconsin
 (All values are expressed as degrees Fahrenheit)

| Month | Green Bay | | | | | | Lake Michigan | | | | | | Lake Superior ⁸ | | | Chequamegon Bay ⁹ | | |
|-------|-----------------------|-----------------|----------------|-----------------------|----|----|-----------------------|----|----|-----------------------|----|----|----------------------------|----|----|------------------------------|----|----|
| | Southern ⁴ | | | Northern ⁵ | | | Northern ⁶ | | | Southern ⁷ | | | Ta | SL | A | Ta | SL | A |
| | Ta ¹ | SL ² | A ³ | Ta | SL | A | Ta | SL | A | Ta | SL | A | Ta | SL | A | Ta | SL | A |
| JAN | 35 | 49 | 75 | 35 | 43 | 69 | 34 | 43 | 69 | 35 | 43 | 69 | 35 | 41 | 69 | 35 | 41 | 69 |
| FEB | 35 | 52 | 75 | 35 | 47 | 69 | 33 | 47 | 69 | 34 | 46 | 69 | 34 | 46 | 69 | 35 | 46 | 69 |
| MAR | 41 | 54 | 77 | 36 | 52 | 70 | 35 | 52 | 69 | 37 | 52 | 70 | 34 | 51 | 69 | 35 | 51 | 69 |
| APR | 47 | 58 | 79 | 40 | 57 | 71 | 39 | 58 | 70 | 43 | 59 | 70 | 35 | 57 | 69 | 38 | 57 | 69 |
| MAY | 56 | 64 | 81 | 48 | 63 | 72 | 44 | 64 | 71 | 48 | 65 | 72 | 41 | 63 | 70 | 50 | 63 | 72 |
| JUN | 66 | 70 | 83 | 57 | 68 | 75 | 48 | 69 | 72 | 54 | 70 | 73 | 49 | 69 | 72 | 59 | 69 | 74 |
| JUL | 70 | 75 | 83 | 62 | 71 | 77 | 53 | 71 | 73 | 59 | 71 | 74 | 55 | 72 | 73 | 62 | 72 | 75 |
| AUG | 70 | 75 | 83 | 64 | 71 | 78 | 56 | 69 | 73 | 63 | 70 | 76 | 57 | 71 | 73 | 64 | 71 | 76 |
| SEP | 65 | 70 | 83 | 61 | 66 | 77 | 53 | 64 | 73 | 60 | 64 | 74 | 57 | 64 | 73 | 60 | 66 | 74 |
| OCT | 54 | 60 | 80 | 54 | 58 | 74 | 48 | 55 | 72 | 53 | 57 | 73 | 50 | 55 | 72 | 49 | 57 | 72 |
| NOV | 39 | 49 | 76 | 44 | 49 | 71 | 42 | 47 | 70 | 45 | 49 | 71 | 43 | 45 | 70 | 39 | 48 | 70 |
| DEC | 37 | 46 | 75 | 37 | 44 | 70 | 36 | 44 | 69 | 38 | 44 | 70 | 38 | 42 | 69 | 35 | 43 | 69 |

1 Ta = ambient temperature

2 SL = sub-lethal criteria

3 A = acute criteria

4 Southern Green Bay = waters south of the Brown County line to the Fox River mouth

5 Northern Green Bay = waters north of the Brown County line to the northernmost point on Washington Island

6 Northern Lake Michigan = waters north of the Milwaukee River mouth (downtown Milwaukee)

7 Southern Lake Michigan = waters south of the Milwaukee River mouth (downtown Milwaukee)

8 Lake Superior = waters in Lake Superior except those in Chequamegon Bay

9 Chequamegon Bay = waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.26 Site-specific ambient temperatures.

(1) DEVELOPMENT OF SITE-SPECIFIC AMBIENT TEMPERATURES. An owner or operator of a facility with a discharge subject to regulation under this chapter may submit a request to the department for the determination of a site-specific ambient temperature. The department may approve, disapprove or approve with modifications the request for the site-specific ambient temperature. The request for site-specific ambient temperatures shall include all of the following:

(a) A demonstration that the data used to derive the ambient temperatures in s. NR 102.25 do not apply to the specific water segment or body in question.

(b) Site-specific water temperature that represents the ambient temperature of the site. For purposes of this paragraph, data must be:

1. Collected daily using a continuous recorder or similar device that takes measurements at least hourly, except as follows:
 - a. Monthly data sets may be missing no more than 10 days of temperature data for the months of December through February,
 - b. Monthly data sets may be missing no more than 5 days of temperature data for the months of March through November.
2. Collected for each month in which the request for site-specific ambient temperatures is requested,
3. Collected at any time since October 1987,
4. Collected for at least 2 consecutive years.

(c) Calculated daily average temperatures from the data from par. (b).

(d) Calculated monthly average temperatures from the daily average temperatures in par. (c) for each individual month that data has been collected. Alternatively, calculated monthly average temperatures directly from the data from par. (b) for each individual month.

(e) All individual monthly averages organized by month.

(f) A determination of the monthly site-specific ambient temperatures by calculating the geometric mean of all monthly averages for each given month.

(g) Alternative methods for developing site-specific ambient temperatures, if the department approves the method as representative of ambient temperatures as those in pars. (a) to (d).

(2) USE OF SITE-SPECIFIC AMBIENT TEMPERATURES TO ESTABLISH ACUTE CRITERIA. Once site-specific ambient temperatures have been approved by the department in accordance with sub. (1), the acute water quality criteria listed in Table 6 will be applicable for the protection of fish and other aquatic life.

(3) USE OF SITE-SPECIFIC AMBIENT TEMPERATURES TO ESTABLISH SUB-LETHAL CRITERIA. Once site-specific ambient temperatures have been approved by the department in accordance with sub. (1), the sub-lethal water quality criteria applicable for the protection of fish and other aquatic life shall be calculated as follows:

(a) Use Table 7 to determine the appropriate sub-lethal criteria for the fish and other aquatic life use.

(b) Modify the sub-lethal criteria as follows:

1. If a sub-lethal criterion from par. (a) is less than the site-specific ambient temperature from sub. (1) for a given month, increase the sub-lethal criterion to be equal with the site-specific ambient temperature.

2. If a sub-lethal criterion from par. (a) is greater than an acute criterion for a given month from sub. (2) decrease the sub-lethal criterion to be equal with the acute criterion.

(c) Perform a fifth order polynomial regression of the 12 monthly sub-lethal criteria resulting from par. (b). Using the resulting equation of the regression, calculate the final sub-lethal criteria for each month by replacing the "x" variables in the equation with a numeric representation for each month, where January "x" = 1, for February "x" = 2, ... and for December "x" = 12.

(d) The final sub-lethal criteria from par. (c) shall be used in combination with the site-specific ambient temperatures developed in sub. (1) and the acute criteria determined in sub. (2).

Table 6
Acute Criteria Across All Ambient Temperatures
 (All values are expressed as degrees Fahrenheit)

| 1 Ta | Inland Waters | | | | | Great Lakes Waters | | | | | |
|---------|---------------|-----------|----------|-------------|-------------|--------------------|----------|------------|-------------|-------------|----------|
| | 2 Cold | 3 Warm | 4 LFF | 5 N Lake | 6 S Lake | 7 SGB | 8 NGB | 9 NLKMI | 10 SLKMI | 11 LKSUP | 12 CB |
| 32 | 68 | 75 | 77 | 75 | 76 | 74 | 69 | 69 | 69 | 68 | 68 |
| 33 | 68 | 76 | 77 | 76 | 76 | 74 | 69 | 69 | 69 | 69 | 69 |
| 34 | 68 | 76 | 77 | 76 | 76 | 75 | 69 | 69 | 69 | 69 | 69 |
| 35 | 68 | 76 | 77 | 76 | 77 | 75 | 69 | 69 | 69 | 69 | 69 |
| 36 | 68 | 76 | 78 | 76 | 77 | 75 | 70 | 69 | 69 | 69 | 69 |
| 37 | 69 | 77 | 78 | 77 | 77 | 75 | 70 | 70 | 70 | 69 | 69 |
| 38 | 69 | 77 | 78 | 77 | 77 | 76 | 70 | 70 | 70 | 69 | 69 |
| 39 | 69 | 77 | 79 | 77 | 78 | 76 | 71 | 70 | 70 | 70 | 70 |
| 40 | 69 | 77 | 79 | 77 | 78 | 76 | 71 | 70 | 70 | 70 | 70 |
| 41 | 69 | 78 | 79 | 78 | 78 | 77 | 71 | 70 | 70 | 70 | 70 |
| 42 | 69 | 78 | 79 | 78 | 78 | 77 | 71 | 70 | 70 | 70 | 70 |
| 43 | 69 | 78 | 80 | 78 | 78 | 77 | 71 | 70 | 70 | 70 | 70 |
| 44 | 70 | 78 | 80 | 78 | 79 | 78 | 71 | 71 | 71 | 71 | 71 |
| 45 | 70 | 79 | 80 | 79 | 79 | 78 | 71 | 71 | 71 | 71 | 71 |
| 46 | 70 | 79 | 80 | 79 | 79 | 78 | 72 | 72 | 72 | 71 | 71 |
| 47 | 70 | 79 | 81 | 79 | 80 | 79 | 72 | 72 | 72 | 71 | 71 |
| 48 | 70 | 79 | 81 | 79 | 80 | 79 | 72 | 72 | 72 | 72 | 72 |
| 49 | 70 | 79 | 81 | 80 | 80 | 79 | 73 | 72 | 72 | 72 | 72 |
| 50 | 70 | 80 | 81 | 80 | 80 | 79 | 73 | 73 | 73 | 72 | 72 |
| 51 | 71 | 80 | 82 | 80 | 81 | 80 | 73 | 73 | 73 | 72 | 72 |
| 52 | 71 | 80 | 82 | 80 | 81 | 80 | 73 | 73 | 73 | 72 | 72 |
| 53 | 71 | 80 | 82 | 81 | 81 | 80 | 74 | 73 | 73 | 72 | 72 |
| 54 | 71 | 81 | 82 | 81 | 81 | 80 | 74 | 73 | 73 | 73 | 73 |
| 55 | 71 | 81 | 83 | 81 | 82 | 81 | 74 | 73 | 73 | 73 | 73 |
| 56 | 72 | 81 | 83 | 81 | 82 | 81 | 75 | 73 | 73 | 73 | 73 |
| 57 | 72 | 82 | 83 | 82 | 82 | 81 | 75 | 73 | 73 | 73 | 73 |
| 58 | 72 | 82 | 83 | 82 | 82 | 81 | 75 | 74 | 74 | 73 | 73 |
| 59 | 72 | 82 | 84 | 83 | 83 | 81 | 76 | 74 | 74 | 74 | 74 |
| 60 | 72 | 82 | 84 | 83 | 83 | 82 | 76 | 74 | 74 | 74 | 74 |
| 61 | 72 | 83 | 84 | 83 | 83 | 82 | 77 | 75 | 75 | 74 | 74 |
| 62 | 72 | 83 | 84 | 83 | 84 | 82 | 77 | 75 | 75 | 75 | 75 |
| 63 | 73 | 83 | 85 | 84 | 84 | 82 | 78 | 76 | 76 | 75 | 75 |
| 64 | 73 | 84 | 85 | 84 | 85 | 82 | 78 | 77 | 77 | 76 | 76 |
| 65 | 73 | 84 | 85 | 84 | 85 | 83 | 78 | 77 | 77 | 76 | 76 |
| 66 | 73 | 84 | 85 | 85 | 85 | 83 | 79 | 78 | 78 | 77 | 77 |
| 67 | 74 | 84 | 86 | 85 | 85 | 83 | 79 | 78 | 78 | 77 | 77 |
| 68 | 74 | 85 | 86 | 85 | 85 | 83 | 80 | 79 | 79 | 78 | 78 |
| 69 | 74 | 85 | 86 | 85 | 86 | 83 | 80 | 79 | 79 | 78 | 78 |
| 70 | 74 | 85 | 86 | 86 | 86 | 83 | 81 | 80 | 80 | 79 | 79 |
| 71 | 74 | 85 | 87 | 86 | 86 | 84 | 81 | 81 | 81 | 79 | 79 |
| 72 | 75 | 85 | 87 | 86 | 86 | 84 | 82 | 81 | 81 | 80 | 80 |
| 73 | 75 | 85 | 87 | 86 | 86 | 84 | 82 | 82 | 82 | 80 | 80 |
| 74 | 75 | 86 | 87 | 86 | 87 | 84 | 82 | 82 | 82 | 81 | 81 |
| 75 | 75 | 86 | 88 | 87 | 87 | 85 | 83 | 83 | 83 | 81 | 81 |
| 76 | | 86 | 88 | 87 | 87 | 85 | 83 | 83 | 83 | 82 | 82 |
| 77 | | 87 | 88 | 87 | 87 | 85 | 84 | 84 | 84 | 83 | 83 |
| 78 | | 87 | 88 | 87 | 88 | 86 | 84 | 84 | 84 | 83 | 83 |
| 79 | | 87 | 89 | 88 | 88 | 86 | 84 | 84 | 84 | 83 | 83 |
| 80 | | 87 | 89 | 88 | 88 | 86 | 84 | 84 | 84 | 83 | 83 |
| 81 | | 88 | 89 | 88 | 88 | 86 | 84 | 84 | 84 | 83 | 83 |

| Inland Waters | | | | | | Great Lakes Waters | | | | | |
|---------------|-----------|-----------|----------|-------------|-------------|--------------------|----------|------------|-------------|-------------|----------|
| 1 Ta | 2 Cold | 3 Warm | 4 LFF | 5 N Lake | 6 S Lake | 7 SGB | 8 NGB | 9 NLKMI | 10 SLKMI | 11 LKSUP | 12 CB |
| 82 | | 88 | 89 | 88 | 89 | 87 | 84 | 84 | 84 | 84 | 84 |
| 83 | | 88 | 90 | 89 | 89 | 87 | 84 | 84 | 84 | 84 | 84 |
| 84 | | 88 | 90 | 89 | 89 | 88 | 85 | 85 | 85 | 84 | 84 |
| 85 | | 89 | 90 | 89 | 89 | 88 | 85 | 85 | 85 | | |
| 86 | | 89 | 90 | 89 | 90 | 89 | | | | | |
| 87 | | 89 | 91 | 90 | 90 | 89 | | | | | |
| 88 | | 90 | 91 | 90 | 90 | 89 | | | | | |
| 89 | | 90 | 91 | 90 | 91 | 89 | | | | | |
| 90 | | 91 | 91 | 91 | 91 | | | | | | |
| 91 | | 91 | 92 | 91 | 92 | | | | | | |
| 92 | | | 92 | | 92 | | | | | | |

1 Ta = ambient temperature

2 Cold = waters with a fish and other aquatic life use designation of "cold water community"

3 Warm = waters with a fish and other aquatic life use designation of "warm water sport fish community" or "warm water forage fish community"

4 LFF = waters with a designation of "limited forage fish community"

5 N Lake = applicable for those lakes north of State Highway 10

6 S Lake = applicable for those lakes south of State Highway 10

7 SGB = Green Bay waters south of the Brown County line to the Fox River mouth

8 NGB = Green Bay waters north of the Brown County line to the northernmost point on Washington Island

9 NLKMI = Lake Michigan waters north of the Milwaukee River mouth (downtown Milwaukee)

10 SLKMI = Lake Michigan waters south of the Milwaukee River mouth (downtown Milwaukee)

11 LKSUP = waters in Lake Superior except those in Chequamegon Bay

12 CB = Chequamegon Bay waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

Table 7
Raw Monthly Sub-Lethal Criteria for Use In Determining Final Sub-Lethal Criteria
with Site-Specific Ambient Temperatures

(All values are expressed as degrees Fahrenheit)

| Month | C | W-L | W-S | LFF | NIL | SIL | MR | RR | UWR |
|-----------|----|-----|-----|-----|-----|-----|----|----|-----|
| January | 47 | 50 | 50 | 54 | 50 | 50 | 50 | 50 | 50 |
| February | 45 | 50 | 50 | 54 | 50 | 50 | 50 | 50 | 50 |
| March | 53 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| April | 59 | 65 | 65 | 64 | 63 | 64 | 65 | 65 | 65 |
| May | 59 | 70 | 70 | 75 | 70 | 70 | 70 | 70 | 70 |
| June | 67 | 72 | 72 | 75 | 72 | 72 | 72 | 72 | 72 |
| July | 68 | 74 | 74 | 75 | 75 | 74 | 74 | 74 | 74 |
| August | 68 | 78 | 78 | 77 | 77 | 77 | 78 | 78 | 78 |
| September | 52 | 87 | 87 | 92 | 87 | 87 | 87 | 87 | 87 |
| October | 52 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| November | 50 | 50 | 50 | 54 | 50 | 50 | 50 | 50 | 50 |
| December | 46 | 50 | 50 | 54 | 50 | 50 | 50 | 50 | 50 |

| Month | LWR | LFR | SGB | NGB | SLM | NLM | LS | CB |
|-----------|-----|-----|-----|-----|-----|-----|----|----|
| January | 50 | 50 | 50 | 44 | 44 | 44 | 42 | 42 |
| February | 50 | 50 | 50 | 43 | 43 | 43 | 43 | 43 |
| March | 54 | 54 | 54 | 54 | 52 | 54 | 52 | 52 |
| April | 65 | 65 | 60 | 59 | 61 | 60 | 58 | 58 |
| May | 70 | 70 | 66 | 64 | 67 | 65 | 65 | 65 |
| June | 72 | 72 | 70 | 67 | 68 | 67 | 67 | 67 |
| July | 74 | 74 | 70 | 68 | 68 | 68 | 69 | 69 |
| August | 78 | 78 | 71 | 67 | 67 | 67 | 69 | 69 |
| September | 87 | 87 | 83 | 79 | 79 | 79 | 79 | 79 |
| October | 54 | 54 | 50 | 50 | 50 | 50 | 45 | 54 |
| November | 50 | 50 | 47 | 47 | 47 | 47 | 44 | 46 |
| December | 50 | 50 | 47 | 45 | 45 | 45 | 43 | 44 |

C = Cold = waters with a fish and other aquatic life use designation of "cold water community"

W-L = Warm - Large = waters with a fish and other aquatic life use designation of "warm water sport fish community" or "warm water forage fish community" and unidirectional 7Q10 flows \geq 200 cfs (129 mgd)

- W-S = Warm – Small = waters with a fish and other aquatic life use designation of “warm water sport fish community” or “warm water forage fish community” and unidirectional 7Q10 flows < 200 cfs (129 mgd)
- LFF = waters with a designation of “limited forage fish community”
- NIL = Northern Inland Lakes = applicable for those lakes north of State Highway 10
- SIL = Southern Inland Lakes = applicable for those lakes south of State Highway 10
- MR = Mississippi River = applies to any portion of Wisconsin’s Mississippi River reach
- RR = Rock River = applies to waters downstream of Lake Koshkonong
- UWR = Upper Wisconsin River = applies to waters upstream of Petenwell Dam
- LWR = Lower Wisconsin River = applies to waters downstream of Petenwell Dam to the confluence with the Mississippi River
- LFR = Lower Fox River = applies to waters downstream of the Lake Winnebago outlet
- SGB = Green Bay waters south of the Brown County line to the Fox River mouth
- NGB = Green Bay waters north of the Brown County line to the northernmost point on Washington Island
- SLM = Lake Michigan waters south of the Milwaukee River mouth (downtown Milwaukee)
- NLM = Lake Michigan waters north of the Milwaukee River mouth (downtown Milwaukee)
- LS = Lake Superior = waters in Lake Superior except those in Chequamegon Bay
- CB = Chequamegon Bay = waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10; renumbering of (1) (b) 1. a. and b. made under s. 13.92 (4) (b) 1., Stats., Register September 2010 No. 657.

NR 102.27 Site-specific water quality criteria.

(1) GENERAL. A water quality criterion developed pursuant to this subchapter may be modified by the department for a particular surface water segment or waterbody. The site-specific water quality criterion shall only be applicable to the identified surface water segment or body. The development of a site-specific water quality criterion shall include all of the following:

(a) Information showing data used to derive the water quality criterion do not apply to the specific water segment or body.

(b) Consideration of the guidance provided in Chapter 3.7 of the Water Quality Standards Handbook, Second Edition, U.S. EPA, 8/15/1994.

(c) Information showing the site-specific water quality criterion is consistent with the guidelines provided in sub. (2).

(d) Any additional information necessary to derive site-specific water quality criterion.

Note: Site-specific water quality criteria are subject to U.S. Environmental Protection Agency approval under federal regulations.

(2) SITE-SPECIFIC WATER QUALITY CRITERIA DEVELOPMENT. (a) The department may promulgate site-specific water quality criteria for temperature when it determines that the data used to derive the water quality criteria published in this subchapter do not apply to the specific water segment or body in question. In making the determination, the same approach used to develop the water quality criteria in s. NR 102.25 may be used to develop site-specific water quality criteria by recalculating the water quality criteria based upon the actual species that are associated with the specific site.

(b) Alternative methods for developing site-specific water quality criteria may be used if it is determined that those alternative methods will protect against sub-lethal and acute impacts in the fish and aquatic life community of a specific site.

(c) A water quality criterion developed via alternative methods shall be reviewed by the department and shall be adopted as a rule under this chapter before it can be applied on a site-specific basis.

(3) Any water quality criterion modified for site-specific conditions shall be promulgated by the department and approved by the U.S. Environmental Protection Agency before it is applied on a site-specific basis.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.28 Cold shock standard. Water temperatures of discharges shall be controlled in a manner as to protect fish and aquatic life uses from the deleterious effects of cold shock.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.29 Rate of temperature change standard. Temperature of a water of the state or a discharge to a water of the state may not be artificially raised or lowered at such a rate that it causes detrimental health or reproductive effects to fish or aquatic life of the water of the state.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.30 Variances to water quality standards for temperature. The provisions of ss. 283.15 and 283.17, Stats., are applicable to the water quality standards in this subchapter.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.