

## **APPENDIX A**

### **Hydraulic Regional Curves for Selected Areas of the United States**

*NOTE: Not all of the following references have been subject to the same level of independent review. In addition to investigations published in peer reviewed literature, this list also includes works undertaken pursuant to university degree programs and specific restoration projects undertaken by both the private and public sector. Moreover, some references are the result of symposia, workshops, etc., and information contained therein may have had little review outside of the individual document's collaborators.*

#### **ALABAMA**

Metcalf, C. 2005. Alabama riparian reference reach and regional curve study. U.S. Fish and Wildlife Service, Panama City Fisheries Resource Office. Panama City, FL.  
<http://www.fws.gov/panamacity/programs/pfw-projects/FWS%20Final%20Alabama%20Regional%20Curve%20Report.pdf>

#### **ARIZONA**

Moody, T. and W. Odem. 1999. Regional relationships of bankfull stage in central and southern Arizona, in D.S. Olsen and J.P. Potyondy (eds), Wildland Hydrology, American Water Resources Association Specialty Conference Proceedings, June 20-July 2, 1999: Bozeman, Mont., TPS-99-3, 536 p.

Moody, T., M. Wirtanen, and S.N. Yard. 2003. Regional Relationships for Bankfull Stage in Natural Channels of the Arid Southwest, Natural Channel Design, Inc. Flagstaff, AZ. 38 p. <http://www.naturalchanneldesign.com/NCD%20Reports.htm>

#### **CALIFORNIA**

Dunne, T.D. and L.B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, NY. 818 p.

#### **COLORADO**

Elliot, J.G. and K.D. Cartier. 1986. Hydraulic geometry and streamflow of channels in the Piceance Basin, Rio Blanco and Garfield Counties, Colorado. U.S. Geological Survey Water Resources Investigations Report 85-4118.  
<http://pubs.er.usgs.gov/usgspubs/wri/wri854118>

Yochum, S. 2003. Regional Bankfull Characteristics for the Lower Willow Creek Stream Restoration, USDA NRCS Northern Plains Engineering Team, Lakewood, CO. 22 p.  
<http://www.willowcreede.org/floodcontrol/WillowCreekRegionalBankfullCharacteristics.pdf>

## **FLORIDA**

Metcalfe, C. 2004. Regional Channel Characteristics for Maintaining Natural Fluvial Geomorphology in Florida Streams. U.S. Fish and Wildlife Service, Panama City Fisheries Resource Office. Panama City, FL. [http://www.dot.state.fl.us/research-center/Completed\\_Proj/Summary\\_EMO/FDOT\\_BD470\\_final.pdf](http://www.dot.state.fl.us/research-center/Completed_Proj/Summary_EMO/FDOT_BD470_final.pdf)

Metcalfe, C.K., S.D. Wilkerson, and W.A. Harman. 2009. Bankfull regional curves for north and northwest Florida streams. Journal of the American Water Resources Association 45(5): 1260-1272.

## **GEORGIA**

Pruitt, B.A. 2001. Hydrologic and soil conditions across hydrogeomorphic settings. PhD dissertation, University of Georgia, Athens, GA. 223.p. <http://www.libs.uga.edu/science/>

## **IDAHO**

Emmet, W.W. 1975. The channels and waters of the Upper Salmon River area, Idaho. U.S. Geologic Survey, Professional Paper 870-A. U.S. Government Printing Office, Washington, D.C. 116 p.

## **KANSAS**

Emmert, B.A. 2004. Regional curve development for Kansas. In J.L. D'Ambrosio (ed). Proceedings Self-Sustaining Solutions for Streams, Wetlands, and Watersheds, 12-15, September 2004. St. Paul, Minnesota. American Society of Agricultural Engineers, St. Joseph, MI. <http://asae.frymulti.com/conference.asp?confid=sww2004>

## **KENTUCKY**

Mater, B.D., A.C. Parola, Jr., C. Hansen, and M.S. Jones. 2009. Geomorphic Characteristics of Streams in the Western Kentucky Coal Field Physiographic Region of Kentucky. Final Report prepared by University of Louisville, Stream Institute for the Kentucky Division of Water, Frankfort, KY. <http://www.water.ky.gov/permitting/wqcert/>

Parola, A.C., Jr., K. Skinner, A.L. Wood-Curini, W.S. Vesely, C. Hansen, and M.S. Jones. 2005. Bankfull Characteristics of Select Streams in the Four Rivers and Upper Cumberland River Basin Management Units. Final Report prepared by University of Louisville, Stream Institute for the Kentucky Division of Water, Frankfort, KY. <http://www.water.ky.gov/permitting/wqcert/>

Parola, A.C., Jr., W.S. Vesely, A.L. Wood-Curini, D.J. Hagerty, M.N. French, D.K. Thaemert, and M.S. Jones. 2005. Geomorphic Characteristics of Streams in the Mississippi Embayment Physiographic Region of Kentucky. Final Report prepared by University of Louisville, Stream Institute for the Kentucky Division of Water, Frankfort, KY. <http://www.water.ky.gov/permitting/wqcert/>

Parola, A.C., Jr., W.S. Vesely, M.A. Croasdaile, C. Hansen, and M.S. Jones. 2007. Geomorphic Characteristics of Streams in the Bluegrass Physiographic Region of Kentucky. Final Report prepared by University of Louisville, Stream Institute for the Kentucky Division of Water, Frankfort, KY.  
<http://www.water.ky.gov/permitting/wqcert/>

Pruitt, B.A., W.L. Nutter, and W.B. Ainslie. 1999. Estimating flood frequency in gaged and ungaged watersheds, In K.J. Hatcher (ed.) *Proceedings of the 1999 Georgia Water Resources Conference*, March 30-31, 1999, University of Georgia, Athens, GA.  
<http://www.gwri.gatech.edu/uploads/proceedings/1999/PruittB-99.pdf>

Vesely, W.S., A.C. Parola, Jr., C. Hansen, and M.S. Jones. 2008. Geomorphic Characteristics of Streams in the Eastern Kentucky Coal Field Physiographic Region of Kentucky. Final Report prepared by University of Louisville, Stream Institute for the Kentucky Division of Water, Frankfort, KY.  
<http://www.water.ky.gov/permitting/wqcert/>

## **MAINE**

Dudley, R.W. 2004. Hydraulic geometry relations for rivers in coastal and central Maine: U.S. Geological Survey Scientific Investigations Report: 2004-5042, 30 p.  
<http://water.usgs.gov/pubs/sir/2004/5042/>

## **MARYLAND**

Chaplin, J.J. 2005. Development of regional curves relating bankfull-channel geometry and discharge to drainage area for streams in Pennsylvania and selected areas of Maryland, U.S. Geologic Survey, Scientific Investigations Report 2005-5147.

Cinotto, P.J. 2003. Development of regional curves of bankfull-channel geometry and discharge for streams in non-urban Piedmont Physiographic Province, Pennsylvania and Maryland: U.S. Geological Survey Water-Resources Investigations Report 03-4014, 27 p. <http://pa.water.usgs.gov/reports/wrir03-4014.pdf>

Doheny, E.J., and G.T. Fisher. 2007. Hydraulic geometry characteristics of continuous-record streamflow-gaging stations on four urban watersheds along the main stem of Gwynns Falls, Baltimore County and Baltimore City, Maryland: U.S. Geological Survey Scientific Investigations Report 2006-5190, 24 p.  
<http://pubs.usgs.gov/sir/2006/5190/>

Keaton, J.N., T. Messinger, and E.J. Doheny. 2005. Development and analysis of regional curves for streams in the non-urban valley and Ridge physiographic provinces, Maryland, Virginia, and West Virginia: U.S. Geological Survey Scientific Report 2005-5076, 116 p. [http://pubs.usgs.gov/sir/2005/5076/sir05\\_5076.pdf](http://pubs.usgs.gov/sir/2005/5076/sir05_5076.pdf)

Krstolic, J.L., and J.J. Chaplin. 2007. Bankfull regional curves for streams in the non-urban, non-tidal Coastal Plain Physiographic Province, Virginia and Maryland: U.S.

Geological Survey Scientific Investigations Report 2007–5162, 48 p.  
<http://pubs.usgs.gov/sir/2007/5162/pdf/SIR2007-5162.pdf>

McCandless, T.L., and R.A. Everett. 2002. Maryland stream survey: bankfull discharge and channel characteristics of streams in the Piedmont hydrologic region: U.S. Fish and Wildlife Service, Annapolis, Maryland, CBFO-S02-01, 163 p.  
<http://www.fws.gov/chesapeakebay/pdf/Piedmont.pdf>

McCandless, T.L. and R.A. Everett. 2003. Maryland stream survey: bankfull discharge and channel characteristics of streams in the Allegheny Plateau and the Valley and Ridge hydrologic region: U.S. Fish and Wildlife Service, Annapolis, Maryland, CBFO-S03-01, 92 p. <http://www.fws.gov/chesapeakebay/pdf/plateauweb.pdf>

McCandless, T.L. 2003. Maryland stream survey: bankfull discharge and channel characteristics of streams in the Coastal Plain hydrologic region: U.S. Fish and Wildlife Service, Annapolis, Maryland, CBFO-S03-02, 89 p.  
<http://www.fws.gov/chesapeakebay/pdf/plain.pdf>

Miller, K.F. 2003. Assessment of channel geometry data through May 2003 in the mid-Atlantic highlands of Maryland, Pennsylvania, Virginia, and West Virginia: U.S. Geological Survey Open-File Report 03-388, 22 p.

White, K.E. 2001. Regional curve development and selection of a references reach in the non-urban lowland sections of the piedmont physiographic province, Pennsylvania and Maryland: U.S. Geological Survey Water-Resources Investigations Report 01-4146, 20 p. <http://pa.water.usgs.gov/reports/wrir01-4146.pdf>

## **MASSACHUSETTES**

Bent, G.C., and A.M. Waite. (In review). Methods for estimating bankfull channel geometry and discharge for streams in Massachusetts: U.S. Geological Survey Scientific Investigations Report 2008–XXXX, XX p.

## **MICHIGAN**

Mistak, J.L. and D.A. Stille. 2008. Regional hydraulic geometry curve for the Upper Menominee River, Fisheries Technical Report 2008-1, Michigan Department of Natural Resources, Lansing, MI. [http://www.michigan.gov/deq/0,1607,7-135-3313\\_3684\\_41228-141575--,00.html](http://www.michigan.gov/deq/0,1607,7-135-3313_3684_41228-141575--,00.html)

Rachol, C.M. and K. Boley-Morse. 2009. Estimated Bankfull Discharge for Selected Michigan Rivers and Regional Hydraulic Geometry Curves for Estimating Bankfull Characteristics in Southern Michigan Rivers. U.S. Geologic Survey, Scientific Investigations Report 2009-5133, 300 pp.  
<http://pubs.er.usgs.gov/usgspubs/sir/sir20095133>

## **MINNESOTA**

Padmanabhan, G. and B.H. Johnson. 2010. Regional Dimensionless Rating Curves to Estimate Design Flows and Stages. Journal of Spatial Hydrology 10(1):41-75.  
<http://www.spatialhydrology.com/journal/papersping2010/Regional%20Dimensionless%20Rating%20Curves.pdf>

## **MONTANA**

Lawlor, S.M. 2004. Determination of Channel-Morphology Characteristics, Bankfull Discharge, and Various Design-Peak Discharges in Western Montana. U.S. Geologic Survey, Scientific Investigations Report 2004-5263, Reston, VA.  
<http://pubs.usgs.gov/sir/2004/5263/>

## **NEW ENGLAND**

Bent, G.C., 2006, Equations for estimating bankfull-channel geometry and discharge for streams in the northeastern United States, In Proceedings of the Joint Federal Interagency Conference, 3rd Federal Interagency Hydrologic Modeling Conference and 8th Federal Interagency Sedimentation Conference, Reno, Nevada, April 2-6, 2006. [http://pubs.usgs.gov/misc/FISC\\_1947-2006/pdf/1st-7thFISCs-CD/8thFISC/8thFISC.pdf](http://pubs.usgs.gov/misc/FISC_1947-2006/pdf/1st-7thFISCs-CD/8thFISC/8thFISC.pdf)

## **NEW MEXICO**

Jackson, F. 1994. Documenting channel condition in New Mexico. Stream Notes Special Summer Issue 1994, Stream Systems Technology Center, U.S. Forest Service, Fort Collins, CO. pg 3-5.

Moody, T., M. Wirtanen, and S.N. Yard. 2003. Regional Relationships for Bankfull Stage in Natural Channels of the Arid Southwest, Natural Channel Design, Inc. Flagstaff, AZ. 38 p. <http://www.naturalchanneldesign.com/NCD%20Reports.htm>

## **NEW YORK**

Baldigo, B. 2004. Regionalization of channel geomorphology characteristics for streams of New York State, excluding Long Island: U.S. Geological Survey, New York Water Science Center. <http://ny.water.usgs.gov/projects/summaries/2457-A29-1.html>

Bent, G.C. 2006. Equations for estimating bankfull-channel geometry and discharge for streams in the northeastern United States: Proceedings of the Joint Federal Interagency Conference, Book of Abstracts, 3rd Federal Interagency Hydrologic Modeling Conference and 8th Federal Interagency Sedimentation Conference, Reno, Nevada, April 2-6, 2006, 314 p.

Miller, S.J., and D. Davis. 2003. Optimizing Catskill Mountain regional bankfull discharge and hydraulic geometry relationships: Proceedings of the American Water Resources Association, 2003 International Congress, Watershed management for water supply systems, New York City, N.Y., June 29-July 2, 2003, 10 p.  
<http://www.nyc.gov/html/dep/watershed/pdf/smp.pdf>

- Mulvihill, C.I., A.G. Ernst, and B.P. Baldigo. 2005. Regionalized equations for bankfull discharge and channel characteristics of streams in New York state: hydrologic region 6 in the southern tier of New York: U.S. Geological Survey Scientific Investigations Report 2005-5100, 21 p. <http://ny.water.usgs.gov/pubs/wri/sir055100/sir2005-5100.pdf>
- Mulvihill, C.I., A.G. Ernst, and B.P. Baldigo. 2006. Regionalized equations for bankfull-discharge and channel characteristics of streams in New York State: hydrologic region 7 in western New York: U.S. Geological Survey Scientific Investigations Report 2006-5075, 14 p. <http://ny.water.usgs.gov/pubs/wri/sir065075/sir2006-5075.pdf>
- Mulvihill, C.I., A. Filipowicz, A. Coleman, and B.P. Baldigo. 2007. Regionalized equations for bankfull discharge and channel characteristics of streams in New York State—hydrologic regions 1 and 2 in the Adirondack region of northern New York: U.S. Geological Survey Scientific Investigations Report 2007-5189, 18 p. <http://pubs.usgs.gov/sir/2007/5189/>
- Mulvihill, C.I. and B.P. Baldigo. 2007. Regionalized equations for bankfull-discharge and channel characteristics of streams in New York State—hydrologic region 3 east of the Hudson River: U.S. Geological Survey Scientific Investigations Report 2007–5227, 15 p. <http://pubs.usgs.gov/sir/2007/5227/pdf/SIR2007-5227.pdf>
- Powell, R.O., S.J. Miller, B.E. Westergard, C.I. Mulvihill, B.P. Baldigo, A.S. Gallagher, and R.R. Starr. 2004. Guidelines for surveying bankfull channel geometry and developing regional hydraulic-geometry relations for streams of New York State: U.S. Geological Survey Open-File Report 03-092, 20 p. <http://ny.water.usgs.gov/pubs/of/of03092/of03-092.pdf>
- Westergard, B.E., C.I. Mulvihill, A.G. Ernst, and B.P. Baldigo. 2005. Regional equations for bankfull discharge and channel characteristics of stream in New York State - hydrologic region 5 in central New York: U.S. Geological Survey Scientific Investigations Report 2004-5247, 16p. <http://ny.water.usgs.gov/pubs/wri/sir045247/>

## **NORTH CAROLINA**

- Doll, B.A., A.D. Dobbins, J. Spooner, D.R. Clinton, and D.A. Bidelspach. 2003. Hydraulic geometry relationships for rural North Carolina Coastal Plain streams, NC Stream Restoration Institute, Report to NC Division of Water Quality for 319 Grant Project No. EW20011, 11 pp. <http://www.bae.ncsu.edu/programs/extension/wqg/srp/techresources.html>
- Doll, B.A., D.E. Wise-Frederick, C.M. Buckner, S.D. Wilkerson, W.A. Harman, R.E. Smith, and J. Spooner. 2002. Hydraulic geometry relationships for urban streams throughout the Piedmont of North Carolina. *Journal of the American Water Resources Association* 38(3): 641-651.

Harman, W.H., G.D. Jennings, J.M. Patterson, D.R. Clinton, L.O. Slate, A.G. Jessup, J.R. Everhart, and R.E. Smith. 1999. Bankfull hydraulic geometry relationships for North Carolina streams, in D.S. Olsen and J.P. Potyondy (eds) Proc. Wildland Hydrology Symposium, June 30-July 2, 1999, Bozeman, MT. American Water Resources Association.

<http://www.bae.ncsu.edu/programs/extension/wqg/srp/techresources.html>

Harman, W.H., D.E. Wise, M.A. Walker, R. Morris, M.A. Cantrell, M. Clemmons, G.D. Jennings, D. Clinton, and J. Patterson. 2000. Bankfull regional curves for North Carolina mountain streams, Pgs 185-190 in D.L. Kane (ed) Proc. AWRA Conference on Water Resources in Extreme Environments, Anchorage, AK.

<http://www.bae.ncsu.edu/programs/extension/wqg/srp/techresources.html>

Sweet, W.V., and J.W. Geratz. 2003. Bankfull hydraulic geometry relationships and recurrence for North Carolina's Coastal Plain. Journal of the American Water Resources Association 39(4): 861-871.

#### **NORTH DAKOTA**

Padmanabhan, G. and B.H. Johnson. 2010. Regional Dimensionless Rating Curves to Estimate Design Flows and Stages. Journal of Spatial Hydrology 10(1):41-75.

<http://www.spatialhydrology.com/journal/papersping2010/Regional%20Dimensionless%20Rating%20Curves.pdf>

#### **OHIO**

Chang, T.J., Y.Y. Fang, H. Wu, and D.E. Mecklenburg. 2004. Bankfull channel dimensions in southeast Ohio, in Proceedings of the Self-Sustaining Solutions for Streams, Wetlands, and Watersheds Conference, American Society of Agricultural Engineers, September 2004: 9 p.

Sherwood, J.M., and C.A. Huitger. 2005. Bankfull characteristics of Ohio streams and their relation to peak streamflows: U.S. Geological Survey Scientific Investigations Report 2005-5153, 38 p. [http://pubs.usgs.gov/sir/2005/5153/pdf/Bankfull\\_book.pdf](http://pubs.usgs.gov/sir/2005/5153/pdf/Bankfull_book.pdf)

#### **OKLAHOMA**

Dutnell, R.C. 2010. Development of Bankfull Discharge and Channel Geometry Relationships for Natural Channel Design in Oklahoma Using a Fluvial Geomorphic Approach, Masters Thesis, University of Oklahoma, Norman, OK. 95 p.

[http://www.riverman-engineering.com/index\\_files/Page473.htm](http://www.riverman-engineering.com/index_files/Page473.htm)

#### **OREGON**

Kuck, T.D. 2000. Regional Hydraulic Geometry Curves of the South Umpqua Area in Southwestern Oregon. Stream Notes, January 2000, Stream Systems Technology Center, USDA Forest Service, Rocky Mountain Research Station, Ft. Collins, CO.

[http://stream.fs.fed.us/news/streamnt/pdf/SN\\_1\\_00.pdf](http://stream.fs.fed.us/news/streamnt/pdf/SN_1_00.pdf)

## **PENNSYLVANIA**

- Chaplin, J.J. 2005. Development of regional curves relating bankfull-channel geometry and discharge to drainage area for streams in Pennsylvania and selected areas of Maryland, U.S. Geologic Survey, Scientific Investigations Report 2005-5147.
- Cinotto, P.J. 2003. Development of regional curves of bankfull-channel geometry and discharge for streams in non-urban Piedmont Physiographic Province, Pennsylvania and Maryland: U.S. Geological Survey Water-Resources Investigations Report 03-4014, 27 p. <http://pa.water.usgs.gov/reports/wrir03-4014.pdf>
- Miller, K.F. 2003. Assessment of channel geometry data through May 2003 in the mid-Atlantic highlands of Maryland, Pennsylvania, Virginia, and West Virginia: U.S. Geological Survey Open-File Report 03-388, 22 p.
- White, K.E. 2001. Regional curve development and selection of a references reach in the non-urban lowland sections of the piedmont physiographic province, Pennsylvania and Maryland: U.S. Geological Survey Water-Resources Investigations Report 01-4146, 20 p. <http://pa.water.usgs.gov/reports/wrir01-4146.pdf>

## **SOUTH CAROLINA**

- Arcadis. 2004. "Development of South Carolina Rural Piedmont Regional Curves." Presented at the 2004 NC SRI Southeastern Regional Conference on Stream Restoration. June 21-24, 2004, Winston-Salem, North Carolina. [http://www.bae.ncsu.edu/programs/extension/wqg/sri/2004\\_conference/pdf\\_files/mcintyre.pdf](http://www.bae.ncsu.edu/programs/extension/wqg/sri/2004_conference/pdf_files/mcintyre.pdf)

## **TENNESSEE**

- Babbit, G.S. 2005. "Bankfull Hydraulic Geometry of Streams Draining the Southwestern Appalachians of Tennessee." Master's Thesis, University of Tennessee. Knoxville, TN. [http://www.researchgate.net/publication/36180144\\_Bankfull\\_hydraulic\\_geometry\\_of\\_streams\\_draining\\_the\\_Southwestern\\_Appalachians\\_of\\_Tennessee\\_electronic\\_resource](http://www.researchgate.net/publication/36180144_Bankfull_hydraulic_geometry_of_streams_draining_the_Southwestern_Appalachians_of_Tennessee_electronic_resource)
- Smith, D. and L. Turrini-Smith. 1999. Western Tennessee fluvial geomorphic regional curves: Report to U. S. Environmental Protection Agency, Region IV, Water Management Division, August 31, 1999. Atlanta, GA.

## **VERMONT**

- VDEC. 2006. Vermont regional hydraulic geometry curves. Vermont Department of Environmental Conservation, River Management Program, January 2006, 4 p. [http://www.anr.state.vt.us/dec/waterq/rivers/htm/rv\\_geoassess.htm](http://www.anr.state.vt.us/dec/waterq/rivers/htm/rv_geoassess.htm)

## **VIRGINIA**

- Austin, S.H. 2006. Hydraulic geometry equations and coefficients, Virginia Department of Forestry web site, <http://www.dof.virginia.gov/wq/ref-streams-hyd-geo-coeff.shtml>



Keaton, J.N., T. Messinger, and E.J. Doheny. 2005. Development and analysis of regional curves for streams in the non-urban valley and Ridge physiographic provinces, Maryland, Virginia, and West Virginia: U.S. Geological Survey Scientific Report 2005-5076, 116 p. [http://pubs.usgs.gov/sir/2005/5076/sir05\\_5076.pdf](http://pubs.usgs.gov/sir/2005/5076/sir05_5076.pdf)

Krstolic, J.L. and J.J. Chaplin. 2007. Bankfull regional curves for streams in the non-urban, non-tidal Coastal Plain Physiographic Province, Virginia and Maryland: U.S. Geological Survey Scientific Investigations Report 2007-5162, 48 p. <http://pubs.usgs.gov/sir/2007/5162/pdf/SIR2007-5162.pdf>

Lotspeich, R.R. 2009. Regional Curves of Bankfull Channel Geometry for Non-Urban Streams in the Piedmont Physiographic Province, Virginia. U.S. Geological Survey Scientific Investigations Report 2009-5206, 51 p. [pubs.usgs.gov/sir/2009/5206/pdf/sir2009-5206.pdf](http://pubs.usgs.gov/sir/2009/5206/pdf/sir2009-5206.pdf)

Miller, K.F. 2003. Assessment of channel geometry data through May 2003 in the mid-Atlantic highlands of Maryland, Pennsylvania, Virginia, and West Virginia: U.S. Geological Survey Open-File Report 03-388, 22 p.

## **WEST VIRGINIA**

Keaton, J.N., T. Messinger, and E.J. Doheny. 2005. Development and analysis of regional curves for streams in the non-urban valley and ridge physiographic provinces, Maryland, Virginia, and West Virginia: U.S. Geological Survey Scientific Report 2005-5076, 116 p. [http://pubs.usgs.gov/sir/2005/5076/sir05\\_5076.pdf](http://pubs.usgs.gov/sir/2005/5076/sir05_5076.pdf)

Messinger, T. and J.B. Wiley. 2004. Regional relations in bankfull channel characteristics determined from flow measurements at selected stream-gaging stations in West Virginia, 1911-2002: U.S. Geological Survey Water-Resources Investigations Report 03-4276, 43 p. <http://pubs.usgs.gov/wri/wri034276/>

Messinger, T. 2009. Regional curves for bankfull channel characteristics in the Appalachian Plateaus, West Virginia: U.S. Geological Survey Scientific Investigations Report 2009-5242, 43 p. <http://pubs.usgs.gov/sir/2009/5242/>

Miller, K.F. 2003. Assessment of channel geometry data through May 2003 in the mid-Atlantic highlands of Maryland, Pennsylvania, Virginia, and West Virginia: U.S. Geological Survey Open-File Report 03-388, 22 p.

## **WYOMING**

Dunne, T.D. and L.B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, NY. 818 p.

## **NATIONWIDE RESOURCES**

U.S. Department of Agriculture, Natural Resources Conservation Service, National Water Management Center. 2004. Regional hydraulic geometry curves database:  
<http://wmc.ar.nrcs.usda.gov/technical/HHSWR/Geomorphic/index.html>