

Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.

Rules of Department of Natural Resources: Division 20- Chapter 7 - 10 CSR 20-7.010 - 10 CSR 20-7.050

Effective January 6, 2015

The attached WQS document is in effect for Clean Water Act purposes with the exception of the following provisions:

Disapproved – Removal of Whole Body Contact-Category B Use Designations:

WBID	Water Body Name	Class	Miles	Explanation	EPA Decision
3810	Douger Branch	C	4.5	Data indicates WBCR attainable	Removal of WBC-B disapproved
2771	Menorkenut Slough	C	10.4	Data indicates WBCR attainable	Removal of WBC-B disapproved
1156	Deberry Creek	C	0.9	No survey conducted	Removal of WBC-B disapproved
3707	St. Johns Ditch	P	18.7	Data impacted by drought conditions	Removal of WBC-B disapproved; designation of SCR disapproved
3821	Modoc Creek	C	3.3	No UAA conducted	Withholding WBC-B use disapproved
2436	Bee Creek			UAA discrepancy	Downgrade from WBC-B to SCR disapproved
0220	Belleau Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1762	Bloom Creek			UAA discrepancy	Downgrade from WBC-B to SCR disapproved
0033	Brushy Fork			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3449	Cedar Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0940	Dry Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0953	Dry Fork			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1717	Glaize Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved

2153	Goose Creek			UAA discrepancy	Downgrade from WBC-B to SCR disapproved
2212	Horrel Creek			UAA discrepancy	Downgrade from WBC-B to SCR disapproved
1855	Lick Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1057	Little Bear Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
2063	Little Bourbeuse River			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1721	Little Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3115	Main Ditch			No UAA submitted	Downgrade from WBC-B to SCR disapproved
0742	Manacle Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1725	McMullen Branch			Insufficient data and UAA	Downgrade from WBC-B to SCR disapproved
1735	Muddy Creek			Data discrepancy	Downgrade from WBC-B to SCR disapproved
2873	Musco Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1780	Nations Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0887	Otter Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0741	Owl Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1127	Rainy Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3623	Rocky Branch			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1146	Sellers Hollow			Insufficient UAA	Downgrade from WBC-B to SCR disapproved

0087	Sharpsburg Branch			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0098	South Spencer Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
0224	Spencer Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
1531	Tick Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3497	Tributary to Coon Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3498	Tributary to Coon Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
2065	Tributary to Little Bourbeuse River			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
2439	West Fork Roark Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved
3136	Wolf Hole Lateral			No UAA submitted	Downgrade from WBC-B to SCR disapproved
0718	Youngs Creek			Insufficient UAA	Downgrade from WBC-B to SCR disapproved

Disapproved – SCR Use Designations:

Coon Creek (WBID 0187)

On October 31, 2006, the EPA determined that new or revised WQS were necessary for Coon Creek (WBID 0187). In its submission, Missouri designated Coon Creek for SCR, withholding the designation for WBC-B because “the department did not believe the data were representative of baseflow conditions.”¹ EPA relied on data provided in UAAs submitted in 2005, 2006, and 2007, which indicate Coon Creek has adequate depth to support WBCR. The information provided by Missouri in the UAAs and public comment does not sufficiently rebut the presumption that WBCR is attainable in Coon Creek. The EPA disapproved the SCR designated use for Coon Creek.

Mississippi River (WBID 1707.02)

In 2005, the St. Louis Metropolitan Sewer District (MSD) submitted a UAA to MDNR attempting to address the attainability of recreational uses on the 28.6-mile segment surrounding the City of St. Louis. MDNR did not find MSD's UAA to sufficiently demonstrate that a whole body contact recreation use cannot be attained and proposed to the Missouri Clean Water Commission that the 28.6-mile segment be designated whole body contact recreation. The Missouri Clean Water Commission rejected MDNR's proposal and instead directed

¹ Missouri Register. 2009. Order of Rulemaking 10 CSR 20-7.031. September 15, 2009. Vol. 34, No. 18. Page 2008.

MDNR to designate the entire 190.5-mile segment of the Mississippi River for secondary contact recreation. MDNR subsequently adopted the secondary contact recreation use designation and formally submitted it and MSD's UAA to the EPA for review on March 28, 2006.

On October 29, 2009, the EPA made a determination on the portion of the Mississippi River near St. Louis (WBID 1707.02) that new or revised standards were necessary. This segment, which flows from North Riverfront Park downstream to the confluence with the Meramec River, is designated for SCR. The EPA determined that new or revised standards are necessary because the majority of this 28.3-mile segment has shoreline features that include public parks, boat ramps, bike trails and some sandy areas with gentle sloping banks and the available information does not demonstrate that water quality necessary to support a whole body contact recreation use is not attainable in this segment. Moreover, the EPA's regulations at 40 CFR § 131.10(b) provide that a State "shall ensure that its water quality standards provide for attainment and maintenance of the water quality standards of downstream waters." Accordingly, the EPA disapproved the SCR use designation for this segment of the Mississippi River (WBID 1707.02).

On December 11, 2012, Missouri resubmitted secondary contact recreation use designation for the Mississippi River WBID 1707.02. EPA action on this submission is pending. On January 6, 2015 the EPA noted that Mississippi River's recreational use designation will continue to be reviewed.

River des Peres (WBID 1710)

On October 31, 2006, the EPA determined that new or revised water quality standards were necessary for one segment (WBID 1711) of River des Peres. The EPA also determined that no designated uses for protection of recreation were necessary for another segment (WBID 1710). In its 2009 submission, Missouri resegmented the River des Peres, combining WBIDs 1710 and 1711, and designated the resulting segment (WBID 1710) for SCR. Public comments and a video comment were not considered by the MDNR. The MDNR review committee found the UAA to be inconclusive despite the fact that these public comments provide information indicating previous WBCR use by the public. The EPA believes consideration of relevant public comments to be critically important when considering a designated use change.² The EPA does not believe that the information provided by Missouri in the UAA and Missouri's consideration of the public comments sufficiently rebut the presumption that WBCR is attainable in River des Peres. Absent a sufficient showing of why WBCR is not attainable, a designation of only SCR was also disapproved.

Wamsley Creek (WBID 505)

On October 31, 2006, the EPA determined that new or revised water quality standards were necessary for Wamsley Creek (WBID 505). Missouri submitted a 2007 UAA and designated Wamsley for SCR, withholding the designation for WBC-B because "no WBCR was observed", "no interviews were conducted during the survey", and "the stream did not meet the depth criteria at any of the 3 sites evaluated." However, public comments submitted to the MDNR indicate that Wamsley Creek is used for WBCR in the three-to-four foot pools in the bends of the creek. The information provided by the public comments did not sufficiently rebut the presumption that WBCR is attainable in Wamsley Creek.

Dry Hollow (WBID 3163)

On September 27, 2013, EPA disapproved SCR use designation for Dry Hollow because no UAA was submitted to EPA for this segment.

² See EPA's actions on Iowa's WQS dated November 24, 2009, June 29, 2010, and November 19, 2010.

Fenton Creek (WBID 3335)

On September 27, 2013, EPA disapproved SCR use designation for Fenton Creek because the UAA documented a surrounding urban area, city roads/bridges, an unimproved access road, a foot path leading to the segment, a child's fort in a tree overhanging the stream, and an adjacent public park. Aerial images confirm that homes lie within 15 m of this segment. In urban settings such as this, the Protocol (page 15) stresses the need for an expanded survey effort and the importance of conducting interviews with local residents; however, no expanded survey and no interviews were conducted as part of the UAA. Caution is warranted in this instance, as children likely access the stream for recreational purposes. Overall, the submitted UAA and accompanying informational materials failed to demonstrate that WBC is not an attainable use.

Flinger Branch (WBID 3610)

On September 27, 2013, EPA disapproved SCR use designation for Flinger Branch. Upper and middle reaches of this segment were not evaluated as part of the UAA, thereby precluding a meaningful assessment of WBC attainability. UAA report provided no explanation for the irregular positioning of survey sites, contrary to the requirements of the Protocol (page 13). No interviews were conducted with local residents or other persons potentially familiar with the features and uses of this segment. Overall, the submitted UAA and accompanying informational materials failed to demonstrate that WBC is not an attainable use.

Stream Mill Hollow (WBID 1571)

On September 27, 2013, EPA disapproved SCR use designation for Stream Mill Hollow because improperly positioned survey sites precluded a meaningful assessment of WBC attainability. All three sites were confined to a 0.4 mi reach, located near the center of the 2.0-mi segment. The UAA report attributed this arrangement to a lack of direct access to other portions of the segment. However, a public road passes within 0.3 mi of the segment's lower terminus, and the intervening property is publicly owned (national forest). Overall, the submitted UAA and accompanying informational materials failed to demonstrate that WBC is not an attainable use.

Tributary to Busch Creek (WBID 1686)

On September 27, 2013, EPA disapproved SCR use designation for this tributary to Busch Creek. A 2005 UAA documented nearby city roads, mobile homes, apartment buildings, other residences, a shopping mall, other businesses, a church, a public park, a playground, and footpaths leading to the stream. A 2007 UAA noted graffiti under a bridge and human footprints in the stream channel. The latter UAA did not assess the upper reaches of the segment, and the resulting report gave no explanation for the irregular positioning of survey sites. Moreover, the report indicated "no drought" at the time of the UAA but failed to provide an estimate of antecedent rainfall (in actuality, the region was experiencing a drought at the time of the UAA). In urban settings such as this, the Protocol stresses the need for an expanded survey effort and the importance of conducting interviews with local residents (page 15). The 2007 UAA did not meet this expectation. One of the survey sites in 2007 contained a pool measuring 94 cm in maximum depth. The presence of such a pool, during a drought, implies that pools deeper than 1.0 m probably occur in the segment under normal weather conditions. Children and others may recreate in this segment on a frequent basis, signaling the need for caution when identifying the highest attainable recreational use. Overall, the submitted UAA and accompanying informational materials failed to demonstrate that WBC is not an attainable use.

Tributary to South Moreau Creek (WBID 0992)

On September 27, 2013, EPA disapproved SCR use designation for this tributary to South Moreau Creek because no UAA was submitted to EPA for this segment.

Disapproved – Antidegradation Procedures:

EPA is disapproved antidegradation implementation procedures at 10 CSR 20.7.031(2) Antidegradation (D), which exempt proposed activities from a Tier 2 antidegradation review where the proposed water quality changes are considered not significant, or to be *de minimis*.

Disapproved – Nutrient Criteria

EPA disapproved 10 CSR 20-7.031 (3)(N) Nutrients and Chlorophyll (except the changes to 10 CSR 20-7.031(4)(3), table M) of Missouri's WQS because the methods used and analyses conducted to develop the lake nutrient criteria are not based on a sound scientific rationale as they do not include the data and other necessary information to allow others to independently reproduce the work; it also fails to demonstrate that the values or approaches to numeric nutrient criteria will protect the designated aquatic life or recreational uses per 40 CFR §§131.6(b) and (c).

Disapproved – Removal of Irrigation Use on the Mississippi River (WBID 1707.03)**Disapproved – Site Specific DO Criteria Table K of 10 CSR 20-7.031**

- EPA disapproved East Fork Locust Creek and Little East Fork Locust Creek Site-Specific Dissolved Oxygen Criteria (August 16, 2011 action).
- EPA disapproved Pike Creek and Main Ditch Site-Specific Dissolved Oxygen Criteria for protection of aquatic life in Table K (May 10, 2013 action).

Disapproved – Removal of Drinking Water Supply Use on Prairie Home C.A. Lakes (WBID 7444)**Disapproved – Compliance Schedule Authorizing Provisions**

On January 25, 2013, EPA disapproved the proposed language “with all deliberate speed and” but approved the remaining language at 10 CSR 20-7.031(10).

Disapproved – Acute Phenol Criterion

On September 27, 2013, EPA disapproved the proposed higher acute criterion concentration for phenol (10,200 µg/L), but approved the value of 2,560 µg/L for warm waters only.

Disapproved – Aquatic Life Criteria for Chloride and Sulfate

On January 6, 2015, EPA disapproved the state's revised aquatic life criteria for chloride, new aquatic life criterion for sulfate, and related changes to 10 CSR 20-7.031(4)(L).



Rules of
Department of Natural Resources
Division 20—Clean Water Commission
Chapter 7—Water Quality

Title	Page
10 CSR 20-7.010 Prevention of Pollution from Wells to Subsurface Waters of the State (Rescinded July 10, 1980)	3
10 CSR 20-7.015 Effluent Regulations.....	3
10 CSR 20-7.020 Effluent Regulations (Rescinded July 10, 1980).....	10
10 CSR 20-7.030 Water Quality Standards (Rescinded December 11, 1977).....	10
10 CSR 20-7.031 Water Quality Standards	10
10 CSR 20-7.050 Methodology for Development of Impaired Waters List	147



**Title 10—DEPARTMENT OF
NATURAL RESOURCES**

**Division 20—Clean Water Commission
Chapter 7—Water Quality**

**10 CSR 20-7.010 Prevention of Pollution
from Wells to Subsurface Waters of the
State**

(Rescinded July 10, 1980)

AUTHORITY: section 204.026, RSMo 1978. Original rule filed June 19, 1974, effective June 29, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 12, 1979, effective July 10, 1980.

10 CSR 20-7.015 Effluent Regulations

PURPOSE: This rule sets forth the limits for various pollutants which are discharged to the various waters of the state. The two previous rules 10 CSR 20-6.050 and 10 CSR 20-7.010 have been rescinded and this rule combines certain aspects of both rules and modifies the format of the effluent regulations. This rule also complies with the latest changes to the Federal Clean Water Act, P.L. 97-117 (1981).

PUBLISHER'S NOTE: The secretary of state has determined that the publication of the entire text of the material which is incorporated by reference as a portion of this rule would be unduly cumbersome or expensive. This material as incorporated by reference in this rule shall be maintained by the agency at its headquarters and shall be made available to the public for inspection and copying at no more than the actual cost of reproduction. This note applies only to the reference material. The entire text of the rule is printed here.

(1) Designations of Waters of the State.

(A) For the purpose of this rule, the waters of the state are divided into the following categories:

1. The Missouri and Mississippi Rivers;
2. Lakes and reservoirs, including natural lakes and any impoundments created by the construction of a dam across any waterway or watershed. An impoundment designed for or used as a disposal site for tailings or sediment from a mine or mill shall be considered a wastewater treatment device and not a lake or reservoir. Releases to lakes and reservoirs include discharges into streams one-half (1/2) stream mile (.80 km) before the stream enters the lake as measured to its normal full pool;
3. A losing stream is a stream which distributes thirty percent (30%) or more of its flow through natural processes such as

through permeable geologic materials into a bedrock aquifer within two (2) miles' flow distance downstream of an existing or proposed discharge. Flow measurements to determine percentage of water loss must be corrected to approximate the seven (7)-day Q_{10} stream flow. If a stream bed or drainage way has an intermittent flow or a flow insufficient to measure in accordance with this rule, it may be determined to be a losing stream on the basis of channel development, valley configuration, vegetation development, dye tracing studies, bedrock characteristics, geographical data, and other geological factors. Only discharges which in the opinion of the Missouri Department of Natural Resources reach the losing section and which occur within two (2) miles upstream of the losing section of the stream shall be considered releases to a losing stream. A list of known losing streams is available in the Water Quality Standards, 10 CSR 20-7.031 Table J—Losing Streams. Other streams may be determined to be losing by the department;

4. Metropolitan no-discharge streams. These streams and the limitations on discharging to them are listed in the commission's Water Quality Standards 10 CSR 20-7.031. This rule shall in no way change, amend, or be construed to allow a violation of the existing or future water quality standards;

5. Special streams—wild and scenic rivers, Ozark National Scenic Riverways, and Outstanding State Resource Waters;

6. Subsurface waters in aquifers; and

7. All other waters except as noted in paragraphs (1)(A)1.-6. of this rule.

(2) Effluent Limitations for the Missouri and Mississippi Rivers. The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source, or wastewater treatment facility.

(A) Discharges from wastewater treatment facilities which receive primarily domestic waste or from publicly-owned treatment works (POTWs) shall undergo treatment sufficient to conform to the following limitations:

1. Biochemical Oxygen Demand₅ (BOD₅) and Total Suspended Solids (TSS) equal to or less than a monthly average of thirty milligrams per liter (30 mg/L) and a weekly average of forty-five milligrams per liter (45 mg/L);

2. pH shall be maintained in the range from six and one-half to nine (6.5-9.0) standard units;

3. Exceptions to paragraphs (2)(A)1. and 2. of this rule are as follows:

A. If the facility is a wastewater lagoon, the TSS shall be equal to or less than

a monthly average of eighty milligrams per liter (80 mg/L) and a weekly average of one hundred twenty milligrams per liter (120 mg/L) and the pH shall be maintained above six and one-half (6.5), and the BOD₅ shall be equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L);

B. If the facility is a trickling filter plant the BOD₅ and TSS shall be equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L);

C. Where the use of effluent limitations set forward in this section is known or expected to produce an effluent that will endanger or violate water quality, the department will set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation or a total maximum daily load study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the study;

D. The department may require more stringent limitations than authorized in subsection (3)(A) of this rule under the following conditions:

(I) If the facility is an existing facility, the department may set the BOD₅ and TSS limits based upon an analysis of the past performance, rounded up to the next five milligrams per liter (5 mg/L) range; and

(II) If the facility is a new facility, the department may set the BOD₅ and TSS limits based upon the design capabilities of the plant considering geographical and climatic conditions;

(a) A design capability study has been conducted for new lagoon systems. The study reflects that the effluent limitations should be BOD₅ equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L) and TSS equal to or less than a monthly average of seventy milligrams per liter (70 mg/L) and a weekly average of one hundred ten milligrams per liter (110 mg/L).

(b) A design capability study has been conducted for new trickling filter systems and the study reflects that the effluent limitations should be BOD₅ and TSS equal to or less than a monthly average of forty milligrams per liter (40 mg/L) and a weekly average of sixty milligrams per liter (60 mg/L);

4. *E. coli*: Discharges to segments designated as whole body contact recreational or secondary contact recreational in Table H of 10 CSR 20-7.031 shall not exceed the water quality *E. coli* counts established in 10 CSR



20-7.031(4)(C)2. Facilities without disinfected effluent shall comply with the implementation schedule found in subsection (9)(H) of this rule. During periods of wet weather, a temporary suspension of accountability for bacteria standards may be established through the process described in subsection (9)(I) of this rule;

5. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

6. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five milligrams per liter (5 mg/L) less than the regular BOD₅ in the operating permit.

(B) The suspended solids which are present in stream water and which are removed during treatment may be returned to the same body of water from which they were taken, along with any additional suspended solids resulting from the treatment of water to be used as public potable water or industrial purposes using essentially the same process as a public water treatment process. This includes the solids that are removed from potable waters that are withdrawn from wells located in the alluvial valley of the Missouri and Mississippi Rivers.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require, at a minimum, one (1) wastewater sample per year for each fifty thousand (50,000) gallons per day (gpd) of effluent, or fraction thereof, except that—

A. Point sources that discharge less than twenty-five thousand (25,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one (1) million gallons per day (mgd) will be required, at a minimum, to collect twenty (20) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements;

C. Sludge sampling will be established in the permit; and

D. A minimum of one (1) sample shall be collected for *E. coli* analysis each week during the recreational season from April 1 through October 31. Compliance with the *E. coli* water quality standard established in paragraph (4)(C)2. of 10 CSR 20-7.031

shall be determined each calendar month by calculating the geometric mean of all of the samples collected each calendar month.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall collect samples on a regular evenly spaced schedule, while point sources with seasonal discharges shall collect samples evenly spaced during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples will be grab samples unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (2)(D)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(3) Effluent Limitations for the Lakes and Reservoirs.

(A) The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source, or wastewater treatment facility to a lake or reservoir designated in 10 CSR 20-7.031 as L2 and L3 which is publicly owned. Releases to lakes and reservoirs include discharges into streams one-half (1/2) stream mile (.80 km) before the stream enters the lake as measured to its normal full pool.

1. Discharges from wastewater treatment facilities which receive primarily domestic waste or from POTWs shall undergo treatment sufficient to conform to the following limitations:

A. BOD₅ and TSS equal to or less than a monthly average of twenty milligrams per liter (20 mg/L) and a weekly average of thirty milligrams per liter (30 mg/L);

B. pH shall be maintained in the range from six and one-half to nine (6.5–9.0) standard units;

C. *E. coli*: Discharges to lakes designated as whole body contact recreational or secondary contact recreational in Table G of 10 CSR 20-7.031 shall not exceed the water quality *E. coli* counts established in paragraph (4)(C)2. of 10 CSR 20-7.031. Facilities without disinfected effluent shall comply with the implementation schedule found in subsection (9)(H) of this rule. During periods of wet weather, a temporary suspension of accountability for bacteria standards may be established through the process described in subsection (9)(I) of this rule;

D. Where the use of effluent limitations set forth in section (3) of this rule is known or expected to produce an effluent that will endanger or violate water quality, the department may either—conduct waste load allocation studies in order to arrive at a limitation which protects the water quality of the state or set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the waste load allocation study;

E. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

F. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five milligrams per liter (5 mg/L) less than the regular BOD₅ in the operating permit.

(B) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that will require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required, at a minimum, to collect fifty-two (52) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements;

C. Sludge sampling will be established in the permit; and

D. A minimum of one (1) sample shall be collected for *E. coli* analysis each week during the recreational season from April 1 through October 31. Compliance with the *E. coli* water quality standard established in paragraph (4)(C)2. of 10 CSR 20-7.031 shall be determined each calendar month by calculating the geometric mean of all of the samples collected each calendar month.

2. Sampling frequency shall be spread evenly throughout the discharge year. This



means that a point source with a continuous discharge shall take samples on a regular evenly spaced schedule, while point sources with seasonal discharges shall collect samples evenly spaced during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be grab samples unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (3)(B)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(C) For lakes designated in 10 CSR 20-7.031 as L1, which are primarily used for public drinking water supplies, there will be no discharge into the watersheds above these lakes from domestic or industrial wastewater sources regulated by these rules. Discharges from potable water treatment plants, such as filter wash, may be permitted. Separate storm sewers will be permitted, but only for the transmission of storm water. Discharges permitted prior to the effective date of this requirement may continue to discharge so long as the discharge remains in compliance with its operating permit.

(D) For lakes designated in 10 CSR 20-7.031 as L3 which are not publicly owned, the discharge limitations shall be those contained in section (8) of this rule.

(E) In addition to other requirements in this section, discharges to Lake Taneycomo and its tributaries between Table Rock Dam and Power Site Dam (and excluding the discharges from the dams) shall not exceed five-tenths milligrams per liter (0.5 mg/L) of phosphorus as a monthly average. Discharges meeting both the following conditions shall be exempt from this requirement:

1. Those permitted prior to May 9, 1994; and

2. Those with design flows of less than twenty-two thousand five hundred (22,500) gpd. All existing facilities whose capacity is increased would be subject to phosphorus limitations. The department may allow the construction and operation of interim facilities without phosphorus control provided their discharges are connected to regional treatment facilities with phosphorus control not later than three (3) years after authorization. Discharges in the White River basin and outside of the area designated above for phosphorus limitations shall be monitored for phosphorus discharges, and the frequency of

monitoring shall be the same as that for BOD₅ and TSS, but not less than annually. The department may reduce the frequency of monitoring if the monitoring data is sufficient for water quality planning purposes.

(F) In addition to other requirements in this section, discharges to Table Rock Lake watershed, defined as hydrologic units numbered 11010001 and 11010002, shall not exceed five-tenths milligrams per liter (0.5 mg/L) of phosphorus as a monthly average according to the following schedules except as noted in paragraph (3)(F)5. of this rule.

1. Any new discharge shall comply with this new requirement upon the start of operations;

2. Any existing discharge, or any sum of discharges operated by a single continuing authority, with a design flow of one (1.0) mgd or greater shall comply no later than November 30, 2003;

3. Any existing discharge, or any sum of discharges operated by a single continuing authority, with a design flow of one-tenth (0.1) mgd or greater, but less than one (1.0) mgd, shall comply no later than November 30, 2007, and shall not exceed one milligram per liter (1.0 mg/L) as a monthly average as soon as possible and no later than November 30, 2003;

4. Any existing discharge with a design flow of twenty-two thousand five hundred (22,500) gpd or greater, but less than one-tenth (0.1) mgd, shall comply no later than November 30, 2007;

5. Any existing discharge with a design flow of less than twenty-two thousand five hundred (22,500) gpd permitted prior to November 30, 1999, shall be exempt from this requirement unless the design flow is increased; and

6. Any existing discharge in which the design flow is increased shall comply according to the schedule applicable to the final design flow.

(4) Effluent Limitations for Losing Streams.

(A) Discharges to losing streams shall be permitted only after other alternatives including land application, discharge to a gaining stream, and connection to a regional wastewater treatment facility have been evaluated and determined to be unacceptable for environmental and/or economic reasons.

(B) If the department agrees to allow a release to a losing stream, the permit will be written using the limitations contained in subsections (4)(B) and (C) of this rule. Discharges from wastewater treatment facilities which receive primarily domestic waste or from POTWs permitted under this section shall undergo treatment sufficient to conform to the following limitations:

1. BOD₅ equal to or less than a monthly average of ten milligrams per liter (10 mg/L) and a weekly average of fifteen milligrams per liter (15 mg/L);

2. TSS equal to or less than a monthly average of fifteen milligrams per liter (15 mg/L) and a weekly average of twenty milligrams per liter (20 mg/L);

3. pH shall be maintained in the range from six and one-half to nine (6.5–9.0) standard units;

4. *E. coli*: Discharges shall not exceed the water quality *E. coli* counts established in paragraph (4)(C)2. of 10 CSR 20-7.031;

5. All chlorinated effluent discharges to losing streams or within two (2) stream miles flow distance upstream of a losing stream shall also be dechlorinated prior to discharge;

6. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

7. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five milligrams per liter (5 mg/L) less than the regular BOD₅ in the operating permit.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required, at a minimum, to collect fifty-two (52) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements;

C. Sludge samples will be established in the permit; and

D. A minimum of one (1) sample shall be collected for *E. coli* analysis each week during the recreational season from April 1 through October 31. Compliance with the *E. coli* water quality standard established in paragraph (4)(C)2. of 10 CSR 20-7.031 shall be determined each calendar month by calculating the geometric mean of all of the samples collected each calendar



month.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (4)(C)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(5) Effluent Limitations for Metropolitan No-Discharge Streams.

(A) Discharge to metropolitan no-discharge streams is prohibited, except as specifically permitted under the Water Quality Standards 10 CSR 20-7.031 and noncontaminated storm water flows.

(B) All permits for discharges to these streams shall be written to ensure compliance with the Water Quality Standards.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required, at a minimum, to collect fifty-two (52) wastewater samples per year;

C. Sludge sampling will be established in the permit; and

D. A minimum of one (1) sample shall be collected for *E. coli* analysis each week during the recreational season from April 1 through October 31. Compliance with the *E. coli* water quality standard established in paragraph (4)(C)2. of 10 CSR 20-7.031 shall be determined each calendar month by calculating the geometric mean of all of the samples collected each calendar month.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (5)(C)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(6) Effluent Limitations for Special Streams.

(A) Limits for Wild and Scenic Rivers and Ozark National Scenic Riverways and Drainages Thereto.

1. The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source, or wastewater treatment facility to waters included in this section.

2. Discharges from wastewater treatment facilities, which receive primarily domestic waste, or from POTWs are limited as follows:

A. New releases from any source are prohibited;

B. Discharges from sources that existed before June 29, 1974, or if additional stream segments are placed in this section, discharges that were permitted at the time of the designation will be allowed.

3. Industrial, agricultural, and other non-domestic contaminant sources, point sources, or wastewater treatment facilities which are not included under subparagraph (6)(A)2.B. of this rule shall not be allowed to discharge. Agrichemical facilities shall be designed and constructed so that all bulk liquid pesticide nonmobile storage containers and all bulk liquid fertilizer nonmobile storage containers are located within a secondary containment facility. Dry bulk pesticides and dry bulk fertilizers shall be stored in a building so that they are protected from the weather. The floors of the buildings shall be constructed of an approved design and material(s). At an agrichemical facility, all transferring, loading, unloading, mixing, and repackaging of bulk agrichemicals shall be

conducted in an operational area. All precipitation collected in the operational containment area or secondary containment area as well as process generated wastewater shall be stored and disposed of in a no-discharge manner.

4. Monitoring requirements.

A. The department will develop a wastewater and sludge sampling program based on design flow that will require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

(I) Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

(II) Point sources that discharge more than one point three (1.3) mgd will be required at a minimum to collect fifty-two (52) wastewater samples per year; and

(III) Sludge sampling will be established in the permit.

B. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

C. Sample types shall be as follows:

(I) Samples collected from lagoons may be grab samples;

(II) Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

(III) Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

D. The monitoring frequency and sample types stated in paragraph (6)(D)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(B) Limits for Outstanding State Resource Waters as per Water Quality Standards.

1. Discharges shall not cause the current water quality in the streams to be lowered.

2. Discharges will be permitted as long as the requirements of paragraph (6)(B)1. of this rule are met and the limitations in section (8) of this rule are not exceeded.

(7) Effluent Limitations for Subsurface Waters.

(A) No person shall release any water into aquifers, store or dispose of water in a way which causes or permits it to enter aquifers either directly or indirectly unless it meets



the appropriate groundwater protection criteria set in 10 CSR 20-7.031, Table A at a point ten feet (10') under the release point except as provided in subsections (7)(E) and (F) of this rule. The permit writer shall review the complete application and other data to determine which parameter to include in the permit.

(B) No wastewater shall be introduced into sinkholes, caves, fissures, or other openings in the ground which do or are reasonably certain to drain into aquifers except as provided in section (4) of this rule.

(C) All abandoned wells and test holes shall be properly plugged or sealed to prevent pollution of subsurface waters, as per the requirements of the department.

(D) Where any wastewater treatment facility or any water contaminant source or point source incorporates the use of land treatment systems which allows or can reasonably be expected to allow wastewater effluents to reach the aquifer. Compliance with subsection (7)(A) of this rule shall be determined by a site-specific monitoring plan.

(E) The effluent limitations specified in subsection (7)(A) of this rule shall not apply to facilities designed and constructed to meet department design criteria provided these designs have been reviewed and approved by the department. The department has the right to require monitoring, reporting, public notice, and other information as deemed appropriate. This exemption may be revoked by the department should any monitoring indicate an adverse effect on a beneficial water use or if the numeric criteria in the Water Quality Standards are being exceeded.

(F) Any person not included in subsection (7)(E) of this rule who releases, stores, or disposes of water in a manner which results in releases of water to an aquifer having concentrations in excess of one (1) or more parameter limitations provided in subsection (7)(A) of this rule may be allowed to resample for purposes of verification of the excess. At their discretion, persons may demonstrate, at the direction of the department, that the impact on the water quality in the aquifer is negligible on the beneficial uses. The demonstration shall consider, at a minimum, the following factors:

1. Site geology;
2. Site geohydrology;
3. Existing and potential water uses;
4. Existing surface water and groundwater quality;
5. Characteristics of wastes or wastewater contained in facilities; and
6. Other items as may be required by the department to assess the proposal.

A. Demonstrations conducted under 10 CSR 25-18.010 shall be reviewed by the department in accordance with such rules. If the demonstrations show that the impact on groundwater quality will not result in an unreasonable risk to human health or the environment, alternate effluent limitations will be established by the department.

B. All other demonstrations shall be reviewed by the department. If the demonstrations show that the impact on groundwater quality will not result in an unreasonable risk to human health or the environment, alternate effluent limitation(s) will be proposed by the department and presented to the Clean Water Commission for approval. The Clean Water Commission has the right to require monitoring, reporting, public notice, and other information as deemed appropriate in the approval of the alternate limitation for one (1) or more parameters from subsection (7)(A) of this rule. The Clean Water Commission may hold a public hearing to secure public comment prior to final action on an alternate limitation.

C. No alternate limitations will be granted which would impair beneficial uses of the aquifer or threaten human health or the environment.

D. Alternate limitations may be revoked by the department should any monitoring indicate an adverse effect on a beneficial water use or violations of the alternate limitation.

(8) Effluent Limitations for All Waters, Except Those in Paragraphs (1)(A)1.-6. of This Rule. The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source, or wastewater treatment facility.

(A) Discharges from wastewater treatment facilities which receive primarily domestic waste or POTWs shall undergo treatment sufficient to conform to the following limitations:

1. BOD₅ and TSS equal to or less than a monthly average of thirty milligrams per liter (30 mg/L) and a weekly average of forty-five milligrams per liter (45 mg/L);

2. pH shall be maintained in the range from six and one-half to nine (6.5-9.0) standard units;

3. The limitations of paragraphs (8)(B)1. and 2. of this rule will be effective unless a water quality impact study has been conducted by the department, or conducted by the permittee and approved by the department, showing that alternate limitation will not cause violations of the Water Quality Standards or impairment of the uses in the

standards. When a water quality impact study has been completed to the satisfaction of the department, the following alternate limitation may be allowed:

A. If the facility is a wastewater lagoon, the TSS shall be equal to or less than a monthly average of eighty milligrams per liter (80 mg/L) and a weekly average of one hundred twenty milligrams per liter (120 mg/L) and the pH shall be maintained above six and one-half (6.5) and the BOD₅ shall be equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L);

B. If the facility is a trickling filter plant, the BOD₅ and TSS shall be equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L);

C. Where the use of effluent limitations set forth in section (8) of this rule is known or expected to produce an effluent that will endanger water quality, the department will set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the waste load allocation study; and

D. The department may require more stringent limitations than authorized in subsections (3)(A) and (B) of this rule under the following conditions:

(I) If the facility is an existing facility, the department may set the BOD₅ and TSS limits based upon an analysis of the past performance, rounded up to the next five milligrams per liter (5 mg/L) range; and

(II) If the facility is a new facility, the department may set the BOD₅ and TSS limits based upon the design capabilities of the plant considering geographical and climatic conditions:

(a) A design capability study has been conducted for new lagoon systems. The study reflects that the effluent limitations should be BOD₅ equal to or less than a monthly average of forty-five milligrams per liter (45 mg/L) and a weekly average of sixty-five milligrams per liter (65 mg/L) and TSS equal to or less than a monthly average of seventy milligrams per liter (70 mg/L) and a weekly average of one hundred ten milligrams per liter (110 mg/L); or

(b) A design capability study has been conducted for new trickling filter systems and the study reflects that the effluent



limitations should be BOD₅ and TSS equal to or less than a monthly average of forty milligrams per liter (40 mg/L) and a weekly average of sixty milligrams per liter (60 mg/L);

4. *E. coli*. The following water quality *E. coli* discharge limits apply to all waters, except those in paragraphs (1)(A)1.-6. of this rule:

A. Discharges to stream segments designated as whole body contact recreational or secondary contact recreational in Table H of 10 CSR 20-7.031 shall not exceed the water quality *E. coli* counts established in paragraph (4)(C)2. of 10 CSR 20-7.031;

B. Discharges to privately-owned lakes classified as L3, as defined in subsection (1)(F) of 10 CSR 20-7.031, that are designated as whole body contact recreational or secondary contact recreational in Table G of 10 CSR 20-7.031 shall not exceed the water quality *E. coli* counts established in paragraph (4)(C)2. of 10 CSR 20-7.031. Discharges include releases into streams one-half (1/2) stream mile (.80 km) before the stream enters the lake as measured to its normal full pool;

C. Discharges located within two (2) miles upstream of stream segments or lakes designated for whole body contact recreational or secondary contact recreational in Tables H and G of 10 CSR 20-7.031 shall not exceed the water quality *E. coli* counts established in paragraph (4)(C)2. of 10 CSR 20-7.031 for the receiving stream segment or lake designated for those uses. As an alternative, the department may allow permit applicants to conduct a time of travel study for use in developing water quality discharge limits calculated using the following first order decay equation:

$$C_0 = C_{(t)}e^{kt}$$

Where:

C₀ = concentration of *E. coli* at the outfall, which becomes the effluent limit;

C_(t) = the water quality *E. coli* count established in paragraph (4)(C)2. of 10 CSR 20-7.031 for the receiving stream segment or lake that is designated as whole body contact recreational or secondary contact recreational in Tables H and G of 10 CSR 20-7.031;

e = the natural logarithmic constant;

k = decay constant for *E. coli* (use 0.75 inverse days as a default or value may be determined by sampling analysis); and

t = time required for effluent to flow from the outfall to the confluence with the closest classified receiving stream segment or lake during dry weather conditions in units of days; and

D. Facilities without disinfected effluent shall comply with the implementation schedule found in subsection (9)(H) of this rule. During periods of wet weather, a temporary suspension of accountability for bacteria standards may be established through the process described in subsection (9)(I) of this rule;

5. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

6. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five milligrams per liter (5 mg/L) less than the regular BOD₅ in the operating permit.

(B) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that will require, at a minimum, one (1) wastewater sample per year for each fifty thousand (50,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than twenty-five thousand (25,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one (1) mgd will be required at a minimum to collect twenty (20) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements;

C. Sludge sampling will be established in the permit; and

D. A minimum of one (1) sample shall be collected for *E. coli* analysis each week during the recreational season from April 1 through October 31. Compliance with the *E. coli* water quality standard established in paragraph (4)(C)2. of 10 CSR 20-7.031 shall be determined each calendar month by calculating the geometric mean of all of the samples collected each calendar month.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during their season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (8)(C)3. of this rule are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site-specific informational needs of the department.

(9) General Conditions.

(A) Monitoring, Analysis, and Reporting.

1. All construction and operating permit holders shall submit reports at intervals established by the permit or at any other reasonable intervals required by the department. The monitoring and analytical schedule shall be as established by the department in the operating permit.

2. The analytical and sampling methods used must conform to the following reference methods unless alternates are approved by the department:

A. *Standard Methods for the Examination of Waters and Wastewaters* (14, 15, 16, 17, 18, 19, 20, and 21st Edition), published by the Water Environment Federation, 601 Wythe Street, Alexandria, VA 22314;

B. *Water Testing Standards, Vol. II.01 and II.02*, published by American Society for Testing and Materials, West Conshohocken, PA 19428;

C. *Methods for Chemical Analysis of Water and Wastes* (EPA-600/4-79-020), published by the Environmental Protection Agency, Water Quality Office, Analytical Quality Control Laboratory, 1014 Broadway, Cincinnati, OH 54202; and

D. *NPDES Compliance Sampling Inspection Manual*, Report no. MCD-51, published by Environmental Protection Agency, Enforcement Division, Office of Water Enforcement, 401 Main Street SW, Washington, DC 20460.

3. Sampling and analysis by the department to determine violations of this regulation will be conducted in accordance with the methods listed in paragraph (9)(A)2. of this rule or any other approved by the department. Violations may be also determined by review of the permittee's self-monitoring reports. Analysis conducted by the permittee or his/her laboratory shall be conducted in such a way that the precision and accuracy of the analyzed results can be determined.



4. If, for any reason, the permittee does not comply with or will be unable to comply with any discharge limitations or standards specified in the permit, the permittee shall provide the department with the following information, with the next discharge monitoring report as required under subsection (9)(A) of this rule:

A. A description of the discharge and cause of noncompliance;

B. The period of noncompliance, including exact dates and times and/or the anticipated time when the discharge will return to compliance; and

C. The steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.

5. In the case of any discharge subject to any applicable toxic pollutant effluent standard under section 307(a) of the federal Clean Water Act, the information required by paragraph (9)(A)4. of this rule regarding a violation of this standard shall be provided within twenty-four (24) hours from the time the owner or operator of the water contaminant source, point source, or wastewater treatment facility becomes aware of the violation or potential violation. If this information is provided orally, a written submission covering these points shall be provided within five (5) working days of the time the owner or operator of the water contaminant source, point source, or wastewater treatment facility becomes aware of the violation.

(B) Dilution Water. Dilution of treated wastewater with cooling water or other less contaminated water to lower the effluent concentration to limits required by an effluent regulation of the Clean Water Law shall not be an acceptable means of treatment.

(C) Compliance.

1. New sources. Water contaminant sources, point sources, and wastewater treatment facilities and their tributary sewer systems on which construction begins after the effective date of the applicable effluent guidelines shall meet all requirements of this regulation and the Missouri Clean Water Law.

2. Sources for which construction and operating permits were issued prior to the effective date of this regulation shall meet all the requirements of the existing permit. Where the existing permit contains more stringent limitations than those contained in this regulation, the permittee may apply to the department for a modification of the permit to contain the new limitations. The department will notify the applicant of its decision to modify or deny the application within sixty (60) days after receiving an application.

(D) Compliance with New Source Performance Standards.

1. Except as provided in paragraph (9)(D)2. of this rule, any new water contaminant source, point source, or wastewater treatment facility on which construction commenced after October 18, 1972, or any new source, which meets the applicable promulgated new source performance standards before the commencement of discharge, shall not be subject to any more stringent new source performance standards or to any more stringent technology-based standards under subsection 301(b)(2) of the federal Clean Water Act for the shortest of the following periods:

A. Ten (10) years from the date that construction is completed;

B. Ten (10) years from the date the source begins to discharge process or other nonconstruction related wastewater; or

C. The period of depreciation or amortization of the facility for the purposes of section 167 or 169 (or both) of the *Internal Revenue Code* of 1954.

2. The protection from more stringent standards of performance afforded by paragraph (9)(D)1. of this rule does not apply to—

A. Additional or more stringent permit conditions which are not technology based, for example, conditions based on water quality standards or effluent standards or prohibitions under section 307(a) of the federal Clean Water Act; and

B. Additional permit conditions controlling pollutants listed as toxic under section 307(a) of the federal Clean Water Act or as hazardous substances under section 311 of the federal Clean Water Act and which are not controlled by new source performance standards. This exclusion includes permit conditions controlling pollutants other than those identified as hazardous where control of those other pollutants has been specifically identified as the method to control the hazardous pollutant.

(E) Bypassing.

1. Any bypass or shutdown of a wastewater treatment facility and tributary sewer system or any part of a facility and sewer system that results in a violation of permit limits or conditions is prohibited except—

A. Where unavoidable to prevent loss of life, personal injury, or property damages;

B. Where unavoidable excessive storm drainage or runoff would damage any facilities or processes necessary for compliance with the effluent limitations and conditions of this permit; and

C. Where maintenance is necessary to ensure efficient operation and alternative

measures have been taken to maintain effluent quality during the period of maintenance;

2. The permittee shall notify the department by telephone within twenty-four (24) hours and follow with a written report within five (5) days of all bypasses or shutdowns that result in a violation of permit limits or conditions. POTWs that bypass during storm water infiltration events need only report on their discharge monitoring reports. This section does not excuse any person from any liability, unless this relief is otherwise provided by the statute.

(F) Sludge facilities shall meet the applicable control technology for sewage sludge treatment, use, and disposal as published by the EPA in 40 CFR 503 and applicable state standards and limitations published in 10 CSR 20 and 10 CSR 80. Where there are no standards available or applicable, or when more stringent standards are appropriate to protect human health and the environment, the department shall set specific limitations in permits on a case-by-case basis using best professional judgment.

(G) Industrial, agricultural, and other non-domestic water contaminant sources, point sources, or wastewater treatment facilities which are not included under subsection (2)(B), (3)(B), (4)(B), or (8)(B) of this rule—

1. These facilities shall meet the applicable control technology currently effective as published by the EPA in 40 CFR 405–471. Where there are no standards available or applicable, the department shall set specific parameter limitations using best professional judgment. pH shall be maintained in the range from six and one-half to nine (6.5–9.0) standard units, except that discharges of uncontaminated cooling water and water treatment plant effluent may exceed nine (9) standard units, but may not exceed ten and one-half (10.5) standard units, if it can be demonstrated that the pH will not exceed nine (9) standard units beyond the regulatory mixing zone; and

2. Agrichemical facilities shall be designed and constructed so that all bulk liquid pesticide nonmobile storage containers and all bulk liquid fertilizer nonmobile storage containers are located within a secondary containment facility. Dry bulk pesticides and dry bulk fertilizers shall be stored in a building so that they are protected from the weather. The floors of the buildings shall be constructed of an approved design and material(s). At an agrichemical facility, the following procedures shall be conducted in an operational area: all transferring, loading, unloading, mixing, and repackaging of bulk agrichemicals. All precipitation collected in the operational containment area or secondary



containment area as well as process generated wastewater shall be stored and disposed of in a no-discharge manner or treated to meet the applicable control technology referenced in paragraph (9)(G)1. of this rule.

(H) Implementation Schedule for Protection of Whole Body Contact and Secondary Contact Recreation.

1. For all existing wastewater discharges containing bacteria, the department shall, upon the issuance or first renewal or first significant modification of each permit, include within each permit a compliance schedule that provides up to five (5) years for the permittee to meet permit limits. Permitted facilities may present an evaluation sufficient to show that disinfection is not required to protect one (1) or both designated recreational uses. A use attainability analysis (UAA) may be conducted to demonstrate one (1) or both designated recreational uses are not attainable in the classified waters receiving the effluent.

2. Notwithstanding the provisions of paragraph (9)(H)1. of this rule, all permits shall insure compliance with effluent limits to protect whole body contact and secondary contact recreation by no later than December 31, 2013, unless the permittee presents an evaluation sufficient to show that disinfection is not required to protect one (1) or both designated recreational uses, or a UAA demonstrates that one (1) or both designated recreational uses are not attainable in the classified waters receiving the effluent.

(I) Temporary Suspension of Accountability for Bacteria Standards during Wet Weather. The accountability for bacteria standards may be temporarily suspended for specific discharges when conditions contained in paragraphs (9)(I)1. through 3. of this rule are met.

1. No existing recreational uses downstream of the discharge will be impacted during the period of suspension as confirmed through a water quality review for reasonable potential for downstream impacts and a UAA performed in accordance with the *Missouri Recreational Use Attainability Analysis Protocol* approved by the Missouri Clean Water Commission.

2. The period of suspension must be restricted to the defined wet weather event that corresponds to the period when recreational uses are unattainable. The period must be determinable at any time by the discharger and the general public (such as from stream depth or flow readings or other stream conditions on which publicly accessible records are kept).

3. The suspension shall be subject to public review and comment, Missouri Clean Water Commission approval, and EPA

approval before becoming effective and shall be contained as a condition in a discharge permit or other written document developed through public participation.

(10) Control of Combined Sewer Overflows (CSOs). The permitting and control of CSOs shall conform to EPA's CSO Control Policy, EPA Number 830/B-94-001 (published by EPA April 19, 1994, at 59 Fed. Reg. 18688) as referenced by Section 402 (q) of the Clean Water Act, 33 USC 1342(q). The CSO Control Policy is hereby incorporated by reference, without any later amendments or additions. This document is available by writing to U.S. Environmental Protection Agency, Office of Water Resource Center, Mail Code RC-4100T, 1200 Pennsylvania Avenue NW, Washington, DC 20460 or upon request from the Department of Natural Resources, Water Protection Program, Water Pollution Control Branch, PO Box 176, Jefferson City, MO 65102-0176. Effluent monitoring commitments for CSOs shall be addressed in the long term control plans required under EPA's CSO Control Policy.

*AUTHORITY: section 644.026, RSMo 2000. * Original rule filed June 6, 1974, effective June 16, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 16, 1979, effective July 11, 1980. Readopted: Filed Feb. 4, 1980, effective July 11, 1980. Rescinded and readopted: Filed Nov. 10, 1982, effective May 12, 1983. Amended: Filed Sept. 11, 1984, effective March 12, 1985. Amended: Filed July 25, 1985, effective Dec. 26, 1985. Amended: Filed Feb. 1, 1988, effective June 13, 1988. Amended: Filed Sept. 13, 1988, effective Feb. 14, 1989. Amended: Filed July 15, 1991, effective Jan. 13, 1992. Amended: Filed Sept. 2, 1993, effective May 9, 1994. Amended: Filed March 1, 1999, effective Nov. 30, 1999. Amended: Filed Dec. 30, 1999, effective Sept. 30, 2000. Amended: Filed March 31, 2005, effective Dec. 31, 2005. Amended: Filed Sept. 28, 2009, effective June 30, 2010.*

**Original authority: 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995, 2000.*

10 CSR 20-7.020 Effluent Regulations (Rescinded July 10, 1980)

AUTHORITY: section 204.026, RSMo 1978. Original rule filed June 6, 1974, effective June 16, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 12, 1979, effective July 10, 1980.

10 CSR 20-7.030 Water Quality Standards (Rescinded December 11, 1977)

AUTHORITY: sections 204.021 and 204.026, RSMo Supp. 1973. Rescinded: effective Dec. 11, 1977.

10 CSR 20-7.031 Water Quality Standards

PURPOSE: This rule identifies beneficial uses of waters of the state, criteria to protect those uses, and defines the antidegradation policy. It is developed in response to the Missouri Clean Water Law and the federal Clean Water Act, Section 303(c)(1) and (2), which requires that state water quality standards be reviewed at least once every three (3) years. These revisions are pursuant to the national goal of protection of fish, shellfish, and wildlife and recreation in and on the water as outlined in Section 101(a)(2) of the Act.

PUBLISHER'S NOTE: The secretary of state has determined that the publication of the entire text of the material which is incorporated by reference as a portion of this rule would be unduly cumbersome or expensive. This material as incorporated by reference in this rule shall be maintained by the agency at its headquarters and shall be made available to the public for inspection and copying at no more than the actual cost of reproduction. This note applies only to the reference material. The entire text of the rule is printed here.

(1) Definitions.

(A) Acute toxicity—Conditions producing adverse effects or lethality on aquatic life following short-term exposure. The acute criteria in Tables A and B are maximum concentrations which protect against acutely toxic conditions. Acute toxicity is also indicated by exceedence of whole-effluent toxicity (WET) test conditions of paragraph (3)(I)2. For substances not listed in Table A or B, three-tenths (0.3) of the median lethal concentration, or the no observed acute effect concentration for representative species, may be used to determine absence of acute toxicity.

(B) Aquifer—A subsurface water-bearing bed or stratum which stores or transmits water in recoverable quantities that is currently being used or could be used as a water source for private or public use. It does not include water in the vadose zone.

(C) Beneficial or designated uses. Those uses specified in paragraphs 1.–15. of this subsection for each water body segment whether or not they are attained. Beneficial or designated uses paragraphs (1)(C)1.–11. of classified waters are identified in Tables G and H. Beneficial or designated uses paragraphs



(1)(C)12.–15. of classified waters must be determined on a site-by-site basis and are therefore not listed in Tables G and H.

1. Irrigation—Application of water to cropland or directly to plants that may be used for human or livestock consumption. Occasional supplemental irrigation, rather than continuous irrigation, is assumed.

2. Livestock and wildlife watering—Maintenance of conditions to support health in livestock and wildlife.

3. Cold-water fishery—Waters in which naturally-occurring water quality and habitat conditions allow the maintenance of a naturally-reproducing or stocked trout fishery and other naturally-reproducing populations of recreationally-important fish species.

4. Cool-water fishery—Waters in which naturally-occurring water quality and habitat conditions allow the maintenance of a sensitive, high-quality sport fishery (including smallmouth bass and rock bass) and other naturally-reproducing populations of recreationally-important fish species.

5. Protection of aquatic life (General warm-water fishery)—Waters in which naturally-occurring water quality and habitat conditions allow the maintenance of a wide variety of warm-water biota, including naturally-reproducing populations of recreationally-important fish species. This includes all Ozark Class C and P streams, all streams with 7Q10 low flows of more than one-tenth cubic foot per second (0.1 cfs), all P1 streams, and all classified lakes. However, individual Ozark Class C streams may be determined to be limited warm-water fisheries on the basis of limited habitat, losing-stream classification, land-use characteristics, or faunal studies which demonstrate a lack of recreationally-important fish species.

6. Protection of aquatic life (Limited warm-water fishery)—Waters in which natural water quality and/or habitat conditions prevent the maintenance of naturally-reproducing populations of recreationally-important fish species. This includes non-Ozark Class C streams and non-Ozark Class P streams with 7Q10 low flows equal to or less than one-tenth cubic foot per second (0.1 cfs) and Ozark Class C streams with the characteristics outlined in paragraph (1)(C)5.

7. Human health protection (Fish consumption)—Criteria to protect this use are based on the assumption of an average amount of fish consumed on a long-term basis. Protection of this use includes compliance with Food and Drug Administration (FDA) limits for fish tissue, maximum water concentrations corresponding to the 10^{-6} cancer risk level, and other human health fish consumption criteria.

8. Whole body contact recreation—Activities in which there is direct human con-

tact with the raw surface water to the point of complete body submergence. The raw water may be ingested accidentally and certain sensitive body organs, such as the eyes, ears, and the nose, will be exposed to the water. Although the water may be ingested accidentally, it is not intended to be used as a potable supply unless acceptable treatment is applied. Water so designated is intended to be used for swimming, water skiing, or skin diving. All waters in Tables G and H of this rule are presumed to support whole body contact recreation unless a Use Attainability Analysis (UAA) has shown that the use is unattainable. The use designation for whole body contact recreation may be removed or modified through a UAA for only those waters where whole body contact is not an existing use. Assignment of this use does not grant an individual the right to trespass when a land is not open to and accessible by the public through law or written permission of the landowner.

A. Category A—This category applies to those water segments that have been established by the property owner as public swimming areas allowing full and free access by the public for swimming purposes and waters with existing whole body contact recreational use(s). Examples of this category include, but are not limited to, public swimming beaches and property where whole body contact recreational activity is open to and accessible by the public through law or written permission of the landowner.

B. Category B—This category applies to waters designated for whole body contact recreation not contained within category A.

9. Secondary contact recreation—Uses include fishing, wading, commercial and recreational boating, any limited contact incidental to shoreline activities, and activities in which users do not swim or float in the water. These recreational activities may result in contact with the water that is either incidental or accidental and the probability of ingesting appreciable quantities of water is minimal. Assignment of this use does not grant an individual the right to trespass when a land is not open to and accessible by the public through law or written permission of the landowner.

10. Drinking water supply—Maintenance of a raw water supply which will yield potable water after treatment by public water treatment facilities.

11. Industrial process water and industrial cooling water—Water to support various industrial uses; since quality needs will vary by industry, no specific criteria are set in these standards.

12. Storm- and flood-water storage and attenuation—Waters which serve as overflow and storage areas during flood or storm events slowly release water to downstream

areas, thus lowering flood peaks and associated damage to life and property.

13. Habitat for resident and migratory wildlife species, including rare and endangered species—Waters that provide essential breeding, nesting, feeding, and predator escape habitats for wildlife including waterfowl, birds, mammals, fish, amphibians, and reptiles.

14. Recreational, cultural, educational, scientific, and natural aesthetic values and uses—Waters that serve as recreational sites for fishing, hunting, and observing wildlife; waters of historic or archaeological significance; waters which provide great diversity for nature observation, educational opportunities, and scientific study.

15. Hydrologic cycle maintenance—Waters hydrologically connected to rivers and streams serve to maintain flow conditions during periods of drought. Waters that are connected hydrologically to the groundwater system recharge groundwater supplies and assume an important local or regional role in maintaining groundwater levels.

(D) Biocriteria—Numeric values or narrative expressions that describe the reference biological integrity of aquatic communities inhabiting waters that have been designated for aquatic-life protection.

(E) Chronic toxicity—Conditions producing adverse effects on aquatic life or wildlife following long-term exposure but having no readily observable effect over a short time period. Chronic numeric criteria in Tables A and B are maximum concentrations which protect against chronic toxicity; these values shall be considered four- (4-) day averages. Chronic toxicity is also indicated by exceedence of WET test conditions of subsection (4)(Q). For substances not listed in Table A or B, commonly used endpoints such as the no-observed effect concentration or inhibition concentration of representative species may be used to demonstrate absence of toxicity.

(F) Classified waters—All waters listed as L1, L2, and L3 in Table G and P, P1, and C in Table H. During normal flow periods, some rivers back water into tributaries which are not otherwise classified. These permanent backwater areas are considered to have the same classification as the water body into which the tributary flows.

1. Class L1—Lakes used primarily for public drinking water supply.

2. Class L2—Major reservoirs.

3. Class L3—Other lakes which are waters of the state. These include both public and private lakes. For effluent regulation purposes, publicly-owned L3 lakes are those for which a substantial portion of the surrounding lands are publicly owned or managed.

4. Class P—Streams that maintain permanent flow even in drought periods.

5. Class P1—Standing-water reaches of Class P streams.

6. Class C—Streams that may cease flow in dry periods but maintain permanent pools which support aquatic life.

7. Class W—Wetlands that are waters of the state that meet the criteria in the *Corps of Engineers Wetlands Delineation Manual* (January 1987), and subsequent federal revisions. Class W waters do not include wetlands that are artificially created on dry land and maintained for the treatment of mine drainage, stormwater control, drainage associated with road construction, or industrial, municipal, or agricultural waste. Class W determination on any specific site shall be consistent with federal law.

(G) Early life stages of fish—The pre-hatch embryonic period, the post-hatch free embryo or yolk-sac fry, and the larval period during which the organism feeds. Juvenile fish, which are anatomically rather similar to adults, are not considered an early life stage.

(H) Existing uses—Those uses actually attained in the water body on or after November 28, 1975, whether or not they are identified in the water quality standards.

(I) Ecoregion—Ecoregions denote areas of general similarity in ecosystems and in the type, quality, and quantity of environmental resources. They are designed to serve as a spatial framework for the research, assessment, management, and monitoring of ecosystems and ecosystem components. By recognizing the spatial differences in the capacities and potentials of ecosystems, ecoregions stratify the environment by its probable response to disturbance (Bryce, Omernik, and Larsen, 1999).

(J) Epilimnion—Zone of atmospheric mixing in a thermostratified lake.

(K) *Escherichia coli* (*E. coli*)—A type of fecal coliform bacteria found in the intestines of animals and humans. The presence of *E. coli* in water is a strong indication of recent sewage or animal waste contamination. Sewage may contain many types of disease-causing organisms (pathogens).

(L) Hypolimnion—Zone beneath the zone of atmospheric mixing in a thermostratified lake.

(M) Lethal concentration₅₀ (LC₅₀)—Concentration of a toxicant which would be expected to kill fifty percent (50%) of the individuals of the test species organisms in a test of specified length of time.

(N) Losing stream—A stream which distributes thirty percent (30%) or more of its flow during low flow conditions through natural processes, such as through permeable geologic materials into a bedrock aquifer within two (2) miles' flow distance down-

stream of an existing or proposed discharge. Flow measurements to determine percentage of water loss must be corrected to approximate the 7Q10 stream flow. If a stream bed or drainage way has an intermittent flow or a flow insufficient to measure in accordance with this rule, it may be determined to be a losing stream on the basis of channel development, valley configuration, vegetation development, dye tracing studies, bedrock characteristics, geographical data, and other geological factors. Losing streams are listed in Table J; additional streams may be determined to be losing by the Missouri Department of Natural Resources.

(O) Low-flow conditions—Where used in this regulation in the context of mixing zones, the low-flow conditions shall refer to the minimum amount of stream flow occurring immediately upstream of a wastewater discharge and available, in whole or in part, for attenuation of wastewater pollutants.

1. Seven- (7-) day, one- (1-) in-ten- (10-) year low flow (7Q10)—The lowest average flow for seven (7) consecutive days that has a probable recurrence interval of once-in-ten (10) years.

2. Sixty- (60-) day, one- (1-) in-two- (2-) year low flow (60Q2)—The lowest average flow for sixty (60) consecutive days that has a probable recurrence interval of once-in-two (2) years.

3. Thirty- (30-) day, one- (1-) in-ten- (10-) year low flow (30Q10)—The lowest average flow for thirty (30) consecutive days that has a probable recurrence interval of once-in-ten (10) years.

4. One- (1-) day, one- (1-) in-ten- (10-) year low flow (1Q10)—The lowest average flow for one (1) day that has a probable recurrence interval of once-in-ten (10) years.

(P) Mixing zone—An area of dilution of effluent in the receiving water beyond which chronic toxicity criteria must be met.

(Q) Outstanding national resource waters—Waters which have outstanding national recreational and ecological significance. These waters shall receive special protection against any degradation in quality. Congressionally-designated rivers, including those in the Ozark national scenic riverways and the wild and scenic rivers system, are so designated (see Table D).

(R) Outstanding state resource waters—High quality waters with a significant aesthetic, recreational, or scientific value which are specifically designated as such by the Clean Water Commission (see Table E).

(S) Ozark streams—Streams lying within the Ozark faunal region as described in the *Aquatic Community Classification System for Missouri*, Missouri Department of Conservation, 1989.

(T) Reference lakes or reservoirs—Lakes

or reservoirs determined by Missouri Department of Natural Resources to be the best available representatives of ecoregion waters in a natural condition with respect to habitat, water quality, biological integrity and diversity, watershed land use, and riparian conditions.

(U) Reference stream reaches—Stream reaches determined by the department to be the best available representatives of ecoregion waters in a natural condition, with respect to habitat, water quality, biological integrity and diversity, watershed land use, and riparian conditions.

(V) Regulated-flow streams—A stream that derives a majority of its flow from an impounded area with a flow-regulating device.

(W) Use Attainability Analysis (UAA)—A structured scientific assessment of the factors affecting the attainment of the use which may include physical, chemical, biological, and economic factors as described in 40 CFR 131.10(g).

(X) Water effect ratio—Appropriate measure of the toxicity of a material obtained in a site water divided by the same measure of the toxicity of the same material obtained simultaneously in a laboratory dilution water.

(Y) Water hardness—The total concentration of calcium and magnesium ions expressed as calcium carbonate. For purposes of this rule, hardness will be determined by the lower quartile (twenty-fifth percentile) value of a representative number of samples from the water body in question or from a similar water body at the appropriate stream flow conditions.

(Z) Water quality criteria—Chemical, physical, and biological properties of water that are necessary to protect beneficial water uses.

(AA) Waters of the state—All rivers, streams, lakes, and other bodies of surface and subsurface water lying within or forming a part of the boundaries of the state which are not entirely confined and located completely upon lands owned, leased, or otherwise controlled by a single person or by two (2) or more persons jointly or as tenants in common and includes waters of the United States lying within the state.

(BB) Wetlands—Those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. This definition is consistent with both the United States Army Corps of Engineers 33 CFR 328.3(b) and the United States Environmental Protection Agency 40 CFR 232.2(r).



(CC) Whole effluent toxicity tests—A toxicity test conducted under specified laboratory conditions on specific indicator organisms. To estimate chronic and acute toxicity of the effluent in its receiving stream, the effluent may be diluted to simulate the computed percent effluent at the edge of the mixing zone or zone of initial dilution.

(DD) Zone of initial dilution—A small area of initial mixing below an effluent outfall beyond which acute toxicity criteria must be met.

(EE) Zone of passage—A continuous water route necessary to allow passage of organisms with no acutely toxic effects produced on their populations.

(FF) Other definitions as set forth in the Missouri Clean Water Law and 10 CSR 20-2.010 shall apply to terms used in this rule.

(2) Antidegradation. The antidegradation policy shall provide three (3) levels of protection.

(A) Tier One. Public health, existing in-stream water uses, and a level of water quality necessary to protect existing uses shall be maintained and protected.

(B) Tier Two. For all waters of the state, if existing water quality is better than applicable water quality criteria established in these rules, that existing quality shall be fully maintained and protected. Water quality may be lowered only if the state finds, after full satisfaction of the intergovernmental coordination and public participation requirements, that the lowered water quality is necessary to allow important economic and social development in the geographical area in which the waters are located. In allowing the lowering of water quality, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources and all cost-effective and reasonable best management practices for nonpoint source control before allowing any lowering of water quality. This provision allows a proposed new or modified point or nonpoint source of pollution to result in limited lowering of water quality provided that—

1. The source does not violate any of the general criteria set forth in section (3) of this rule, or any of the criteria for protection of beneficial uses set forth in section (4) of this rule;

2. The source meets all applicable technological effluent limitations and minimum standards of design for point sources or minimum pollution control practices for nonpoint sources; and

3. The lowering of water quality, in the judgment of the department, is necessary for the accommodation of important economic and social development in the geographical

vicinity of the discharge. In making a preliminary determination based on socioeconomic development considerations, the department may consider the potential for regional increases in utility rates, taxation levels, or recoverable costs associated with the production of goods or services that may result from the imposition of a strict no-degradation policy. Consideration may also be given to the possible indirect effects of a policy on per capita income and the level of employment in the geographical vicinity of the proposed pollution source. Any preliminary decision by the department to allow a limited lowering of water quality will be stated as such in a public notice issued pursuant to 10 CSR 20-6.010. Pursuant to that provision, a public hearing will be held in the geographical vicinity of the proposed pollution source, if the department determines there is significant public interest in and need for a hearing.

(C) Tier Three. There shall be no lowered water quality in outstanding national resource waters or outstanding state resource waters, as designated in Tables D and E.

(D) The three (3) levels of protection provided by the antidegradation policy in subsections (A) through (C) of this section shall be implemented according to procedures hereby incorporated by reference and known as the “Missouri Antidegradation Rule and Implementation Procedure, April 20, 2007, Revised May 7, 2008.” No later amendments or additions are included. This document shall be made available to anyone upon written request to the Department of Natural Resources, Water Protection Program, Water Pollution Control Branch, PO Box 176, Jefferson City, MO 65102-0176.

(3) General Criteria. The following water quality criteria shall be applicable to all waters of the state at all times including mixing zones. No water contaminant, by itself or in combination with other substances, shall prevent the waters of the state from meeting the following conditions:

(A) Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly, or harmful bottom deposits or prevent full maintenance of beneficial uses;

(B) Waters shall be free from oil, scum, and floating debris in sufficient amounts to be unsightly or prevent full maintenance of beneficial uses;

(C) Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor, or prevent full maintenance of beneficial uses;

(D) Waters shall be free from substances or conditions in sufficient amounts to result in

toxicity to human, animal, or aquatic life;

(E) There shall be no significant human health hazard from incidental contact with the water;

(F) There shall be no acute toxicity to livestock or wildlife watering;

(G) Waters shall be free from physical, chemical, or hydrologic changes that would impair the natural biological community;

(H) Waters shall be free from used tires, car bodies, appliances, demolition debris, used vehicles or equipment, and solid waste as defined in Missouri’s Solid Waste Law, section 260.200, RSMo, except as the use of such materials is specifically permitted pursuant to sections 260.200–260.247, RSMo;

(I) Waters in mixing zones and unclassified waters which support aquatic life on an intermittent basis shall be subject to the following requirements:

1. The acute toxicity criteria of Tables A and B and the requirements of subsection (4)(B); and

2. The following whole effluent toxicity conditions must be satisfied:

A. Single dilution method. The percent effluent at the edge of the zone of initial dilution will be computed and toxicity tests performed at this percent effluent. These tests must show statistically-insignificant mortality on the most sensitive of at least two (2) representative, diverse species; and

B. Multiple dilution method. An LC_{50} will be derived from a series of test dilutions. The computed percent effluent at the edge of the zone of initial dilution must be less than three-tenths (0.3) of the LC_{50} for the most sensitive of at least two (2) representative, diverse species.

(4) Specific Criteria. The specific criteria shall apply to classified waters. Protection of drinking water supply is limited to surface waters designated for raw drinking water supply and aquifers. Protection of whole body contact recreation is limited to classified waters designated for that use.

(A) The maximum chronic toxicity criteria in Tables A and B shall apply to waters designated for the indicated uses given in Tables G and H. All Table A and B criteria are chronic toxicity criteria, except those specifically identified as acute criteria. Water contaminants shall not cause or contribute to concentrations in excess of these values. Table A values listed as health advisory levels shall be used in establishing discharge permit limits and management strategies until additional data becomes available to support alternative criteria, or other standards are established. However, exceptions may be granted in the following cases:



1. Permanent flow streams when the stream flow is less than 7Q10;

2. Regulated flow streams if the flow is less than the minimum release flow agreed upon by the regulating agencies;

3. For the natural and unavoidable chemical and physical changes that occur in the hypolimnion of lakes. Streams below impoundments shall meet applicable specific criteria;

4. For mixing zones.

A. The mixing zone shall be exempted from the chronic criteria requirements of this section for those components of waste that are rendered nontoxic by dilution, dissipation, or rapid chemical transformation. Acute numeric criteria of Tables A and B and whole effluent acute toxicity requirements of subsection (3)(I) must be met at all times within the mixing zone, except within the zone of initial dilution. The following criteria do not apply to thermal mixing zones. Criteria for thermal mixing zones are listed in paragraph (4)(D)6.

B. The maximum size of mixing zones and zone of initial dilution will be determined as follows:

(I) Streams with 7Q10 low flows of less than one-tenth cubic foot per second (0.1 cfs);

(a) Mixing zone—not allowed;

and

(b) Zone of initial dilution—not allowed;

(II) Streams with 7Q10 low flow of one-tenth to twenty cubic feet per second (0.1–20 cfs)—

(a) Mixing zone—one-quarter (1/4) of the stream width, cross-sectional area, or volume of flow; length one-quarter (1/4) mile. If the discharger can document that rapid and complete mixing of the effluent occurs in the receiving stream, the mixing zone may be up to one-half (1/2) of the stream width, cross-sectional area, or volume of flow; and

(b) Zone of initial dilution—one-tenth (0.1) of the mixing zone width, cross-sectional area, or volume of flow;

(III) Streams with 7Q10 low flow of greater than twenty cubic feet per second (20 cfs)—

(a) Mixing zone—one-quarter (1/4) of stream width, cross-sectional area, or volume of flow; length of one-quarter (1/4) mile; and

(b) Zone of initial dilution—one-tenth (0.1) of the mixing zone width, cross-sectional area, or volume of flow and no more than ten (10) times the effluent design flow volume unless the use of diffusers or specific mixing zone studies can justify more dilution; and

(IV) Lakes.

(a) Mixing zone—not to exceed

one-quarter (1/4) of the lake width at the discharge point or one hundred feet (100') from the discharge point, whichever is less.

(b) Zone of initial dilution—not allowed.

C. A mixing zone shall not overlap another mixing zone in a manner that the maintenance of aquatic life in the body of water in the overlapping area would be further adversely affected.

D. Other factors that may prohibit or further limit the size and location of mixing zones are the size of the river, the volume of discharge, the stream bank configuration, the mixing velocities, other hydrologic or physiographic characteristics, and the designated uses of the water, including type of aquatic life supported, potential effects on mouths of tributary streams, and proximity to water supply intakes.

E. Zones of passage must be provided wherever mixing zones are allowed.

F. Mixing zone and zone of initial dilution size limits will normally be based on streams at the 7Q10 low flow. However, this percent of stream size limits also applies at higher stream flows and discharge limitations may be based on higher stream flows if discharge volume or quality may be adjusted to correlate with stream flow; and

5. For wetlands. Water quality needs will vary depending on the individual characteristics of wetlands. Application of numeric criteria will depend on the specific aquatic life, wildlife, and vegetation requirements.

A. Specific criteria for wetlands shall be developed using scientific procedures including, but not limited to, those procedures described in the U.S. Environmental Protection Agency's *Water Quality Standards Handbook*, Second Edition, August 1994.

B. Specific criteria shall protect all life stages of species associated with wetlands and prevent acute and chronic toxicity in all parts of the wetland.

C. Specific criteria shall include both chronic and acute concentrations to better reflect the different tolerances to the inherent variability between concentrations and toxicological characteristics of a condition.

D. Specific criteria shall be clearly identified as maximum "not to be exceeded" or average values, and if an average, the averaging period and the minimum number of samples. The conditions, if any, when the criteria apply shall be clearly stated (e.g., specific levels of hardness, pH, or water temperature). Specific sampling requirements (e.g., location, frequency), if any, shall also be identified.

E. The data, testing procedures, and application (safety) factors used to develop specific criteria shall reflect the nature of the condition (e.g., persistency, bioaccumulation

potential) and the most sensitive species associated with the wetland.

F. Each specific criterion shall be promulgated in rule 10 CSR 20-7.031. The public notice shall include a description of the affected wetland and the reasons for applying the proposed criterion. A public hearing may be held in the geographical vicinity of the affected wetland. Any specific criterion promulgated under these provisions is subject to U.S. EPA approval prior to becoming effective.

(B) Toxic Substances.

1. Water contaminants shall not cause the criteria in Tables A and B to be exceeded. Concentrations of these substances in bottom sediments or waters shall not harm benthic organisms and shall not accumulate through the food chain in harmful concentrations, nor shall state and federal maximum fish tissue levels for fish consumption be exceeded. More stringent criteria may be imposed if there is evidence of additive or synergistic effects.

2. For compliance with this rule, metals shall be analyzed by the following methods:

A. Aquatic life protection and human health protection—fish consumption.

(I) Mercury—total recoverable metals.

(II) All other metals—dissolved metals;

B. Drinking water supply—total recoverable metals; and

C. All other beneficial uses—total recoverable metals.

3. Other potentially toxic substances for which sufficient toxicity data are not available may not be released to waters of the state until safe levels are demonstrated through adequate bioassay studies.

4. Drinking water criteria, for substances which are rendered nontoxic by transformation processes in the surface water body, shall apply at water supply withdrawal points.

5. Site-specific alternative criteria for human health-fish consumption may be allowed. Designation of these site-specific criteria must follow the established variance request process.

6. Metals criteria for which toxicity is hardness dependent are in equation format in Table A.

7. Total ammonia nitrogen. For any given sample, the total ammonia nitrogen criteria shall be based on the pH and temperature of the water body measured at the time of each sample at the point of compliance.



A. The acute criteria shall not be exceeded at any time except in those waters for which the department has allowed a zone of initial dilution (ZID). The one- (1-) day Q_{10} low flow condition will be used in determining acute total ammonia nitrogen criteria.

B. The chronic criteria shall not be exceeded except in water segments for which the department has allowed a mixing zone (MZ). The chronic criteria shall be based on a thirty- (30-) day exposure period. Therefore, the thirty- (30-) day Q_{10} low flow condition of the receiving water body will be used in determining chronic total ammonia nitrogen criteria.

C. Without sufficient and reliable data, it is assumed that early life stages are present and must be protected at all times of the year.

(I) Sufficient and reliable data shall include, but are not limited to, seasonal studies on the fish species distributions, spawning periods, nursery periods, duration of sensitive life stages, and water body temperature. Best professional judgment from fisheries biologists and other scientists will be considered as appropriate.

(II) The time frames during the year when early life stages are considered to be absent are those time periods when early life stages are present in numbers that, if chronic toxicity did occur, would not affect the long-term success of the populations.

(III) A source of information for determining the duration of early life stages is *The American Society for Testing and Materials (ASTM) Standard E-1241*, "Standard Guide for Conducting Early Life-Stage Toxicity Tests with Fishes."

(IV) Protection of early life stages should include the most sensitive species that have used a water body for spawning and rearing since November 28, 1975.

(C) Bacteria. The protection of whole body contact recreation is limited to classified waters designated for that use. The recreational season is from April 1 to October 31. The *E. coli* count shall not exceed the criterion listed in Table A as a geometric mean during the recreational season in waters designated for whole body contact recreation. The *E. coli* count shall not exceed one hundred twenty-six (126) per one hundred milliliters (100 mL) at any time in losing streams. For waters designated for secondary contact recreation, the *E. coli* count shall not exceed one thousand one hundred thirty-four (1,134) per one hundred milliliters (100 mL) as a geometric mean during the recreational season.

(D) Temperature.

1. For general and limited warm-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of

the water course shall not raise or lower the temperature of a stream more than five degrees Fahrenheit (5 °F) or two and seven-ninths degrees Celsius (2 7/9 °C). Water contaminant sources shall not cause or contribute to stream temperature in excess of ninety degrees Fahrenheit (90 °F) or thirty-two and two-ninths degrees Celsius (32 2/9 °C). However, site-specific ambient temperature data and requirements of sensitive resident aquatic species will be considered, when data are available, to establish alternative maxima or deviations from ambient temperatures.

2. For cool-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of the water course shall not raise or lower the temperature of a stream more than five degrees Fahrenheit (5 °F) or two and seven-ninths degrees Celsius (2 7/9 °C). Water contaminant sources shall not cause or contribute to stream temperature in excess of eighty-four degrees Fahrenheit (84 °F) or twenty-eight and eight-ninths degrees Celsius (28 8/9 °C).

3. For cold-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of the water course shall not raise or lower the temperature of the water body more than two degrees Fahrenheit (2 °F) or one and one-ninth degrees Celsius (1 1/9 °C). Water contaminant sources shall not cause or contribute to temperatures above sixty-eight degrees Fahrenheit (68 °F) or twenty degrees Celsius (20 °C).

4. Water contaminant sources shall not cause any measurable rise in the temperature of lakes. An increase is allowable for Lake Springfield, Thomas Hill Reservoir, and Montrose Lake; however, discharges from these lakes must comply with temperature limits for streams.

5. For the Mississippi River Zones 1A and 2, the water temperature outside the mixing zone shall not exceed the maximum limits indicated in the following list during more than one percent (1%) of the time in any calendar year. In Zone 1B, limits may not be exceeded more than five percent (5%) of the time in a calendar year. At no time shall the river water temperature outside of the thermal mixing zone exceed the listed limits by more than three degrees Fahrenheit (3 °F) or one and six-ninths degrees Celsius (1 6/9 °C).

	A and B		C	
	(°F)	(°C)	(°F)	(°C)
January	45	7 2/9	50	10
February	45	7 2/9	50	10
March	57	13 8/9	60	15 5/9
April	68	20	70	21 1/9
May	78	25 5/9	80	26 6/9
June	86	30	87	30 5/9
July	88	31 1/9	89	31 6/9

August	88	31 1/9	89	31 6/9
September	86	30	87	30 5/9
October	75	23 8/9	78	25 5/9
November	65	18 3/9	70	21 1/9
December	52	11 1/9	57	13 8/9

A = Zone 1A—Des Moines River to Lock and Dam No. 25.

B = Zone 1B—Lock and Dam No. 25 to Lock and Dam No. 26.

C = Zone 2—Lock and Dam No. 26 to the Missouri-Arkansas state line.

6. Thermal mixing zones shall be limited to twenty-five percent (25%) of the cross-sectional area or volume of a river, unless biological surveys performed in response to section 316(a) of the federal Clean Water Act (or equivalent) indicate no significant adverse impact on aquatic life. Thermal plume lengths and widths within rivers, and all plume dimensions within lakes, shall be determined on a case-by-case basis and shall be based on physical and biological surveys when appropriate.

(E) pH. Water contaminants shall not cause pH to be outside of the range of 6.5 to 9.0 standard pH units.

(F) Taste- and Odor-Producing Substances. Taste- and odor-producing substances shall be limited to concentrations in the streams or lakes that will not interfere with beneficial uses of the water. For those streams and lakes designated for drinking water supply use, the taste- and odor-producing substances shall be limited to concentrations that will not interfere with the production of potable water by reasonable water treatment processes.

(G) Turbidity and Color. Water contaminants shall not cause or contribute to turbidity or color that will cause substantial visible contrast with the natural appearance of the stream or lake or interfere with beneficial uses.

(H) Solids. Water contaminants shall not cause or contribute to solids in excess of a level that will interfere with beneficial uses. The stream or lake bottom shall be free of materials which will adversely alter the composition of the benthos, interfere with the spawning of fish or development of their eggs, or adversely change the physical or chemical nature of the bottom.

(I) Radioactive Materials. All streams and lakes shall conform to state and federal limits for radionuclides established for drinking water supply.

(J) Dissolved Oxygen. Water contaminants shall not cause the dissolved oxygen to be lower than the levels described in Table A or Table K—Site-Specific Criteria.

(K) Total Dissolved Gases. Operation of impoundments shall not cause the total dissolved gas concentrations to exceed one hundred ten percent (110%) of the saturation value for gases at the existing atmospheric and hydrostatic pressures.

(L) Sulfate and Chloride Limit for Protection of Aquatic Life. Water contaminants shall not cause sulfate or chloride criteria to exceed the levels described in Table A.

(M) Carcinogenic Substances. Carcinogenic substances shall not exceed concentrations in water which correspond to the 10⁻⁶ cancer risk rate. This risk rate equates to one (1) additional cancer case in a population of one (1) million with lifetime exposure. Derivation of this concentration assumes average water and fish consumption amounts. Assumptions are two (2) liters of water and six and one-half (6.5) grams of fish consumed per day. Federally established final maximum contaminant levels for drinking water supply shall supersede drinking water supply criteria developed in this manner.

(N) Nutrients and Chlorophyll.

1. Definitions.

A. For the purposes of this rule—

(I) All lakes and reservoirs shall be referred to as “lakes”; and

(II) Only total phosphorus (TP) criteria are derived from lake characteristics. Total nitrogen (TN) and chlorophyll (Chl) criteria are determined as a function of TP criteria.

B. Lake ecoregions—Due to differences in topography, soils, and geology, nutrient criteria for lakes and reservoirs will be determined by the use of four (4) major ecoregions. These regions were delineated by grouping the ecological subsections described in Nigh and Schroeder, 2002, *Atlas of Missouri Ecoregions*, Missouri Department of Conservation as follows:

(I) Plains: TP2—Deep Loess Hills; TP3—Loess Hills; TP4—Grand River Hills; TP5—Chariton River Hills; TP6—Claypan Till Plains; TP7—Wyaconda River Dissected Till Plains; TP8—Mississippi River Hills;

(II) Ozark Border: MB2a—Crowley’s Ridge Loess Woodland/Forest Hills; OZ11—Prairie Ozark Border; OZ12—Outer Ozark Border; OZ13—Inner Ozark Border;

(III) Ozark Highland: OZ1—Springfield Plain; OZ2—Springfield Plateau; OZ3—Elk River Hills; OZ4—White River Hills; OZ5—Central Plateau; OZ6—Osage River Hills; OZ7—Gasconade River Hills; OZ8—Meramec River Hills; OZ9—Current River Hills; OZ10—St. Francois Knobs and Basins; OZ14—Black River Ozark Border; and

(IV) Big River Floodplain: MB1—Black River Alluvial Plain; MB2b—Crowley’s Ridge Footslopes and Alluvial Plains; MB3—St. Francis River Alluvial Plain;

MB4, OZ16, TP9—Mississippi River Alluvial Plain; OZ15, TP1—Missouri River Alluvial Plain.

C. Criteria values.

(I) Prediction value—A TP concentration that is derived from the characteristics of a lake including dam height in feet, hydraulic residence time in years, and percentage of the watershed that was historically covered by prairie grasses. Prediction values for total phosphorus are calculated directly from these characteristics.

(II) Reference value—A TP concentration that is representative of lakes within an ecoregion having the following characteristics:

(a) Less than twenty percent (20%) of the watershed is in crop land and urban land combined;

(b) There are no point source wastewater discharges and no concentrated animal feeding operations within the watershed;

(c) In the Plains region, more than fifty percent (50%) of the watershed is in grass land; and

(d) In the Ozark Highlands region, more than fifty percent (50%) of the watershed is in woodland.

(III) Site-specific value—A TP concentration for a lake that has been identified as having trophic characteristics for which the reference of the ecoregion and the prediction values for that water body are not adequate to prevent deterioration of water quality. Site-specific criteria are applicable to lakes having a geometric mean TP concentration equal to or less than the 10th percentile value of the range of geometric mean TP concentrations measured in reference lakes within a lake ecoregion. Site-specific criteria are also applicable to lakes with actual TP geometric mean concentrations that are at or below the reference value where the prediction value is at or below the 10th percentile for TP geometric mean concentrations within a lake ecoregion. The 10th percentile values for each ecoregion are listed in Table L and lakes with site-specific criteria are listed in Tables M and N.

D. Tributary arm—A substantial segment of an L2 lake that is primarily recharged by a source or sources other than the main channel of the lake.

2. This rule applies to all lakes and reservoirs that are waters of the state and that are outside the Big River Floodplain ecoregion and have an area of at least ten (10) acres during normal pool.

3. Nutrient criteria for lakes and reservoirs with site-specific criteria are listed in Tables M and N. Nutrient criteria for other lakes are as follows:

A. Total phosphorus (TP)—

(I) For lakes in which the TP prediction value or the actual TP concentration does not exceed the reference value listed in Table L, the TP criterion shall be the reference value, except as described below;

(II) For lakes in which the TP prediction value does not exceed the reference value, and the actual TP value does not exceed the prediction value, the TP criterion shall be the prediction value;

(III) For lakes in which the TP prediction value and the actual TP concentration exceed the reference value listed in Table L, the TP criterion shall be limited to the prediction value; and

(IV) Site-specific TP criteria for the tributary arms of L2 lakes are listed in Table N;

B. Total nitrogen (TN)—

(I) For lakes in which the TP prediction value does not exceed the reference value listed in Table L, TN concentration shall be limited to twenty (20) times the TP reference value;

(II) For lakes in which the TP prediction value does not exceed the reference value, and the actual TP value does not exceed the prediction value, TN concentration shall be limited to twenty (20) times the TP prediction value;

(III) For lakes in which the TP prediction value exceeds the TP reference value listed in Table L, TN concentration shall be limited to twenty (20) times the TP prediction value; and

(IV) This portion of the rule does not apply to lakes that are held to site-specific criteria for TP, TN, and Chl, as listed in Tables M and N; and

C. Chlorophyll (Chl)—Chl criteria shall be calculated from TP criteria as follows:

(I) Plains: Chl:TP = 0.44;

(II) Ozark Border and Ozark Highlands: Chl:TP = 0.42; and

(III) This portion of the rule does not apply to lakes that are held to site-specific criteria for TP, TN, and Chl, as listed in Tables M and N.

4. All TP, TN, and chlorophyll concentrations must be calculated as the geometric mean of a minimum of four (4) representative samples per year for four (4) years that are not necessarily consecutive. All samples must be collected from the surface, near the outflow end of the lake, and during the period May 1–August 31.

(O) All methods of sample collection, preservation, and analysis used in applying criteria in these standards shall be in accord with those prescribed in the latest edition of *Standard Methods for the Examination of Water and Wastewater* or other procedures approved by the Environmental Protection

Agency and the Missouri Department of Natural Resources.

(P) Criteria to protect designated uses are based on current technical literature, especially the Environmental Protection Agency's publication, *Quality Criteria for Water*, 1986. Criteria may be modified or expanded as additional information is developed or as needed to define narrative criteria for particular situations or locations.

(Q) WET Chronic Tests. Chronic WET tests performed at the percent effluent at the edge of the mixing zone shall not be toxic to the more sensitive of at least two (2) representative, diverse species. Pollutant attenuation processes such as volatilization and biodegradation which may occur within the allowable mixing zone will be considered in interpreting results.

(R) Biocriteria. The biological integrity of waters, as measured by lists or numeric diversity indices of benthic invertebrates, fish, algae, or other appropriate biological indicators, shall not be significantly different from reference waters. Waters shall be compared to reference waters of similar size within an ecoregion. Reference water locations are listed in Table I.

(S) Site-Specific Criteria Development for the Protection of Aquatic Life. When water quality criteria in this regulation are either underprotective or overprotective of water quality due to natural, non-anthropogenic conditions for a given water body segment, a petitioner may request site-specific criteria. The petitioner must provide the department with sufficient documentation to show that the current criteria are not adequate and that the proposed site-specific criteria will protect all existing and/or potential uses of the water body.

1. Site-specific criteria may be appropriate where, but is not limited to the examples given in subparagraphs A. or B. of this paragraph.

A. The resident aquatic species of the selected water body have a different degree of sensitivity to a specific pollutant as compared to those species in the data set used to calculate the national or state criteria as described in either of the following parts:

(I) Natural adaptive processes have enabled a viable, balanced aquatic community to exist in waters where natural (non-anthropogenic) background conditions exceed the criterion (e.g., resident species have evolved a genetically-based greater tolerance to high concentrations of a chemical); or

(II) The composition of aquatic species in a water body is different from those used in deriving a criterion (e.g., most of the species considered among the most sensitive, such as salmonids or the cladoceran, *Ceriodaphnia dubia*, which were used in

developing a criterion, are absent from a water body).

B. The physical and/or chemical characteristics of the water body alter the biological availability and/or toxicity of the pollutant (e.g., pH, alkalinity, salinity, water temperature, hardness).

2. All petitioners seeking to develop site-specific criteria shall coordinate with the department early in the process. This coordination will ensure the use of adequate, relevant, and quality data; proper analysis and testing; and defensible procedures. The department will provide guidance for establishing site-specific water quality criteria using scientific procedures including, but not limited to, those procedures described in the U.S. Environmental Protection Agency's *Water Quality Standards Handbook*, Second Edition, August 1994.

3. Site-specific criteria shall protect all life stages of resident species and prevent acute and chronic toxicity in all parts of a water body.

4. Site-specific criteria shall include both chronic and acute concentrations to better reflect the different tolerances of resident species to the inherent variability between concentrations and toxicological characteristics of a chemical.

5. Site-specific criteria shall be clearly identified as maximum "not to be exceeded" or average values, and if an average, the averaging period and the minimum number of samples. The conditions, if any, when the criteria apply shall be clearly stated (e.g., specific levels of hardness, pH, or water temperature). Specific sampling requirements (e.g., location, frequency), if any, shall also be identified.

6. The data, testing procedures, and application (safety) factors used to develop site-specific criteria shall reflect the nature of the chemical (e.g., persistency, bioaccumulation potential, and avoidance or attraction responses in fish) and the most sensitive resident species of a water body.

7. The size of a site may be limited to a single water segment, single water subsegment, or may cover a whole watershed depending on the particular situation for which the specific criterion is developed. A group of water bodies may be considered one (1) site if their respective aquatic communities are similar in composition and have comparable water quality.

8. The department shall determine if a site-specific criterion is adequate and justifiable. Each site-specific criterion shall be promulgated into rule 10 CSR 20-7.031. The public notice shall include a description of the affected water body or water body segment and the reasons for applying the proposed criterion. If the department determines

that there is significant public interest, a public hearing may be held in the geographical vicinity of the affected water body or water body segment. Any site-specific criterion promulgated under these provisions is subject to U.S. EPA approval prior to becoming effective.

(5) Groundwater.

(A) Water contaminants shall not cause or contribute to exceedance of Table A, groundwater limits in aquifers and caves. Table A values listed as health advisory levels shall be used in establishing management strategies and groundwater cleanup criteria, until additional data becomes available to support alternative criteria or other standards are established. Substances not listed in Table A shall be limited so that drinking water, livestock watering, and irrigation uses are protected.

(B) When criteria for the protection of aquatic life or human health protection-fish consumption in Table A are more stringent than groundwater criteria, appropriate criteria for the protection of aquatic life or human health protection-fish consumption shall apply to waters in caves and to aquifers which contribute an important part of base flow of surface waters designated for aquatic life protection. Other substances not listed in Table A shall be limited in these aquifers and caves so that the aquatic life use is protected.

(C) Groundwater and other criteria shall apply in any part of the aquifer, including the point at which the pollutant enters the aquifer. A specific monitoring depth requirement for releases to aquifers is included in 10 CSR 20-7.015(7)(A).

(D) For aquifers in which contaminant concentrations exceed groundwater criteria or other protection criteria, and existing and potential uses are not impaired, alternative site-specific criteria may be allowed. To allow alternative criteria, the management authority must demonstrate that alternative criteria will not impair existing and potential uses. The demonstration must consider the factors and be subject to the review requirements of 10 CSR 20-7.015(7)(F).

(6) Metropolitan No-Discharge Streams. No water contaminant except uncontaminated cooling water, permitted stormwater discharges in compliance with permit conditions and excess wet-weather bypass discharges not interfering with beneficial uses, shall be discharged to the watersheds of streams listed in Table F. Existing interim discharges may be allowed until interceptors are available within two thousand feet (2,000') or a distance deemed feasible by the department, or unless construction of outfalls to alternative receiving waters not listed in Table F is deemed feasible by the department. Existing discharges



include wastewater volumes up to the design capacity of existing permitted treatment facilities, including phased increases in design capacity approved by the department prior to the effective date of this rule. Additional facilities may be constructed to discharge to these waters only if they are intended to be interim facilities in accordance with a regional wastewater treatment plan approved by the department.

(7) Outstanding National Resource Waters. Under section (2), antidegradation section of this rule, new releases to outstanding national resource waters from any source are prohibited and releases from allowed facilities are subject to special effluent limitations as required in 10 CSR 20-7.015(6). Table D contains a list of the outstanding national resource waters in Missouri.

(8) Outstanding State Resources Waters. The commission wishes to recognize certain high-quality waters that may require exceptionally stringent water-quality management requirements to assure conformance with the antidegradation policy. The degree of management requirements will be decided on an individual basis. To qualify for inclusion, all of the following criteria must be met. The waters listed in Table E must—

(A) Have a high level of aesthetic or scientific value;

(B) Have an undeveloped watershed; and

(C) Be located on or pass through lands which are state or federally owned, or which are leased or held in perpetual easement for conservation purposes by a state, federal, or private conservation agency or organization.

(9) Lake Taneycomo. The commission wishes to recognize the uniqueness of Lake Taneycomo with respect to its high water clarity, its importance as a trout fishery, and as the central natural resource in the rapidly developing Branson area and threats to the lake's water quality imposed by development. An especially stringent antidegradation policy will be observed in the development of effluent rules, discharge permits, and nonpoint-source management plans and permits to assure that the high visual quality and aquatic resources are maintained. The use of the best treatment technology for point- and nonpoint-source discharges in the lake's watershed between Table Rock Lake and Power Site Dam will be the guiding principle in establishing limitations.

(10) Compliance with Water Quality Based Limitations. Compliance with new or revised National Pollutant Discharge Elimination System (NPDES) or Missouri operating permit limitations based on criteria in this rule

shall be achieved with all deliberate speed and in accordance with federal regulation at 40 CFR Part 122.47, "Schedules of Compliance," May 15, 2000, as published by the Office of the Federal Register, National Archives and Records Administration, Superintendent of Documents, Pittsburgh, PA 15250-7954, which is hereby incorporated by reference and does not include any later amendments or additions. The department shall maintain a copy of the referenced document and shall make it available to the public for inspection and copying at no more than the actual cost of reproduction.

(11) Losing Streams.

(A) Losing stream determinations will usually be made upon the first application for discharge to a specific water or location within a watershed for a wastewater treatment facility, subdivision development, or animal waste management facility.

(B) Permits or other approvals for those applications will be processed in accordance with the determinations. Additional permits or approvals will be processed in accordance with the latest determination.

(C) For application purposes, any proposed facility within five (5) miles of a known losing stream segment should presume that facility's receiving stream segment is also losing until and unless a specific geologic evaluation is made of that stream and concludes the stream segment is gaining.

(D) Existing facilities operating under a state operating permit and new facilities being constructed under a construction permit in proximity to stream segments subsequently determined to be losing will be allowed to continue in operation at permitted or approved effluent limits for a period of time lasting the design life of the facility (usually twenty (20) years from the original construction completion), provided the facility is in compliance with its effluent limits and remains in compliance with those limits, and if neither of the following conditions is present:

1. If the discharge from such a facility can be eliminated by connection to a locally available facility, the facility shall be connected within three (3) years of the losing stream determination. A local facility shall be considered available if that facility or an interceptor is within two thousand feet (2000') or a distance deemed feasible by the department; and

2. If the discharge from such a facility is shown to cause pollution of groundwater, the facility shall be upgraded to appropriate effluent standards within three (3) years. The department shall include appropriate groundwater monitoring requirements in permits for any such facilities so that pollution, should it

occur, would be detected.

(E) Any additional permits or approvals for increased treatment plant design capacity will be processed in accordance with the newest losing stream determination. No additional permits or approvals for any facilities shall be construed as lengthening the time for compliance with losing stream effluent limitations as established in subsection (11)(D).

(12) Severance. If a section, subsection, paragraph, sentence, clause, phrase, or any part of this rule be declared unconstitutional or invalid for any reason, the remainder of this rule shall not be affected and shall remain in full force and effect.

(13) Effective Date. This rule becomes effective immediately upon adoption and compliance with the requirements of subsection 644.036.3., RSMo, of the Missouri Clean Water Law and Chapter 536, RSMo.



Table A—Criteria for Designated Uses

- WBC = Whole Body Contact Recreation
- SCR = Secondary Contact Recreation
- AQL = Protection of Aquatic Life
- DWS = Drinking Water Supply
- LWW = Livestock and Wildlife Watering
- GRW = Groundwater

Pollutant ($\mu\text{g/L}$)	AQL
Chlorine (total residual)	
cold-water	2
warm-water chronic—	10
acute—	19
Cyanide (amenable to chlorination)	
chronic—	5
acute—	22
Hydrogen sulfide (un-ionized)	2

Pollutant (mg/L)	AQL	DWS	LWW	GRW
Chloride				
chronic—	(+)	250		
acute—	(+)			
Sulfate	(+)	250		
Fluoride		4	4	4
Nitrate-N		10		10
Dissolved oxygen (minimum)*				
warm-water and cool-water fisheries	5			
cold-water fisheries	6			
Oil and grease	10			

+ See Non-Metals (Hardness Dependent).

* Site-Specific Criteria have been promulgated for waters listed in Table K.

Pollutant (/100 mL)	WBC-A	WBC-B	SCR
<i>E. coli</i> Bacteria**	126	206	1134

**Geometric mean during the recreational season in waters designated for recreation or at any time in losing streams. The recreational season is from April 1 to October 31.

Pollutant	AQL	
	°F	°C
Temperature (maximum)		
warm-water	90	32 2/9
cool-water	84	28 8/9
cold-water	68	20
Temperature (maximum change)		
warm-water	5	2 7/9
cool-water	5	2 7/9
cold-water	2	1 6/9

Pollutant (percent saturation)	AQL
Total Dissolved Gases	110%



- AQL = Protection of Aquatic Life
- HHF = Human Health Protection-Fish Consumption
- DWS = Drinking Water Supply
- IRR = Irrigation
- LWW = Livestock Wildlife Watering
- GRW = Groundwater

Pollutant (µg/L)	AQL	HHF	DWS	IRR	LWW	GRW
Metals (refer to text in 10 CSR 20-7.031(4)(B)2.)						
(Not Hardness Dependant)						
Aluminum (acute)	750					
Antimony		4,300	6			6
Arsenic	20		50	100		50
Barium			2,000			2,000
Beryllium	5		4	100		4
Boron				2,000		2,000
Cadmium	*		5			5
Chromium III	*		100	100		100
Chromium VI						
chronic	10					
acute	15					
Cobalt					1,000	1,000
Copper	*		1,300		500	1,300
Iron	1,000					300
Lead	*		15			15
Manganese						50
Mercury			2			2
chronic	0.5					
acute	2.4					
Nickel	*		100			100
Selenium	5		50			50
Silver	*		50			50
Thallium		6.3	2			2
Zinc	*		5,000			5,000

*See Metals (Hardness Dependent)



AQL = Protection of Aquatic Life

Pollutant (µg/L)	AQL
Metals (Hardness Dependent)	
Cadmium (µg/L)	Acute: $e(1.0166 \cdot \ln(\text{Hardness}) - 3.062490) * (1.136672 - (\ln(\text{Hardness}) * 0.041838))$ Chronic: $e(0.7409 \cdot \ln(\text{Hardness}) - 4.719948) * (1.101672 - (\ln(\text{Hardness}) * 0.041838))$
Chromium III (µg/L)	Acute: $e(0.8190 \cdot \ln(\text{Hardness}) + 3.725666) * 0.316$ Chronic: $e(0.8190 \cdot \ln(\text{Hardness}) + 0.684960) * 0.860$
Copper (µg/L)	Acute: $e(0.9422 \cdot \ln(\text{Hardness}) - 1.700300) * 0.960$ Chronic: $e(0.8545 \cdot \ln(\text{Hardness}) - 1.702) * 0.960$
Lead (µg/L)	Acute: $e(1.273 \cdot \ln(\text{Hardness}) - 1.460448) * (1.46203 - (\ln(\text{Hardness}) * 0.145712))$ Chronic: $e(1.273 \cdot \ln(\text{Hardness}) - 4.704797) * (1.46203 - (\ln(\text{Hardness}) * 0.145712))$
Nickel (µg/L)	Acute: $e(0.8460 \cdot \ln(\text{Hardness}) + 2.255647) * 0.998$ Chronic: $e(0.8460 \cdot \ln(\text{Hardness}) + 0.058978) * 0.997$
Silver (µg/L)	Acute: $e(1.72 \cdot \ln(\text{Hardness}) - 6.588144) * 0.850$
Zinc (µg/L)	Acute: $e(0.8473 \cdot \ln(\text{Hardness}) + 0.884) * 0.98$ Chronic: $e(0.8473 \cdot \ln(\text{Hardness}) + 0.884) * 0.98$

	Hardness								
	50-74	75-99	100-124	125-149	150-174	175-199	200-224	225-249	250+
Cadmium									
Acute:	2.4	3.6	4.8	5.9	7.1	8.2	9.4	10.5	11.6
Chronic:	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.4	0.5
Chromium III									
Acute:	323	450	570	684	794	901	1,005	1,107	1,207
Chronic:	42	59	74	89	103	117	131	144	157
Copper									
Acute:	7	10	13	17	20	23	26	29	32
Chronic:	5	7	9	11	13	14	16	18	20
Lead									
Acute:	30	47	65	82	100	118	136	154	172
Chronic:	1	2	3	3	4	5	5	6	7
Nickel									
Acute:	261	367	469	566	660	752	842	930	1,017
Chronic:	29	41	52	63	73	84	94	103	113
Silver									
Acute:	1.0	2.0	3.2	4.7	6.5	8.4	10.6	13.0	15.6
Zinc									
Acute:	65	92	117	142	165	188	211	233	255
Chronic:	65	92	117	142	165	188	211	233	255

AQL = Protection of Aquatic Life

Pollutant (mg/L)	AQL
Non-Metals (Hardness Dependent)	
Chloride (mg/L)	Acute: $287.8 * (\text{Hardness})^{0.205797} * (\text{Sulfate})^{-0.07452}$ Chronic: $177.87 * (\text{Hardness})^{0.205797} * (\text{Sulfate})^{-0.07452}$
Sulfate (mg/L)	Chloride, Cl- (mg/L)
Hardness, H (mg/L)	Cl- < 5 5 ≤ Cl- < 25 25 ≤ Cl- ≤ 500
H < 100	500 500 500
100 ≤ H ≤ 500	500 S1 S2
H > 500	500 2,000 2,000
S1 = [-57.478 + 5.79 (hardness) + 54.163 (chloride)] * 0.65	
S2 = [1276.7 + 5.508 (hardness) - 1.457 (chloride)] * 0.65	



AQL = Protection of Aquatic Life
 HHF = Human Health Protection-Fish Consumption
 DWS = Drinking Water Supply
 GRW = Groundwater

Pollutant (µg/L)	AQL	HHF	DWS	GRW
Organics				
Acrolein		780	320	320
Bis-2-chloroisopropyl ether		4,360	1,400	1,400
2, chlorophenol		400	.1	.1
2,4-dichlorophenol	7	790	93	93
2,4-dinitrophenol		14,000	70	70
2,4-dimethylphenol		2,300	540	540
2,4,5-trichlorophenol		9,800	2,600	2,600
2,4,6-trichlorophenol		6.5	2	2
2-methyl-4,6-dinitrophenol		765	13	13
Ethylbenzene	320		700	700
Hexachlorocyclopentadiene	.5		50	50
Isophorone		2,600	36	36
Nitrobenzene		1,900	17	17
Phenol			100	300
chronic—	2,560			
acute—	10,200			
Dichloropropene		1,700	87	87
Para(1,4)-dichlorobenzene		2,600	75	75
Other Dichlorobenzenes		2,600	600	600
1,2,4-trichlorobenzene		940	70	70
1,2,4,5-tetrachlorobenzene		2.9	2.3	2.3
pentachlorobenzene		4.1	3.5	3.5
1,1,1-trichloroethane			200	200
1,1,2-trichloroethane		42	5	5
2,4-dinitrotoluene		9	.11	.04
1,2-diphenylhydrazine		.54	.04	.04
di (2-ethylhexyl) adipate			400	400
n-nitrosodiphenylamine		16	5	5
n-nitrosopyrrolidene		91.9		
2-chloronaphthalene	4,300			
n-nitrosodi-n-propylamine		1.4		

Pollutant (µg/L)	AQL	DWS	GRW
Pesticides			
Demeton	.1		
Endosulfan			
chronic—	.056		
acute—	0.11		
Guthion	.01		
Malathion	.1		
Parathion	.04		
2,4-D		70	70
2,4,5-TP		50	50
Chlorpyrifos	.04		
Alachlor		2	2
Atrazine		3	3
Carbofuran		40	40
Dalapon		200	200
Dibromochloropropane		.2	.2
Dinoseb		7	7
Diquat		20	20
Endothall		100	100
Ethylene dibromide		.05	.05
Oxamyl (vydate)		200	200
Picloram		500	500
Simazine		4	4
Glyphosate		700	700



AQL = Protection of Aquatic Life
 HHF = Human Health Protection-Fish Consumption
 DWS = Drinking Water Supply
 GRW = Groundwater

Pollutant ($\mu\text{g/L}$)	AQL	HHF	DWS	GRW
Bioaccumulative,				
Anthropogenic Toxics (+)				
PCBs		.000045		.000045
4-4' dichlorodiphenyldichloroethane (DDT)		0.00059	0.00059	0.00059
4-4' dichlorodiphenyldichloroethylene (DDE)		0.00059	0.00059	0.00059
4-4' dichlorodiphenyldichloroethane (DDD)		0.00084	0.00083	0.00083
Endrin		.0023	2	2
Endrin aldehyde		.0023	.75	.75
Aldrin		.000079	.00013	.00013
Dieldrin		.000076	.00014	.00014
Heptachlor	.0038	.0002	0.4	0.4
Heptachlor epoxide		.00011	0.2	0.2
Methoxychlor	.03		40	40
Mirex	.001			
Toxaphene		.000073	3	3
Lindane (gamma-BHC)		.062	.2	.2
Alpha,beta,delta-BHC		.0074	.0022	.0022
Chlordane		.00048	2	2
Benzidine		.00053	.00012	.00012
2,3,7,8-tetrachlorodibenzo-p-dioxin (ng/L)* (TCDD or dioxin)		.000014	0.000013	0.000013
Pentachlorophenol**	3.2-pH 6.5	8	1	1
	5.3-pH 7.0			
	8.7-pH 7.5			
	14.0-pH 8.0			
	23.0-pH 8.5			

+ Many of these values are below current detection limits; analyses will be determined by the 17th edition of *Standard Methods* or the most current methods approved by the Environmental Protection Agency.

*Units for dioxin are nanograms/liter (ng/L); 1 $\mu\text{g/L}$ = 1,000 ng/L.

**Toxic impurities may be present in technical-grade pentachlorophenol; monitoring and discharge control will assure that impurities are below toxic concentrations.



HHF = Human Health Protection-Fish Consumption
 DWS = Drinking Water Supply
 GRW = Groundwater

Pollutant ($\mu\text{g/L}$)	HHF	DWS	GRW
Anthropogenic Carcinogens(+)			
Acrylonitrile	.65	.058	.058
Hexachlorobenzene	.00074	1	1
Bis (2-chloroethyl) ether	1.4	.03	.03
Bis (chloromethyl) ether	0.00078	.00013	.00013
Hexachloroethane	8.7	1.9	1.9
3,3'-dichlorobenzidine	0.08	.04	.04
Hexachlorobutadiene	50	.45	.45
n-nitrosodimethylamine	8	.0007	.0007

(+) Some of these values are below current detection limits; analyses will be determined by the 17th edition of *Standard Methods* or the most current methods approved by the Environmental Protection Agency.

Pollutant ($\mu\text{g/L}$)	HHF	DWS	GRW
Volatile Organics			
Chlorobenzene	21,000	100	100
Carbon Tetrachloride	5	5	5
Trihalomethanes		80	80
Bromoform	360	4.3	4.3
Chlorodibromomethane	34	0.41	0.41
Dichlorobromomethane	46	0.56	0.56
Chloroform	470	5.7	5.7
Methyl Bromide	4,000	48	48
Methyl Chloride	470	5	5
Methylene Chloride	1,600	4.7	4.7
Dichlorodifluoromethane	570,000		
Trichlorofluoromethane	860,000		
1,2-dichloroethane	99	5	5
1,1,2,2-tetrachloroethane	11	.17	.17
1,1-dichloroethylene	3.2	7	7
1,2-trans-dichloroethylene	140,000	100	100
1,2-cis-dichloroethylene		70	70
Trichloroethylene	80	5	5
Tetrachloroethylene	8.85	0.8	0.8
Benzene	71	5	5
Toluene	200,000	1,000	1,000
Xylenes (total)		10,000	10,000
Vinyl chloride	525	2	2
Styrene		100	100
1,2-dichloropropane	39	0.52	0.52

Pollutant (Fibers/L)	DWS	GRW
Asbestos	7,000,000	



HHF = Human Health Protection-Fish Consumption
 DWS = Drinking Water Supply
 GRW = Groundwater

Pollutant ($\mu\text{g/L}$)	HHF	DWS	GRW
Polynuclear Aromatic Hydrocarbons			
Anthracene	110,000	9,600	9,600
Fluoranthene	370	300	300
Fluorene	14,000	1,300	1,300
Pyrene	11,000	960	960
Benzo(a)pyrene	.049	0.2	0.2
other polynuclear aromatic hydrocarbons*	.049	.0044	.0044
Acenaphthene	2,700	1,200	1,200

*This concentration is allowed for each of the following PAHs: benzo(a)anthracene, 3,4-benzofluoranthene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene and benzo(k)fluoranthene. Higher values may be allowed if natural background concentrations exceed these values.

Pollutant ($\mu\text{g/L}$)	HHF	DWS	GRW
Phthalate Esters			
Bis(2-ethylhexyl) phthalate	5.9	6	6
Butylbenzyl phthalate	5,200	3,000	3,000
Diethyl phthalate	120,000	23,000	23,000
Dimethyl phthalate	2,900,000	313,000	313,000
Di-n-butyl phthalate	12,000	2,700	2,700

Health Advisory Levels

Pollutant ($\mu\text{g/L}$)	DWS	GRW
Ametryn	60	60
Baygon	3	3
Bentazon	20	20
Bis-2-chloroisopropyl ether	300	300
Bromacil	90	90
Bromochloromethane	90	90
Bromomethane	10	10
Butylate	350	350
Carbaryl	700	700
Carboxin	700	700
Chloramben	100	100
o-chlorotoluene	100	100
p-chlorotoluene	100	100
Chlorpyrifos	20	20
DCPA (dacthal)	4,000	4,000
Diazinon	0.6	0.6
Dicamba	200	200
Diisopropyl methylphosphonate	600	600
Dimethyl methylphosphonate	100	100
1,3-dinitrobenzene	1	1
Diphenamid	200	200
Diphenylamine	200	200
Disulfoton	0.3	0.3
1,4-dithiane	80	80
Diuron	10	10



DWS = Drinking Water Supply
 GRW = Groundwater

Health Advisory Levels (continued)

Pollutant ($\mu\text{g/L}$)	DWS	GRW
Fenamiphos	2	2
Fluometron	90	90
Fluorotrichloromethane	2,000	2,000
Fonofos	10	10
Hexazinone	200	200
Malathion	200	200
Maleic hydrazide	4,000	4,000
MCPA	10	10
Methyl parathion	2	2
Metolachlor	70	70
Metribuzin	100	100
Naphthalene	20	20
Nitroguanidine	700	700
p-nitrophenol	60	60
Paraquat	30	30
Pronamide	50	50
Propachlor	90	90
Propazine	10	10
Propham	100	100
2,4,5-T	70	70
Tebuthiuron	500	500
Terbacil	90	90
Terbufos	0.9	0.9
1,1,1,2-Tetrachloroethane	70	70
1,2,3-trichloropropane	40	40
Trifluralin	5	5
Trinitroglycerol	5	5
Trinitrotoluene	2	2



Table B1. Acute Criteria for Total Ammonia Nitrogen (mg N/L)

pH	Cold-Water Fisheries ⁽¹⁾	Cool & Warm-Water Fisheries ⁽²⁾
6.5	32.6	48.8
6.6	31.3	46.8
6.7	29.8	44.6
6.8	28.1	42.0
6.9	26.2	39.1
7.0	24.1	36.1
7.1	22.0	32.8
7.2	19.7	29.5
7.3	17.5	26.2
7.4	15.4	23.0
7.5	13.3	19.9
7.6	11.4	17.0
7.7	9.6	14.4
7.8	8.1	12.1
7.9	6.7	10.1
8.0	5.6	8.4
8.1	4.6	6.9
8.2	3.8	5.7
8.3	3.1	4.7
8.4	2.5	3.8
8.5	2.1	3.2
8.6	1.7	2.6
8.7	1.4	2.2
8.8	1.2	1.8
8.9	1.0	1.5
9.0	0.8	1.3



Table B2. Chronic Criteria for Total Ammonia Nitrogen (mg N/L): Early Life Stage absent⁽³⁾⁽⁴⁾

pH	Temperature (°C)																
	0-7	8	9	10	11	12	13	14	15	16	18	20	22	24	26	28	30
6.5	10.8	10.1	9.5	8.9	8.3	7.8	7.3	6.8	6.4	6.0	5.3	4.6	4.1	3.6	3.1	2.8	2.4
6.6	10.7	9.9	9.3	8.7	8.2	7.7	7.2	6.7	6.3	5.9	5.2	4.6	4.0	3.5	3.1	2.7	2.4
6.7	10.5	9.8	9.2	8.6	8.0	7.5	7.1	6.6	6.2	5.8	5.1	4.5	3.9	3.5	3.0	2.7	2.3
6.8	10.2	9.5	8.9	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.0	4.4	3.8	3.4	3.0	2.6	2.3
6.9	9.9	9.3	8.7	8.1	7.6	7.2	6.7	6.3	5.9	5.5	4.8	4.3	3.7	3.3	2.9	2.5	2.2
7.0	9.6	9.0	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.3	4.7	4.1	3.6	3.2	2.8	2.4	2.1
7.1	9.2	8.6	8.0	7.5	7.1	6.6	6.2	5.8	5.4	5.1	4.5	3.9	3.5	3.0	2.7	2.3	2.0
7.2	8.7	8.2	7.6	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.3	3.7	3.3	2.9	2.5	2.2	1.9
7.3	8.2	7.7	7.2	6.7	6.3	5.9	5.6	5.2	4.9	4.6	4.0	3.5	3.1	2.7	2.4	2.1	1.8
7.4	7.6	7.2	6.7	6.3	5.9	5.5	5.2	4.8	4.5	4.3	3.7	3.3	2.9	2.5	2.2	1.9	1.7
7.5	7.0	6.6	6.2	5.8	5.4	5.1	4.8	4.5	4.2	3.9	3.4	3.0	2.6	2.3	2.0	1.8	1.6
7.6	6.4	6.0	5.6	5.3	5.0	4.6	4.3	4.1	3.8	3.6	3.1	2.7	2.4	2.1	1.9	1.6	1.4
7.7	5.8	5.4	5.1	4.7	4.4	4.2	3.9	3.7	3.4	3.2	2.8	2.5	2.2	1.9	1.7	1.5	1.3
7.8	5.1	4.8	4.5	4.2	4.4	3.7	3.5	3.2	3.0	2.8	2.5	2.2	1.9	1.7	1.5	1.3	1.1
7.9	4.5	4.2	3.9	3.7	3.5	3.2	3.1	2.8	2.7	2.5	2.2	1.9	1.7	1.5	1.3	1.1	1.0
8.0	3.9	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	1.9	1.7	1.5	1.3	1.1	1.0	0.8
8.1	3.4	3.1	2.9	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.6	1.4	1.2	1.1	1.0	0.8	0.7
8.2	2.9	2.7	2.5	2.4	2.2	2.1	1.9	1.8	1.7	1.6	1.4	1.2	1.1	0.9	0.8	0.7	0.6
8.3	2.4	2.3	2.1	2.0	1.9	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.9	0.8	0.7	0.6	0.5
8.4	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.7	0.6	0.5	0.4
8.5	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.5	0.4	0.4
8.6	1.4	1.4	1.3	1.2	1.1	1.0	1.0	0.9	0.8	0.8	0.7	0.6	0.5	0.4	0.4	0.3	0.3
8.7	1.2	1.1	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.5	0.4	0.4	0.3	0.3	0.2
8.8	1.0	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.2	0.2
8.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2
9.0	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1

Table B3. Chronic Criteria for Total Ammonia Nitrogen (mg N/L): Early Life Stages present ⁽⁵⁾

pH	Temperature (°C)									
	0	14	16	18	20	22	24	26	28	30
6.5	6.6	6.6	6.0	5.3	4.6	4.1	3.6	3.1	2.8	2.4
6.6	6.5	6.5	5.9	5.2	4.6	4.0	3.5	3.1	2.7	2.4
6.7	6.4	6.4	5.8	5.1	4.5	3.9	3.5	3.0	2.7	2.3
6.8	6.2	6.2	5.7	5.0	4.4	3.8	3.4	3.0	2.6	2.3
6.9	6.1	6.1	5.5	4.8	4.3	3.7	3.3	2.9	2.5	2.2
7.0	5.9	5.9	5.3	4.7	4.1	3.6	3.2	2.8	2.4	2.1
7.1	5.6	5.6	5.1	4.5	3.9	3.5	3.0	2.7	2.3	2.0
7.2	5.3	5.3	4.9	4.3	3.7	3.3	2.9	2.5	2.2	1.9
7.3	5.0	5.0	4.6	4.0	3.5	3.1	2.7	2.4	2.1	1.8
7.4	4.7	4.7	4.3	3.7	3.3	2.9	2.5	2.2	1.9	1.7
7.5	4.3	4.3	3.9	3.4	3.0	2.6	2.3	2.0	1.8	1.6
7.6	3.9	3.9	3.6	3.1	2.7	2.4	2.1	1.9	1.6	1.4
7.7	3.5	3.5	3.2	2.8	2.5	2.2	1.9	1.7	1.5	1.3
7.8	3.1	3.1	2.8	2.5	2.2	1.9	1.7	1.5	1.3	1.1
7.9	2.8	2.8	2.5	2.2	1.9	1.7	1.5	1.3	1.1	1.0
8.0	2.4	2.4	2.2	1.9	1.7	1.5	1.3	1.1	1.0	0.8
8.1	2.1	2.1	1.9	1.6	1.4	1.2	1.1	1.0	0.8	0.7
8.2	1.7	1.7	1.6	1.4	1.2	1.1	0.9	0.8	0.7	0.6
8.3	1.5	1.5	1.3	1.2	1.0	0.9	0.8	0.7	0.6	0.5
8.4	1.2	1.2	1.1	1.0	0.9	0.7	0.7	0.6	0.5	0.4
8.5	1.0	1.0	0.9	0.8	0.7	0.6	0.5	0.5	0.4	0.4
8.6	0.9	0.9	0.8	0.7	0.6	0.5	0.4	0.4	0.3	0.3
8.7	0.7	0.7	0.7	0.6	0.5	0.4	0.4	0.3	0.3	0.2
8.8	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.2	0.2
8.9	0.5	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2
9.0	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1

(1) *Salmonids present*: $CMC = [0.275 / (1 + 10^{7.204 - pH})] + [39.0 / (1 + 10^{pH - 7.204})]$

(2) *Salmonids absent*: $CMC = [0.411 / (1 + 10^{7.204 - pH})] + [58.4 / (1 + 10^{pH - 7.204})]$

(3) Without sufficient and reliable data, it is assumed that Early Life Stages are present and must be protected at all times of the year.

(4) Early Life Stages absent

$$CCC = [0.0577 / (1 + 10^{7.688 - pH})] + [2.487 / (1 + 10^{pH - 7.688})] * 1.45 * 10^{0.028 * (25 - \text{MAX}(T, 7))}$$

(5) Early Life Stages present

$$CCC = [0.0577 / (1 + 10^{7.688 - pH})] + [2.487 / (1 + 10^{pH - 7.688})] * \text{MIN}(2.85, 1.45 * 10^{0.028 * (25 - T)})$$



Table C
Waters Designated for Cold-Water Fishery

Water Body	Miles/Acres	From	To	County(ies)
Barren Fork	2.0	Mouth	20,31N,4W	Shannon
Bee Creek	1.0	Mouth	Hwy. 65	Taney
Bender Creek	0.7	Mouth	10,31N,9W	Texas
Bennett Springs Creek	2.0	Mouth	Bennett Springs	Laclede
Blue Springs Creek	4.0	Mouth	2,39N,3W	Crawford
Bryant Creek	1.0	3,23N,12W	34,24N,12W	Ozark
Bryant Creek	6.0	19,27N,14W	8,27N,15W	Douglas
Buffalo Creek	10.0	State line	5,23N,33W	McDonald
Bull Creek	5.0	Mouth	34,24N,21W	Taney
Bull Shoals Lake	9,000.0 ac.	21/34,20N,15W	---	Ozark
Capps Creek	4.0	Mouth	17,25N,28W	Newton-Barry
Cedar Creek	1.0	21,26N,32W	28,26N,32W	Newton
Center Creek	3.0	24,27N,29W	17,27N,28W	Lawrence
Chesapeake Creek	3.0	Mouth	29,28N,25W	Lawrence
Crane Creek	15.0	8,25N,23W	24,26N,25W	Stone-Lawrence
Current River	19.0	24,31N,6W	Montauk Spring	Shannon-Dent
Dogwood Creek	2.3	Mouth	State line	Stone
Dry Creek	4.0	Mouth	14,37N,3W	Crawford
Eleven Point River	33.5	State line	36,25N,4W	Oregon
Flat Creek	3.0	9,23N,27W	21,23N,27W	Barry
Goose Creek	4.0	Mouth	10,28N,25W	Lawrence
Greer Spring Branch	1.0	Mouth	36,25N,4W	Oregon
Hickory Creek	4.5	13,25N,31W	28,25N,31W	Newton
Hobbs Hollow	2.7	Mouth	State line	Stone
Horse Creek	2.2	Mouth	23,35N,8W	Dent
Hunter Creek	5.0	22,26N,15W	20,26N,14W	Douglas
Hurricane Creek	1.5	Mouth	30,24N,12W	Ozark
Hurricane Creek	3.2	Mouth	22,25N,3W	Oregon
Indian Creek	1.4	Mouth	17,21N,23W	Stone
Indian Creek	20.0	Mouth	36,39N,01W	Franklin-Washington
Johnson Creek	3.0	Mouth	36,29N,26W	Lawrence
Joyce Creek	1.0	17,24N,28W	16,24N,28W	Barry
L. Flat Creek	3.5	Mouth	25,25N,27W	Barry
L. Piney Creek	15.0	25,37N,9W	4,35N,8W	Phelps
L. Piney Creek	4.0	04,35N,08W	21,35N,08W	Phelps
L. Sinking Creek	2.2	Mouth	33,32N,4W	Dent
Lake Taneycomo	1,730.0 ac.	8,23N,20W	---	Taney
Lyman Creek	1.0	Mouth	30,40N,3W	Crawford
Maramec Spring Branch	1.0	Mouth	1,37N,6W	Phelps
Meramec River	10.0	22,38N,5W	Hwy. 8	Crawford
Mill Creek	1.5	Mouth	11,40N,8W	Maries
Mill Creek	1.5	Mouth	9,36N,18W	Dallas
Mill Creek	5.0	29,37N,9W	Yelton Spring	Phelps
N. Fork White River	23.0	09,22N,12W	34,25N,11W	Ozark
Niangua River	6.0	11,35N,18W	Bennett Sp. Creek	Dallas
Roaring River	7.0	Mouth	34,22N,27W	Barry
Roark Creek	3.0	Mouth	36,23N,22W	Taney
Roubidoux Creek	4.0	Mouth	25,36N,12W	Pulaski
S. Indian Creek	9.0	24,24N,31W	1,23N,30W	Newton
Schafer Spring Creek	2.0	Mouth	20,32N,6W	Dent
Shoal Creek	1.0	Mouth	18,41N,17W	Morgan
Shoal Creek	7.0	09,25N,29W	16,22N,21W	Newton
Spring Branch	1.0	Mouth	18,41N,17W	Morgan
Spring Creek	5.0	Mouth	14,23N,11W	Ozark
Spring Creek	6.5	Mouth	31,35N,9W	Phelps
Spring Creek	2.5	Mouth	4,41N,2W	Franklin
Spring Creek	5.5	Mouth	12,26N,24W	Stone
Spring Creek	6.0	Mouth	06,24N,13W	Douglas-Ozark
Spring Creek	2.5	Mouth	26,25N,11W	Douglas
Spring Creek	4.0	Mouth	30,25N,4W	Oregon
Spring River	11.2	13,27N,27W	20,26N,26W	Lawrence
Stone Mill Spring Branch	0.2	Mouth	Spring	Pulaski
Terrell Creek	2.0	Mouth	2,27N,23W	Christian
Tory Creek	2.5	Mouth	27,26N,22W	Stone-Christian



Table C
Waters Designated for Cold-Water Fishery

Water Body	Miles/Acres	From	To	County(ies)
Turkey Creek	2.0	Mouth	16,22N,21W	Taney
Turkey Creek	1.0	Mouth	17,23N,15W	Ozark
Turnback Creek	14.0	35,30N,26W	24,28N,25W	Dade-Lawrence
Warm Fork Spring River	3.0	6,22N,5W	30,23N,5W	Oregon
Whittenburg Creek	2.5	Mouth	Hwy. 8	Crawford
Williams Creek	1.0	Mouth	28,28N,27W	Lawrence
Woods Fork Bull Creek	1.0	15,25N,21W	15,25N,21W	Christian
Yadkin Creek	3.0	Mouth	9,37N,4W	Crawford
Yankee Branch	1.0	Mouth	10,36N,4W	Crawford

Table D
Outstanding National Resource Waters

Water Body	Location	County(ies)
Current River	Headwaters to Northern Ripley Co. Line Sec. 22,32N,07W to Sec. 15,25N,01E	Dent to Ripley
Jacks Fork River	Headwaters to Mouth Sec. 29,28N,07W to Sec. 9,15,29N,03W	Texas to Shannon
Eleven Point River	Headwaters to Hwy. 142 Sec. 32,25N,05W to Sec. 21,22N,02W	Oregon

Table E
Outstanding State Resource Waters

Water Body	Miles/Acres	Location	County(ies)
Baker Branch	4 mi.	Taberville Prairie	St. Clair
Bass Creek	1 mi.	in Three Creek Conservation Area	Boone
Big Buffalo Creek	1.5 mi.	Big Buffalo Creek Conservation Area	Benton-Morgan
Big Creek	5.3 mi.	Sam A. Baker State Park	Wayne
Big Sugar Creek	7 mi.	Cuivre River State Park	Lincoln
Big Lake Marsh	150 ac.	Big Lake State Park	Holt
Blue Springs Creek	4 mi.	Blue Spring Creek Conservation Area	Crawford
Bonne Femme Creek	2 mi.	Three Creeks Conservation Area	Boone
Brush Creek	0.7 mi.	Bonanza Conservation Area	Caldwell
Bryant Creek	1.5 mi.	Bryant Creek Natural Area in Rippee Conservation Area	Ozark/Douglas
Bull Creek	8 mi.	Mark Twain National Forest Sec. 24,25N,21W to Sec. 22,26N,20W	Christian
Cathedral Cave Branch	5 mi.	Onondaga Cave State Park	Crawford
Chariton River	9.8 mi.	Rebels Cove Conservation Area	Putnam-Schuyler
Chloe Lowry Marsh	40 ac.	Chloe Lowry Marsh Conservation Area	Mercer
Coakley Hollow	1.5 mi.	Lake of the Ozarks State Park	Camden
Coonville Creek	2 mi.	St. Francois State Park	St. Francois
Courtois Creek	12 mi.	Mouth to Hwy. 8	Crawford
Crabapple Creek	1.0 mi.	Bonanza Conservation Area	Caldwell
Devils Ice Box Cave Branch	1.5 mi.	Rock Bridge State Park	Boone
East Fork Black River	3 mi.	Johnson's Shut-Ins State Park	Reynolds
First Nicholson Creek (East Drywood Creek)	2 mi.	Prairie State Park	Barton
Gan's Creek	3 mi.	Rock Bridge State Park	Boone
Huzzah Creek	6 mi.	Mouth to Hwy. 8	Crawford
Indian Creek	17.5 mi.	Mark Twain National Forest	Douglas-Howell
Ketchum Hollow	1.5 mi.	Roaring River State Park	Barry
Little Piney Creek	25 mi.	Mouth to 21,35N,08W	Phelps
Little Black River	3 mi.	Mud Puppy Natural History Area S22, T24N, R3E to S25, T24N, R3E	Ripley
Log Creek	0.4 mi.	Bonanza Conservation Area	Caldwell
Meramec River	8 mi.	Adjacent to Meramac State Park	Crawford/Franklin
Meramec River	3 mi.	Adjacent to Onondaga and Huzzah State Forest	Crawford
Mill Creek	5 mi.	Mark Twain National Forest	Phelps



Table E
Outstanding State Resource Waters

Water Body	Miles/Acres	Location	County(ies)
N. Fork White River	5.5 mi.	Mark Twain National Forest	Ozark
Noblett Creek	5 mi.	Above Noblett Lake, Mark Twain National Forest	Douglas-Howell
Onondaga Cave Branch	0.6 mi.	Onondaga Cave State Park	Crawford
Pickle Creek	3 mi.	Hawn State Park	Ste. Genevieve
S. Prong L. Black River	2 mi.	In Little Black Conservation Area	Ripley
Shoal Creek	0.5 mi.	Bonanza Conservation Area	Caldwell
Spring Creek	17 mi.	Mark Twain National Forest	Douglas
Spring Creek	6.5 mi.	Mark Twain National Forest	Phelps
Taum Sauk Creek	5.5 mi.	Johnson's Shut-Ins State Park Addition S23,T33N,R2E to S5,T33N,R3E	Reynolds-Iron
Turkey Creek	4.6 mi.	In Three Creeks Conservation Area	Boone
Van Meter Marsh	80 ac.	Van Meter State Park	Saline
Whetstone Creek	5.1 mi.	Whetsone Creek Conservation Area	Callaway

Table F
Metropolitan No-Discharge Streams

St. Louis Area

Stream	Location
Gravois Creek	Entire length
Creve Coeur Creek	Creve Coeur Lake and stream above lake
Fee Fee Creek	Entire length
Coldwater Creek	Entire length
Dardenne Creek	Route DD—I-70 Highway—St. Charles County
Belleau Creek	Headwaters—0.1 mi. west of east edge of S22,T47N,R3E
Fishpot Creek	Entire length
Grand Glaize Creek	Entire length

Kansas City Area

Stream	Location
Indian Creek	Kansas state line to confluence with Blue River
Blue River	Kansas state line to 59th Street, Kansas City
Blue River (except combined sewer overflow from Brush Creek)	59th Street to Guinotte Dam
Little Blue River	Entire length

Springfield Area

Stream	Location
Pearson Creek	Entire length

Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
34 Corner Blue Hole	L3	9.0	35,25N,17E	Mississippi	X	X		B			
Adrian Reservoir	L1	45.0	03,41N,31W	Bates	X	X		B			X
Agate Lake	L3	210.7	13,60N,06W	Lewis	X	X		A	X		
Amarugia Lake	L3	39.0	10/11,43N,32W	Cass	X	X		B	X		
Anderson's Whippoorwill Farm Lake	L3	30.0	SW SE 28,28N,11E	Stoddard	X	X		B			
Anthonies Mill Lake	L3	91.0	SW SW 19,39N,01W	Washington	X	X		B	X		
Antimi Lake	L3	2.0	NE NE 3,48N,12W	Boone	X	X		B			
Apollo Lake	L3	15.0	21,36N,05E	St. Francois	X	X		B	X		
Appleton City Lake	L1	35.0	12,39N,29W	Bates	X	X		B			X
Archie Lakes	L1	7.3	SESE28,43N,31W	Cass	X	X		B			X
Armstrong Lake	L1	8.0	NE NE 28,52N,16W	Howard	X	X		B			X
Athens State Park Lake	L3	8.0	30,67N,07W	Clark	X	X		A	X		
Atkinson Lake	L3	434.0	NW SE06,37N,28W	St. Clair/Vernon	X	X		A	X		
Atlanta City Lake	L1	17.0	SE SW29,59N,14W	Macon	X	X		B			X
Austin Community Lake	L3	21.0	30,29N,11W	Texas	X	X		A	X		
Baha Trail Lake	L3	16.0	05,39N,01E	Washington	X	X		B	X		
Baring Country Club Lake	L1	81.0	SE26,63N,12W	Knox	X	X		A	X		X
Bass Lake	L3	29.0	13,47N,08W	Callaway	X	X		A	X		
Bean Lake	L3	420.0	12,13,14,23, 24, 54N,37W	Platte	X	X		B	X		
Bear Creek Watershed Lake	L3	26.7	6,63N,09W	Clark	X	X		B	X		
Beaver Lake	L3	14.0	22,25N,04E	Butler	X	X		A			
Bee Tree Lake	L3	10.0	03,42N,06E	St. Louis	X	X		B	X		
Belcher Branch Lake	L3	42.0	08/17,55N,34W	Buchanan	X	X		B	X		
Belle City Lake	L3	6.0	20,41N,07W	Maries	X	X		B			
Ben Branch Lake	L3	37.0	15/14,44N,08W	Osage	X	X		B	X		
Berndt Lake	L1	21.0	NE SW30,66N,23W	Mercer	X	X		B			X
Bevier Lake	L3	5.0	S SE,14,57N,15W	Macon	X	X		B			
Big Buffalo C.A. Lakes	L3	7.9	2,12,41N,20W	Benton	X	X		B			
Big Lake	L3	666.0	18&19,30,61N,39W	Holt	X	X		A	X		
Big Oak Tree S.P. Lake	L3	33.0	14,23N,16E	Mississippi	X	X		B			
Big Soldier Lake	L3	5.0	36,50N,19W	Saline	X	X		B	X		
Bilby Ranch Lake	L3	95.0	13/24,64N,38W	Nodaway	X	X		B	X		
Binder Lake	L3	127.0	SW SE36,45N,13W	Cole	X	X		B	X		
Blind Pony Lake	L3	96.0	NW SE18,49N,22W	Saline	X	X		B	X		
Bloodland Lake (Ft. Wood)	L3	38.1	04,34N,11W	Pulaski	X	X		B	X		
Blue Mountain Lake	L1	14.0	NW SE,09,33N,5E	Madison	X	X		B			X
Blue Springs Lake	L3	642.0	33 ,49N,31W	Jackson	X	X		A	X		
Blues Pond	L3	10.0	09,37N,08W	Phelps	X	X		B	X		

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Bluestem Lake	L3	13.0	22,47N,31W	Jackson	X	X		B	X		
Bo Co Mo Lake	L3	140.0	NW NE10,49N,13W	Boone	X	X		B	X		
Bodarc Lake	L3	13.0	23,47N,31W	Jackson	X	X		B	X		
Boggs Lake	L3	32.0	21-28,44N,05W	Gasconade	X	X		B	X		
Bonne Aqua Lake	L3	6.0	SE NE 26,38N,04E	St. Francois	X	X		B			
Bonne Terre City Lake	L3	10.0	SUR 467,37N,04E	St. Francois	X	X		B			
Bowling Green Lake - Old	L1	7.0	NE NE30,53N,02W	Pike	X	X		B			X
Bowling Green Reservoir	L1	41.0	W NW29,53N,02W	Pike	X	X		B	X		X
Brays Lake	L3	162.0	NE NW35,37N,08W	Phelps	X	X		B	X		
Breckenridge Lake	L1	13.0	NE SW3,57N,26W	Caldwell	X	X		B	X		X
Brookfield Lake	L1	120.0	SE SE33,58N,19W	Linn	X	X		B			X
Browning Lake	L3	120.0	22,25,26,27,3N,22E	Buchanan	X	X		B	X		
Bucklin Lake	L1	17.0	11,57N,18W	Linn	X	X		B			X
Buffalo Bill Lake	L3	45.0	28,58N,31W	DeKalb	X	X		B	X		
Bull Shoals Lake	L2	9000.0	21/34,20N,15W	Ozark	X	X	X	A	X		
Burlington Lake	L3	21.0	34,57N,30W	Clinton	X	X		B			
Busch W.A.- Kraut Run Lake	L3	164.0	SUR 56 (NW NE23,46N,02E)	St. Charles	X	X		B			
Busch W.A. No. 35 Lake	L3	51.0	SUR 1669 (NE NE30,46N,03E)	St. Charles	X	X		B			
Bushwacker Lake	L3	148.0	26,34N,32W	Vernon	X	X		B	X		
Butler Lake	L1	71.0	NW NE14,40N,32W	Bates	X	X		B			X
Butterfly Lake	L3	65.0	NW NE34,36N,07E	Ste. Genevieve	X	X		B			
C & A Lake	L3	39.0	25,51N,09W	Audrain	X	X		B			
Callaway Lake	L3	135.0	06,45N,02E	St. Charles	X	X		A	X		
Cameron Lake #1	L1	25.0	SW SW10,57N,30W	DeKalb	X	X		B	X		X
Cameron Lake #2	L1	31.0	SW SW10,57N,30W	DeKalb	X	X		B	X		X
Cameron Lake #3	L1	92.0	NW NE09,57N,30W	DeKalb	X	X		B	X		X
Cameron Lake #4 (Grindstone Reservoir)	L1	173.0	NE NW 08,57N,30W	DeKalb	X	X		B			X
Camp Solidarity Lake	L3	10.0	24,43N,02E	Franklin	X	X		B	X		
Carrollton Recreation Lake	L3	61.0	SE NW07,52N,23W	Carroll	X	X		B	X		
Catclaw Lake	L3	42.0	14,47N,31W	Jackson	X	X		B	X		
Cedar Hill Lakes	L3	22.6	35,42N,03E	Jefferson	X	X		A	X		
Cedar Lake	L3	21.0	35,48N,13W	Boone	X	X		A	X		
Cedar Lake	L3	45.0	SE SE 21,37N,05E	St. Francois	X	X		A	X		
Charity Lake	L3	9.0	NW SE 1,65N,41W	Atchison	X	X		B	X		
City Lake #1 (Perry)	L1	16.0	NW NW34,54N,07W	Ralls	X	X		B			X
City Lake #2 (Perry)	L1	7.0	NW34,54N,07W	Ralls	X	X		B			X
City Lake Harrisonville	L1	28.0	34,45N,31W	Cass	X	X		B	X		X
Clarence Lake #1	L1	20.0	15,57N,12W	Shelby	X	X		B	X		X
LWW-Livestock and Wildlife Watering											
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption											
CDF-Cold Water Fishery											
								WBC-Whole Body Contact Recreation			
								SCR-Secondary Contact Recreation			
								DWS-Drinking Water Supply			
								IND-Industrial			

Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Clarence Lake #2	L1	31.0	15,57N,12W	Shelby	X	X		B	X	X	
Clearwater Lake	L2	1635.0	NW NE06,28N,03E	Wayne/Reynolds	X	X		A	X		
Cleveland Reservoir	L1	10.0	29,45N,33W	Cass	X	X		B			X
Clover Dell Park Lake	L3	10.0	13,45N,22W	Pettis	X	X		B	X		
Cole Lake	L3	40.0	SE10,38N,04E	Jefferson	X	X		A	X		
Conner O. Fewell C.A. Lakes	L3	14.0	32,43N,25W	Henry	X	X		B	X		
Cool Valley Lake	L3	19.0	09,40N,02E	Franklin	X	X		B	X		
Cooley Lake	L3	380.0	02,03,11, 51N,30W	Clay	X	X		B			
Coot Lake	L3	20.0	22,47N,31W	Jackson	X	X		B	X		
Cosmo-Bethel Lake	L3	6.0	NW36,48N,13W	Boone	X	X		B			
Cottontail Lake	L3	22.0	14,47N,31W	Jackson	X	X		B	X		
Council Bluff Lake	L3	423.0	23,35N,01E	Iron	X	X		A	X		
Crane Lake	L3	109.0	W33,32N,04E	Iron	X	X		B	X		
Creighton Lake	L1	18.0	NW SE,14,43N,29W	Cass	X	X		B			X
Crescent Lake	L3	8.0	NE 02,41N,01W	Franklin	X	X		B	X		
Creve Coeur Lake	L3	327.0	20,46N,05E	St. Louis	X	X		B	X		
Crowder St. Park Lake	L3	18.0	12,61N,25W	Grundy	X	X		A			
Crystal Lake	L3	122.0	NW SW32,53N,29W	Ray	X	X		A	X		X
Cut-off Lake	L3	148.5	01,12,57N,36W	Buchanan	X	X		B			
Cut-off Lake	L3	674.0	26,27,34,35,53N,19W	Chariton	X	X		B			
D.C. Rogers Lake	L1	195.0	NW NW10,50N,16W	Howard	X	X		B	X		X
Davis Lake	L3	44.0	NE NW15,50N,16W	Howard	X	X		B			
Dearborn Reservoir	L1	7.0	31,55N,34W	Buchanan	X	X		B	X		X
Deer Ridge Community Lake	L3	39.0	18,62N,08W	Lewis	X	X		B	X		
Dexter City Lake	L3	11.0	22,25N,10E	Stoddard	X	X		B			
DiSalvo Lake	L3	210.0	SW NE19,35N,04E	St. Francois	X	X		B	X		
Downing Reservoir	L1	22.9	SW SE17,66N,13W	Schuyler	X	X		B			X
Drexel City Reservoir South	L1	51.0	7,42N,33W	Bates	X	X		B			X
Drexel Lake	L1	28.0	6, 42N,33W	Bates	X	X		B			X
Duck Creek	L3	1730.0	31,28N,09E; 5, 27N, 9E	Wayne	X	X		B	X		
Eagle Sky Lake	L3	62.0	NW NW35,30N,04E	Wayne	X	X		B	X		
Eagleville Lake	L1	40.0	33,66N,27W	Harrison	X	X		A	X		X
East Arrowhead Lake	L3	55.0	SE SE18,23N,08W	Howell	X	X	X	A			
Edina Lake	L1	9.0	07,62N,11W	Knox	X	X		B	X		X
Edina Reservoir	L1	51.0	12,62N,11W	Knox	X	X		B	X		X
Edwin A Pape Lake	L1	272.5	20,48N,24W	Lafayette	X	X		B	X		X
Ella Ewing Community Lake	L3	15.0	21,64N,10W	Scotland	X	X		A	X		
Elmwood City Lake	L1	197.0	NW 35,63N,20W	Sullivan	X	X		B			X
Elsie Lake	L3	17.0	30,37N,02E	Washington	X	X		A	X		
LWW-Livestock and Wildlife Watering											
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption											
CDF-Cold Water Fishery											
WBC-Whole Body Contact Recreation											
SCR-Secondary Contact Recreation											
DWS-Drinking Water Supply											
IND-Industrial											



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Ethel Lake	L1	23.0	NE NW36,59N,17W	Macon	X	X		B			X
Ewing Lake	L1	43.0	06,60N,07W	Lewis	X	X		B	X		X
Fawn Lake	L3	26.0	13,43N,02W	Franklin	X	X		B	X		
Fellows Lake	L1	800.0	NW NE22,30N,21W	Greene	X	X		A	X		X
Finger Lakes	L3	118.0	19,30,31,50N,12W,24,25,36,50N 13W	Boone	X	X		A			
Flight Lake	L3	100.0	26,36N,32W	Vernon	X	X		B			
Forest Lake	L1	580.0	SE SW14,62N,16W	Adair	X	X		A			X
Fountain Grove Lakes	L3	1366.3	35,57N,22W	Linn	X	X		B	X		
Fourche Lake	L3	49.0	22,23N,01W	Ripley	X	X		A	X		
Fox Valley Lake	L3	89.0	27,66N,08W	Clark	X	X		B	X		
Foxboro Lake	L3	22.0	14,42N,04W	Franklin	X	X		B	X		
Fredricktown City Lake	L1	80.0	06,33N,07E	Madison	X	X		B			X
Freeman Lake	L1	13.0	SW SW18,44N,32W	Cass	X	X		B			X
Frisco Lake	L3	5.0	SE SE 02,37N,08W	Phelps	X	X		B			
Garden City Lake	L1	26.0	31,44N,29W	Cass	X	X		B			X
Garden City New Lake	L1	39.0	NW18,43N,29W	Cass	X	X		B			X
Gerald City Lake	L3	5.0	12,42N,04W	Franklin	X	X		B			
Glover Spring Lake	L3	23.0	13,47N,09W	Callaway	X	X		B			
Golden Eagle Lake	L3	105.0	SE SW16,48N,04W	Montgomery	X	X		B			
Goose Creek Lake	L3	308.3	NW NW25,38N,06E	Ste. Genevieve/St. Francois	X	X		A	X		
Gopher Lake	L3	38.0	23,47N,31W	Jackson	X	X		B	X		
Gower Lake	L1	11.0	10,55N,33W	Clinton	X	X		B			X
Green City Lake	L1	57.0	SE NE16,63N,18W	Sullivan	X	X		B			X
Green City Lake (Old)	L1	60.0	SE18,63N,18W	Sullivan	X	X		A			X
Hager Lake	L3	9.0	SUR 2969,35N,05E	St. Francois	X	X		B			
Hamilton Lake	L1	80.0	SW SW15,57N,28W	Caldwell	X	X		B	X		X
Harmony Mission Lake	L3	96.0	15,38N,32W	Bates	X	X		B	X		
Harrison County Lake	L1	280.0	17/30,65N,28W	Harrison	X	X		B			X
Harrisonville City Lake	L1	419.0	SW SW26,46N,31W	Cass	X	X		B	X		X
Hazel Creek Lake	L1	453.0	SW SW31,64N,15W	Adair	X	X		B			X
Hazel Hill Lake	L3	62.0	27,47N,26W	Johnson	X	X		B	X		
Helvey Park Lake	L1	11.0	26,53N,33W	Clay	X	X		B			X
Henke Lake	L3	70.0	SE SE20,46N,09W	Callaway	X	X		B			
Henry Sever Lake	L3	158.0	NE NE14,60N,10W	Knox	X	X		A	X		
Hermit Hollow Lake	L3	8.0	29,44N,02E	Franklin	X	X		B	X		
Hi Point Lake	L3	3.0	24,39N,01E	Washington	X	X		B			

LWW-Livestock and Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human
Health-Fish Consumption
CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial

Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Higbee Lake	L1	13.0	SE SW09,52N,14W	Randolph	X	X		B			X
Higginsville Reservoir (North)	L1	47.0	NE SW04,49N,25W	Lafayette	X	X		B	X		X
Higginsville Reservoir (South)	L1	147.1	SW NE09,49N,25W	Lafayette	X	X		B	X		X
Holden City Lake	L1	290.2	29,46N,28W	Johnson	X	X		B	X		X
Holden Lake	L3	11.0	12,45N,28W	Johnson	X	X		B	X		
Holden Lake	L3	11.0	07,45N,27W	Johnson	X	X		B			
Holiday Acres Lake	L3	206.1	SE SW17,55N,14W	Randolph	X	X		B			
Horseshoe Lake	L3	56.0	15,56N,36W	Buchanan	X	X		B			
Hough Park Lake	L3	10.0	19,44N,11W	Cole	X	X		B			
Houston Lake	L3	16.0	NW 33,51N,33W	Platte	X	X		A	X		
Howell Mill Lakes	L3	97.0	17,36N,01E	Washington	X	X		A	X		
HS Truman Lake	L2	55600.0	07,40N,22W	Benton	X	X		A	X		X
Hunnell Lake	L3	228.0	NW SW25,57N,09W	Shelby	X	X		B	X		
Hurdland Severs Lake	L3	13.0	1,61N,13W	Knox	X	X		A	X		
Indian Creek Community Lake	L3	185.0	15/27,59N,25W	Livingston	X	X		B	X		
Indian Lake	L3	279.0	22,15,23,39N,05W	Crawford	X	X		A	X		
Iron Mtn Lake	L3	79.0	SE SW32,35N,04E	St. Francois	X	X		B	X		
Izaak Walton Lake	L3	11.0	32,36N,31W	Vernon	X	X		B	X		
Jackass Bend	L3	200.0	32,28,21-19,51N,29W	Ray/Jackson	X	X		B	X		X
Jackrabbit Lake	L3	25.0	15,47N,31W	Jackson	X	X		B	X		
Jamesport City Lake	L1	16.0	22,60N,26W	Daviess	X	X		B			X
Jamesport Community Lake	L1	27.0	NE 20,60N,26W	Daviess	X	X		A	X		X
Jasper Lake	L3	43.0	12,60N,06W	Lewis	X	X		A	X		
Jaycee Park Lake	L3	8.0	17,44N,12W	Cole	X	X		B			
Junges Lake	L3	37.0	10,41N,21W	Benton	X	X		A	X		
Kahrs-Boger Park Lake	L3	2.0	15,44N,20W	Pettis	X	X		B	X		
Kellogg Lake	L3	22.0	34,29N,31W	Jasper	X	X		A	X		
King City Lake (South)	L1	29.0	SW SW34,61N,32W	Gentry	X	X		B			X
King City New Reservoir	L1	25.4	28,61N,32W	Gentry	X	X		B			X
King City Old Reservoir	L1	12.0	SW NE28,61N,32W	Gentry	X	X		B			X
King Lake	L3	204.0	13,60N,32W	DeKalb	X	X		A	X		X
Kiwanis Lake	L3	4.0	SW23,51N,9W	Audrain	X	X		B			
Klontz Lake	L3	14.0	02,39N,04W	Crawford	X	X		A	X		
Knob Noster St. Park Lakes	L3	24.0	29/30,46N,24W	Johnson	X	X		B			
L. Prairie Comm. Lake	L3	95.0	SE SE21,38N,7W	Phelps	X	X		B	X		
La Plata Lake - New	L1	81.0	NW 14,60N,14W	Macon	X	X		B			X
La Plata Lake - Old	L1	22.0	09,60N,14W	Macon	X	X		B			X
Labelle Lake #1	L1	18.0	16,61N,09W	Lewis	X	X		B	X		X
Labelle Lake #2	L1	98.0	NW NE16,61N,09W	Lewis	X	X		B	X		X

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Lake Allaman	L3	6.0	NE 24,56N,30W	Clinton	X	X		A	X		
Lake Annette	L3	65.0	01,44N,33W	Cass	X	X		B	X		
Lake Arrowhead	L3	101.0	18,54N,30W	Clinton	X	X		A	X		
Lake Arrowhead	L3	23.0	NW NE 31, 42N, 2E	Franklin	X	X		A	X		
Lake Briarwood	L3	69.0	SW NE33,40N,04E	Jefferson	X	X		A	X		
Lake Champetra	L3	58.0	NW13,45N,12W	Boone	X	X		A	X		
Lake Cherokee	L3	6.0	14,36N,03E	Washington	X	X		B	X		
Lake Contrary	L3	291.0	26,27,35,57N,36W	Buchanan	X	X		A	X		
Lake Fond du Lac	L3	24.0	SUR 3011,43N,05E	Jefferson	X	X		A	X		
Lake Forest	L3	81.0	SUR 2046,38N,07E	Ste. Genevieve	X	X		B			
Lake Girardeau	L3	144.0	SW SW09,30N,11E	Cape Girardeau	X	X		B	X		
Lake Jacomo	L3	998.0	NE NW11,48N,31W	Jackson	X	X		A	X		
Lake Killarney	L3	61.0	NW NW01,33N,04E	Iron	X	X		A	X		
Lake Lacawanna	L3	10.0	SE SE 11,38N,05E	St. Francois	X	X		B	X		
Lake Lincoln	L3	88.0	SW SE08,49N,01E	Lincoln	X	X		A	X		
Lake Lochaweenoo	L3	39.0	24,47N,08W	Callaway	X	X		A	X		
Lake Loraine	L3	37.0	SUR 1970, 41N,04E	Jefferson	X	X		A	X		
Lake Lotawana	L3	487.0	SE SE29,48N,30W	Jackson	X	X		A	X		
Lake Lucern	L3	41.0	NE SE06,46N,01W	Warren	X	X		A			
Lake Luna	L3	17.0	NE 4,44N,31W	Cass	X	X		B	X		
Lake Marie	L3	60.0	NE NW 36,66N,24W	Mercer	X	X		A			
Lake McGinness	L3	50.0	NW20,55N,30W	Clinton	X	X		B			
Lake Montowese	L3	39.0	27,43N,04E	Jefferson	X	X		A	X		
Lake Nehai Tonkayea	L3	228.0	NW NE11,55N,18W	Chariton	X	X		A			
Lake Nell	L3	24.0	22,47N,31W	Jackson	X	X		B	X		
Lake Niangua	L3	256.0	19,37N,17W	Camden	X	X		A	X		
Lake Northwood	L3	77.0	SE NE33,43N,05W	Gasconade	X	X		A			
Lake of the Oaks	L3	53.0	SE SW07,63N,06W	Clark	X	X		A	X		
Lake of the Ozarks	L2	59520.0	SE SE19,40N,15W	Camden	X	X		A	X		
Lake of the Woods	L3	3.0	NE SW 02,48N,12W	Boone	X	X		B			
Lake Paho	L3	273.0	NE SE25,65N,25W	Mercer	X	X		B			
Lake Serene	L3	59.0	NW NE03,42N,02E	Franklin	X	X		A	X		
Lake Sherwood	L3	120.0	SW SE11,45N,01W	Warren	X	X		A			
Lake Showme	L1	214.0	15,65N,12W	Scotland	X	X		B		X	
Lake Springfield	L3	293.0	19,28N,21W	Greene	X	X		B	X		X
Lake St. Clair #1	L3	52.0	SW SE02,41N,01W	Franklin	X	X		A	X		
Lake St. Louis	L3	444.0	SUR 54 (NE SW26,47N,02E)	St. Charles	X	X		A			
Lake Ste. Louise	L3	71.0	SUR 929 (SW SW27,47N,02E)	St. Charles	X	X		A			

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Lake Taneycomo	L2	2118.6	SW NE8,23N,20W	Taney	X	X	X	A	X	X	
Lake Tapawingo	L3	83.0	NE NE34,49N,31W	Jackson	X	X		A	X		
Lake Thunderbird	L3	33.0	NE,NW 5,41N,01E	Franklin	X	X		A	X		
Lake Thunderhead	L1	859.0	NE NE15,66N,19W	Putnam	X	X		A	X	X	
Lake Timber Ridge	L3	35.0	SW SE 16,43N,06W	Gasconade	X	X		A	X		
Lake Tishomingo	L3	115.0	NE SE5,41N,04E (SUR 3027)	Jefferson	X	X		A	X		
Lake Tom Sawyer	L3	4.0	04,54N,08W	Monroe	X	X		A			
Lake Torino	L3	7.0	20,42N,02E	Franklin	X	X		B	X		
Lake Tywappity	L3	43.0	SW SE08,29N,13E	Scott	X	X		A			
Lake Viking	L1	552.0	09,59N,28W	Daviess	X	X		A	X	X	
Lake Wanda Lee	L3	97.0	SUR 884, 37N, 7E	Ste. Genevieve	X	X		A			
Lake Wappapello	L2	8200.0	SE NE3,26N,07E	Wayne/Butler	X	X		A	X		
Lake Wauwanoka	L3	93.0	SE NW01,40N,04E	Jefferson	X	X		A	X		
Lake Winnebago	L3	272.0	NE NW09,46N,31W	Cass	X	X		A	X		
Lakeview Park Lake	L3	25.0	SW35,51N,09W	Audrain	X	X		B			
Lakewood Lakes	L3	279.0	NE NE07,48N,31W & SW SW 5, 48N, 31W	Jackson	X	X		A	X		
Lamar Lake	L1	148.0	SW NW32,32N,30W	Barton	X	X		B		X	
Lamine River C.A. Lakes	L3	37.0	25,26,27,36,46N,19W; 2,11,45N,19W; 7,18,45N,18W.	Cooper/Morgan	X	X		B	X		
Lancaster City Lake - New	L1	56.0	23,66N,15W	Schuyler	X	X		B		X	
Lancaster Lake - Old	L1	23.0	SW NE14,66N,15W	Schuyler	X	X		B		X	
Lane Lake	L3	10.0	32,37N,01W	Washington	X	X		A	X		
Lawson City Lake	L1	25.0	31,54N,29W	Ray	X	X		A	X	X	
Leisure Lake	L3	38.0	NE SE05,61N,25W	Grundy	X	X		A			
Leisure Lake	L3	45.0	33,48N,08W	Callaway	X	X		A	X		
Lewis & Clark Lake	L3	403.0	27,28,33,55N,37W	Buchanan	X	X		A	X		
Lewis Lake	L3	6.0	SE, NE 10,26N,11E	Stoddard	X	X		B			
Lewistown Lake	L1	35.0	NW SW08,61N,08W	Lewis	X	X		B	X	X	
Liberty Park Lake	L3	1.0	04,45N,21W	Pettis	X	X		B			
Limpp Community State Lake	L3	27.0	29,61N,32W	Gentry	X	X		B	X		
Linneus Lake	L1	17.0	NE SW36,59N,21W	Linn	X	X		B	X	X	
Lions Lake	L3	11.0	16,44N,01W	Franklin	X	X		B	X		
Lions Lake	L3	8.0	SW SE 26,46N,26W	Johnson	X	X		B	X		
Lisle Pond	L3	22.0	05,43N,33W	Cass	X	X		B	X		
Little Compton Lake	L3	36.0	29/32,55N,21W	Carroll	X	X		B	X		
Little Dixie Lake	L3	176.0	SW SE26,48N,11W	Callaway	X	X		B	X		
Loch Leonard	L3	27.0	SE18,46N,30W	Cass	X	X		B	X		
Loggers Lake	L3	21.0	10,15,31N,03W	Shannon	X	X		A	X		

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Lone Jack Lake	L3	31.0	11,47N,30W	Jackson	X	X		B	X		
Lone Tree Lake	L3	21.0	N NE15,46N,6W	Montgomery	X	X		B	X		
Lonedell Lake	L3	40.0	16,40N,02E	Franklin	X	X		B	X		
Long Branch Lake	L2	2686.0	NW18,57N,14W	Macon	X	X		A	X	X	
Long Lake	L3	10.0	NW NW 03,25N,12E	Stoddard	X	X		B			
Longview Lake	L2	953.0	04,47N,32W	Jackson	X	X		A	X		
Lost Valley Lake	L3	37.0	SE NE17,43N,04W	Gasconade	X	X		A	X		
Lower Taum Sauk Lake	L3	200.0	33,33N,02E	Reynolds	X	X		B	X		
Lucky Clover Lake	L3	20.0	20,38N,04W	Crawford	X	X		A	X		
Mac Lake - Ziske	L3	28.0	SW NE 17,34N,05W	Dent	X	X		B	X		
Macon Lake	L3	189.0	SE NW17,57N,14W	Macon	X	X		B			X
Malta Bend Comm. Lake	L3	4.0	25,51N,23W	Saline	X	X		B	X		
Manito Lake	L3	77.0	08,09,44N,17W	Moniteau	X	X		B	X		
Maple Leaf Lake	L3	127.0	04,48N,26W	Lafayette	X	X		B	X		
Marais Temps Clair	L3	725.7	19,48N,06E and 24,48N,5E	St. Charles	X	X		B	X		
Marceline City Lake (New)	L1	200.0	SW SE14,56N,19W	Chariton	X	X		B			X
Marceline Reservoir	L1	68.0	SE 28,57N,18W	Linn	X	X		B			X
Mark Twain Lake	L2	18132.0	26,55N,07W	Ralls	X	X		A	X	X	
Marshall Habilitation Center Lake	L3	10.0	11,50N,21W	Saline	X	X		B	X		
Martin Lakes	L3	17.0	11,26N,11E	Stoddard	X	X		B			
Maysville Lake	L1	27.0	NE NE 4, 58N,31W	DeKalb	X	X		B	X	X	
Maysville Lake	L1	12.0	NW NE03,58N,31W	DeKalb	X	X		B	X	X	
McCormack Lake	L3	9.0	NW SW 24,25N,04W	Oregon	X	X		A	X		
McDaniel Lake	L1	218.0	NE SE26,30N,22W	Greene	X	X		B			X
Melody Lake	L3	32.0	27,42N,03W	Franklin	X	X		A	X		
Memphis Reservoir	L1	39.0	NE NE14,65N,12W	Scotland	X	X		B			X
Middle Fork Water Comp.	L1	103.0	NW SW06,63N,31W	Gentry	X	X		B	X	X	
Milan Lake North	L1	13.0	SE SE02,62N,20W	Sullivan	X	X		B			X
Milan Lake South	L1	37.0	SE SE,02,62N,20W	Sullivan	X	X		B			X
Mineral Lake	L3	8.0	01,42N,03W	Franklin	X	X		B	X		
Monopoly Lake	L3	1045.0	30,27N,08E	Stoddard/Wayne	X	X		B	X		
Monroe City Lake	L1	94.0	SW,NE,34,56N,07W	Ralls	X	X		A	X	X	
Monroe City Lake A	L1	17.0	NW NW13,56N,08W	Monroe	X	X		B			X
Monroe City Lake B	L1	55.0	30,56N,07W	Monroe	X	X		B	X	X	
Monsanto Lake	L3	18.0	19, 20,36N,05E	St. Francois	X	X		A	X		
Montrose Lake	L3	1444.0	NE NW33,41N,27W	Henry	X	X		B			X
Mozingo Lake	L1	898.0	13,64N,35W	Nodaway	X	X		B	X	X	
New Cambria Lake	L1	9.0	SW NE07,57N,16W	Macon	X	X		B			X
Nims Lake	L3	251.0	SW NW24,34N,06E	Madison/St. Francois	X	X		A			

LWW-Livestock and Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human

Health-Fish Consumption

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Noblett Lake	L3	26.0	25,26N,11W	Douglas	X	X		A			
Nodaway Lake	L3	73.0	SW NE20,65N,35W	Nodaway	X	X		B	X		
Norfork Lake	L2	1000.0	21N,12W	Ozark	X	X		A	X		
North Bethany City Reservoir	L3	78.0	SE27,64N,28W	Harrison	X	X		A	X		
North Lake	L3	19.0	SW NE28,45N,31W	Cass	X	X		B	X		
North Sever Lake	L3	12.5	20,63N,11W	Knox	X	X		B	X		
O'Brian Lake	L3	50.0	NW NW19,47N,01E	St. Charles/Warren	X	X		B			
Odessa Lake	L1	87.0	NW NE15,48N,28W	Lafayette	X	X		B	X	X	
Odessa Lake (Old)	L1	22.0	NW NW14,48N,28W	Lafayette	X	X		B		X	
Old Bethany City Reservoir	L1	18.0	02,63N,28W	Harrison	X	X		B		X	
Old Mud Lake	L3	126.0	16,20,21, 56N,36W	Buchanan	X	X		B			
Old Plattsburg Lake	L1	15.0	13,55N,32W	Clinton	X	X		B			X
Opossum Hollow Lake	L3	63.0	SW NE29,39N,03W	Crawford	X	X		A	X		
Oscie Ora Acres Lake	L3	50.0	SE NW10,28N,33W	Jasper	X	X		B			
Otter Lake	L3	250.0	17,24N,09E	Stoddard	X	X		B	X		
Painted Rock Lake	L3	5.0	11,42N,11W	Osage	X	X		B			
Palmer Lake	L3	102.0	22,36N,01E	Washington	X	X		A	X		
Panther Creek D-1 Lake	L3	28.0	32,65N,26W	Harrison	X	X		B			
Parker Lake #1	L3	20.0	SE SE 31,35N,09E	Perry	X	X		A			
Parker Lake #2	L3	80.0	NE SW32,35N,09E	Perry	X	X		A			
Parole Lake	L3	42.0	07,36N,01E	Washington	X	X		A	X		
Paul Herring Lake	L3	44.0	NW SW17,46N,09W	Callaway	X	X		B			
Peabody Wildlife Area Lakes	L3	36.0	04/09,38N,32W	Bates	X	X		B	X		
Peaceful Valley Lake	L3	158.0	NE NE25,42N,06W	Gasconade	X	X		A			
Peculiar Lake	L1	25.0	SE SW22,45N,32W	Cass	X	X		B			X
Penn's Pond Lake	L3	8.0	06,34N,11W	Pulaski	X	X		B	X		
Perco Lakes	L3	21.7	SW5, NW8 ,34N,10E	Perry	X	X		B			
Perry C.A. Lakes	L3	16.4	28.33.34.36.48N,24W;30,48N,23 W	Johnson	X	X		B	X		
Perry County Community Lake	L3	89.0	SW NE22,35N,10E (SUR 856)	Perry	X	X		B			
Pershing St. Park Lakes	L3	12.0	2,11,57N,21W	Linn	X	X		A			
Peters Lake	L3	62.0	NW NW4,50N,16W	Howard	X	X		B	X		
Pike Lake	L3	17.0	02,59N,25W	Livingston	X	X		A	X		
Pinewoods Lake	L3	22.0	07,26N,03E	Carter	X	X		B	X		
Pinnacle Lake	L3	115.0	SE NE24,47N,05W	Montgomery	X	X		A			
Plattsburg 6 Mi. Lane Lk.	L3	57.0	SW SE11,55N,32W	Clinton	X	X		B			X
Pleasant Hill Lake	L1	91.0	SW SE01,46N,31W	Cass	X	X		B	X	X	
Plover Lake	L3	14.0	15,47N,31W	Jackson	X	X		B	X		

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Poague C.A. Lakes	L3	80.0	19,30,42N,26W, 24,42N,27W	Henry	X	X		B	X		
Pomme de Terre Lake	L2	7820.0	SW NE2,36N,22W	Hickory/Polk	X	X		A	X		
Pony Express Lake	L3	240.0	NE 33,58N,31W	DeKalb	X	X		A	X		
Port Hudson Lake	L3	48.0	16,43N,03W	Franklin	X	X		B	X		
Port Perry Lake	L3	155.0	NE SE08,34N,09E	Perry	X	X		B			
Potosi Lake	L3	20.0	SW NW 35,37N,03E	Washington	X	X		A	X		
Prairie Home C.A. Lakes	L3	20.0	4,5,6,46N,15W	Cooper/Moniteau	X	X		B			
Prairie Lee Lake	L3	144.0	NE SW27,48N,31W	Jackson	X	X		A	X		
Primrose Lake	L3	33.0	23,38,04E	St. Francois	X	X		B	X		
Radio Springs Lake	L3	8.0	08,35N,31W	Vernon	X	X		B	X		
Railroad Lake	L3	8.0	34,45N,15W	Moniteau	X	X		B	X		
Raintree Lake	L3	248.1	06,46N,31W	Cass	X	X		A	X		
Raintree Plantation Lake	L3	115.0	29,41N,04E	Jefferson	X	X		A	X		
Ray County Community Lake	L3	23.0	13,52N,28W	Ray	X	X		A	X		
Raymond Claus Lake	L3	8.7	SE SE17,27N,11E	Stoddard	X	X		B			
Rice Lake East	L3	11.0	09,27N,11E	Stoddard	X	X		B			
Rinquelin Trail Community Lake	L3	27.0	NE 29,39N,11W	Maries	X	X		B	X		
Ripley Lake	L3	18.0	10,23N,01E	Ripley	X	X		A	X		
Riss Lake	L3	134.0	SW SW25,51N,33W	Platte	X	X		B	X		
Roach Lake	L3	106.0	30,57N,23W	Livingston	X	X		A	X		
Robert G. Delaney Lake	L3	110.0	30,27N,16E	Mississippi	X	X		B			
Roby Lake	L3	10.0	34/35,33N,11W	Texas	X	X		A	X		
Rock House Lake	L1	62.0	NE SW 36,65N,27W	Harrison	X	X		A	X	X	
Rocky Fork Lake	L3	60.0	NW SE31,50N,12W	Boone	X	X		B			
Rocky Hollow Lake	L3	20.0	SE33,53N,30W	Clay	X	X		B	X		
Rothwell Lake	L3	27.0	SE NE03,53N,14W	Randolph	X	X		B	X	X	
Salisbury City Lake (Pine Ridge Lake)	L3	25.0	15,53N,17W	Chariton	X	X		B	X		
Savannah City Reservoir	L1	20.0	07,59N,35W	Andrew	X	X		A	X	X	
Sayersbrook Lake	L3	36.0	NE SE28,38N,01E	Washington	X	X		B			
Schell Lake	L3	371.0	SE NE06,37N,28W	St. Clair/Vernon	X	X		A	X		
Schuyler Co. PWSD #1 Lake	L1	33.0	SE SE04,64N,015W	Schuyler	X	X		B		X	
Scioto Lake	L3	5.0	NE NE 30,38N,06W	Phelps	X	X		B			
Sears Community Lake	L3	32.0	18,63N,19W	Sullivan	X	X		A	X		
See Tal Lake	L3	11.0	NW NW01,45N,05W	Gasconade	X	X		B			
Sequoiata Park Lake	L3	3.0	09,28N,21W	Greene	X	X		B			
Settles Ford C.A. Lakes	L3	968.0	33,43N,29W;4,5,8-10,15-18,42N,29W;13,42N,30W	Bates	X	X		B	X		
Seven Springs Lake	L3	18.0	23-24,36N,06W	Phelps	X	X		A	X		
Shawnee Lake - Turner	L3	15.0	SW NW 17,34N,05W	Dent	X	X		B	X		

LWW-Livestock and Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Shelbina Lake	L1	45.0	NE SW20,57N,10W	Shelby	X	X		B	X	X	
Shelbyville Lake	L1	32.0	SE SE19,58N,10W	Shelby	X	X		B	X	X	
Shepard Mountain Lake	L1	21.0	01,33N,03E	Iron	X	X		B	X	X	
Silver Lake	L3	54.0	SW SW16,46N,32W	Cass	X	X		B	X		
Silver Lake-Levee 3	L3	2464.0	06,55N,20W	Chariton	X	X		B			
Sims Valley Community Lake	L3	42.0	17,20,27N,08W	Howell	X	X		A	X		
Smithville Lake	L2	7190.0	E SW13,53N,33W	Clay	X	X		A	X	X	
Snow Hollow Lake	L3	31.0	26/27,34N,03E	Iron	X	X		B	X		
South Pool-Levee 3	L3	263.0	1,2,11,12,13,55N,21W	Chariton	X	X		B			
Spencer Lake	L3	7.0	NW19,66N,14W	Schuyler	X	X		B			
Sportsman Lake	L1	7.0	NE SE,04,49N,06W	Montgomery	X	X		B			X
Spring Fork Lake	L1	178.0	NE SW21,44N,21W	Pettis	X	X		B	X	X	
Spring Lake	L3	87.0	10,61N,16W	Adair	X	X		A			
Squaw Creek NWR Pools	L3	1230.0	36,61N,39W	Holt	X	X		B			
Sterling Price Community Lake	L3	23.0	17,53N,17W	Chariton	X	X		A	X		
Stockton Lake	L2	23680.0	NE NE15,34N,26W	Cedar	X	X		A			X
Strobel Lake	L3	33.0	SW SW 01,27N,09E	Stoddard	X	X		B			
Sugar Creek Lake	L1	308.0	NE SE16,54N,14W	Randolph	X	X		B			X
Sullivan City Lake	L3	5.0	NE NW 20,40N,02W	Crawford	X	X		B			
Summerset & Fisherman's Lakes	L3	75.0	SW15,39N,04E	Jefferson	X	X		A	X		
Sunfish Lake	L3	27.0	SUR 3097, 155, 1840, 47N,07E	St. Louis	X	X		B	X		
Sunnen Lake	L3	206.0	SW SE04,37N,01E	Washington	X	X		A			
Sunrise Lake	L3	21.0	NE SW 36,39N,04E	Jefferson	X	X		A	X		
Sunset Lake	L3	50.2	NW SE33,39N,07E	Ste. Genevieve	X	X		B			
Sunset Lake	L3	6.0	13,44N,12W	Cole	X	X		B			
Sunshine Lake	L3	500.0	19,29,32,51N,27W	Ray	X	X		A	X		X
Swan Lake-Levee 5	L3	1425.0	10,55N,21W	Chariton	X	X		B			
Table Rock Lake	L2	41747.0	SW NW22,22N,22W	Stone	X	X		A	X		
Tarsney Lake	L3	17.0	SE SE22,48N,30W	Jackson	X	X		A	X		
Tea Lake No. 1	L3	25.0	08,41N,04W	Gasconade	X	X		B	X		
Teal Lake	L3	84.0	NE SW36,51N,09W	Audrain	X	X		B	X		
Tebo Freshwater Lake	L3	250.0	SW SW25,43N,25W	Henry	X	X		B			
Ten Mile Pond	L3	70.0	07,04,03,24N,16E	Mississippi	X	X		B			
Terre Du Lac Lakes	L3	371.4	(18,19,20,28,29,30,31)37N,4E,25,37N,3E	St. Francois	X	X		A	X		
Thomas Hill Reservoir	L2	4400.0	NE SE24,55N,16W	Randolph	X	X		A		X	X
Timberline Lakes	L3	51.0	23,24,38N,04E	St. Francois	X	X		A	X		
Tobacco Hills Lake	L3	16.0	NW11,53N,35W	Platte	X	X		B	X		

LWW-Livestock and Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



Table G-Lake Classifications and Use Designations

NOTE: Fishing, Swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATER BODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	SCR	DWS	IND
Tom Bird Blue Hole	L3	6.0	29,27N,18E	Mississippi	X	X		B			
Trenton Lake Lower	L1	103.0	SW 15,61N,24W	Grundy	X	X		B			X
Trenton Lake Upper	L1	68.0	NE SE15,61N,24W	Grundy	X	X		B			X
Twin Borrow Pits	L3	44.0	13,20N,13E	Pemiscot	X	X		B	X		
Twin Lake	L3	49.0	NW NW31,66N,23W	Mercer	X	X		B			
Twin Lakes	L3	22.9	SW SW,22,48N,13W	Boone	X	X		A	X		
Union City Lake	L3	5.0	27,43N,01W	Franklin	X	X		B			
Unionville (Old) Lake	L1	13.0	34,66N,19W	Putnam	X	X		A	X		X
Unionville Reservoir	L3	74.0	27,66N,19W	Putnam	X	X		B			
Unity Village Lake #1	L1	16.0	25,48N,32W	Jackson	X	X		B	X		X
Unity Village Lake #2	L1	26.0	24,48N,32W	Jackson	X	X		B	X		X
Valle Lake	L3	42.0	31,39N,05E	Jefferson	X	X		A	X		
Van Meter St. Park Lake	L3	8.0	24,52N,22W	Saline	X	X		A	X		
Vandalia Community Lake	L3	35.0	SE35,52N,06W	Audrain	X	X		B			
Vandalia Reservoir	L1	28.0	NE NE12,53N,05W	Pike	X	X		B	X		X
Wahoo Lake	L3	10.0	14,38N,04E	St. Francois	X	X		B	X		
Wakonda Lake	L3	78.0	13,14,60N,06W	Lewis	X	X		A	X		
Walt Disney Lake	L3	19.0	31,57N,18W	Linn	X	X		A			
Water Works Lake	L1	22.0	NE SE 03,53N,14W	Randolph	X	X		B	X		X
Watkins Mill Lake	L3	87.0	NW 22,53N,30W	Clay	X	X		A	X		
Waukomis Lake	L3	76.0	SW 17,51N,33W	Platte	X	X		A	X		
Weatherby Lake	L3	185.0	SW SE15,51N,34W	Platte	X	X		A	X		
Wellsville City Lake	L1	12.0	NW SE 33,50N,06W	Montgomery	X	X		A			X
West Arrowhead Lake	L3	58.0	18,23N,08W	Howell	X	X	X	B	X		
Whetstone Creek C.A. Lakes	L3	62.0	5,6,8,9,48N,07W; 31,32,49N 7W	Callaway	X	X		B	X		
Whispering Valley Lakes	L3	30.0	35,44N,03W	Franklin	X	X		A	X		
WhitesideLake White Memorial SWA	L3	28.0	SW SUR 1686,51N,01W	Lincoln	X	X		B	X		
Wildwood Lake	L3	17.0	NE 09,48N,32W	Jackson	X	X		B			
Willow Brook Lake	L1	53.0	SE NE 04,58N,13W	DeKalb	X	X		B			X
Willow Lake	L3	29.0	27-34,34N,32W	Vernon	X	X		B	X		
Willowood Lake	L3	45.0	26 & 35,48N,05E	St. Charles	X	X		B	X		
Windsor City Lake	L3	16.0	06,43N,23W	Pettis	X	X		B			
Winegar Lake	L3	8.0	18,43N,13W	Cole	X	X		B			
Wing Lake	L3	19.9	NW SW 14, 35N,03E	Washington	X	X		A	X		
Wolf Bayou Mud Bayou	L3	37.0	04,19N,13E	Pemiscot	X	X		B	X		
Worth County Community Lake	L3	17.0	32,65N,32W	Worth	X	X		B	X		
Wyaconda Lake	L1	9.0	NW NW33,65N,09W	Clark	X	X		B	X		X

LWW-Livestock and Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
AB Cr.	C	4.2	Mouth	32,37N,18W	Dallas	Camden		x	x						B
Ackerman Ditch	C	14.1	Mouth	24,24N,6E	Butler		x	x	x						B
Agee Cr.	C	4.8	Mouth	24,61N,34W	Andrew			x	x						B
Alder Br.	C	4.7	2,34N,26W	5,34N,25W	Cedar			x	x						B
Alder Cr.	C	11.4	Mouth	21,35N,28W	Cedar			x	x						B
Allen Br.	P	1.8	Mouth	22,37N,1E	Washington			x	x						B
Allen Br.	C	1.5	22,37N,1E	34,37N,1E	Washington			x	x						B
Allen Br.	C	3.0	Mouth	05,34N,05E	St. Francois			x	x						B
Alley Br.	P	1.5	Mouth	25,29N,5W	Shannon			x	x						B
Alley Br.	C	2.6	25,29N,5W	22,29N,5W	Shannon			x	x						B
Allie Cr.	C	2.6	Mouth	1,33N,10E	Cape Girardeau	Bollinger		x	x						B
Anderson Br.	C	1.0	Mouth	31,45N,20W	Pettis			x	x						B
Anderson Cr.	C	1.9	Mouth	31,33N,09W	Texas			x	x						B
Andrews Br.	C	1.8	Mouth	Sur	St. Francois			x	x						B
Anthony Br.	P	0.5	Mouth	6,22N,5W	Oregon			x	x						B
Antire Cr.	P	1.9	Mouth	34,44N,4E	St. Louis			x	x						B
Apple Cr.	P	44.8	Mouth	21,34N,10E	Perry			x	x				x	x	A
Apple Cr.	C	1.7	16,34N,10E	18,34N,10E	Perry			x	x						B
Arapahoe Cr.	C	8.0	Mouth	11,61N,36W	Andrew			x	x						B
Archer Cr.	P	1.2	Mouth	14,41N,20W	Benton			x	x						B
Arnault Br.	P	2.2	Mouth	10,38N,2E	Washington			x	x						B
Arnault Br.	C	1.0	10,38N,2E	15,38N,2E	Washington			x	x						B
Arnold Cr.	C	1.1	Mouth	24,40N,1E	Washington			x	x						B
Arthur Cr.	P	5.9	Mouth	14,31N,9W	Texas			x	x						B
Arthur Cr.	C	2.5	14,31N,9W	25,31N,9W	Texas			x	x						B
Ash Ditch	P	6.6	Mouth	13,25N,14E	New Madrid			x	x						B
Ash Ditch	C	8.0	13,25N,14E	5,26N,15E	New Madrid	Mississippi		x	x						B
Ash Slough Ditch	P	17.2	Mouth	35,26N,13E	New Madrid		x	x	x						B
Asher Cr.	P	8.7	Mouth	4,30N,23W	Polk	Greene		x	x						B
Asher Cr.	C	4.0	4,30N,23W	14,30N,23W	Greene			x	x						B
Asher Cr.	P	1.0	Mouth	1,26N,7E	Wayne			x	x						B
Asher Cr.	C	1.2	1,26N,7E	2,26N,7E	Wayne			x	x						B
Asher Hollow Cr.	C	4.0	Mouth	24,37N,06W	Crawford	Phelps		x	x						B
Ashley Br.	P	0.5	Mouth	30,39N,1W	Washington			x	x						B
Ashley Br.	C	1.6	30,39N,1W	32,39N,1W	Washington			x	x						B
Ashley Cr.	P	2.5	Mouth	35,32N,7W	Dent			x	x						B
Ashly Br.	C	0.7	Mouth	27,38N,1E	Washington			x	x						B
Aslinger Br.	P	1.0	Mouth	16,32N,8E	Madison			x	x						B
Aslinger Br.	C	1.0	16,32N,8E	County Line	Madison			x	x						B
Atwell Cr.	P	1.2	Mouth	2,38N,12W	Miller			x	x						B
Atwell Cr.	C	2.0	2,38N,12W	11,38N,12W	Miller			x	x						B
Auxvasse Cr.	P	8.2	Mouth	8,46N,8W	Callaway			x	x						B
Auxvasse Cr.	C	39.9	8,46N,8W	22,49N,10W	Callaway			x	x						B
Avery Hollow	C	0.9	Mouth	04,38N,03W	Crawford			x	x						B
Bachelor Cr.	C	6.8	Mouth	19,49N,7W	Callaway			x	x						B
Back Cr.	C	3.8	Mouth	11,35N,6E	St. Francois			x	x						B
Bagby Br.	C	2.3	Mouth	1,52N,16W	Randolph			x	x						B
Bailey Br.	P	1.8	Mouth	31,36N,1W	Washington			x	x						B
Baileys Cr.	P	15.7	Mouth	5,44N,7W	Gasconade	Osage		x	x						B
Baileys Cr.	C	6.6	5,44N,7W	20,44N,7W	Osage			x	x						B
Baker Br.	C	3.5	Mouth	35,38N,28W	St. Clair			x	x						B
Baker Cr.	C	3.5	32,29N,15W	12,28N,16W	Wright			x	x						B
Bald Ridge Cr.	C	10.0	Mouth	13,33N,11W	Pulaski	Texas		x	x						A

IRR Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering CDF-Cold Water Fishery DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life WBC-Whole Body Contact Recreation IND-Industrial

and Human Health-Fish Consumption



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Ball Pond Hollow	C	1.5	Mouth	32,24N,11W	Ozark		x	x				B			
Baltimore Cr.	C	2.0	Mouth	33,33N,9E	Bollinger		x	x				B			
Bank Br.	C	5.5	Mouth	35,37N,17W	Camden		x	x		x		B			
Bannister Hollow	C	4.3	Mouth	36,38N,19W	Camden		x	x				B			
Barber Cr.	C	9.1	Mouth	3,65N,22W	Sullivan	Putnam	x	x				B			
Barbers Cr.	C	3.3	Mouth	8,25N,19W	Christian		x	x				B			
Barker Cr.	C	15.0	Mouth	09,43N,23W	Henry	Pettis	x	x				B			
Barn Hollow	C	8.2	Mouth	18,27N,7W	Texas	Howell	x	x				B			
Barnes Cr.	C	1.4	Mouth	34,29N,7E	Wayne		x	x				B			
Barnes Cr.	C	1.0	Mouth	4,33N,6E	Madison		x	x				B			
Barney Cr.	C	4.8	Mouth	24,34N,3W	Dent		x	x				B			
Barnitz Prong	P	4.1	Mouth	21,34N,7W	Dent		x	x				B			
Barren Cr.	C	2.8	Mouth	3,33N,24W	Polk		x	x						x	
Barren Cr.	C	2.6	State Line	8,21N,11W	Ozark		x	x				B			
Barren Fk.	P	7.7	Mouth	30,39N,13W	Miller		x	x		x		A			
Barren Fk.	C	2.6	30,39N,13W	5,38N,13W	Miller		x	x				A			
Barren Fk.	C	4.4	Mouth	5,43N,4W	Franklin	Gasconade	x	x				B			
Barren Fk.	C	11.6	Mouth	10,23N,14W	Ozark		x	x				B			
Barren Fk.	P	2.0	Mouth	29,31N,4W	Shannon		x	x			x	B			
Barren Fk.	P	8.2	20,31N,4W	32,32N,4W	Shannon	Dent	x	x				B			
Barren Fk.	C	2.6	32,32N,4W	28,32N,4W	Dent		x	x				B			
Barren Hollow	C	0.5	Mouth	16,33N,5E	Madison		x	x				B			
Barret Hollow	C	1.5	Mouth	1,22N,15W	Ozark		x	x				B			
Bartlett Cr.	C	8.2	Mouth	9,49N,17W	Howard		x	x				B			
Basin Fk.	C	13.5	Mouth	17,44N,23W	Pettis		x	x				B			
Bass Cr.	C	4.4	Mouth	Hwy. 63	Boone		x	x				A			
Bates Cr.	P	1.8	Mouth	16,37N,2E	Washington		x	x				B			
Bates Cr.	C	3.2	16,37N,2E	28,37N,2E	Washington		x	x						x	
Batts Cr.	C	5.3	Mouth	19,52N,16W	Chariton	Howard	x	x				B			
Bauer Br.	C	3.0	Mouth	29,43N,21W	Benton		x	x				B			
Bay De Charles	PI	8.0	Mouth	14,58N,5W	Marion		x	x				A		x	
Baynham Br.	P	4.0	Mouth	17,26N,31W	Newton		x	x				B			
Bean Br.	C	8.7	Mouth	Hwy. 54	Audrain		x	x				B			
Bean Cr.	C	6.3	Mouth	9,32N,8W	Dent	Texas	x	x				B			
Bear Br.	C	3.6	Mouth	6,24N,15W	Ozark		x	x				B			
Bear Br.	C	2.2	Mouth	29,31N,3E	Reynolds	Iron	x	x				B			
Bear Br.	C	2.0	Mouth	19,44N,15W	Moniteau		x	x				B			
Bear Br.	C	1.5	Mouth	17,31N,10E	Bollinger		x	x				B			
Bear Camp Cr.	C	4.8	Mouth	31,26N,1E	Carter		x	x				B			
Bear Claw Spring	P	0.2	Mouth	33,30N,08W	Texas		x	x				B			
Bear Cr.	C	6.0	Mouth	31,49N,12W	Boone		x	x				B		x	
Bear Cr.	C	1.0	Mouth	31,40N,14W	Miller		x	x				B			
Bear Cr.	C	1.8	Mouth	31,43N,9W	Osage		x	x				B			
Bear Cr.	C	36.2	Mouth	8,61N,14W	Shelby	Adair	x	x				B			
Bear Cr.	C	9.4	Mouth	2,44N,28W	Johnson		x	x				B			
Bear Cr.	C	7.4	Mouth	17,40N,27W	Henry		x	x				B			
Bear Cr.	P	3.4	Mouth	15,38N,24W	St. Clair		x	x				A		x	
Bear Cr.	C	4.1	15,38N,24W	35,38N,24W	St. Clair		x	x				B		x	
Bear Cr.	C	5.6	Mouth	5,33N,28W	Cedar		x	x				B			
Bear Cr.	P	30.7	Mouth	20,33N,23W	Cedar	Polk	x	x				B			
Bear Cr.	C	12.7	Mouth	22,35N,15W	Pulaski	Laclede	x	x				B			
Bear Cr.	C	1.8	Mouth	25,29N,11W	Texas		x	x				B			
Bear Cr.	P	2.7	Mouth	36,47N,5W	Montgomery		x	x				B			
Bear Cr.	C	3.0	36,47N,5W	20,47N,4W	Montgomery	Warren	x	x				B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Bear Cr.	C	16.1	Mouth	4,48N,4W	Lincoln	Montgomery	x	x				B			
Bear Cr.	C	3.0	Mouth	8,37N,4E	St. Francois		x	x				B			
Bear Cr.	P	18.3	Mouth	25,30N,6E	Bollinger	Wayne	x	x				A			
Bear Cr.	P	5.0	Mouth	18,24N,21W	Taney		x	x				A		x	
Bear Cr.	C	5.8	18,24N,21W	36,25N,22W	Taney	Christian	x	x				A		x	
Bear Cr.	C	9.8	Mouth	15,54N,36W	Platte		x	x				B			
Bear Cr.	P	1.5	Mouth	34,43N,04E	Jefferson		x	x				B			
Bear Cr.	C	4.5	Mouth	29,52N,19W	Saline		x	x				B			
Bear Cr.	C	20.0	Mouth	33,65N,10W	Lewis	Scotland	x	x				B			
Bear Cr.	C	9.4	Mouth	8,59N,19W	Linn		x	x				B			
Bear Cr.	P	2.1	Mouth	32,57N,4W	Marion		x	x				B			
Bear Cr.	C	8.5	32,57N,4W	29,57N,5W	Marion		x	x				B			
Bear Cr.	C	9.3	Mouth	32,46N,25W	Johnson		x	x				B			
Beaver Br.	P	2.0	Mouth	36,23N,33W	McDonald		x	x				B			
Beaver Br.	C	3.5	36,23N,33W	19,23N,32W	McDonald		x	x				B			
Beaver Br.	P	1.5	19,23N,32W	17,23N,32W	McDonald		x	x				B			
Beaver Cr.	P	24.1	Mouth	29,30N,12W	Wright	Texas	x	x		x		B			
Beaver Cr.	C	4.2	29,30N,12W	4,29N,12W	Wright		x	x				A			
Beaver Cr.	P	5.7	4,29N,12W	26,29N,12W	Wright	Texas	x	x				B			
Beaver Cr.	C	3.8	Mouth	33,37N,8W	Phelps		x	x				A			
Beaver Cr.	C	1.2	Mouth	14,40N,2W	Crawford		x	x				B			
Beaver Cr.	P	44.5	Mouth	23,27N,17W	Taney	Douglas	x	x	x	x		A		x	
Beaver Cr.	C	2.0	23,27N,17W	10,27N,17W	Douglas		x	x				B			
Beaver Dam Cr.	C	5.0	Mouth	Hwy. 54	Audrain		x	x				B			
Beaverdam Cr.	P	9.5	Mouth	9,24N,4E	Butler	Ripley	x	x	x			A			
Beaverdam Cr.	C	2.0	9,24N,4E	5,24N,4E	Ripley		x	x				B			
Beaverdam Cr.	C	5.7	Mouth	02,46N,23W	Pettis		x	x				B			
Becky Cobb Cr.	C	2.7	Mouth	29,23N,13W	Ozark		x	x				B			
Bee Br.	C	0.7	Mouth	32,46N,23W	Pettis		x	x				B			
Bee Br.	C	5.9	Mouth	06,47N,23W	Pettis		x	x				B			
Bee Br.	C	5.3	Mouth	20,37N,30W	Vernon		x	x				B			
Bee Br.	C	5.0	Mouth	10,55N,17W	Chariton		x	x				B			
Bee Cr.	C	5.8	Mouth	7,53N,10W	Monroe		x	x				B			
Bee Cr.	C	1.6	Mouth	17,23N,21W	Taney		x	x			x			x	
Bee Cr.	C	5.5	Mouth	5,21N,20W	Taney		x	x				A			
Bee Cr.	C	29.4	Mouth	11,55N,35W	Platte	Buchanan	x	x				B		x	
Bee Fk.	C	8.7	Mouth	30,32N,1W	Reynolds		x	x		x		A			
Bee Rock Hollow	C	1.4	Mouth	33,31N,07W	Texas		x	x				B			
Bee Run	C	2.1	Mouth	24,38N,04E	St. Francois		x	x				B			
Beecham Br.	C	1.6	Mouth	01,36N,29W	Vernon		x	x				B			
Beef Br.	P	2.5	Mouth	11,26N,33W	Newton		x	x				B			
Beehole Hollow	C	2.0	Mouth	33,26N,4E	Butler		x	x				B			
Beeler Br.	P	1.2	Mouth	7,28N,10W	Texas		x	x				B			
Beeler Br.	C	1.2	7,28N,10W	18,28N,10W	Texas		x	x				B			
Beeman Br.	P	1.0	14,23N,34W	24,23N,34W	McDonald		x	x				B			
Belew Cr.	P	7.0	Mouth	28,41N,04E	Jefferson		x	x				B			
Bell Cr.	C	6.0	Mouth	09,37N,12W	Pulaski		x	x						x	
Bell Fountain Ditch	P	18.0	29,16N,9E	12,16N,11E	Dunklin	Pemiscot	x	x				B			
Belleau Cr.	C	5.1	Mouth	6,47N,4E	St. Charles		x	x						x	
Belleview Cr.	C	1.5	32,35N,3E	Sur	Iron		x	x				B			
				2113,35N,3E											
Ben Br.	C	1.0	Mouth	22,44N,8W	Osage		x	x				B			
Bender Cr.	P	4.3	Mouth	13,31N,9W	Texas		x	x				B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Bender Cr.	C	3.4	13,31N,9W	5,31N,8W	Texas		x	x				B			
Bennett Cr.	C	2.5	Mouth	30,30N,6E	Wayne		x	x				B			
Bennett Hollow	C	1.8	Mouth	13,23N,15W	Ozark		x	x				B			
Bennett Springs Cr.	P	1.6	Mouth	Bennett Springs	Laclede	Dallas	x	x			x	B			
Bennetts Bayou	P	5.3	State Line	30,22N,10W	Ozark	Howell	x	x				B			
Bennetts Bayou	C	3.0	30,22N,10W	16,22N,10W	Howell		x	x				B			
Bennetts R.	C	5.0	State Line	24,22N,10W	Howell		x	x				B			
Benton Br.	P	0.5	Mouth	11,34N,19W	Dallas		x	x				B			
Benton Br.	C	1.0	11,34N,19W	11,34N,19W	Dallas		x	x				B			
Benton Cr.	P	6.8	Mouth	29,36N,5W	Crawford		x	x				A			
Benton Cr.	C	2.0	29,36N,5W	31,36N,5W	Crawford		x	x				B			
Big Barren Cr.	C	23.4	Mouth	32,26N,2W	Ripley	Carter	x	x		x		A			
Big Berger Cr.	P	12.5	Mouth	26,45N,4W	Franklin		x	x				B			
Big Berger Cr.	C	8.8	26,45N,4W	17,44N,4W	Franklin	Gasconade	x	x				B			
Big Blue Br.	P	0.8	Mouth	12,31N,9E	Bollinger		x	x				B			
Big Blue Br.	C	1.5	12,31N,9E	6,31N,10E	Bollinger		x	x				B			
Big Bottom Cr.	C	1.5	Mouth	Lake Anne	Ste. Genevieve		x	x					x		
Big Bottom Cr.	C	2.1	Lake Anne	13,37N,07E	Ste. Genevieve		x	x				B			
Big Br.	C	0.5	Mouth	22,43N,04W	Franklin		x	x				B			
Big Br.	C	2.8	Mouth	22,46N,11W	Callaway		x	x				B			
Big Branch	C	3.4	Mouth	23,44N,04W	Franklin		x	x				B			
Big Brushy Cr.	P	9.2	Mouth	9,27N,3E	Wayne	Carter	x	x				A			
Big Brushy Cr.	C	7.6	9,27N,3E	4,27N,2E	Carter		x	x				B			
Big Buffalo Cr.	P	5.6	Mouth	06,41N,19W	Benton	Morgan	x	x		x		B		x	
Big Buffalo Cr.	C	2.8	06,41N,19W	28,42N,19W	Morgan		x	x				B			
Big Cane Cr.	C	4.9	State Line	26,22N,5E	Butler		x	x	x			B			
Big Cr.	P	70.5	Mouth	34,47N,31W	Henry	Jackson	x	x				B			
Big Cr.	C	3.3	Mouth	16,42N,3W	Franklin		x	x					x		
Big Cr.	P	10.3	Mouth	25,48N,1W	Lincoln		x	x				A		x	
Big Cr.	C	17.7	25,48N,1W	8,47N,2W	Lincoln	Warren	x	x				B		x	
Big Cr.	C	2.0	Mouth	3,22N,25W	Barry		x	x				B			
Big Cr.	C	9.0	Mouth	25,23N,17W	Taney		x	x				A			
Big Cr.	P	23.0	Mouth	5,31N,2W	Shannon		x	x				A			
Big Cr.	C	28.7	Mouth	5,29N,8W	Shannon	Texas	x	x		x		B			
Big Cr.	P	34.1	Mouth	23,33N,3E	Wayne	Iron	x	x		x		A		x	
Big Cr.	C	0.8	23,33N,3E	23,33N,3E	Iron		x	x				B			
Big Cr.	C	4.3	34,47N,31W	20,47N,31W	Jackson		x	x				B			
Big Cr.	P	31.5	Mouth	9,63N,28W	Daviess	Harrison	x	x				B		x	
Big Cr.	C	1.5	9,54N,23W	17,54N,23W	Carroll		x	x				B			
Big Cr.	P	31.6	Mouth	9,54N,23W	Carroll		x	x				B			
Big Cr.	P	6.1	Mouth	29,31N,7E	Wayne	Madison	x	x				A			
Big Cr. Cutoff	C	1.5	Mouth	1,30N,3E	Iron		x	x				B			
Big Deer Cr.	C	4.6	Mouth	27,42N,31W	Bates		x	x				B			
Big George Br.	C	3.0	Mouth	18,32N,28W	Barton	Dade	x	x				B			
Big Gulch	C	2.2	Mouth	3,27N,11W	Douglas		x	x				B			
Big Hollow	C	3.2	Mouth	23,22N,21W	Taney		x	x				B			
Big Hollow Br.	C	2.0	Mouth	17,32N,10E	Bollinger		x	x				B			
Big Hunting Slough	C	15.9	Mouth	24,23N,6E	Butler		x	x				B			
Big Lake Bayou	C	11.3	Mouth	25,27N,15E	Mississippi		x	x				B			
Big Lake Cr.	P	6.4	Mouth	19,28N,5E	Wayne		x	x				B			
Big Lake Cr.	C	4.4	19,28N,5E	36,29N,4E	Wayne		x	x				B			
Big Lead Cr.	C	5.0	27,50N,2W	18,50N,2W	Lincoln		x	x				B			

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial

TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Big Muddy Cr.	P	8.0	Mouth	33,60N,27W	Daviess			x	x			B			
Big Muddy Cr.	C	12.0	33,60N,27W	09,61N,27W	Daviess			x	x					x	
Big Muddy Cr.	P	10.2	Mouth	11,64N,30W	Gentry			x	x			B			
Big Muddy Cr.	C	10.9	11,64N,30W	3,65N,29W	Gentry	Harrison		x	x			B			
Big No Cr.	C	4.9	Mouth	26,63N,23W	Grundy			x	x			B			
Big Otter Cr.	C	2.0	Mouth	31,40N,25W	Henry			x	x			B			
Big Paddy Cr.	C	4.0	Mouth	32,33N,10W	Texas			x	x			B			
Big Piney R.	P	96.8	Mouth	16,29N,10W	Pulaski	Texas	x	x	x	x		A	x	x	
Big Piney R.	P	7.8	16,29N,10W	12,28N,11W	Texas			x	x			A	x	x	
Big R.	P	55.6	Mouth	Sur	Jefferson		x	x	x	x		A	x		x
Big R.	P	81.3	Sur 3166, 40N,3E	12,35N,1E	Jefferson	Washington		x	x			A			x
Big R.	C	2.8	12,35N,1E	Council Bluff Lk. D.	Washington	Iron		x	x			B			
Big R.	C	2.0	Mouth	32,35N,1E	Iron			x	x			B			
Big River Cr.	C	0.7	Mouth	04,40N,05W	Gasconade			x	x			B			
Big Rock Cr.	C	5.9	8,65N,30W	36,66N,30W	Worth			x	x			B			
Big Rock Cr.	P	3.7	Mouth	8,65N,30W	Worth			x	x			B			
Big Sugar Cr.	P	39.3	Mouth	26,21N,29W	McDonald	Barry	x	x	x	x		A	x		
Big Sugar Cr.	C	4.9	26,21N,29W	20,21N,28W	Barry			x	x			B			
Big Tavern Cr.	C	3.2	Mouth	23,46N,7W	Callaway			x	x			B			
Bigelow's Cr.	C	5.0	Mouth	15,44N,01E	St. Charles			x	x			B	x		
Billies Cr.	C	6.6	Mouth	36,29N,25W	Lawrence			x	x			B			
Billy Cr.	C	5.5	Mouth	6,62N,16W	Adair			x	x			B			
Billys Br.	C	11.5	Mouth	19,59N,13W	Macon			x	x			B			
Billy's Br.	C	1.6	06,37N,01W	05,37N,01W	Washington			x	x			B			
Billy's Br.	P	2.4	Mouth	06,37N,01W	Crawford	Washington		x	x			B			
Birch Cr.	C	4.5	Mouth	6,42N,1E	Franklin			x	x			B			
Bird Br.	C	1.0	Mouth	14,41N,22W	Benton			x	x			B			
Birkhead Br.	C	2.0	Mouth	17,49N,02E	Lincoln			x	x				x		
Bitterroot Cr.	C	3.0	Mouth	30,37N,33W	Vernon			x	x			B			
Black Cr.	P	19.4	Mouth	29,58N,10W	Shelby			x	x			B			
Black Cr.	C	21.8	29,58N,10W	11,59N,12W	Shelby			x	x			B			
Black Cr.	C	7.3	Mouth	35,43N,32W	Cass			x	x			B			
Black Cr.	P	1.6	Mouth	21,45N,6E	St. Louis			x	x			B	x		
Black Jack Cr.	C	5.0	Mouth	16,47N,25W	Johnson			x	x			B			
Black R.	P	26.9	7,29N,3E	17,32N,2E	Reynolds		x	x	x	x		A	x		x
Black R.	P	47.1	State Line	16,25N,6E	Butler		x	x	x	x		A	x	x	
Black R.	P	39.0	16,25N,6E	Clearwater Dam	Butler	Wayne	x	x	x	x		A	x	x	
Black R. Ditch	P	11.1	State Line	32,23N,7E	Butler		x	x	x			B			
Blackberry Cr.	C	6.5	Mouth	28,30N,33W	Jasper			x	x			B			
Blackbird Cr.	P	9.4	Mouth	2,64N,17W	Adair	Putnam		x	x			A			
Blackwater R.	P	79.4	Mouth	12,46N,27W	Cooper	Johnson	x	x	x			A	x	x	
Blair Cr.	P	8.2	Mouth	31,30N,2W	Shannon			x	x			B			
Blair Cr.	C	4.3	31,30N,2W	18,30N,2W	Shannon			x	x			B			
Blair Hollow	C	1.5	Mouth	1,22N,12W	Ozark			x	x			B			
Blay Cr.	C	2.0	Mouth	36,37N,3E	St. Francois	Washington		x	x			B			
Block Br.	P	0.6	Mouth	18,41N,04W	Gasconade			x	x			B			
Block Br.	C	1.6	18,41N,04W	11,41N,05W	Gasconade			x	x			B			
Bloom Cr.	C	3.0	Mouth	36,36N,7E	Ste. Genevieve			x	x				x		
Blue Cr.	P	1.5	Mouth	6,33N,9E	Bollinger			x	x			B			
Blue Cr.	C	1.0	6,33N,9E	7,33N,9E	Bollinger			x	x			B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Blue Cr.	C	1.7	Mouth	31,46N,8W	Callaway			x	x			B			
Blue Cr.	P	1.8	Mouth	5,50N,17W	Howard			x	x			B			
Blue Cr.	C	2.6	5,50N,17W	4,50N,17W	Howard				x	x		B			
Blue Ditch	P	5.8	Mouth	14,27N,14E	Scott		x	x	x			B	x		
Blue Ditch	C	5.8	14,27N,14E	29,28N,14E	Scott		x	x	x			B	x		
Blue R.	P	4.4	Mouth	6,49N,32W	Jackson				x	x		B			x
Blue R.	P	9.4	6,49N,32W	2,48N,33W	Jackson				x	x		B	x		x
Blue R.	P	7.7	2,48N,33W	28,48N,33W	Jackson				x	x		A	x		
Blue R.	C	12.0	28,48N,33W	State Line	Jackson				x	x		B	x		
Blue Shawnee Cr.	P	1.6	8,33N,13E	17,33N,13E	Cape Girardeau				x	x		B			
Blue Shawnee Cr.	C	2.5	17,33N,13E	29,33N,13E	Cape Girardeau				x	x		B			
Blue Spring Cr.	P	1.5	Mouth	35,41N,16W	Miller				x	x		B			
Blue Spring Cr.	C	0.5	35,41N,16W	26,41N,16W	Miller				x	x		B			
Blue Spring Slough	C	15.8	34,24N,7E	35,26N,7E	Butler				x	x		B			
Blue Springs Cr.	P	4.3	Mouth	2,39N,3W	Crawford				x	x	x	A			
Blue Springs Cr.	C	1.2	2,39N,3W	3,39N,3W	Crawford				x	x		B			
Bluewater Cr.	C	1.5	Mouth	11,26N,6E	Wayne	Butler			x	x		B			
Blythes Cr.	P	6.9	Mouth	27,42,15W	Moniteau	Miller			x	x		B	x		
Bobs Cr.	P1	4.9	Mouth	Sur 306,49N,2E	Lincoln				x	x		B			
Bobs Cr.	P	1.7	Sur 306,49N,2E	34,49N,2E	Lincoln				x	x		B			
Bobs Cr.	C	14.2	34,49N,2E	27,50N,1E	Lincoln				x	x		B	x		
Boeuf Cr.	P	30.7	Mouth	22,43N,4W	Franklin		x		x	x		A			
Boeuf Cr.	C	8.5	15,43N,4W	5,42N,4W	Gasconade				x	x		B			
Boiling Spr. Hollow	C	1.5	Mouth	3,36N,1W	Washington				x	x		B			
Boiling Spring	P	0.1	Mouth	24,32N,10W	Texas				x	x		B			
Bois Brule Cr.	P	1.8	Mouth	20,42N,12W	Cole				x	x		B			
Bois Brule Cr.	C	9.5	20,42N,12W	20,42N,13W	Cole				x	x		B			
Bois Brule Ditch	P	4.7	Mouth	16,36N,11E	Perry				x	x		B			
Bollinger Br.	C	3.0	Mouth	15,24N,12W	Ozark				x	x		B			
Bollinger Cr.	C	2.4	5,39N,18W	7,39N,18W	Camden				x	x		B			
Bones Br.	C	8.3	Mouth	29,41N,31W	Bates				x	x		B			
Bonhomme Cr.	C	2.5	Mouth	Sur 2031,45N,4E	St. Louis				x	x		B			
Bonne Femme Cr.	P	7.8	Mouth	20,47N,12W	Boone				x	x		A			
Bonne Femme Cr.	C	7.0	20,47N,12W	2,47N,12W	Boone				x	x		B			
Bonne Femme Cr.	P	24.0	Mouth	36,51N,16W	Howard				x	x		B			
Bonne Femme Cr.	C	13.0	36,51N,16W	22,52N,15W	Howard	Randolph			x	x		B			
Boone Cr.	P	3.8	Mouth	16,32N,9W	Texas				x	x		B			
Boone Cr.	C	1.7	16,32N,9W	15,32N,9W	Texas				x	x		B			
Boone Cr.	P	3.5	Mouth	29,41N,3W	Franklin				x	x		B			
Boone Cr.	C	8.0	29,41N,3W	15,40N,3W	Franklin				x	x		B			
Boones Br.	C	2.5	Mouth	5,49N,17W	Howard				x	x		B			
Bounds Cr.	C	2.2	Mouth	30,29N,6E	Wayne				x	x		B			
Bourbeuse R.	P	136.7	Mouth	4,39N,6W	Franklin	Phelps	x	x	x	x		A	x	x	
Bourbeuse R.	C	11.1	4,39N,6W	12,38N,7W	Phelps				x	x	x	A	x		
Bourne Cr.	P	1.9	Mouth	15,42N,4E	Jefferson				x	x		B			
Bradley Br.	C	2.2	Mouth	7,45N,26W	Johnson				x	x		B			
Brashear Hollow	C	0.9	Mouth	33,39N,15W	Camden				x	x		B			
Brawley Cr.	C	2.8	Mouth	26,45N,26W	Johnson				x	x		B	x		
Bray Hollow	C	1.0	Mouth	27,23N,15W	Ozark				x	x		B			
Brazeau Cr.	P	10.8	Mouth	17,34N,13E	Perry				x	x		B			
Brazil Cr.	P	13.9	Mouth	27,38N,1W	Crawford	Washington			x	x		A			
Brazil Cr.	C	1.8	27,38N,1W	26,38N,1W	Washington				x	x		B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDf-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Brewer Lake	P	3.5	8,26N,18E	36,27N,17E	Mississippi		x	x							B
Brewer Lake Ditch	C	4.5	5,26N,18E	20,26N,18E	Mississippi		x	x							B
Brewers Cr.	P	2.5	Mouth	29,34N,5E	Madison		x	x							B
Brewers Cr.	C	1.0	29,34N,5E	19,34N,5E	Madison		x	x							B
Briar Cr.	C	6.4	Mouth	13,23N,1E	Ripley		x	x							B
Brickley Hollow	C	0.8	Mouth	35,41N,21W	Benton		x	x							B
Bridge Cr.	C	1.7	Mouth	36,55N,23W	Carroll		x	x							B
Bridge Cr.	C	8.4	Mouth	7,65N,13W	Scotland	Schuyler	x	x							B
Bridge Cr.	C	27.0	Mouth	13,63N,12W	Lewis	Knox	x	x							B
Bridges Cr.	C	6.4	Mouth	17,22N,11W	Ozark		x	x							B
Bright Hollow	C	2.0	Mouth	32,25N,20W	Taney	Christian	x	x							B
Brixey Cr.	C	2.5	Mouth	17,24N,13W	Ozark		x	x							B
Broadus Br.	C	2.1	Mouth	15,37N,18W	Camden		x	x							B
Brock Cr.	P	3.2	Mouth	3,35N,1E	Washington		x	x							B
Brock Cr.	C	1.5	3,35N,1E	4,35N,1E	Washington		x	x							B
Browning Hollow	C	1.0	Mouth	20,26N,26W	Lawrence		x	x							B
Browns Br.	C	2.5	Mouth	6,43N,1E	Franklin		x	x							B
Browns Br.	C	3.7	6,43N,1E	13,43N,01W	Franklin		x	x							B
Brush Cr.	C	5.3	Mouth	14,56N,10W	Monroe		x	x							B
Brush Cr.	C	3.4	Mouth	2,53N,9W	Monroe		x	x							B
Brush Cr.	C	0.8	Mouth	32,40N,17W	Camden		x	x							B
Brush Cr.	P	2.2	Mouth	19,42N,23W	Henry	Benton	x	x							B
Brush Cr.	C	2.3	Mouth	27,38N,25W	St. Clair	Polk	x	x							B
Brush Cr.	P	12.2	Mouth	31,36N,24W	St. Clair		x	x		x					A
Brush Cr.	P	4.7	31,36N,24W	16,35N,24W	St. Clair	Polk	x	x							B
Brush Cr.	P	3.5	Mouth	18,42N,8W	Osage		x	x							B
Brush Cr.	C	2.4	18,42N,8W	11,42N,9W	Osage		x	x							B
Brush Cr.	P	6.5	Mouth	27,33N,16W	Laclede		x	x							B
Brush Cr.	C	2.5	27,33N,16W	32,33N,16W	Laclede		x	x							B
Brush Cr.	C	2.5	Mouth	11,43N,2E	St. Louis	Franklin	x	x							B
Brush Cr.	C	7.8	Mouth	10,49N,4W	Montgomery		x	x							B
Brush Cr.	P	1.4	Mouth	3,40N,1W	Franklin		x	x							B
Brush Cr.	C	2.0	3,40N,1W	10,40N,1W	Franklin		x	x							B
Brush Cr.	C	1.3	Mouth	26,41N,6W	Gasconade		x	x							B
Brush Cr.	P	17.5	Mouth	Indian Lake Dam	Gasconade	Crawford	x	x							A
Brush Cr.	C	2.0	23,39N,5W	27,39N,5W	Crawford		x	x							B
Brush Cr.	P	7.4	Mouth	11,25N,13W	Ozark	Douglas	x	x							B
Brush Cr.	C	1.5	11,25N,13W	1,25N,13W	Douglas		x	x							B
Brush Cr.	C	7.4	Mouth	8,51N,34W	Platte		x	x							B
Brush Cr.	C	2.3	Mouth	24,28N,8E	Wayne		x	x							B
Brush Cr.	C	8.0	19,42N,23W	35,43N,23W	Benton		x	x							B
Brush Cr.	P	1.8	Mouth	17,43N,10W	Osage		x	x							B
Brush Cr.	C	2.0	16,35N,24W	22,35N,24W	Polk		x	x							B
Brush Cr.	C	5.9	Mouth	36,50N,27W	Lafayette		x	x							B
Brush Cr.	C	4.5	Mouth	26,66N,25W	Mercer		x	x							B
Brush Cr.	C	5.0	Mouth	8,65N,26W	Harrison		x	x							B
Brush Cr.	C	26.3	Mouth	2,59N,17W	Chariton	Macon	x	x							B
Brush Cr.	P	0.5	Mouth	27,43N,14W	Cole		x	x							B
Brush Cr.	C	5.0	27,43N,14W	16,42N,14W	Cole	Miller	x	x							B
Brush Fk.	C	1.4	Mouth	23,45N,06W	Gasconade		x	x							B
Brushy Br.	C	1.5	Mouth	1,42N,6W	Gasconade		x	x							B

IRR-Irrigation
 LWV-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Brushy Br.	C	1.8	Mouth	11,49N,7W	Callaway		x	x				B			
Brushy Cr.	P	1.4	Mouth	04,40N,20W	Benton		x	x				B			
Brushy Cr.	P	3.5	Mouth	5,30N,9W	Texas		x	x				B			
Brushy Cr.	C	3.8	5,30N,9W	14,30N,09W	Texas		x	x				B			
Brushy Cr.	C	3.0	Mouth	Sur 1708,51N,1W	Lincoln		x	x				B			
Brushy Cr.	C	3.0	Mouth	4,43N,2W	Franklin		x	x				B		x	
Brushy Cr.	C	1.9	Mouth	7,35N,9E	Ste. Genevieve		x	x				B			
Brushy Cr.	C	6.4	Mouth	31,24N,17W	Taney		x	x				B			
Brushy Cr.	P	3.0	Mouth	17,30N,3W	Shannon		x	x				B			
Brushy Cr.	C	1.6	17,30N,3W	16,30N,3W	Shannon		x	x				B			
Brushy Cr.	C	4.5	Mouth	25,33N,1W	Reynolds		x	x				B			
Brushy Cr.	P	3.0	Mouth	28,27N,4E	Wayne		x	x				A			
Brushy Cr.	C	1.9	28,27N,4E	30,27N,4E	Wayne		x	x				A			
Brushy Cr.	C	1.0	Mouth	34,31N,4E	Iron		x	x				B			
Brushy Cr.	C	12.1	Mouth	State Line	Nodaway	Worth	x	x				B			
Brushy Cr.	C	1.5	Mouth	27,46N,23W	Pettis		x	x						x	
Brushy Cr.	C	7.0	Mouth	18,54N,29W	Caldwell	Ray	x	x				B		x	
Brushy Cr.	C	0.5	32,46N,21W	5,45N,21W	Pettis		x	x				B			
Brushy Cr.	C	2.2	Mouth	1,52N,32W	Clay		x	x				B			
Brushy Cr.	C	5.4	Mouth	30,60N,26W	Daviess		x	x				B			
Brushy Cr.	C	8.1	Mouth	8,57N,29W	Caldwell		x	x				B			
Brushy Cr.	C	4.5	Mouth	36,65N,14W	Schuyler		x	x				B			
Brushy Cr.	C	5.2	Mouth	7,46N,11W	Boone		x	x				B			
Brushy Cr.	P	3.8	Mouth	SW 32,46N,21W	Pettis		x	x				B			
Brushy Fk.	C	5.0	Mouth	12,39N,14W	Miller		x	x	x			A			
Brushy Fk.	C	1.0	Mouth	12,38N,1W	Washington		x	x				B			
Brushy Fk.	C	4.0	Mouth	21,49N,2E	Lincoln		x	x						x	
Brushy Hollow	C	1.0	Mouth	25,23N,15W	Ozark		x	x				B			
Brushy Hollow Br.	P	1.3	Mouth	Sur 430,37N,2E	Washington		x	x				B			
Bryant Cr.	P	16.4	Mouth	3,23N,12W	Ozark	Douglas	x	x	x			A		x	
Bryant Cr.	P	1.0	3,23N,12W	34,24N,12W	Ozark		x	x		x		A		x	
Bryant Cr.	P	44.8	34,24N,12W	17,27N,15W	Ozark	Douglas	x	x	x			A		x	
Bryants Cr.	C	15.9	Mouth	28,51N,1E	Pike	Lincoln	x	x				B			
Buchler Cr.	P	1.4	Mouth	14,42N,09W	Osage		x	x				B			
Buck Br.	C	5.5	Mouth	18,29N,31W	Jasper		x	x				B			
Buck Cr.	C	1.5	Mouth	23,42N,8W	Osage		x	x				B			
Buck Cr.	C	1.0	Mouth	14,40N,5E	Jefferson		x	x				B			
Buck Cr.	P	4.0	Mouth	24,33N,9E	Bollinger		x	x				B			
Buck Cr.	C	1.2	24,33N,9E	14,33N,9E	Bollinger		x	x				B			
Buck Elk Br.	C	1.0	Mouth	11,41N,8W	Osage		x	x				B			
Buck Elk Cr.	P	1.5	Mouth	9,41N,8W	Osage		x	x				B			
Buck Elk Cr.	C	1.0	9,41N,8W	10,41N,8W	Osage		x	x				B			
Buckeye Cr.	P	3.4	Mouth	14,33N,12E	Cape Girardeau		x	x				B			
Buckeye Cr.	C	2.6	Hwy 61	26,33N,12E	Cape Girardeau		x	x				B			
Bucklick Cr.	C	5.4	Mouth	30,44N,2W	Franklin		x	x				B			
Buffalo Cr.	P	3.4	Mouth	5,53N,1W	Pike		x	x				B			
Buffalo Cr.	C	3.7	5,53N,1W	19,53N,1W	Pike		x	x				B			
Buffalo Cr.	P	5.4	Mouth	20,24N,1E	Ripley		x	x	x			B			
Buffalo Cr.	P	10.7	State Line	7,23N,33W	McDonald		x	x	x	x	x	A		x	
Buffalo Cr.	P	8.0	5,23N,33W	14,24N,33W	McDonald	Newton	x	x	x	x		A		x	
Buffalo Cr.	C	1.7	14,24N,33W	12,24N,33W	Newton		x	x				B			

IRR-Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering

CDF-Cold Water Fishery

DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

WBC-Whole Body Contact Recreation

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Buffalo Cr.	C	2.1	Mouth	28,48N,22W	Saline	Pettis	x	x				B			
Buffalo Ditch	P	17.3	State Line	11,18N,9E	Dunklin		x	x				B			
Buffalo Ditch	C	3.0	11,18N,9E	36,19N,9E	Dunklin		x	x				B			
Bull Cr.	P	5.0	Mouth	34,24N,21W	Taney		x	x	x		x	A		x	
Bull Cr.	P	18.9	34,24N,21W	33,26N,20W	Taney	Christian	x	x	x	x		A		x	
Bull Cr.	C	3.2	33,26N,20W	22,26N,20W	Christian			x	x			A			
Bullskin Cr.	P	4.9	Mouth	26,24N,32W	McDonald	Newton	x	x	x			B			
Buncomb Br.	C	1.2	Mouth	25,48N,23W	Pettis			x	x			B			
Burgher Br.	C	1.5	Mouth	07,37N,07W	Phelps			x	x			B		x	
Burkhart Br.	C	3.7	Mouth	12,31N,12W	Texas			x	x			B			
Burney Br.	C	4.5	Mouth	21,31N,24W	Dade	Greene		x	x			B			
Burr Oak Cr.	C	6.8	Mouth	19,49N,31W	Jackson			x	x			B			
Burr Oak Cr.	C	2.0	Mouth	33,54N,25W	Carroll			x	x			B			
Burris Fk.	C	8.0	10,43N,16W	25,43N,17W	Moniteau	Morgan		x	x			B			
Burris Fk.	P	13.2	Mouth	10,43N,16W	Moniteau			x	x			A		x	
Burton Br.	C	2.0	Mouth	13,31N,10W	Texas			x	x			B			
Busch Cr.	C	2.0	Mouth	23,44N,1W	Franklin			x	x			B			
Butcher Br.	P	1.4	Mouth	12,40N,03E	Jefferson			x	x			B			
Butcher Cr.	C	1.0	Mouth	15,48N,1E	Lincoln			x	x			B			
Butler Cr.	C	4.0	State Line	17,21N,27W	Barry			x	x			B			
Butler Cr.	P	3.9	Mouth	State Line	McDonald		x	x	x	x		A			
Bynum Cr.	C	5.9	Mouth	16,49N,9W	Callaway			x	x			B			
Byrd Cr.	P	14.6	Mouth	Sur	Cape Girardeau			x	x			B			
Byrd Cr.	C	1.5	Sur	325,32N,12E	Cape Girardeau			x	x			B			
Cabanne Course	C	1.5	Mouth	3,37N,4E	St. Francois			x	x			B			
Cache R. Ditch	C	7.7	State Line	36,23N,7E	Butler		x	x	x			B			
Cadet Cr.	P	2.1	Mouth	34,44N,10W	Osage			x	x			B			
Cadet Cr.	C	1.0	34,44N,10W	26,44N,10W	Osage			x	x			B			
Cadet Cr.	P	2.0	Mouth	27,38N,3E	Washington			x	x			B			
Cahoochie Cr.	C	4.0	Mouth	9,36N,20W	Dallas			x	x			B			
Calico Cr.	C	5.4	Mouth	02,39N,02E	Jefferson	Washington		x	x			A			
California Br.	C	2.7	Mouth	17,40N,1E	Franklin	Washington		x	x			B			
Callahan Cr.	C	13.8	Mouth	23,50N,14W	Boone			x	x					x	
Callaway Fk.	C	4.5	Mouth	6,45N,2E	St. Charles			x	x			B			
Calton Cr.	C	5.5	Mouth	16,25N,26W	Barry			x	x			B		x	
Calumet Cr.	P	1.8	Mouth	18,53N,1E	Pike			x	x			B			
Calumet Cr.	C	4.0	18,53N,1E	26,53N,1W	Pike			x	x			B			
Calvey Cr.	P	3.0	Mouth	4,42N,2E	Franklin			x	x			B			
Calvey Cr.	C	4.5	4,42N,2E	13,42N,2E	Franklin			x	x			B			
Camp Br.	C	16.1	Mouth	33,45N,30W	Johnson	Cass		x	x			B			
Camp Br.	C	7.3	Mouth	20,39N,29W	Bates			x	x			B			
Camp Br.	C	4.0	Mouth	27,48N,3W	Warren			x	x			B			
Camp Br.	C	4.2	Smithvle Lk	36,54N,32W	Clay			x	x			B			
Camp Br.	C	3.5	Mouth	35,29N,10W	Texas			x	x					x	
Camp Br.	C	10.1	Mouth	24,45N,23W	Pettis			x	x			B			
Camp Cr.	C	3.2	Mouth	23,38N,9W	Phelps			x	x			B			
Camp Cr.	P	6.3	Mouth	26,49N,3W	Lincoln	Warren		x	x			B			
Camp Cr.	C	6.0	26,49N,3W	16,48N,3W	Warren			x	x			B			
Camp Cr.	C	1.0	Mouth	16,25N,21W	Christian			x	x			B			
Camp Cr.	P	5.3	Mouth	34,30N,4E	Wayne			x	x			B			
Camp Cr.	C	1.3	34,30N,4E	33,30N,4E	Wayne			x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Camp Cr.	C	2.0	28,36N,6E	29,36N,06E	St. Francois		x	x				B			
Camp Cr.	C	5.5	Mouth	24,50N,20W	Saline		x	x				B			
Campbell Br.	C	2.3	Mouth	7,48N,2E	Lincoln		x	x				B			
Campbell Cr.	C	2.8	Mouth	19,61N,30W	Gentry		x	x				B			
Campbell Cr.	C	5.9	Mouth	24,56N,23W	Livingston		x	x				B			
Cane Cr.	P	8.7	Mouth	Sur 3146,32N,12E	Cape Girardeau		x	x				B			
Cane Cr.	C	4.0	Sur 3146, 32N,12E	7,32N,13E	Cape Girardeau		x	x				B			
Cane Cr.	C	4.0	Mouth	28,23N,18W	Taney		x	x	x			B			
Cane Cr.	P	27.5	30,23N,6E	5,25N,5E	Butler		x	x	x	x		A		x	
Cane Cr.	C	15.9	5,25N,5E	15,26N,3E	Butler	Carter	x	x	x	x		A			
Cane Cr.	C	9.8	Mouth	30,23N,6E	Butler		x	x	x			B			
Cane Cr.	C	3.6	6,29N,10E	27,30N,9E	Bollinger		x	x				B			
Cane Cr.	P	8.4	Mouth	6,29N,10E	Bollinger		x	x				B			
Cane Cr. Ditch	P	7.5	State Line	30,23N,6E	Butler		x	x	x			B		x	
Caney Cr.	C	3.0	Mouth	11,24N,17W	Taney		x	x				A			
Caney Cr.	C	7.0	Mouth	5,23N,13W	Ozark		x	x				B			
Caney Cr.	C	11.5	9,28N,12E	36,29N,13E	Scott		x	x						x	
Caney Fk.	P	5.3	Mouth	3,32N,11E	Cape Girardeau		x	x				B			
Caney Fk.	C	4.0	3,32N,11E	28,33N,11E	Cape Girardeau		x	x				B			
Cannon Br.	P	0.8	Mouth	17,36N,25W	St. Clair		x	x				B			
Cantrell Cr.	P	7.8	Mouth	07,30N,16W	Webster		x	x				B			
Cantrell Cr.	C	5.9	07,30N,16W	32,30N,16W	Webster		x	x				B			
Cape Cr.	P	1.0	Mouth	22,33N,8E	Madison		x	x				B			
Cape Cr.	C	0.5	22,33N,8E	22,33N,8E	Madison		x	x				B			
Cape La Croix Cr.	P	7.2	Mouth	Sur 3314,31N,13E	Cape Girardeau		x	x				B			
Capps Cr.	P	5.0	Mouth	17,25N,28W	Newton	Barry	x	x	x		x	A		x	
Captain Cr.	C	1.0	Mouth	24,32N,5E	Madison		x	x				B			
Carney Cr.	C	4.5	Mouth	3,24N,25W	Barry		x	x				B		x	
Carroll Cr.	C	9.4	Mouth	04,53N,30W	Clay		x	x				B			
Carter Cr.	C	1.0	Mouth	5,39N,2W	Crawford		x	x				B			
Carter Cr.	C	6.0	Mouth	4,27N,1E	Carter		x	x				B			
Carver Br.	P	3.0	Mouth	13,26N,32W	Newton		x	x				A			
Carver Cr.	P	1.6	Mouth	28,32N,3E	Iron		x	x				B			
Carver Cr.	C	4.0	28,32N,3E	16,32N,3E	Iron		x	x				B			
Casmer Br.	C	1.5	Mouth	12,48N,2W	Lincoln		x	x				B			
Cason Br.	C	2.5	Mouth	21,45N,10W	Callaway		x	x				B			
Castile Cr.	C	40.2	Mouth	24,58N,32W	Buchanan	Dekalb	x	x				B		x	x
Casto Cr.	C	4.3	Mouth	14,27N,16W	Douglas		x	x				B			
Castor R.	P	45.5	Mouth	31,28N,10E	Stoddard		x	x				B			
Castor R.	C	10.5	31,28N,10E	12,28N,9E	Stoddard	Bollinger	x	x	x			B			
Castor R.	P	7.5	12,28N,9E	29,29N,9E	Bollinger		x	x	x			A		x	
Castor R.	P	59.0	29,29N,9E	19,34N,8E	Bollinger	Madison	x	x	x			A		x	
Castor R.	C	2.5	19,34N,8E	7,34N,8E	Madison	St. Francois	x	x				B			
Castor R. Div. Chan.	P	12.2	4,29N,11E	12,28N,9E	Cape Girardeau	Bollinger	x	x	x			A		x	x
Castro Valley	C	3.4	Mouth	1,29N,6W	Shannon		x	x				B			
Cat Hollow	C	2.5	Mouth	33,35N,18W	Dallas		x	x				B			
Cathcart Hollow	C	1.8	Mouth	20,31N,09W	Texas		x	x				B			
Cato Slough	C	5.7	Mouth	15,28N,9E	Bollinger		x	x	x			B			
Cave Br.	C	2.7	Mouth	13,36N,27W	Cedar		x	x				B			
Cave Cr.	C	3.2	Mouth	14,34N,18W	Dallas		x	x				B			
Cave Cr.	C	0.5	Mouth	29,48N,15W	Cooper		x	x				B			

IRR-Irrigation LWW-Livestock & Wildlife Watering AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery CDF-Cold Water Fishery WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation DWS-Drinking Water Supply IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Cave Fk.	C	3.4	Mouth	10,24N,1W	Ripley			x	x				B		
Cave Spring Br.	C	1.2	16,28N,29W	21,28N,29W	Jasper			x	x				B		
Cave Spring Cr.	C	1.2	Mouth	5,43N,33W	Cass			x	x				B		
Cave Spring Hollow	C	1.5	Mouth	12,29N,2E	Reynolds			x	x				B		
Cedar Bottom Cr.	P	3.5	Mouth	32,33N,6E	Madison			x	x				B		
Cedar Bottom Cr.	C	3.0	32,33N,6E	10,32N,6E	Madison			x	x				B		
Cedar Br.	P	2.7	Mouth	16,31N,10E	Bollinger			x	x				B		
Cedar Br.	C	1.7	16,31N,10E	8,31N,10E	Bollinger			x	x				B		
Cedar Cr.	P	31.0	Mouth	20,34N,27W	Cedar		x	x	x				A	x	
Cedar Cr.	C	16.2	20,34N,27W	10,32N,28W	Cedar	Dade		x	x				B		
Cedar Cr.	C	2.0	Mouth	15,42N,6W	Gasconade			x	x				B		
Cedar Cr.	P	11.3	Mouth	34,35N,2E	Washington	Iron		x	x				A		
Cedar Cr.	C	2.6	Sur	5,34N,2E	Iron			x	x				B		
Cedar Cr.	C	2.8	2,22N,19W	6,22N,18W	Taney			x	x				B		
Cedar Cr.	P	6.5	Mouth	11,30N,6E	Wayne			x	x				B		
Cedar Cr.	P	2.2	Mouth	28,26N,32W	Newton			x	x				B		
Cedar Cr.	C	4.3	Mouth	12,47N,32W	Jackson			x	x				B		
Cedar Cr.	C	4.9	Mouth	34,40N,08W	Maries			x	x					x	
Cedar Cr.	C	37.4	21,46N,11W	3,49N,11W	Callaway			x	x				B	x	
Cedar Cr.	P	14.0	Mouth	21,46N,11W	Callaway			x	x				B	x	
Cedar Cr.	P	7.5	Mouth	20,44N,8W	Osage			x	x				B	x	
Cedar Cr.	C	4.7	20,44N,8W	3,43N,8W	Osage			x	x				B		
Cedar Cr.	C	3.3	Mouth	26,46N,21W	Pettis			x	x				B		
Cedar Fk.	C	8.8	Mouth	18,43N,3W	Franklin			x	x				B		
Cedar Fk.	P	3.4	Mouth	9,35N,9E	Perry			x	x				B		
Cedar Fk.	C	1.2	9,35N,9E	16,35N,9E	Perry			x	x				B		
Cedar Run	C	1.1	Mouth	21,37N,05E	St. Francois			x	x				B		
Center Cr.	P	26.8	14,28N,34W	34,28N,31W	Jasper		x	x	x	x			A	x	x
Center Cr.	P	21.0	34,28N,31W	23,27N,29W	Jasper	Newton	x	x	x				A	x	x
Center Cr.	P	4.9	23,27N,29W	17,27N,28W	Newton	Lawrence	x	x	x		x		A	x	x
Center Cr.	P	4.5	17,27N,29W	26,27N,28W	Lawrence			x	x				A		
Chaney Br.	C	4.0	Mouth	6,32N,28W	Barton	Dade		x	x				B		
Chapel Cr.	C	2.0	Mouth	Sur	Madison			x	x				B		
Chapman Br.	C	1.9	Mouth	33,64N,32W	Gentry			x	x				B		
Chariton R.	P	111.0	Mouth	State Line	Chariton	Putnam	x	x	x				A	x	
Charleton Hollow	P	0.3	5,23N,33W	4,23N,33W	McDonald			x	x				B		
Charrette Cr.	P	13.0	Mouth	14,45N,2W	Warren			x	x				A		
Charrette Cr.	P	7.5	14,45N,2W	24,46N,2W	Warren			x	x				A		
Charrette Cr.	C	4.8	24,46N,2W	8,46N,1W	Warren			x	x				B		
Chat Cr.	C	2.1	11,26N,26W	7,26N,25W	Lawrence			x	x				B	x	
Cheese Cr.	C	4.7	Mouth	09,43N,21W	Pettis	Benton		x	x				B		
Cherry Valley Cr.	C	3.2	Mouth	10,37N,3W	Crawford			x	x				B		
Chesapeake Cr.	P	3.2	Mouth	29,28N,25W	Lawrence			x	x		x		B		
Chute of Island No.7	C	1.4	26,23N,16E	36,23N,16E	Mississippi		x	x	x				B		
Cicero Cr.	P	1.0	Mouth	9,38N,1W	Washington			x	x				B		
Cinque Hommes Cr.	P	17.1	Mouth	28,35N,11E	Perry			x	x				B		
Cinque Hommes Cr.	C	5.0	28,35N,11E	36,35N,10E	Perry			x	x				B		
Clabber Cr.	C	3.0	Mouth	14,45N,9W	Callaway			x	x				B		
Clammer Br.	C	1.0	Mouth	8,38N,27W	St. Clair			x	x				B		
Clark Br.	C	8.6	Mouth	29,56N,18W	Chariton			x	x				B		

IRR-Irrigation LWW-Livestock & Wildlife Watering AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption CLF-Cool Water Fishery CDF-Cold Water Fishery WBC-Whole Body Contact Recreation SCR-Secondary Contact Recreation DWS-Drinking Water Supply IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Clark Cr.	P	5.0	Mouth	12,29N,14W	Wright			x	x						B
Clark Cr.	C	5.6	12,29N,14W	3,28N,14W	Wright			x	x						B
Clark Cr.	P	11.1	Mouth	20,29N,4E	Wayne			x	x		x				B
Clark Cr.	C	1.5	20,29N,4E	29,29N,4E	Wayne			x	x						B
Clark Fk.	C	8.3	Mouth	15,47N,16W	Cooper			x	x						B
Clark Fk.	P	1.0	Mouth	15,43N,13W	Cole			x	x						B
Clark Fk.	C	6.0	15,43N,13W	34,43N,13W	Cole			x	x						B
Clayton Br.	P	2.0	Mouth	20,34N,1E	Iron			x	x						B
Clayton Br.	C	1.4	20,34N,1E	18,34N,1E	Iron			x	x						B
Clayton Hollow	C	1.0	Mouth	3,24N,18W	Taney			x	x						B
Clear Cr.	C	4.7	Mouth	27,56N,10W	Monroe			x	x						B
Clear Cr.	C	4.8	Mouth	27,42N,23W	Benton			x	x						B
Clear Cr.	C	4.0	Mouth	11,44N,30W	Cass			x	x						B
Clear Cr.	P	28.2	Mouth	10,35N,29W	St. Clair	Vernon		x	x						A
Clear Cr.	C	22.3	10,35N,29W	16,34N,30W	Vernon			x	x						B
Clear Cr.	P	15.2	Mouth	4,29N,23W	Greene			x	x						B
Clear Cr.	C	4.3	Mouth	5,47N,5W	Montgomery			x	x						B
Clear Cr.	C	1.6	Mouth	16,37N,1W	Washington			x	x						B
Clear Cr.	C	2.0	Mouth	16,39N,6W	Phelps			x	x						B
Clear Cr.	C	4.4	Mouth	17,39N,2E	Washington			x	x						B
Clear Cr.	P	4.2	Mouth	19,36N,2E	Washington			x	x						B
Clear Cr.	C	2.4	19,36N,2E	13,36N,1E	Washington			x	x						B
Clear Cr.	C	13.0	Mouth	State Line	Nodaway			x	x						B
Clear Cr.	P	11.1	Mouth	28,26N,28W	Newton	Lawrence		x	x						B
Clear Cr.	C	3.5	28,26N,28W	36,26N,28W	Lawrence	Barry		x	x						B
Clear Cr.	P	5.0	Mouth	26,53N,31W	Clay			x	x						B
Clear Cr.	C	13.5	6,53N,31W	09,54N,31W	Clay	Clinton		x	x						x
Clear Cr.	C	6.0	Mouth	25,59N,26W	Daviess			x	x						B
Clear Cr.	C	3.3	Mouth	10,57N,5W	Marion			x	x						B
Clear Cr.	C	5.5	Mouth	22,47N,19W	Cooper			x	x						B
Clear Fk.	C	1.5	Mouth	32,42N,6W	Gasconade			x	x						B
Clear Fk.	C	7.0	Mouth	36,49N,6W	Montgomery			x	x						B
Clear Fk.	P	25.8	Mouth	26,45N,25W	Johnson			x	x						B
Clear Fk.	C	10.1	26,45N,25W	18,44N,24W	Johnson			x	x						B
Clear Spring	P	0.3	Mouth	19,28N,08W	Texas			x	x						B
Clifty Br.	C	2.3	Mouth	36,44N,15W	Moniteau			x	x						B
Clifton Cr.	C	5.5	Mouth	10,45N,11W	Callaway			x	x						B
Clifty Cr.	C	11.4	Mouth	16,27N,12W	Douglas			x	x						B
Clifty Hollow Cr.	C	2.9	Mouth	11,38N,10W	Maries			x	x						B
Clubb Cr.	P	3.7	Mouth	2,29N,9E	Bollinger		x	x	x						B
Clubb Cr.	C	2.1	2,29N,9E	33,30N,9E	Bollinger			x	x						B
Coakley Hollow	C	1.6	Mouth	9,38N,15W	Camden			x	x						B
Coal Cr.	P	5.8	Mouth	35,42N,26W	Henry			x	x						B
Coal Cr.	C	2.0	Mouth	1,65N,26W	Harrison			x	x						B
Coalbank Cr.	C	1.8	Mouth	27,47N,17W	Cooper			x	x						B
Coates Br.	P	3.0	Mouth	36,32N,24W	Polk			x	x						B
Coatney Cr.	P	2.0	Mouth	15,36N,19W	Dallas			x	x						B
Cobb Cr.	P	2.1	Mouth	21,33N,14W	Laclede			x	x						B
Cobb Cr.	C	2.3	21,33N,14W	32,33N,14W	Laclede			x	x						B
Coffman Hollow	C	1.0	Mouth	14,37N,1W	Washington			x	x						B
Coldwater Cr.	C	4.6	34,44N,33W	8,43N,33W	Cass			x	x						B
Coldwater Cr.	C	6.9	Mouth	13,47N,6E	St. Louis			x	x						B
Coldwater Cr.	P	4.3	Mouth	27,35N,8E	Ste. Genevieve			x	x						x
Coldwater Cr.	C	0.9	27,35N,8E	33,35N,8E	Ste. Genevieve			x	x						B

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Cole Camp Cr.	P	18.1	Mouth	07,42N,21W	Benton			x	x	x		B			
Cole Camp Cr.	C	4.8	07,42N,21W	26,43N,21W	Benton			x	x			B		x	
Cole Cr.	C	1.5	Mouth	4,45N,5W	Gasconade			x	x			B			
Cole Cr.	C	2.0	Mouth	17,51N,14W	Howard			x	x			B			
Cole Cr.	C	5.7	Mouth	Sur 3280,47N,4E	St. Charles			x	x			B			
Collier Cr.	C	1.5	Mouth	10,30N,5E	Wayne			x	x			B			
Collier Cr.	C	2.5	Mouth	18,45N,8W	Callaway			x	x			B			
Compton Br.	C	1.7	Mouth	16,36N,1E	Washington			x	x			B			
Comstock Cr.	P	1.0	Mouth	34,34N,33W	Vernon			x	x			B			
Comstock Cr.	C	7.5	34,34N,33W	8,33N,32W	Barton			x	x			B			
Conner Cr.	C	5.0	Mouth	5,46N,11W	Boone			x	x			B			
Conns Cr.	C	2.0	20,37N,14W	26,37N,14W	Camden			x	x			B			
Conrad Cr.	P	3.2	Mouth	5,33N,9E	Bollinger			x	x			B			
Conrad Cr.	C	1.5	5,33N,9E	1,33N,8E	Bollinger			x	x			B			
Contrary Cr.	P	1.5	Mouth	13,43N,7W	Osage			x	x			B			
Contrary Cr.	C	4.5	13,43N,7W	9,43N,7W	Osage			x	x			B			
Contrary Cr.	C	10.0	Mouth	30,56N,35W	Buchanan			x	x			B			
Cook Hollow	C	2.0	Mouth	35,25N,21W	Taney	Christian		x	x			B			
Coon Cr.	C	3.6	Mouth	24,51N,14W	Boone			x	x			B			
Coon Cr.	C	11.8	Mouth	08,53N,13W	Monroe	Randolph		x	x			B			
Coon Cr.	P	1.9	Mouth	22,30N,14W	Wright			x	x			B			
Coon Cr.	C	1.6	22,30N,14W	17,30N,14W	Wright			x	x			B			
Coon Cr.	C	13.2	Mouth	10,50N,6W	Montgomery			x	x			B		x	
Coon Cr.	C	9.2	Mouth	Hwy. 47	Lincoln			x	x			B			
Coon Cr.	C	5.1	Mouth	24,22N,21W	Taney			x	x			B			
Coon Cr.	C	7.5	Mouth	14,30N,30W	Barton	Jasper		x	x			B			
Coon Cr.	C	12.2	Mouth	5,29N,28W	Dade	Lawrence		x	x			B			
Coon Cr.	C	5.8	Mouth	16,45N,22W	Pettis			x	x			B			
Coon Hollow	C	1.6	Mouth	3,34N,2E	Iron			x	x			B			
Coon Hollow	C	4.4	Mouth	14,28N,07W	Texas			x	x			B			
Cooney Cr.	C	0.8	Mouth	11,40N,20W	Benton			x	x			B			
Coonville Cr.	C	1.3	Mouth	30,38N,5E	St. Francois			x	x			B			
Cooper Cr.	P	0.9	Mouth	07,22N,21W	Taney			x	x			B			
Cooper Cr.	C	1.1	07,22N,21W	06,22N,21W	Taney			x	x			B			
Coopers Cr.	C	7.3	Mouth	6,39N,26W	Henry	St. Clair		x	x			B			
Coppedge Cr.	C	1.2	Mouth	35,39N,7W	Maries			x	x			B			
Corn Cr.	C	1.1	Mouth	36,36N,09W	Phelps			x	x			B			
Cotter Cr.	C	1.5	Mouth	23,40N,4E	Jefferson			x	x			B		x	
Cotton Wood Cr.	C	3.5	Mouth	3,54N,18W	Chariton			x	x			B			
Cottonwood Cr.	C	2.0	Mouth	28,36N,33W	Vernon			x	x			B			
Cottonwood Cr.	C	3.9	Mouth	7,50N,25W	Lafayette			x	x			B			
Cottonwood Cr.	C	4.3	Mouth	5,56N,27W	Caldwell			x	x			B			
Cottonwood Cr.	C	2.4	Mouth	2,55N,25W	Livingston	Carroll		x	x			B			
Courtois Cr.	P	32.0	Mouth	17,35N,1W	Crawford	Washington		x	x	x		A		x	
Courtois Cr.	C	1.7	17,35N,1W	21,35N,1W	Washington	Iron		x	x	x		B			
Cow Br.	C	4.4	Mouth	29,65N,40W	Atchison			x	x			B			
Cow Cr.	C	2.5	Mouth	26,47N,8W	Callaway			x	x					x	
Cow Cr.	C	1.8	Mouth	25,51N,21W	Saline			x	x			B			
Cowskin Cr.	P	5.0	Mouth	33,27N,16W	Douglas			x	x			B			
Cowskin Cr.	C	3.6	33,27N,16W	16,27N,16W	Douglas			x	x			B			
Cox Br.	C	2.2	Mouth	10,38N,7W	Phelps			x	x			B		x	
Crabapple Cr.	C	3.8	Mouth	4,55N,27W	Caldwell			x	x			B			

IRR Irrigation LWW Livestock & Wildlife Watering AQL Protection of Warm Water Aquatic Life and Human Health-Fish Consumption CLF Cool Water Fishery CDF Cold Water Fishery WBC Whole Body Contact Recreation SCR Secondary Contact Recreation DWS Drinking Water Supply IND Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Crabtree Br.	P	1.5	Mouth	18,34N,25W	Cedar		x	x				B			
Crabtree Br.	C	1.5	18,34N,25W	19,34N,25W	Cedar		x	x				B			
Cracked Neck Cr.	P	3.0	Mouth	6,29N,26W	Lawrence		x	x				B			
Crane Cr.	P	8.4	Mouth	09,36N,21W	Hickory		x	x				B			
Crane Cr.	C	3.4	09,36N,21W	12,36N,21W	Hickory		x	x				B			
Crane Cr.	P	5.9	Mouth	8,25N,23W	Stone		x	x				A		x	
Crane Cr.	P	13.2	8,25N,23W	19,26N,24W	Stone		x	x			x	A		x	
Crane Pond Cr.	P	12.7	Mouth	33,32N,4E	Wayne	Iron	x	x				B			
Crane Pond Cr.	C	1.0	Mouth	33,32N,4E	Iron		x	x				B			
Craven Ditch	C	11.6	Mouth	16,24N,6E	Butler		x	x	x						x
Crawford Cr.	C	5.0	Mouth	32,46N,29W	Cass		x	x				B			
Creve Coeur Cr.	P	2.1	Mouth	Creve Coeur Lake	St. Louis		x	x				B			
Creve Coeur Cr.	C	3.8	Creve Coeur Lk	6,45N,5E	St. Louis		x	x				B			
Crider Cr.	P	4.7	Mouth	30,42N,6W	Gasconade		x	x				B			
Crider Cr.	C	3.4	30,42N,6W	2,41N,7W	Gasconade	Osage	x	x				B			
Crooked Br.	C	1.0	Mouth	22,24N,11W	Ozark		x	x				B			
Crooked Br.	C	3.1	Mouth	31,45N,30W	Cass		x	x				B			
Crooked Cr.	C	31.4	Mouth	1,56N,12W	Monroe	Shelby	x	x				B			
Crooked Cr.	C	4.0	Mouth	15,50N,5W	Montgomery		x	x				B			
Crooked Cr.	P	19.7	Mouth	36,35N,4W	Crawford	Dent	x	x	x			A			
Crooked Cr.	C	1.0	36,35N,4W	6,34N,3W	Dent		x	x				B			
Crooked Cr.	P	3.5	Mouth	33,35N,2W	Crawford		x	x	x			A			
Crooked Cr.	P	1.5	Mouth	10,48N,1E	Lincoln		x	x				B			
Crooked Cr.	C	7.0	10,48N,1E	11,48N,1W	Lincoln		x	x				B			
Crooked Cr.	C	2.8	Mouth	12,59N,33W	Dekalb		x	x				B			
Crooked Cr.	C	4.0	Mouth	12,60N,34W	Andrew		x	x				B			
Crooked Cr.	C	5.3	Mouth	06,44N,23W	Johnson	Pettis	x	x				B			
Crooked Cr.	C	2.3	Mouth	30,59N,23W	Livingston		x	x				B			
Crooked Cr.	P	44.8	Mouth	17,32N,9E	Cape Girardeau	Bollinger	x	x	x			A		x	
Crooked Cr.	C	1.0	17,32N,9E	8,32N,9E	Bollinger		x	x				B			
Crooked R.	P	58.1	Mouth	3,54N,29W	Ray		x	x				B			
Crooked R.	C	7.5	3,54N,29W	25,55N,30W	Ray	Clinton	x	x				B			
Crossville Br.	C	2.0	Mouth	28,33N,3W	Reynolds		x	x				B			
Crows Cr.	C	1.8	Mouth	3,39N,2W	Crawford		x	x				B			
Crows Fork Cr.	C	12.7	Mouth	35,48N,9W	Callaway		x	x				B			
Cub Cr.	P	6.6	Mouth	13,35N,1W	Washington		x	x				B			
Cub Cr.	C	1.0	13,35N,1W	18,35N,1E	Washington		x	x				B			
Cuivre R.	PI	11.6	Mouth	Sur 1795,48N,2E	St. Charles		x	x				B		x	
Cuivre R.	P	30.0	Sur	14,49N,1W 1795,48N,2E	St. Charles	Lincoln	x	x				A		x	
Current R.	P	124.0	State Line	24,31N,6W	Ripley	Shannon	x	x	x	x		A		x	
Current R.	P	18.8	24,31N,6W	Montauk Spring	Shannon	Dent	x	x			x	A		x	
Cypress Cr.	C	3.2	Mouth	24,23N,3E	Ripley		x	x				B			
Cypress Cr.	C	15.8	Mouth	18,62N,27W	Daviess	Harrison	x	x				B			
Cypress Ditch #1	C	9.7	State Line	1,22N,4E	Ripley		x	x				B			
Cypress Ditch Lat.	P	8.0	Mouth	20,25N,9E	Stoddard		x	x				B			
Cypress Ditch Lat.	C	6.5	20,25N,9E	29,26N,9E	Stoddard		x	x				B			
Dan R.	C	2.5	32,23N,7E	20,23N,7E	Butler		x	x				B			
Dardenne Cr.	PI	7.0	Mouth	Sur 1704,47N,4E	St. Charles		x	x				B		x	
Dardenne Cr.	P	16.5	Sur	1704, 47N,4E 22,46N,2E	St. Charles		x	x				B		x	

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Dardenne Cr.	C	8.5	22,46N,2E	22,46N,1E	St. Charles		x	x				B			
Dark Cr.	C	9.1	Mouth	34,55N,15W	Randolph		x	x				B			
Darrow Br.	C	1.0	Mouth	1,44N,9W	Osage		x	x				B			
Davis Br.	C	4.0	Mouth	2,28N,18W	Webster		x	x					x		
Davis Cr.	C	8.8	Mouth	30,51N,9W	Audrain		x	x				B			
Davis Cr.	C	2.9	Mouth	6,34N,22W	Polk		x	x				B			
Davis Cr.	P	1.2	Mouth	12,29N,20W	Greene		x	x				B			
Davis Cr.	C	3.0	12,29N,20W	2,29N,20W	Greene		x	x				B			
Davis Cr.	C	4.2	Mouth	13,23N,10W	Howell		x	x				B			
Davis Cr.	P	3.5	Mouth	21,62N,38W	Holt		x	x				B			
Davis Cr.	P	25.8	Mouth	8,48N,26W	Saline	Lafayette	x	x				B			
Davis Cr.	C	12.2	8,48N,26W	7,48N,27W	Lafayette		x	x				B	x		
Davis Cr. Ditch	C	6.7	Mouth	6,61N,38W	Holt		x	x				B			
Davisville Hollow	C	2.2	Mouth	31,36N,2W	Crawford		x	x				B			
Day Hollow	C	1.0	Mouth	36,39N,1W	Washington		x	x				B			
Dead Oak Br.	C	1.0	Mouth	2,55N,26W	Caldwell		x	x				B			
Deane Cr.	P	1.3	Mouth	17,38N,14W	Miller		x	x				A	x		
Deane Cr.	C	2.0	20,38N,14W	29,38N,14W	Camden		x	x				B			
Deberry Cr.	C	0.9	Mouth	26,37N,14W	Camden		x	x				B			
Decker Br.	C	2.1	Mouth	35,36N,22W	Hickory		x	x				B			
Deepwater Cr.	C	9.8	Mouth	Montrose Lk Dam	Henry		x	x				B			
Deepwater Cr.	C	5.6	35,41N,28W	5,40N,28W	Henry	Bates	x	x				B			
Deer Cr.	P	11.7	Mouth	21,39N,20W	Benton		x	x	x			B			
Deer Cr.	C	3.3	21,39N,20W	03,38N,20W	Benton		x	x				B			
Deer Cr.	C	1.3	Mouth	12,41N,26W	Henry		x	x				B			
Deer Cr.	P	5.6	Mouth	4,32N,21W	Polk		x	x				B			
Deer Cr.	P	0.8	Mouth	20,45N,8W	Osage		x	x				B			
Deer Cr.	C	4.4	20,45N,8W	34,45N,8W	Osage		x	x				B			
Deer Cr.	P	1.6	Mouth	1930,45N,6E	St. Louis City	St. Louis	x	x				A	x		
Dent Br.	C	1.0	Mouth	Sur 2374,36N,2E	Washington		x	x				B			
Des Moines R.	P	31.3	Mouth	State Line	Clark		x	x				A	x		
Devils Den Hollow	C	1.2	Mouth	11,33N,4E	Iron		x	x				B			
Dew Pond Hollow	C	2.7	Mouth	15,30N,07W	Texas		x	x				B			
Dickerson Cr.	C	1.3	Mouth	Binder Lake Dam	Cole		x	x				B			
Dicks Cr.	C	7.3	Mouth	33,54N,33W	Platte		x	x				B	x		
Dicks Fk.	C	5.0	Mouth	28,32N,31W	Barton		x	x				B			
Dicky Cr.	C	1.1	Mouth	14,26N,15W	Douglas		x	x				B			
Dillard Cr.	P	1.5	Mouth	22,31N,11E	Cape Girardeau		x	x				B			
Dillard Cr.	C	1.0	22,31N,11E	16,31N,11E	Cape Girardeau		x	x				B			
Dillon Cr.	C	4.8	Mouth	33,59N,35W	Andrew		x	x				B	x		
Dirt House Hollow	C	1.9	Mouth	28,29N,07W	Texas		x	x				B			
Ditch #1	C	9.0	Mouth	20,23N,9E	Dunklin		x	x				B			
Ditch #1	P	7.6	13,27N,8E	19,28N,9E	Stoddard	Bollinger	x	x				B			
Ditch #1	C	2.0	19,28N,9E	16,28N,9E	Bollinger		x	x				B			
Ditch #1	P	2.8	30,16N,10E	17,16N,10E	Dunklin		x	x				B			
Ditch #1	P	17.6	3,24N,13E	15,27N,13E	New Madrid	Scott	x	x				B			
Ditch #1	C	3.3	16,27N,13E	4,27N,13E	Scott		x	x				B			
Ditch #1	P	86.0	State Line	27,29N,12E	Dunklin	Scott	x	x	x			B	x		
Ditch #1	C	4.3	27,29N,12E	12,29N,12E	Scott		x	x	x			B	x		
Ditch #1	P	7.3	Mouth	16,21N,9E	Dunklin		x	x	x			B			

IRR-Irrigation
 LWV-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Ditch #1	C	3.3	16,21N,9E	6,21N,9E	Dunklin		x	x				B			
Ditch #10	P	3.5	32,27N,8E	17,27N,8E	Stoddard	Wayne	x	x				B			
Ditch #10	C	2.5	17,27N,8E	4,27N,8E	Wayne		x	x				B			
Ditch #10	C	2.7	20,23N,15E	5,23N,15E	New Madrid		x	x				B			
Ditch #101	C	3.5	34,28N,9E	19,28N,10E	Bollinger		x	x				B			
Ditch #104	C	12.5	Mouth	13,25N,13E	New Madrid		x	x				B			
Ditch #11	P	6.0	32,27N,8E	13,27N,8E	Stoddard		x	x				B			
Ditch #11	C	3.0	7,24N,8E	1,25N,7E	Butler		x	x				B			
Ditch #110	C	3.1	5,28N,11E	20,29N,11E	Stoddard	Cape Girardeau	x	x				B			
Ditch #16	C	11.2	33,24N,8E	7,25N,8E	Butler		x	x				B			
Ditch #17	C	7.5	Mouth	31,28N,11E	Stoddard		x	x				B			
Ditch #2	P	3.2	State Line	30,22N,4E	Ripley		x	x				B			
Ditch #2	C	6.0	30,22N,4E	2,22N,4E	Ripley		x	x				B			
Ditch #2	P	4.9	Mouth	35,28N,8E	Stoddard	Wayne	x	x				B			
Ditch #2	C	4.9	23,17N,12E	36,18N,12E	Pemiscot		x	x				B			
Ditch #2	P	17.0	11,20N,10E	24,23N,10E	New Madrid		x	x				B			
Ditch #22	C	7.0	Mouth	2,23N,8E	Butler		x	x				B			
Ditch #23	C	5.8	Mouth	34,24N,8E	Butler		x	x				B			
Ditch #24	P	12.0	23,26N,12E	6,27N,12E	Stoddard		x	x				B			
Ditch #24	C	3.9	6,27N,12E	22,28N,11E	Stoddard		x	x				B			
Ditch #25	P	1.0	15,28N,11E	9,28N,11E	Stoddard		x	x				B			
Ditch #25	C	2.5	9,28N,11E	5,28N,11E	Stoddard		x	x				B			
Ditch #251	P	44.0	State Line	26,22N,12E	Dunklin	New Madrid	x	x				B		x	
Ditch #258	P	10.0	27,19N,10E	9,20N,11E	Dunklin	Pemiscot	x	x				B		x	
Ditch #258	C	5.0	9,20N,11E	25,21N,11E	New Madrid		x	x				B			
Ditch #259	P	26.3	State Line	31,20N,11E	Dunklin	Pemiscot	x	x				B		x	
Ditch #26	P	3.0	Mouth	33,29N,11E	Stoddard	Cape Girardeau	x	x				B			
Ditch #26	C	1.3	33,29N,11E	28,29N,11E	Cape Girardeau		x	x				B			
Ditch #27	P	4.5	15,28N,11E	22,29N,11E	Stoddard	Cape Girardeau	x	x				B			
Ditch #287	P	4.8	6,27N,11E	15,28N,11E	Stoddard		x	x				B			
Ditch #290	P	9.2	19,20N,11E	12,21N,11E	Dunklin	New Madrid	x	x				B			
Ditch #290	C	5.3	12,21N,11E	21,22N,12E	New Madrid		x	x				B			
Ditch #293	P	2.9	19,20N,11E	12,20N,10E	Pemiscot		x	x				B			
Ditch #3	P	2.0	4,18N,9E	28,19N,9E	Dunklin		x	x				B			
Ditch #3	C	0.5	28,19N,9E	27,19N,9E	Dunklin		x	x				B			
Ditch #3	C	2.4	Mouth	11,27N,8E	Stoddard		x	x				B			
Ditch #3	P	8.1	6,16N,12E	4,17N,12E	Pemiscot		x	x				B			
Ditch #3	P	18.3	12,20N,10E	6,23N,11E	New Madrid	Stoddard	x	x				B			
Ditch #30	P	4.5	Mouth	1,27N,11E	Stoddard		x	x				B			
Ditch #33	P	11.8	Mouth	14,28N,11E	Stoddard		x	x				B			
Ditch #33	C	2.0	14,28N,11E	2,28N,11E	Stoddard		x	x				B			
Ditch #34	C	4.5	Mouth	25,29N,11E	Stoddard	Cape Girardeau	x	x				B			
Ditch #34	C	9.0	Mouth	24,28N,12E	Stoddard		x	x				B			
Ditch #35	C	9.2	Mouth	3,27N,12E	Stoddard		x	x				B			
Ditch #36	P	7.8	Mouth	21,19N,10E	Dunklin		x	x				B			
Ditch #4	C	1.5	22,27N,8E	11,27N,8E	Stoddard		x	x				B			
Ditch #4	C	3.5	4,17N,12E	20,18N,12E	Pemiscot		x	x				B			
Ditch #4	P	8.9	34,26N,13E	22,27N,13E	New Madrid	Scott	x	x				B			
Ditch #4	C	4.0	22,27N,13E	33,28N,13E	Scott		x	x				B			
Ditch #4	C	14.0	Mouth	6,22N,11E	Pemiscot	New Madrid	x	x				B			
Ditch #41	C	5.0	Mouth	28,23N,12E	New Madrid		x	x				B			
Ditch #42	C	18.2	Mouth	29,25N,12E	New Madrid	Stoddard	x	x				B			
Ditch #5	C	1.0	28,27N,8E	21,27N,8E	Stoddard		x	x				B			

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Ditch #5	P	2.0	12,16N,11E	6,16N,12E	Pemiscot		x	x			B			
Ditch #6	P	1.0	29,27N,8E	21,27N,8E	Stoddard		x	x			B			
Ditch #6	P	16.0	Mouth	15,18N,12E	Pemiscot		x	x			B			
Ditch #6	C	4.5	15,18N,12E	2,18N,12E	Pemiscot		x	x			B			
Ditch #6	P	7.8	Mouth	16,22N,11E	New Madrid		x	x			B			
Ditch #6	C	23.3	16,22N,11E	26,26N,11E	New Madrid	Stoddard	x	x					x	
Ditch #66	C	2.0	Mouth	33,20N,11E	Pemiscot		x	x			B			
Ditch #66	P	25.0	State Line	1,19N,10E	Pemiscot		x	x			B			
Ditch #7	P	3.0	Mouth	22,16N,11E	Pemiscot		x	x			B			
Ditch #7	C	6.7	Mouth	15,22N,11E	New Madrid		x	x			B			
Ditch #79	P	11.0	4,16N,9E	28,18N,10E	Dunklin		x	x			B			
Ditch #8	C	19.1	12,21N,11E	1,24N,11E	New Madrid	Stoddard	x	x			B		x	
Ditch #80	P	0.5	4,16N,9E	4,16N,9E	Dunklin		x	x			B			
Ditch #81	P	24.0	State Line	11,19N,10E	Dunklin	Pemiscot	x	x			B			
Ditch #84	P	6.0	11,19N,10E	11,20N,10E	Pemiscot		x	x			B			
Ditch #9	P	5.6	17,20N,11E	22,21N,11E	Pemiscot	New Madrid	x	x			B			
Ditch #9	C	3.0	22,21N,11E	12,21N,11E	New Madrid		x	x			B			
Ditch 101	P	1.7	Mouth	34,28N,9E	Stoddard	Bollinger	x	x			B			
Ditch Cr.	P	1.8	Mouth	12,40N,02E	Jefferson		x	x			A			
Ditch to Black R.	P	9.5	Mouth	3,23N,7E	Butler		x	x	x		B			
Ditch to Black R.	C	10.7	3,23N,7E	9,25N,7E	Butler		x	x	x		B		x	
Ditch to Ditch #1	C	1.2	Mouth	28,23N,9E	Dunklin			x	x		B			
Ditch to Ditch #1	C	4.9	Mouth	34,30N,12E	Scott	Cape Girardeau	x	x			B			
Ditch to Ditch #1	P	7.0	Mouth	33,30N,12E	Scott	Cape Girardeau	x	x			B			
Ditch to Ditch #1	P	3.7	Mouth	16,29N,12E	Scott	Cape Girardeau	x	x			B			
Ditch to Ditch #101	C	1.6	Mouth	13,28N,9E	Bollinger		x	x			B			
Ditch to Ditch #2	P	1.5	Mouth	24,22N,3E	Ripley		x	x			B			
Ditch to Ditch #3	P	2.0	Mouth	30,17N,12E	Pemiscot		x	x			B			
Ditch to Ditch #5	C	2.0	Mouth	24,16N,11E	Pemiscot		x	x			B			
Ditch to Ditch #6	C	2.0	Mouth	29,18N,12E	Pemiscot		x	x			B			
Ditter Cr.	C	1.2	Mouth	03,41N,23W	Benton		x	x			B			
Doe Cr.	C	6.1	Mouth	4,50N,15W	Howard		x	x			B			
Doe Run Cr.	P	6.1	Mouth	27,35N,5E	St. Francois		x	x			B			
Doe Run Cr.	C	3.5	27,35N,5E	20,35N,5E	St. Francois		x	x			B			
Dog Cr.	P	2.9	Mouth	12,40N,14W	Miller		x	x			B			
Dog Cr.	C	7.0	12,40N,14W	4,39N,14W	Miller		x	x			B		x	
Dog Cr.	C	5.7	Mouth	9,58N,28W	Daviess		x	x			B			
Dog Hollow	C	2.0	Mouth	30,33N,14E	Cape Girardeau		x	x			B			
Doolan Chute	P	9.6	Mouth	30,29N,15E	Scott		x	x			B		x	
Dooling Cr.	P	1.5	Mouth	11,45N,8W	Osage		x	x			B			
Dooling Cr.	C	1.0	11,45N,8W	11,45N,8W	Osage		x	x			B			
Doolittle Cr.	C	2.3	Mouth	03,29N,12W	Texas		x	x					x	
Doss Br.	P	2.2	Mouth	17,38N,2W	Crawford		x	x			B			
Doss Br.	C	2.0	17,38N,2W	15,38N,2W	Crawford		x	x			B			
Double Br.	C	5.8	Mouth	19,39N,30W	Bates		x	x			B		x	
Douger Br.	C	3.1	Mouth	11,26N,26W	Lawrence		x	x			B			
Douglas Br.	C	4.3	Mouth	13,36N,32W	Vernon		x	x			B			
Dousinbury Cr.	P	3.9	Mouth	17,33N,18W	Dallas		x	x			B			
Dousinbury Cr.	C	2.0	17,33N,18W	15,33N,18W	Dallas		x	x			B			
Dove Cr.	C	2.0	Mouth	12,29N,13W	Wright		x	x			B			
Doxies Cr.	C	12.4	Mouth	5,51N,16W	Chariton	Howard	x	x			B			
Drunken Cr.	P	1.0	Mouth	Sur1200,30N,10	Bollinger		x	x			B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Drunken Cr.	C	1.5	Sur	34,31N,10E	Bollinger			x	x			B			
Dry Auglaize Cr.	P	5.2	24,38N,15W	22,38N,15W	Camden			x	x			A		x	
Dry Auglaize Cr.	C	34.5	22,38N,15W	8,35N,15W	Camden	Laclede		x	x			A		x	
Dry Auglaize Cr.	P	7.6	8,35N,15W	2,34N,16W	Laclede			x	x			B			
Dry Bone Cr.	C	1.8	Mouth	20,30N,7W	Texas			x	x			B			
Dry Br.	P	3.6	Mouth	6,28N,23W	Greene			x	x			B			
Dry Br.	C	1.7	6,28N,23W	7,28N,23W	Greene			x	x			B			
Dry Br.	C	2.6	Mouth	Sur	Lincoln			x	x			B			
Dry Br.	C	5.1	Mouth	1710,51N,1W	Lincoln			x	x			B			
Dry Br.	C	5.3	Mouth	3,49N,2W	Lincoln			x	x			B			
Dry Br.	C	5.3	Mouth	4,39N,1E	Washington			x	x			B			
Dry Cr.	P	1.3	Mouth	27,39N,9W	Maries			x	x			B			
Dry Cr.	C	1.5	27,39N,9W	29,39N,9W	Maries			x	x			B			
Dry Cr.	P	5.0	Mouth	14,37N,3W	Crawford			x	x		x	A			
Dry Cr.	C	8.3	14,37N,3W	16,36N,3W	Crawford			x	x			B			
Dry Cr.	C	3.5	Mouth	24,36N,3E	Washington			x	x						x
Dry Cr.	C	1.0	Mouth	27,36N,4E	St. Francois			x	x			B			
Dry Cr.	C	5.0	Mouth	12,24N,25W	Stone	Barry		x	x			B			
Dry Cr.	C	15.0	Mouth	8,25N,9W	Douglas	Howell		x	x			B			
Dry Cr.	C	1.5	Mouth	1,24N,13W	Ozark			x	x			B			
Dry Cr.	P	1.0	Mouth	9,28N,3E	Wayne			x	x			B			
Dry Cr.	C	2.7	9,28N,3E	32,29N,3E	Wayne			x	x			B			
Dry Cr.	C	4.5	Mouth	27,32N,6E	Madison			x	x			B			
Dry Cr.	P	9.3	Mouth	25,40N,03E	Jefferson			x	x			B			
Dry Cr.	C	2.8	Mouth	11,48N,21W	Saline			x	x						x
Dry Cr.	P	8.8	Mouth	32,30N,10E	Bollinger			x	x			B			
Dry Cr.	C	4.5	32,30N,10E	24,30N,9E	Bollinger			x	x			B			
Dry Fk.	P	7.7	Mouth	8,34N,23W	Polk			x	x			B			
Dry Fk.	C	1.0	8,34N,23W	8,34N,23W	Polk			x	x			B			
Dry Fk.	P	4.0	Mouth	35,47N,6W	Montgomery			x	x			B			
Dry Fk.	C	3.3	35,47N,6W	10,46N,6W	Montgomery			x	x			B			
Dry Fk.	C	2.3	Mouth	22,35N,9E	Perry			x	x			B			
Dry Fk.	C	3.2	Mouth	18,35N,12E	Perry			x	x			B			
Dry Fk.	P	23.3	Mouth	22,37N,7W	Phelps		x	x	x			B			
Dry Fk.	C	27.0	22,37N,7W	20,35N,6W	Phelps	Dent		x	x			B			
Dry Fk.	P	12.7	Mouth	35,41N,6W	Gasconade			x	x			B			
Dry Fk.	C	3.4	Mouth	29,29N,27W	Lawrence			x	x			B			
Dry Fk.	C	10.2	Mouth	8,29N,30W	Jasper			x	x			A			
Dry Fk.	C	2.4	Mouth	11,46N,11W	Callaway			x	x			B			
Dry Fk.	C	2.0	Mouth	20,50N,17W	Howard			x	x			B			
Dry Fk.	C	3.6	Mouth	28,45N,16W	Moniteau			x	x						x
Dry Fk. Cr.	P	4.0	20,35N,6W	29,35N,6W	Dent			x	x			B			
Dry Fk. Cr.	C	11.1	29,35N,6W	25,34N,7W	Dent			x	x			B			
Dry Fk. Cr.	C	13.3	35,41N,6W	6,40N,7W	Gasconade	Maries		x	x			B		x	
Dry Hollow	C	5.1	Mouth	31,22N,27W	Barry			x	x			B			
Dry Hollow	C	2.5	Mouth	34,24N,16W	Ozark			x	x			B			
Dry Hollow	C	0.5	Mouth	22,28N,28W	Lawrence			x	x						x
Dry Valley Br.	P	1.6	Mouth	26,27N,29W	Newton			x	x			B			
Dry Valley Br.	C	1.3	26,27N,29W	25,27N,29W	Newton	Lawrence		x	x						x
Dry Valley Cr.	C	2.3	Mouth	1,34N,5W	Dent			x	x			B			
Dry Wood Cr.	P	29.9	Mouth	4,32N,33W	Vernon	Barton		x	x			B			
Dubois Cr.	P	3.0	Mouth	Sur 404,44N,1E	Franklin			x	x			B			

IRR-LWW AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Dubois Cr.	C	4.8	Sur 404,44N,1E	11,43N,1W	Franklin		x	x			B			
Duck Cr.	C	3.4	Mouth	32,43N,23W	Henry	Benton	x	x			B			
Duck Cr.	C	5.3	Mouth	21,27N,9E	Stoddard		x	x			B		x	
Duck Cr.	C	6.9	Mouth	16,58N,14W	Macon		x	x			B			
Dudley Main Ditch	P	6.4	Mouth	34,25N,9E	Stoddard		x	x			B			
Dudley Main Ditch	C	0.8	34,25N,9E	27,25N,9E	Stoddard		x	x			B			
Dulin Cr.	P	1.4	Mouth	09,42N,04E	Jefferson		x	x			B			
Duncan Cr.	C	2.6	Mouth	8,37N,33W	Vernon		x	x			B			
Duncan Cr.	C	3.2	Mouth	22,38N,10W	Phelps		x	x			B			
Dunlap Cr.	C	0.5	Mouth	13,47N,9W	Callaway		x	x			B			
Dunn Spring Cr.	C	2.3	Mouth	34,44N,1E	Franklin		x	x			B			
Duran Cr.	C	8.1	Mouth	02,41N,22W	Benton		x	x			B			
Durington Cr.	C	4.6	Mouth	06,34N,19W	Dallas		x	x			B			
Duskin Cr.	C	2.0	Mouth	13,32N,13E	Cape Girardeau		x	x			B			
Dutch Cr.	P	1.6	Mouth	27,42N,03E	Jefferson		x	x			B			
Dutchtown Ditch	P	10.0	Mouth	25,30N,12E	Cape Girardeau		x	x			B			
Dutro Carter Cr.	P	1.5	Mouth	18,37N,7W	Phelps		x	x			B			
Dutro Carter Cr.	C	0.5	18,37N,7W	18,37N,7W	Phelps		x	x			B			
Duval Cr.	C	7.0	Mouth	13,30N,32W	Jasper		x	x			B			
Dyer Rock Cr.	C	5.1	Mouth	03,49N,24W	Lafayette		x	x			B			
E. Bear Cr.	C	1.2	Mouth	33,46N,25W	Johnson		x	x			B			
E. Br. Crawford Cr.	C	4.0	32,46N,29W	20,46N,29W	Cass		x	x			B			
E. Br. Elkhorn Cr.	C	4.7	Mouth	19,63N,36W	Nodaway		x	x			B			
E. Br. S. Grand R.	C	14.0	Mouth	1,44N,32W	Cass		x	x			B		x	
E. Br. Squaw Cr.	C	4.2	Mouth	5,62N,38W	Holt		x	x			B			
E. Brush Cr.	C	9.0	Mouth	16,45N,15W	Moniteau		x	x			B			
E. Chan. Whitewater R.	C	4.8	Mouth	16,28N,12E	Scott		x	x			B			
E. Cow Cr.	C	2.2	Mouth	19,51N,20W	Saline		x	x			B			
E. Ditch #1	P	22.0	Mouth	11,22N,10E	Dunklin	New Madrid	x	x			B		x	
E. Ditch #1	C	3.0	11,22N,10E	27,23N,10E	New Madrid		x	x			B			
E. Fk. Big Cr.	P	18.4	9,63N,28W	5,64N,27W	Harrison		x	x			B			x
E. Fk. Big Cr.	C	21.1	5,64N,27W	State Line	Harrison		x	x			B		x	x
E. Fk. Big Cr.	C	3.2	21,31N,7E	9,31N,7E	Madison		x	x			B			
E. Fk. Big Cr.	P	1.4	29,31N,7E	21,31N,7E	Madison		x	x			A			
E. Fk. Big Muddy Cr.	C	2.0	3,65N,29W	35,66N,29W	Harrison		x	x			B			
E. Fk. Black R.	P	17.1	Mouth	29,34N,3E	Reynolds	Iron	x	x			A			x
E. Fk. Black R.	C	0.7	29,34N,3E	21,34N,3E	Iron		x	x			B			
E. Fk. Bull Cr.	C	2.4	Mouth	23,26N,20W	Christian		x	x			B			
E. Fk. Chariton R.	C	17.8	Mouth	11,60N,15W	Macon		x	x			B			x
E. Fk. Crooked R.	P	19.9	Mouth	29,54N,27W	Ray		x	x			B			
E. Fk. Crooked R.	C	6.4	29,54N,27W	5,54N,27W	Ray		x	x			B			
E. Fk. Drywood Cr.	C	13.5	Mouth	8,32N,32W	Barton		x	x			B			
E. Fk. Fishing R.	C	12.9	Mouth	20,53N,29W	Clay	Ray	x	x			B			
E. Fk. Fourche Cr.	P	3.0	Mouth	3,22N,1E	Ripley		x	x			B			
E. Fk. Fourche Cr.	C	2.4	3,22N,1E	35,23N,1E	Ripley		x	x			B			
E. Fk. Grand R.	P	28.7	Mouth	29,66N,30W	Gentry	Worth	x	x	x		A		x	x
E. Fk. Grand R.	C	6.5	29,66N,30W	10,66N,30W	Worth		x	x			B			
E. Fk. Huzzah Cr.	P	5.5	1,34N,3W	20,34N,2W	Dent		x	x			B			
E. Fk. Huzzah Cr.	C	2.0	20,34N,2W	29,34N,2W	Dent		x	x			B			
E. Fk. L. Blue R.	P	1.0	Mouth	27,49N,31W	Jackson		x	x			B			
E. Fk. L. Blue R.	C	3.7	27,49N,31W	Blue Springs Lake	Jackson		x	x			B			
E. Fk. L. Gravois Cr.	C	3.3	Mouth	3,40N,15W	Miller		x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
E. Fk. L. Tarkio Cr.	C	17.8	Mouth	21,65N,38W	Holt	Atchison	x	x	x			B			
E. Fk. Little Chariton R.	P	74.0	Mouth	7,57N,14W	Chariton	Macon	x	x	x			B		x	
E. Fk. Locust Cr.	P	16.7	Mouth	2,62N,20W	Sullivan			x	x			B			
E. Fk. Locust Cr.	C	15.7	2,62N,20W	12,64N,20W	Sullivan			x	x			A		x	
E. Fk. Lost Cr.	P	8.0	Mouth	17,28N,7E	Wayne			x	x			B			
E. Fk. Lost Cr.	C	10.0	Mouth	11,60N,31W	Dekalb			x	x			B			
E. Fk. Niangua R.	C	6.3	33,32N,18W	25,31N,18W	Webster			x	x			A			
E. Fk. Postoak Cr.	C	12.2	Mouth	9,44N,26W	Johnson			x	x			B		x	
E. Fk. Rock Cr.	C	4.0	Mouth	31,23N,25W	Barry			x	x			B			
E. Fk. Roubidoux Cr.	C	4.9	Mouth	24,31N,11W	Texas			x	x			B			
E. Fk. Salt Pond Cr.	C	1.6	Mouth	19,49N,22W	Saline			x	x			B			
E. Fk. Shoal Cr.	C	2.9	Mouth	4,51N,32W	Clay			x	x			B			
E. Fk. Sni-a-bar Cr.	C	8.9	32,49N,28W	29,48N,28W	Lafayette			x	x			B			
E. Fk. Sni-a-bar Cr.	P	9.6	Mouth	32,49N,28W	Lafayette			x	x			B			
E. Fk. Sulphur Cr.	C	2.5	Mouth	30,50N,17W	Howard			x	x			B			
E. Fk. Tebo Cr.	C	14.5	31,43N,24W	35,44N,24W	Henry			x	x			B			
E. Fk. Walnut Cr.	C	1.8	Mouth	28,55N,14W	Randolph			x	x			B			
E. Prong Crooked Cr.	C	3.8	Mouth	17,35N,3W	Dent	Crawford		x	x			B			
E. Yellow Cr.	P	35.0	20,56N,19W	7,60N,18W	Chariton	Linn		x	x			B		x	
E.Fk. Bee Br.	C	0.9	Mouth	16,37N,30W	Vernon			x	x			B			
E.Honey Cr.	C	13.6	29,63N,23W	2,64N,23W	Grundy	Mercer		x	x					x	
Earle Br.	C	0.7	Mouth	Hwy. F	Phelps			x	x			B			
East Cr.	C	9.4	2,44N,33W	31,46N,32W	Cass			x	x			B		x	
East Prong	C	1.0	Mouth	12,31N,7E	Madison			x	x			B			
East Prong Indian Cr.	C	2.5	6,25N,7E	30,26N,7E	Butler			x	x			B			
East Whetstone Cr.	C	5.5	21,29N,13W	6,28N,12W	Wright			x	x			B			
Eaton Br.	C	1.2	Mouth	4,36N,4E	St. Francois			x	x					x	
Ebo Cr.	P	1.6	Mouth	13,38N,1E	Washington			x	x			B			
Ebo Cr.	C	1.1	13,38N,1E	14,38N,1E	Washington			x	x			B			
Eddington Br.	P	2.0	Mouth	1,29N,26W	Lawrence			x	x			B			
Eddington Br.	P	1.4	Mouth	5,29N,25W	Lawrence			x	x			B			
Edmondson Cr.	C	1.9	Mouth	4,52N,20W	Saline			x	x			B			
Eight Mile Cr.	C	16.8	Mouth	36,44N,31W	Cass			x	x			B			
Elbow Cr.	P	2.6	Mouth	27,22N,18W	Taney			x	x			B			
Eleven Point R.	P	22.7	State Line	18,24N,2W	Oregon		x	x	x	x		A		x	
Eleven Point R.	P	11.4	18,24N,2W	36,25N,4W	Oregon			x	x		x	A		x	
Eleven Point R.	P	22.3	36,25N,4W	23,25N,6W	Oregon			x	x	x		A		x	
Eleven Point R.	C	36.3	23,25N,6W	32,27N,9W	Oregon	Howell		x	x	x		B			
Elk Br.	C	2.8	Mouth	08,45N,22W	Pettis			x	x			B			
Elk Chute Ditch	P	13.1	Mouth	27,18N,10E	Dunklin			x	x			B			
Elk Cr.	P	5.0	Mouth	33,32N,14W	Wright			x	x			B			
Elk Cr.	C	1.5	33,32N,14W	5,31N,14W	Wright			x	x			B			
Elk Cr.	P	2.4	Mouth	24,29N,10W	Texas			x	x			B			
Elk Cr.	C	2.3	24,29N,10W	30,29N,9W	Texas			x	x			B			
Elk Cr.	C	1.5	Mouth	29,47N,23W	Pettis			x	x			B			
Elk Cr.	C	5.7	14,61N,19W	6,55N,20W	Chariton			x	x			B			
Elk Cr.	C	11.5	Silver Lake	25,57N,20W	Chariton	Linn		x	x			B			
Elk Fk.	C	10.5	Mouth	35,42N,30W	Bates			x	x			B			
Elk Fk.	P	7.0	Mouth	04,44N,23W	Pettis			x	x			B			
Elk Fk. Salt R.	P	7.7	Mouth	26,54N,10W	Monroe			x	x			B		x	
Elk Fk. Salt R.	C	38.6	26,54N,10W	16,54N,13W	Monroe	Randolph		x	x			B		x	
Elk R.	P	23.2	State Line	34,22N,32W	McDonald		x	x	x	x		A		x	
Elkhorn Br.	C	1.5	Mouth	6,21N,8W	Howell			x	x			B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Elkhorn Cr.	C	21.4	Mouth	3,48N,5W	Montgomery			x	x			B			
Elkhorn Cr.	C	2.3	Mouth	3,26N,19W	Christian			x	x			B			
Elkhorn Cr.	C	11.8	Mouth	13,63N,37W	Nodaway			x	x			B	x		
Elkhorn Cr.	P	5.8	Mouth	26,23N,31W	McDonald		x	x	x			B			
Elm Br.	C	3.0	Mouth	7,43N,23W	Henry			x	x			B	x		
Elm Br.	C	3.0	Mouth	27,53N,8W	Monroe			x	x			B			
Elm Br.	C	4.5	Mouth	3,65N,21W	Putnam			x	x			B			
Elm Cr.	C	9.6	Mouth	20,66N,15W	Schuyler			x	x			B			
Elm Grove Br.	C	4.2	Mouth	27,61N,33W	Dekalb	Gentry		x	x			B			
Elm Spring Br.	C	1.0	6,24N,31W	7,24N,31W	Newton			x	x						x
Ely Cr.	C	4.3	Mouth	1,55N,7W	Ralls			x	x			B			
Emery Hollow	C	3.9	Mouth	28,31N,10W	Texas			x	x						x
Emory Cr.	C	2.0	Mouth	31,24N,21W	Taney			x	x						x
English Cr.	C	2.8	State Line	33,22N,6W	Oregon			x	x			B			
Establishment Cr.	P	17.7	Mouth	23,37N,7E	Ste. Genevieve			x	x			B			
Establishment Cr.	C	2.5	23,37N,7E	33,37N,7E	Ste. Genevieve			x	x			B			
Fabius R.	P1	3.5	Mouth	24,59N,6W	Marion		x	x	x			B	x		
Factory Cr.	C	4.2	2,46N,14W	32,47N,14W	Moniteau			x	x			B	x		
Factory Cr.	P	1.7	Mouth	2,46N,14W	Moniteau			x	x			B			
Fall Cr.	P	1.0	Mouth	11,22N,22W	Taney			x	x			B			
Fall Cr.	C	3.9	11,22N,22W	28,23N,22W	Taney	Stone		x	x			B			
Fassnight Cr.	P	2.8	Mouth	25,29N,22W	Greene			x	x			B			
Fassnight Cr.	C	1.2	25,29N,22W	30,29N,21W	Greene			x	x						x
Feaster Cr.	C	0.6	Mouth	31,41N,21W	Benton			x	x			B			
Fee Fee Cr. (new)	P	1.5	Mouth	Sur 992,46N,5E	St. Louis			x	x			B			
Fee Fee Cr. (old)	P	1.0	Mouth	1 Mi. above Hwy. 70	St. Louis			x	x			B			
Femme Osage Cr.	P	8.2	Mouth	29,45N,2E	St. Charles			x	x			B			
Femme Osage Cr.	C	2.0	29,45N,2E	24,45N,1E	St. Charles			x	x			B			
Fenton Cr.	C	0.6	Mouth	23,43N,1W	Franklin			x	x						x
Fenton Cr.	P	0.5	Mouth	35,43N,05E	St. Louis			x	x			B			
Fiddle Cr.	C	3.8	Mouth	16,44N,2E	Franklin			x	x			B			
Fidelity Br..	P	2.6	Mouth	9,27N,31W	Jasper			x	x			B			
Fiery Fk.	C	2.0	Mouth	26,39N,19W	Camden			x	x			B			
Finley Cr.	P	51.6	Mouth	19,28N,16W	Stone	Webster		x	x	x		A	x		
Finn Br.	C	3.5	4,35N,8W	1,35N,8W	Phelps	Dent		x	x			B			
Finney Cr.	P	1.2	Mouth	28,49N,21W	Saline			x	x			B	x		
Finney Cr.	C	2.4	28,49N,21W	20,49N,21W	Saline			x	x			B			
Fire Br.	C	5.4	Mouth	27,54N,28W	Ray			x	x			B			
Fire Prairie Cr.	P	13.0	Mouth	18,50N,30W	Jackson			x	x			B			
First Cr.	P	1.6	Mouth	14,45N,6W	Gasconade			x	x			B			
First Cr.	C	10.7	14,45N,6W	5,44N,5W	Gasconade			x	x			B			
First Cr.	C	4.7	Mouth	9,52N,33W	Clay	Platte		x	x			B			
Fish Br.	C	1.9	Mouth	28,52N,9W	Audrain			x	x			B			
Fish Cr.	C	12.4	Mouth	21,51N,19W	Saline			x	x			B			
Fish Lake Ditch	C	6.5	3,24N,16E	28,25N,17E	Mississippi			x	x			B			
Fish Trap Slough	C	8.2	State Line	33,23N,8E	Butler			x	x			B			
Fishing R.	P	26.4	Mouth	3,52N,31W	Ray	Clay	x	x	x			B			
Fishing R.	C	8.5	3,52N,31W	24,52N,32W	Clay			x	x			B			
Fishpot Cr.	P	3.5	Mouth	13,44N,04E	St. Louis			x	x			B			
Fishwater Cr.	P	4.8	Mouth	33,35N,4W	Dent			x	x			B			
Fivemile Cr.	P	5.0	State Line	21,26N,33W	Newton		x	x	x			B			
Flagstaff Cr.	C	4.7	Mouth	3,47N,25W	Johnson			x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Flat Cr.	C	13.5	Mouth	2,54N,13W	Monroe	Randolph		x	x			B			
Flat Cr.	P	42.3	28,24N,24W	9,23N,27W	Stone	Barry		x	x	x		A		x	
Flat Cr.	P	2.5	9,23N,27W	21,23N,27W	Barry		x	x	x		x	A		x	
Flat Cr.	P	8.3	21,23N,27W	13,22N,28W	Barry		x	x	x			A		x	
Flat Cr.	C	6.0	Mouth	20,24N,3E	Ripley		x	x				B			
Flat Cr.	C	1.2	Mouth	27,43N,1W	Franklin		x	x				B		x	
Flat Cr.	P	2.7	Mouth	1,43N,03E	St. Louis		x	x				B			
Flat Cr.	C	6.4	Mouth	8,49N,19W	Saline	Cooper		x	x			B			
Flat Cr.	P	23.7	Mouth	13,45N,21W	Morgan	Pettis		x	x			B		x	
Flat Cr.	C	22.0	13,45N,21W	02,43N,23W	Pettis		x	x				B		x	
Flat River Cr.	C	10.0	Mouth	21,36N,4E	St. Francois		x	x				B			
Flat Rock Cr.	C	0.5	Mouth	05,40N,20W	Benton		x	x				B			
Flatrock Cr.	P	2.0	Mouth	1,33N,12E	Cape Girardeau		x	x				B			
Flatrock Cr.	C	1.5	1,33N,12E	12,33N,12E	Cape Girardeau		x	x				B			
Fleck Cr.	C	4.3	Mouth	29,32N,33W	Barton		x	x				B			
Fletcher Cr.	C	4.0	Mouth	State Line	Worth		x	x				B			
Flinger Br.	C	1.7	Mouth	17,28N,08W	Texas		x	x						x	
Flint Bottom Cr.	C	3.0	Mouth	21,37N,8E	Ste. Genevieve		x	x				B			
Flint Hill Br.	P	3.3	Mouth	9,30N,22W	Greene		x	x				B			
Flora Cr.	P	6.0	Mouth	35,32N,14E	Cape Girardeau		x	x				B			
Florida Cr.	C	8.4	Mouth	24,64N,37W	Nodaway		x	x						x	
Floyd Cr.	C	5.1	Mouth	29,63N,14W	Adair		x	x				B			
Flucom Br.	C	1.7	Mouth	12,39N,5E	Jefferson		x	x						x	
Fly Cr.	P	2.5	Mouth	30,40N,9W	Maries		x	x				B			
Fly Cr.	C	0.5	30,40N,9W	30,40N,9W	Maries		x	x				B			
Fly Cr.	C	5.6	Mouth	02,35N,29W	Vernon		x	x				B			
Fonso Br.	P	1.7	Mouth	6,47N,6W	Montgomery		x	x				B			
Fork Cr.	C	4.8	Mouth	6,44N,4W	Franklin	Gasconade		x	x			B			
Fortune Br.	C	2.7	Mouth	9,23N,26W	Barry		x	x				B			
Foster Cr.	C	2.0	Mouth	4,30N,12E	Cape Girardeau		x	x				B			
Fountain Farm Br.	C	1.8	Mouth	32,38N,03E	Washington		x	x						x	
Fourche a DuClos Cr.	P	8.2	Mouth	30,38N,7E	Ste. Genevieve		x	x				B			
Fourche a DuClos Cr.	C	3.0	30,38N,7E	3,37N,6E	Ste. Genevieve		x	x				B			
Fourche a Renault Cr.	P	8.8	7,38N,2E	Sunnen Lake Dam	Washington		x	x				B			
Fourche a Renault Cr.	P	0.5	Sunnen Lake	15,37N,1E	Washington		x	x				B			
Fourche a Renault Cr.	C	2.4	15,37N,1E	23,37N,1E	Washington		x	x				B			
Fourche Cr.	P	14.6	State Line	15,23N,1W	Ripley		x	x	x	x		A		x	
Fourmile Cr.	C	5.5	Mouth	29,34N,18W	Dallas		x	x				B			
Fowler Cr.	C	6.0	Mouth	13,46N,12W	Boone		x	x				B			
Fox Cr.	P	7.2	Mouth	30,44N,03E	St. Louis		x	x				B			
Fox Cr.	C	0.5	Mouth	28,22N,20W	Taney		x	x				B			
Fox Cr.	P	4.0	Mouth	9,25N,13W	Douglas		x	x				B			
Fox Cr.	C	5.0	9,25N,13W	29,26N,13W	Douglas		x	x				B			
Fox Cr.	C	6.1	Mouth	20,63N,26W	Harrison		x	x				B			
Fox R.	P1	12.3	Mouth	6,64N,6W	Clark		x	x				B		x	x
Fox R.	P	42.0	6,64N,6W	State Line	Clark		x	x				B		x	
Franklin Cr.	C	3.0	Mouth	32,26N,7E	Butler		x	x				B			
Frederick Cr.	P	3.4	Mouth	8,22N,2W	Oregon		x	x				A		x	
Frederick Cr.	C	15.0	8,22N,2W	2,22N,4W	Oregon		x	x				B		x	
Frene Cr.	C	3.3	35,46N,5W	10,45N,5W	Gasconade		x	x				B			
Frene Cr.	P	1.8	Mouth	35,46N,5W	Gasconade		x	x				B			

IRR-LWW AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Froe Hollow	P	2.0	Mouth	34,34N,4E	Iron		x	x			B			
Froggy Br.	C	1.2	Mouth	5,33N,11E	Cape Girardeau		x	x			B			
Funk Br.	C	3.3	Mouth	32,31N,3E	Reynolds	Iron	x	x			B			
Furnace Cr.	P	2.8	Mouth	14,36N,2E	Washington		x	x			B			
Gabriel Cr.	P	5.0	Mouth	7,44N,18W	Morgan		x	x			A		x	
Gabriel Cr.	C	13.6	07,44N,18W	03,42N,19W	Morgan		x	x			B		x	
Galbreath Cr.	C	5.8	18,53N,12W	22,53N,13W	Monroe	Randolph	x	x			B			
Galena Hollow	C	3.6	Mouth	20,23N,26W	Barry		x	x			B			
Galligher Cr.	P	0.2	Mouth	20,41N,04E	Jefferson		x	x			B			
Gallinipper Cr.	C	1.3	Mouth	36,39N,26W	St. Clair		x	x			B			
Gallinipper Cr.	C	3.0	36,39N,26W	27,39N,26W	St. Clair		x	x			B			
Galloway Cr.	P	3.2	Mouth	4,28N,21W	Greene		x	x			B			
Ganaway Cr.	C	2.0	Mouth	25,52N,16W	Howard		x	x			B			
Gans Cr.	C	5.5	1,47N,13W	33,48N,12W	Boone		x	x			A			
Garrison Br.	C	2.0	Mouth	29,25N,19W	Christian		x	x			B			
Garrison Br.	C	0.7	23,27N,21W	23,27N,21W	Christian		x	x			B			
Garrison Fk.	C	6.8	Mouth	13,50N,27W	Lafayette		x	x			B			
Gasconade R.	P	264.0	Mouth	6,29N,14W	Gasconade	Wright	x	x	x		A		x	x
Gasconade R.	P	11.2	6,29N,14W	26,29N,16W	Wright		x	x			B			
Gasconade R.	C	4.8	26,29N,16W	19,29N,16W	Wright	Webster	x	x			B			
Gees Cr.	C	13.8	Mouth	29,60N,25W	Livingston	Grundy	x	x			B			
Gillum Cr.	C	2.5	Mouth	23,39N,33W	Bates		x	x					x	
Gimlet Cr.	P	1.5	Mouth	26,31N,7E	Madison		x	x			B			
Girard Br.	C	2.5	Mouth	33,41N,1E	Franklin		x	x			B			
Givins Br.	C	4.7	Mouth	11,31N,19W	Webster		x	x			B			
Gizzard Cr.	P	0.9	Mouth	27,30N,7E	Wayne		x	x			B			
Gizzard Cr.	P	2.0	Mouth	6,29N,11E	Cape Girardeau	Bollinger	x	x			B			
Gizzard Cr.	C	1.6	6,29N,11E	36,30N,10E	Bollinger		x	x			B			
Gladden Cr.	P	2.5	Mouth	13,31N,6W	Shannon		x	x			B			
Gladden Cr.	C	15.2	13,31N,6W	5,32N,5W	Shannon	Dent	x	x			B			
Glade Cr.	C	0.9	Mouth	Sur	Iron		x	x			B			
Gladden Cr.	P	6.1	Mouth	22,42N,5E	Jefferson		x	x			B			
Glaze Cr.	C	2.0	22,42N,5E	21,42N,5E	Jefferson		x	x					x	
Glendale Fk.	C	5.4	Mouth	14,31N,33W	Barton		x	x					x	
Goldsbary Hollow	C	2.7	Mouth	31,23N,16W	Ozark		x	x			B			
Goose Cr.	P	4.0	Mouth	10,28N,25W	Lawrence		x	x		x	B			
Goose Cr.	C	6.5	Mouth	25,38N,6E	Ste. Genevieve	St. Francois	x	x			B			
Goose Cr.	P	4.0	Mouth	17,35N,10E	Perry		x	x			B			
Goose Cr.	C	1.3	17,35N,10E	24,35N,9E	Perry		x	x			B			
Goose Cr.	P	1.0	Mouth	18,39N,1E	Washington		x	x			B			
Goose Cr.	C	2.0	18,39N,1E	21,39N,1E	Washington		x	x					x	
Goose Cr.	C	2.8	Mouth	Sur 837,35N,2E	Washington		x	x			B			
Goose Cr.	C	3.0	Mouth	Sur	Cape Girardeau		x	x					x	
Goose Cr.	C	1.5	Mouth	30,29N,7E	Wayne		x	x			B			
Goose Cr.	C	4.0	Mouth	28,26N,5E	Butler		x	x			B		x	
Goose Cr.	P	1.4	Mouth	22,33N,7E	Madison		x	x			B			
Goose Cr.	C	1.6	22,33N,7E	27,33N,7E	Madison		x	x			B			
Goose Cr.	P	2.4	Mouth	32,62N,29W	Daviess		x	x			B			
Goose Cr.	C	4.4	Mouth	14,56N,29W	Caldwell		x	x			B			
Goose Pond Ditch	C	4.3	21,27N,9E	8,26N,9E	Stoddard		x	x			B			
Gooseneck Br.	C	2.5	Mouth	22,37N,20W	Hickory		x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Gordon Cr.	P	2.0	Mouth	15,32N,3W	Dent			x	x			B			
Gordon Cr.	C	0.5	15,32N,3W	11,32N,3W	Dent			x	x			B			
Gower Br.	C	2.3	Mouth	09,32N,19W	Dallas			x	x			B			
Gracey Cr.	C	2.0	Mouth	6,42N,16W	Morgan			x	x			B			
Grand Glaize Cr.	C	4.0	Mouth	9,44N,5E	St. Louis			x	x			B			
Grand R.	P	127.5	19,23N,57W	State Line	Livingston	Worth	x	x	x			A	x	x	
Grand R.	P	56.0	Mouth	Shoal Cr.	Chariton	Livingston	x	x	x			A	x	x	
Granddaddy Cr.	C	1.5	Mouth	26,41N,28W	Henry			x	x			B			
Grandglaize Cr.	P	7.6	Mouth	24,38N,15W	Miller	Camden		x	x			A	x		
Granny Cr.	P	1.0	Mouth	6,30N,11E	Bollinger			x	x			B			
Granny Cr.	C	1.2	6,30N,11E	31,31N,11E	Bollinger			x	x			B			
Grantham Cr.	C	3.4	Mouth	2,64N,33W	Gentry			x	x			B			
Grassy Cr.	C	1.8	Mouth	10,54N,2W	Pike			x	x			B			
Grassy Cr.	C	2.4	Mouth	26,48N,22W	Saline	Pettis		x	x			B			
Grassy Cr.	C	19.8	Mouth	34,61N,8W	Marion	Lewis		x	x			B			
Grassy Cr.	C	5.0	20,30N,8E	14,30N,8E	Bollinger			x	x			B			
Grassy Cr.	P	1.3	Mouth	20,30N,8E	Bollinger			x	x			B			
Grassy Hollow	C	3.9	Mouth	09,28N,07W	Texas			x	x			B			
Graveyard Br.	C	0.9	Mouth	01,42N,09W	Osage			x	x			B			
Gravois Cr.	P	9.3	Mouth	20,42N,18W	Morgan			x	x			A	x		
Gravois Cr.	P	2.3	Mouth	24,44N,6E	St. Louis City	St. Louis		x	x			B			
Gravois Cr.	C	6.0	24,44N,6E	16,44N,6E	St. Louis			x	x			B			
Grays Cr.	P	13.8	Mouth	35,45N,13W	Cole			x	x			B			
Grays Cr.	C	1.0	35,45N,13W	34,45N,13W	Cole			x	x			B			
Greasy Cr.	C	1.5	Mouth	11,29N,3E	Wayne			x	x			B			
Greasy Cr.	P	4.2	Mouth	31,34N,19W	Dallas			x	x	x		B			
Greasy Cr.	C	11.5	31,34N,19W	11,32N,20W	Dallas			x	x	x		B			
Greasy Cr.	C	4.1	Mouth	23,35N,7E	Ste. Genevieve			x	x			B			
Greasy Cr.	C	4.2	Mouth	12,21N,29W	Barry			x	x			B			
Greasy Cr.	C	0.7	14,45N,08W	13,45N,08W	Osage			x	x			B			
Greasy Cr.	P	0.2	Mouth	14,45N,08W	Osage			x	x			B			
Greedy Cr.	C	1.7	20,41N,06W	18,41N,06W	Gasconade			x	x			B	x		
Greedy Cr.	P	0.8	Mouth	20,41N,06W	Gasconade			x	x			B			
Green Spring Br.	C	1.8	Mouth	02,35N,25W	St. Clair	Cedar		x	x			B			
Greenbriar Cr.	C	2.0	Mouth	27,24N,2W	Oregon			x	x			B			
Greens Cr.	C	0.7	Mouth	2,39N,2W	Crawford			x	x			B			
Greenwood Valley	C	1.9	Mouth	28,28N,3E	Wayne			x	x			B			
Greer Br.	C	6.6	Mouth	23,47N,21W	Pettis			x	x			B			
Greer Cr.	C	1.8	Mouth	25,31N,19W	Webster			x	x			B			
Greer Spring Br.	P	1.3	Mouth	36,25N,4W	Oregon			x	x		x	B			
Greggs Cr.	C	2.0	Mouth	Sur	Howard			x	x			B			
				2653,51N,17W											
Greys Lake	C	5.2	13,66N,42W	10,66N,42W	Atchison			x	x			B			
Grindstone Br.	C	6.0	Mouth	25,51N,13W	Boone			x	x			B			
Grindstone Cr.	P	17.9	Mouth	35,59N,30W	Daviess	Dekalb		x	x			A	x		
Grindstone Cr.	C	19.4	35,59N,30W	24,57N,31W	Dekalb	Clinton		x	x			B			
Grindstone Cr.	C	2.5	Mouth	20,48N,12W	Boone			x	x			A			
Groshong Br.	C	1.5	Mouth	12,48N,1E	Lincoln			x	x			B			
Grounds Cr.	C	1.3	Mouth	4,32N,8E	Madison			x	x			B			
Grove Cr.	P	2.9	Mouth	1,27N,32W	Jasper			x	x			B			
Grove Cr.	C	3.3	Mouth	8,54N,33W	Platte			x	x			B			
Guinns Cr.	C	0.5	Mouth	30,52N,2E	Pike			x	x			B			
Gulley Spring Cr.	C	4.3	Mouth	5,21N,14W	Ozark			x	x			B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Gum Spring Br.	C	0.5	Hwy. W	31,43N,11W	Cole			x	x			B			
Gum Spring Cr.	P	1.0	Mouth	Hwy. W	Cole			x	x			B			
Gunter Cr.	C	6.7	Mouth	29,24N,27W	Barry			x	x			B			
Hackberry Br.	C	4.5	Mouth	29,35N,32W	Vernon			x	x			B			
Haldiman Br.	C	3.0	Mouth	10,46N,14W	Moniteau			x	x			B			
Half Moon Bayou	C	3.0	23,17N,12E	8,17N,13E	Pemiscot			x	x			B			
Halls Cr.	C	1.5	Mouth	18,46N,8W	Callaway			x	x			B			
Halsey Hollow	C	2.2	Mouth	2,35N,18W	Dallas			x	x			B			
Hamilton Cr.	P	4.5	Mouth	5,29N,10W	Texas			x	x			B			
Hamilton Cr.	C	2.0	5,29N,10W	7,29N,10W	Texas			x	x			B			
Hamilton Cr.	C	2.2	Mouth	29,40N,1W	Washington			x	x			B			
Hamilton Cr.	P	1.8	Mouth	14,44N,03E	St. Louis			x	x			B			
Hancock Hollow	C	1.0	Mouth	2,25N,21W	Christian			x	x			B			
Hankens Br.	C	1.0	Mouth	33,33N,20W	Dallas			x	x			B			
Harding Cr.	C	3.0	Mouth	15,43N,33W	Cass			x	x			B			
Harless Cr.	C	2.3	34,44N,33W	28,44N,33W	Cass			x	x			B			
Harpst Chute	P	5.5	Mouth	30,54N,36W	Platte			x	x			B			
Harris Br.	C	1.0	Mouth	18,39N,1W	Washington			x	x			B			
Harris Cr.	C	5.6	Mouth	34,23N,3E	Ripley			x	x			B			
Harrison Br.	P	1.0	Mouth	15,24N,33W	Newton			x	x			B			
Harrison Br.	C	1.7	15,24N,33W	23,24N,33W	Newton			x	x			B			
Harrison Br.	C	3.7	Mouth	32,49N,8W	Callaway			x	x			B			
Hart Cr.	C	3.2	Mouth	6,45N,12W	Boone			x	x			B			
Harviell Ditch (#3)	C	16.2	State Line	12,23N,5E	Ripley	Butler	x	x	x			B			
Haverstick Cr.	C	1.5	Mouth	29,40N,5E	Jefferson			x	x				x		
Haw Cr.	C	1.0	Mouth	33,40N,13W	Miller			x	x			B			
Haw Cr.	P	17.5	Mouth	6,42N,19W	Morgan			x	x			A		x	
Haw Cr.	C	1.5	6,42N,19W	12,42N,20W	Morgan	Benton		x	x			B			
Hawker Br.	C	2.5	16,33N,26W	18,33N,26W	Cedar			x	x			B			
Hawker Cr.	P	8.6	Mouth	16,29N,9E	Bollinger			x	x			B			
Hawker Cr.	C	1.5	16,29N,9E	8,29N,9E	Bollinger			x	x			B			
Hawn Cr.	C	0.9	Mouth	30,32N,9E	Bollinger			x	x			B			
Hayden Cr.	C	2.7	Mouth	7,36N,4E	St. Francois			x	x			B			
Hays Cr.	C	2.0	Mouth	29,54N,5W	Ralls			x	x			B			
Hayzlett Br.	P	2.4	Mouth	25,62N,37W	Nodaway			x	x			B			
Hazel Cr.	P	9.0	Mouth	20,36N,1E	Washington			x	x			B			
Hazel Cr.	C	2.2	20,36N,1E	15,36N,1E	Washington			x	x			B			
Hazel Cr.	C	5.6	Mouth	31,64N,15W	Adair			x	x			B			
Hazel Run	C	4.3	Mouth	35,38N,5E	St. Francois			x	x			B			
Hazelton Spring	P	0.1	Mouth	34,33N,10W	Texas			x	x			B			
Heads Cr.	P	2.7	Mouth	3,42N,4E	Jefferson			x	x			B			
Heads Cr.	C	2.4	3,42N,4E	14,42N,4E	Jefferson			x	x				x		
Headwater Div. Chan.	P	20.3	Mouth	4,29N,11E	Cape Girardeau			x	x			A		x	x
Heat String Cr.	C	1.3	Mouth	36,49N,8W	Callaway			x	x			B			
Heaths Cr.	P	21.0	Mouth	27,48N,21W	Cooper	Pettis		x	x	x		B			
Heaths Cr.	C	11.5	27,48N,22W	17,47N,22W	Pettis			x	x	x		B			
Henderson Cr.	P	0.4	Mouth	32,33N,8E	Madison			x	x			B			
Henderson Cr.	C	1.7	32,33N,8E	30,33N,7E	Madison			x	x			B			
Henderson Hollow	C	0.9	Mouth	16,30N,4E	Iron			x	x			B			
Henpeck Hollow	C	2.2	Mouth	22,38N,2W	Crawford			x	x			B			
Henry Cr.	C	3.7	23,44N,22W	36,44N,22W	Pettis			x	x			B			
Henry Cr.	P	1.7	Mouth	23,44N,22W	Pettis			x	x			B			
Hess Cr.	C	3.1	Mouth	13,47N,22W	Pettis			x	x			B			

IRR-Livestock & Wildlife Watering

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Hicklin Cr.	C	5.3	Mouth	12,34N,29W	Cedar		x	x				B			
Hickory Br.	C	6.8	Mouth	7,55N,20W	Chariton		x	x				B			
Hickory Cr.	C	1.0	Mouth	1,59N,38W	Holt		x	x				B			
Hickory Cr.	C	4.2	Mouth	20,37N,7E	Ste. Genevieve		x	x				B			
Hickory Cr.	C	6.6	Mouth	2,51N,6W	Audrain		x	x				B			
Hickory Cr.	C	2.7	Mouth	11,25N,6E	Butler		x	x				B			
Hickory Cr.	C	1.2	Mouth	21,61N,37W	Holt		x	x				B			
Hickory Cr.	P	4.9	Mouth	28,25N,31W	Newton		x	x				A			
Hickory Cr.	C	1.5	Mouth	11,61N,34W	Andrew		x	x				B			
Hickory Cr.	C	2.8	Mouth	11,60N,28W	Daviess		x	x				B			
Hickory Cr.	P	3.0	Mouth	22,61N,31W	Gentry		x	x				B			
Hickory Cr.	C	10.9	Mouth	9,60N,25W	Grundy		x	x				B			
Hickory Flat Cr.	P	1.0	Mouth	6,27N,7E	Wayne		x	x				B			
Higgins Cr.	C	1.3	Mouth	34,43N,12W	Cole		x	x				B			
High Cr.	C	6.3	20,66N,41W	13,66N,41W	Atchison		x	x				B			
High Cr. Ditch	C	3.7	22,66N,42W	20,66N,41W	Atchison		x	x				B			
Highly Cr.	C	3.9	Mouth	7,62N,37W	Holt		x	x				B			
Hightower Cr.	C	5.1	Mouth	30,37N,30W	Vernon		x	x				B			
Hillers Cr.	P	5.8	Mouth	32,45N,9W	Callaway		x	x				B			
Hillers Cr.	C	12.8	32,45N,9W	34,46N,10W	Callaway		x	x				B			
Hinch Br.	P	1.5	Mouth	33,39N,2W	Crawford		x	x				B			
Hinch Br.	C	1.9	33,39N,2W	4,38N,2W	Crawford		x	x				B			
Hinkson Cr.	P	7.6	Mouth	Hwy. 163	Boone		x	x				B		x	
Hinkson Cr.	C	18.8	Hwy. 163	36,50N,12W	Boone		x	x				A		x	
Hippo Br.	C	2.3	Mouth	7,54N,5W	Ralls		x	x				B			
Hocum Hollow	C	0.5	Mouth	Sur	Jefferson		x	x				B			
				1856,40N,6E											
Hodge Cr.	C	2.0	28,32N,4W	16,32N,4W	Dent		x	x				B			
Hog Cr.	P	5.1	Mouth	06,29N,9W	Texas		x	x		x		B			
Hog Cr.	C	4.4	06,29N,9W	16,29N,09W	Texas		x	x				B			
Hog Cr.	C	6.5	Mouth	18,62N,16W	Adair		x	x				B			
Hog Cr.	C	1.9	14,31N,10E	3,31N,10E	Bollinger		x	x				A			
Hog Cr.	P	9.4	Mouth	14,31N,10E	Cape Girardeau	Bollinger	x	x				B			
Hogan Fk.	C	5.8	Mouth	17,44N,26W	Johnson		x	x						x	
Hogard Cr.	C	1.3	Mouth	1,22N,14W	Ozark		x	x				B			
Hogles Cr.	P	17.8	Mouth	5,37N,23W	Benton	Hickory	x	x				B			
Hogles Cr.	C	6.4	5,37N,23W	34,37N,23W	Hickory		x	x		x		B			
Holland Br.	C	3.0	Mouth	10,54N,34W	Platte		x	x				B			
Holtzclaw Cr.	C	2.0	Mouth	15,53N,32W	Clay		x	x				B			
Homes Cr.	C	5.2	Mouth	Hwy 33	Clay		x	x				B			
Hominy Br.	C	1.0	Mouth	17,48N,12W	Boone		x	x				B		x	
Hominy Cr.	P	13.2	Mouth	15,33N,21W	Polk		x	x				B			
Honey Cr.	C	8.5	Mouth	24,43N,27W	Henry		x	x				B			
Honey Cr.	P	16.5	Mouth	22,27N,25W	Lawrence		x	x				B			
Honey Cr.	C	2.7	22,27N,25W	35,27N,25W	Lawrence		x	x				B			
Honey Cr.	P	2.6	State Line	State Line	McDonald		x	x				A			
Honey Cr.	P	12.2	Mouth	1,65N,34W	Nodaway		x	x				B			
Honey Cr.	C	6.7	1,65N,34W	18,66N,33W	Nodaway		x	x				B			
Honey Cr.	P1	7.0	Mouth	33,64N,6W	Clark		x	x				B		x	
Honey Cr.	C	15.0	Hwy 61	Hwy 81	Clark		x	x				B			
Honey Cr.	C	8.3	Mouth	35,59N,28W	Daviess		x	x				B			
Honey Cr.	C	25.1	Mouth	29,63N,23W	Livingston	Grundy	x	x				B			
Honey Cr.	C	2.6	Mouth	13,46N,19W	Cooper		x	x				B			

IRR-Irrigation AQL-Cool Water Fishery CLF-Cold Water Fishery CDF-Cold Water Fishery WBC-Whole Body Contact Recreation SCR-Secondary Contact Recreation DWS-Drinking Water Supply IND-Industrial

LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial

TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Honey Cr.	C	7.0	Mouth	14,47N,27W	Johnson		x	x				B			
Honey Cr.	C	4.6	Mouth	29,43N,12W	Cole		x	x				B	x		
Honey Cypress Ditch	P	14.7	Mouth	27,18N,8E	Dunklin		x	x				B			
Honey Run	C	1.7	Mouth	6,38N,15W	Camden		x	x				B			
Hoosier Cr.	C	2.2	Mouth	11,41N,1W	Franklin		x	x				B			
Hoover Cr.	C	7.2	Mouth	1,55N,14W	Macon	Randolph	x	x				B			
Hope Cr.	C	1.7	Mouth	35,44N,7W	Osage		x	x				B			
Hopewell Cr.	C	1.0	Mouth	3,36N,3E	Washington		x	x				B			
Horrell Cr.	P	3.0	Mouth	Sur	Cape Girardeau		x	x				B			
				233,32N,12E											
Horrell Cr.	C	1.7	Sur 233, 32N12E	2,32N,12E	Cape Girardeau		x	x						x	
Horse Cr.	P	27.7	Mouth	35,34N,29W	Cedar	Vernon	x	x	x			B			
Horse Cr.	C	34.6	35,34N,29W	15,31N,28W	Vernon	Dade	x	x				B			
Horse Cr.	C	2.0	Mouth	26,25N,23W	Stone		x	x				B			
Horse Fk.	C	4.4	Mouth	6,55N,31W	Clinton		x	x				B			
Horseshoe Cr.	C	5.8	Mouth	10,48N,29W	Jackson	Lafayette	x	x				B			
Horstman Cr.	C	2.0	Mouth	7,45N,4W	Gasconade		x	x				B			
Houfs Cr.	C	1.6	Mouth	27,48N,9W	Callaway		x	x				B			
Housgen Cr.	C	0.9	Mouth	2,44N,9W	Osage		x	x				B			
Howard Cr.	C	4.3	Mouth	2,46N,15W	Moniteau		x	x				B			
Howell Cr.	C	16.8	Mouth	22,24N,8W	Oregon	Howell	x	x				B			
Hubble Cr.	P	15.0	Mouth	Sur	Cape Girardeau		x	x				B			
				2250,31N,12E											
Hubble Cr.	C	2.5	Sur	Sur	Cape Girardeau		x	x				B	x		
			2250,31N,12E	2192,32N,13E											
Hubble Cr.	P	1.5	Mouth	23,29N,5E	Wayne		x	x				B			
Hubble Cr.	C	2.0	23,29N,5E	11,29N,5E	Wayne		x	x				B			
Hudson Cr.	C	4.5	Mouth	11,25N,28W	Barry		x	x				B	x		
Huff Cr.	C	2.0	Mouth	6,69N,37W	Nodaway		x	x				B			
Huffstetter Lateral	P	12.0	6,23N,11E	16,25N,11E	Stoddard		x	x				B			
Hughes Cr.	P	3.0	Mouth	15,33N,12E	Cape Girardeau		x	x				B			
Hughes Cr.	C	2.9	15,33N,12E	20,33N,12E	Cape Girardeau		x	x				B			
Huldy Hollow	C	2.0	Mouth	28,31N,07W	Texas		x	x						x	
Humphrey Cr.	P	1.2	Mouth	1,40N,13W	Miller		x	x				B			
Hungry Cr.	C	2.1	Mouth	5,27N,11W	Douglas		x	x				B			
Hungry Mother Cr.	C	9.5	Mouth	18,51N,14W	Howard		x	x				B			
Hunke Cr.	C	1.8	Mouth	33,43N,06W	Gasconade		x	x				B			
Hunt Br.	P	0.5	22,28N,21W	22,28N,21W	Greene		x	x				B			
Hunt Br.	P	1.0	23,28N,21W	24,28N,21W	Greene		x	x				B			
Hunter Cr.	P	10.2	Mouth	6,26N,15W	Douglas		x	x				A	x		
Hunter Cr.	C	3.2	Mouth	20,30N,6E	Wayne		x	x				B			
Hurricane Br.	C	1.8	Mouth	27,59N,26W	Daviess		x	x				B			
Hurricane Cr.	P	1.9	Mouth	30,24N,12W	Ozark		x	x			x	B			
Hurricane Cr.	P	3.4	Mouth	28,25N,3W	Oregon		x	x				A	x		
Hurricane Cr.	C	6.1	28,25N,3W	4,25N,3W	Oregon		x	x				B			
Hurricane Cr.	C	6.0	Mouth	Hwy. 21	Ripley		x	x				B			
Hurricane Cr.	C	6.2	Mouth	35,55N,22W	Carroll		x	x				B			
Hurricane Cr.	C	3.8	Mouth	23,51N,17W	Howard		x	x				B			
Hurricane Cr.	P	12.4	Mouth	35,32N,9E	Bollinger		x	x				A			
Huzzah Cr.	P	35.8	Mouth	1,34N,3W	Crawford	Dent	x	x	x			A	x		
Huzzah Cr.	P	1.0	Mouth	31,31N,6E	Madison		x	x				B			
Hyatts Cr.	P	2.5	Mouth	2,31N,2E	Reynolds		x	x				B			
Hyde Cr.	P	4.4	Mouth	33,31N,16W	Webster		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life
 and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Imboden Fk.	P	6.4	Mouth	27,34N,2E	Reynolds	Iron		x	x						B
Indian Br.	C	3.8	Mouth	22,58N,25W	Livingston			x	x						B
Indian Camp Cr.	P	3.3	Mouth	6,47N,1E	St. Charles			x	x						B
Indian Camp Cr.	C	3.5	2,47N,1W	4,47N,1W	St. Charles	Warren		x	x						B
Indian Cr.	C	3.3	Mouth	3,55N,8W	Monroe			x	x						B
Indian Cr.	C	3.0	Mouth	5,41N,16W	Morgan			x	x						A x
Indian Cr.	P	7.7	Mouth	21,42N,20W	Benton			x	x		x				B
Indian Cr.	C	1.2	Mouth	22,42N,8W	Osage			x	x						B
Indian Cr.	P	3.7	Mouth	30,30N,9W	Texas			x	x						B
Indian Cr.	C	2.7	30,30N,9W	27,30N,9W	Texas			x	x						B x
Indian Cr.	C	20.0	Mouth	17,52N,4W	Pike			x	x						B
Indian Cr.	C	3.6	Mouth	Sur	Ste. Genevieve			x	x						B
Indian Cr.	P	8.1	Mouth	2062,38N,8E											
Indian Cr.	P	8.1	Mouth	10,32N,13E	Cape Girardeau			x	x						B
Indian Cr.	P	1.0	Mouth	35,35N,3W	Crawford			x	x						B
Indian Cr.	C	2.0	35,35N,3W	34,35N,3W	Crawford	Dent		x	x						B
Indian Cr.	P	1.9	Mouth	18,35N,1W	Washington			x	x						B
Indian Cr.	P	21.4	Mouth	36,39N,01W	Franklin	Washington		x	x			x			B
Indian Cr.	C	3.4	36,39N,1W	8,38N,1E	Washington			x	x		x				B
Indian Cr.	C	2.1	Mouth	28,21N,24W	Stone			x	x						B
Indian Cr.	P	10.0	Mouth	35,27N,11W	Douglas			x	x						B
Indian Cr.	C	7.5	35,27N,11W	22,27N,10W	Douglas	Howell		x	x						B
Indian Cr.	P	6.1	Mouth	7,25N,7E	Butler			x	x						B
Indian Cr.	C	1.6	7,25N,7E	6,25N,7E	Butler			x	x						B
Indian Cr.	P	5.5	Mouth	5,34N,4E	St. Francois			x	x						A
Indian Cr.	P	30.8	Mouth	24,24N,31W	McDonald	Newton		x	x	x	x				A x
Indian Cr.	C	0.8	Mouth	28,40N,09W	Maries			x	x						B
Indian Cr.	C	0.2	Mouth	34,44N,08W	Osage			x	x						B
Indian Cr.	C	2.4	Mouth	28,43N,9W	Osage			x	x						B
Indian Cr.	C	3.4	Mouth	State Line	Jackson			x	x						A x
Indian Cr.	C	3.2	Mouth	8,64N,32W	Gentry			x	x						B
Indian Cr.	C	4.3	Mouth	17,66N,26W	Harrison			x	x						B
Indian Cr.	C	3.5	Mouth	9,64N,11W	Scotland			x	x						B
Indian Cr.	P	1.3	Mouth	9,31N,9E	Bollinger			x	x						B
Indian Cr.	C	0.7	9,31N,9E	4,31N,9E	Bollinger			x	x						B
Ingalls Cr.	C	6.8	Mouth	01,35N,21W	Hickory			x	x						B
Iowa Ditch	P	2.8	Mouth	State Line	Atchison			x	x						B
Ironton Hollow	C	0.9	Mouth	33,34N,4E	Iron			x	x						B
Irvin Br.	C	3.3	Mouth	10,59N,30W	Dekalb			x	x						B
Irwin Cr.	C	7.0	Mouth	State Line	Mercer			x	x						B
Ishmael Br.	C	1.4	Mouth	9,36N,1E	Washington			x	x						B
Island Cr.	C	8.9	Mouth	6,61N,32W	Gentry			x	x						B
Isle du Bois Cr.	P	4.5	Mouth	18,39N,7E	Ste. Genevieve			x	x						B
Isle du Bois Cr.	C	2.3	18,39N,7E	14,39N,6E	Ste. Genevieve			x	x						B
Isum Cr.	C	0.5	Mouth	30,42N,04E	Jefferson			x	x						B
Jack Buster Cr.	P	1.5	Mouth	10,41N,14W	Miller			x	x						B
Jack Cr.	C	0.8	Mouth	19,33N,10E	Bollinger			x	x						B
Jacks Fk.	P	61.6	Mouth	29,28N,7W	Shannon	Texas		x	x		x				A x
Jacktar Hollow	C	5.1	Mouth	22,32N,10W	Texas			x	x						B
Jacobs Br.	P	1.6	Mouth	2,26N,33W	Newton			x	x						B
Jakes Cr.	C	11.3	Mouth	24,35N,19W	Dallas			x	x						B
Jam Up Cr.	P	3.0	Mouth	16,27N,6W	Shannon			x	x						B

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Jam Up Cr.	C	1.8	16,27N,6W	20,27N,6W	Shannon		x	x				B			
James Bayou	C	3.5	12,23N,16E	26,23N,16E	Mississippi		x	x				B			
James Bayou	C	5.5	12,23N,16E	28,24N,16E	Mississippi		x	x				B			
James Bayou	C	5.8	2,24N,16E	2,25N,16E	Mississippi		x	x				B			
James Br.	P	1.5	Mouth	23,35N,3W	Crawford		x	x				B			
James Br.	C	1.9	23,35N,3W	28,35N,3W	Crawford		x	x				B			
James Cr.	C	2.5	Mouth	17,35N,2E	Washington		x	x				B			
James R.	P	29.4	Mouth	8,26N,22W	Stone		x	x	x	x		A		x	
James R.	P	23.5	8,26N,22W	Lk. Springfld. Dam	Stone	Greene	x	x	x	x		A		x	
James R.	P	39.0	Mouth	24,29N,17W	Greene	Webster	x	x	x			A		x	x
Jarvis Hollow	C	1.3	Mouth	23,38N,17W	Camden		x	x				B			
Jemerson Cr.	C	3.4	Mouth	29,46N,12W	Boone		x	x				B			
Jenkins Cr.	C	3.0	Mouth	1,24N,26W	Barry		x	x				B			
Jenkins Cr.	C	7.2	Mouth	8,62N,36W	Nodaway		x	x				B			
Jenkins Cr.	P	2.8	Mouth	7,27N,30W	Jasper		x	x				A			
Jenkins Cr.	C	4.8	7,27N,30W	22,27N,30W	Jasper	Newton	x	x				A			
Jerktail Br.	C	0.5	Mouth	11,34N,19W	Dallas		x	x				B			
Jesse Cr.	P	0.7	Mouth	21,29N,8E	Bollinger		x	x	x			B			
Jesse Cr.	C	2.0	21,29N,8E	9,29N,8E	Bollinger		x	x				B			
Joachim Cr.	P	30.2	Mouth	30,39N,5E	Jefferson		x	x				A		x	x
Joachim Cr.	C	2.5	30,39N,5E	4,38N,5E	Jefferson		x	x				A			
Joes Cr.	C	1.0	Mouth	23,34N,1E	Iron		x	x				B			
Johns Br.	C	1.3	Mouth	32,51N,4W	Pike		x	x				B			
Johns Br.	C	2.9	18,27N,8E	11,27N,7E	Wayne		x	x				B			
Johns Cr.	C	1.0	Mouth	6,35N,9E	Ste. Genevieve		x	x				B			
Johns Cr.	P	1.4	Mouth	22,36N,1W	Washington		x	x				B			
Johns Cr.	C	2.0	22,36N,1W	27,36N,1W	Washington		x	x				B			
Johnson Br.	C	1.0	Mouth	29,30N,9W	Texas		x	x						x	
Johnson Cr.	P	3.0	Mouth	36,29N,26W	Lawrence		x	x			x	A			
Johnson Hollow	C	1.0	Mouth	13,27N,20W	Christian		x	x				B			
Jonca Cr.	P	3.5	Mouth	36,37N,7E	Ste. Genevieve		x	x				B			
Jonca Cr.	C	6.0	36,37N,7E	8,36N,7E	Ste. Genevieve		x	x				B			
Jones Br.	C	3.2	Mouth	32,33N,19W	Dallas		x	x				B			
Jones Cr.	C	3.0	Mouth	8,32N,18W	Dallas		x	x						x	
Jones Cr.	C	8.0	Mouth	27,38N,11W	Pulaski		x	x				A			
Jones Cr.	P	3.5	Mouth	15,41N,03E	Jefferson		x	x				B			
Jones Cr.	P	7.5	Mouth	30,27N,30W	Jasper	Newton	x	x		x		A			
Jones Cr.	C	4.0	Mouth	4,42N,16W	Morgan		x	x				B			
Jordan Br.	C	1.2	Mouth	13,30N,26W	Dade		x	x				B			
Jordan Br.	C	2.2	Mouth	15,37N,22W	Hickory		x	x				B			
Jordan Br.	C	1.8	Mouth	32,35N,9E	Perry		x	x				B			
Jordan Br.	C	7.2	Mouth	32,55N,35W	Platte	Buchanan	x	x				B			
Jordan Cr.	C	1.4	Mouth	10,57N,33W	Dekalb		x	x				B			
Jordan Cr.	P	3.8	Mouth	23,29N,22W	Greene		x	x				B			
Jordan Cr.	C	3.5	Mouth	16,49N,23W	Saline		x	x				B			
Jowler Cr.	C	8.9	Mouth	19,54N,34W	Platte		x	x				B			
Joyce Cr.	C	4.5	Mouth	16,24N,28W	Barry		x	x				B			
Judge Cr.	C	3.0	Mouth	19,36N,19W	Dallas		x	x				B			
Kaintuck Hollow Cr.	P	2.4	Mouth	15,36N,09W	Phelps		x	x				B			
Keelstone Br.	C	1.0	Mouth	2,48N,1E	Lincoln		x	x				B			
Keeney Cr.	C	4.9	Mouth	13,51N,29W	Ray		x	x						x	
Keifer Cr.	P	1.2	Mouth	15,44N,04E	St. Louis		x	x				A			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Kelley Br.	C	1.3	Mouth	25,50N,13W	Boone		x	x				B			
Kelley Br.	C	5.8	Mouth	15,50N,12W	Boone		x	x							x
Kelley Br.	C	0.8	Mouth	1,44N,17W	Moniteau		x	x				B			
Kelley Valley	C	2.7	Mouth	23,27N,3E	Wayne		x	x				B			
Kelley Valley	P	1.0	23,27N,3E	26,27N,3E	Wayne	Carter	x	x				B			
Kelly Hollow	C	1.0	Mouth	3,35N,1W	Washington		x	x				B			
Kelly Hollow	P	1.3	Mouth	26,25N,3W	Oregon		x	x				B			
Kenser Cr.	C	2.0	Mouth	22,39N,12W	Miller		x	x				B			
Kessler Cr.	C	2.2	Mouth	21,34N,6E	Madison		x	x				B			
Ketchum Hollow	C	1.9	Mouth	24,22N,27W	Barry		x	x							x
Kettle Cr.	C	0.8	Mouth	31,58N,26W	Daviess		x	x				B			
Kile Cr.	C	1.3	Mouth	28,51N,13W	Boone		x	x				B			
Kimsey Cr.	P	0.8	Mouth	19,59N,39W	Holt		x	x				B			
Kimsey Cr.	C	2.5	19,59N,38W	30,60N,38W	Holt		x	x							x
Kimsey Cr.	P	6.7	30,60N,38W	34,61N,38W	Holt		x	x				B			
King Br.	C	1.5	Mouth	23,31N,22W	Greene		x	x				B			
King Br.	C	1.8	35,31N,22W	2,30N,22W	Greene		x	x				B			
Kings R.	P	1.6	Mouth	State Line	Barry	Stone	x	x				A			x
Kings Valley	P	3.3	Mouth	33,23N,30W	McDonald		x	x				B			
Kinnemore Ditch	C	13.0	State Line	5,17N,8E	Dunklin		x	x				B			
Kitten Cr.	C	7.2	Mouth	34,37N,29W	St. Clair	Vernon	x	x				B			
Knob Cr.	C	8.4	Mouth	8,41N,32W	Bates		x	x							x
Knob Cr.	C	2.2	Mouth	30,34N,4E	Iron		x	x				B			
Knobby Cr.	P	1.5	Mouth	34,40N,20W	Benton		x	x				B			
Knobby Cr.	C	1.0	34,40N,20W	3,39N,20W	Benton		x	x				B			
Knox Br.	C	1.0	Mouth	33,38N,1E	Washington		x	x				B			
Koen Cr.	C	1.0	Mouth	5,36N,5E	St. Francois		x	x				B			x
Kolb Br.	C	1.6	Mouth	3,38N,19W	Camden		x	x				B			
Krone Br.	C	1.1	Mouth	29,40N,10W	Maries		x	x				B			
Kruze Cr.	P	0.9	Mouth	36,41N,03E	Jefferson		x	x				B			
Kyle Cr.	C	8.4	Mouth	34,31N,28W	Barton	Dade	x	x				B			
L. Alder Cr.	C	1.6	Mouth	5,35N,27W	Cedar		x	x				B			
L. Apple Cr.	P	4.6	Mouth	13,33N,11E	Cape Girardeau		x	x				B			
L. Apple Cr.	C	1.2	13,33N,11E	24,33N,11E	Cape Girardeau		x	x				B			
L. Bear Cr.	C	1.2	Mouth	25,40N,15W	Miller		x	x							x
L. Bear Cr.	C	1.0	Mouth	2,46N,5W	Montgomery		x	x				B			
L. Bear Cr.	C	4.0	Mouth	8,48N,3W	Montgomery		x	x				B			
L. Beaver Cr.	C	3.5	Mouth	8,37N,8W	Phelps		x	x				A			
L. Beaver Cr.	P	10.4	Mouth	36,26N,18W	Taney	Douglas	x	x	x			A			x
L. Beaver Cr.	C	4.5	36,26N,18W	17,26N,17W	Douglas		x	x				B			
L. Berger Cr.	P	5.0	Mouth	17,45N,4W	Franklin	Gasconade	x	x				B			
L. Berger Cr.	C	1.2	17,45N,4W	19,45N,4W	Gasconade		x	x				B			
L. Black R.	P	30.2	State Line	31,24N,5E	Ripley	Butler	x	x	x			A			x
L. Black R.	P	16.0	31,24N,5E	9,24N,3E	Butler	Ripley	x	x	x	x		A			x
L. Blackwater Cr.	C	6.0	Mouth	36,47N,28W	Johnson		x	x				B			
L. Blair Cr.	C	2.0	Mouth	6,29N,2W	Shannon		x	x				B			
L. Blue R.	C	4.3	20,47N,32W	35,47N,33W	Jackson		x	x				B			x
L. Blue R.	P	35.1	Mouth	Longview Dam	Jackson		x	x				B			x
L. Boeuf Cr.	P	0.6	Mouth	2,44N,2W	Franklin		x	x				B			
L. Boeuf Cr.	C	2.8	2,44N,2W	14,44N,2W	Franklin		x	x				B			
L. Bonne Femme Cr.	P	9.0	Mouth	1,47N,13W	Boone		x	x				B			
L. Boone Cr.	C	2.0	Mouth	22,41N,3W	Franklin		x	x				B			
L. Bottom Cr.	C	0.6	Mouth	31,38N,8E	Ste. Genevieve		x	x				B			

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial

TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
L. Bourbeuse Cr.	C	9.6	Mouth	20,39N,7W	Phelps	Maries	x	x				B			
L. Bourbeuse R.	P	13.4	Mouth	26,40N,4W	Franklin	Crawford	x	x				B			
L. Bourbeuse R.	C	3.0	26,40N,4W	3,39N,4W	Crawford		x	x						x	
L. Brazil Cr.	P	2.1	Mouth	18,38N,1W	Washington		x	x				B			
L. Brazil Cr.	C	1.0	18,38N,1W	19,38N,1W	Washington		x	x				B			
L. Brush Cr.	C	7.0	Mouth	10,59N,17W	Macon		x	x				B			
L. Brushy Cr.	C	2.0	Mouth	18,27N,4E	Wayne		x	x				B			
L. Buffalo Cr.	P	5.6	Mouth	11,41N,19W	Morgan		x	x				B			
L. Calumet Cr.	P	1.4	Mouth	2,53N,1W	Pike		x	x				B			
L. Calumet Cr.	C	1.4	2,53N,1W	10,53N,1W	Pike		x	x				B			
L. Calvey Cr.	C	1.0	Mouth	9,42N,2E	Franklin			x	x			B			
L. Cane Cr.	C	3.4	State Line	26,22N,5E	Butler		x	x	x			B			
L. Cedar Cr.	C	2.0	17,48N,11W	05,48N,11W	Boone			x	x			B			
L. Cedar Cr.	C	4.6	Mouth	17,48N,11W	Boone		x	x				B			
L. Chariton R.	P	12.9	Mouth	5,52N,17W	Chariton		x	x				B			
L. Clear Cr.	C	1.3	Mouth	8,34N,30W	Vernon		x	x				B			
L. Clear Cr.	C	5.0	Mouth	1,36N,28W	St. Clair		x	x				B			
L. Coon Cr.	C	4.0	Mouth	6,30N,29W	Barton		x	x				B			
L. Courtois Cr.	P	2.0	Mouth	2,39N,1W	Washington		x	x				B			
L. Courtois Cr.	C	2.0	2,39N,1W	15,39N,1W	Washington		x	x				B			
L. Crane Cr.	C	6.0	Mouth	4,25N,25W	Stone	Barry	x	x				B		x	
L. Crooked Cr.	C	4.7	Mouth	20,57N,11W	Shelby		x	x				B			
L. Crooked Cr.	P	3.2	Mouth	33,31N,9E	Bollinger		x	x				A			
L. Crooked Cr.	C	2.7	33,31N,9E	32,31N,9E	Bollinger		x	x				B			
L. Dardenne Cr.	C	7.4	Mouth	10,46N,1E	St. Charles		x	x				B			
L. Deer Cr.	C	9.0	Mouth	01,38N,21W	Benton		x	x						x	
L. Deer Cr.	C	3.7	Mouth	31,42N,30W	Bates		x	x				B		x	
L. Dry Fk.	P	5.2	Mouth	17,37N,7W	Phelps		x	x				B		x	
L. Dry Fk.	C	4.7	17,37N,7W	5,36N,7W	Phelps		x	x				B			
L. Dry Wood Cr.	P	20.5	Mouth	12,34N,32W	Vernon		x	x				B			
L. Dry Wood Cr.	C	15.6	12,34N,32W	20,33N,31W	Vernon	Barton	x	x				B			
L. E. Fk. Locust Cr.	C	8.8	Mouth	30,62N,19W	Sullivan		x	x				B			
L. Fabius R.	C	36.4	Mouth	17,61N,12W	Knox		x	x				B		x	
L. Finley Cr.	P	5.5	Mouth	5,28N,17W	Webster		x	x				B			
L. Flat Cr.	P	3.9	Mouth	25,25N,27W	Barry		x	x		x		A		x	
L. Flat Cr.	C	2.7	25,25N,27W	34,25N,27W	Barry		x	x				B		x	
L. Flora Cr.	P	3.4	Mouth	Sur	Cape Girardeau		x	x				B			
L. Fourche a Renault Cr.	P	1.0	Mouth	2201,31N,14E	Washington		x	x				B			
L. Fourche a Renault Cr.	C	2.8	26,38N,1E	2,37N,1E	Washington		x	x				B			
L. Fox Cr.	P	0.7	Mouth	31,44N,03E	St. Louis		x	x				B			
L. Fox R.	P	19.8	Mouth	34,67N,10W	Clark	Scotland	x	x				B			
L. Fox R.	C	3.7	34,67N,10W	19,67N,10W	Scotland		x	x				B			
L. Gravois Cr.	P	4.2	Mouth	1,40N,16W	Miller		x	x				A			
L. Gravois Cr.	C	3.0	1,40N,16N	30,41N,15W	Miller		x	x				B			
L. Gravois Cr.	P	4.0	Mouth	21,42N,17W	Morgan		x	x				A		x	
L. Hazel Cr.	P	1.5	Mouth	29,36N,1E	Washington		x	x				B			
L. Hazel Cr.	C	0.5	29,36N,1E	32,36N,1E	Washington		x	x				B			
L. Hogles Cr.	P	1.2	Mouth	09,39N,23W	Benton		x	x				B			
L. Hogles Cr.	C	1.7	09,39N,23W	16,39N,23W	Benton		x	x				B			
L. Horseshoe Cr.	C	5.1	Mouth	11,48N,29W	Jackson	Lafayette	x	x						x	
L. Hunting Slough	C	5.0	Mouth	14,22N,6E	Butler		x	x	x			B			
L. Hurricane Cr.	C	4.0	Mouth	7,24N,3W	Oregon		x	x				B			

IRR-Livestock & Wildlife Watering

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
L. Hurricane Cr.	C	1.6	Mouth	1,54N,22W	Carroll			x	x			B			
L. Indian Cr.	P	2.7	Mouth	19,32N,14E	Cape Girardeau			x	x			B			
L. Indian Cr.	C	2.0	19,32N,14E	25,32N,13E	Cape Girardeau			x	x			B			
L. Indian Cr.	P	8.7	Mouth	30,40N,2E	Franklin	Washington		x	x			B			
L. Indian Cr.	C	1.0	30,40N,2E	31,40N,2E	Washington			x	x			B			
L. Lake Cr.	C	5.1	Mouth	31,29N,5E	Wayne			x	x			B			
L. Lead Cr.	C	4.0	27,50N,2W	20,50N,2W	Lincoln			x	x			B			
L. Lindley Cr.	C	3.7	Mouth	15,34N,20W	Dallas			x	x			B			
L. Lost Cr.	C	1.5	Mouth	18,46N,3W	Warren			x	x			B			
L. Lost Cr.	P	1.7	Mouth	26,37N,1W	Washington			x	x			B			
L. Lost Cr.	P	5.8	Mouth	28,25N,33W	Newton			x	x			B			
L. Loutre Cr.	C	10.3	Mouth	5,49N,6W	Montgomery			x	x			B			
L. Maries Cr.	P	8.5	Mouth	24,42N,11W	Osage			x	x	x		B			
L. Maries Cr.	C	1.0	24,42N,11W	23,42N,11W	Osage			x	x			B			
L. Maries R.	P	6.9	Mouth	12,40N,11W	Maries			x	x			B			
L. Maries R.	C	12.3	12,40N,11W	28,39N,11W	Maries			x	x			B			
L. Medicine Cr.	P	39.8	Mouth	State Line	Grundy	Mercer		x	x			B			
L. Meramec R.	P	3.5	Mouth	7,41N,2E	Franklin			x	x			B			
L. Meramec R.	P	2.0	7,41N,2E	8,41N,2E	Franklin			x	x			B			
L. Meramec R.	C	1.2	8,41N,2E	16,41N,2E	Franklin			x	x			B			
L. Mill Cr.	P	5.9	Mouth	33,38N,21W	Hickory			x	x			B			
L. Monegaw Cr.	C	9.0	Mouth	36,39N,27W	St. Clair			x	x			B			
L. Moniteau Cr.	P	3.3	Mouth	3,45N,14W	Moniteau			x	x			A			
L. Moniteau Cr.	C	5.1	3,45N,14W	18,45N,14W	Moniteau			x	x			B			
L. Muddy Cr.	P	2.0	Mouth	Sur 2219,32,10E	Cape Girardeau	Bollinger		x	x			B			
L. Muddy Cr.	C	6.8	Sur	2219,32N,10E 3144,33N,10E	Sur	Bollinger		x	x			B		x	
L. Muddy Cr.	C	4.1	Mouth	17,60N,27W	Daviess			x	x			B			
L. Muddy Cr.	C	7.1	Mouth	State Line	Mercer			x	x			B			
L. Muddy Cr.	C	7.5	Mouth	18,46N,22W	Pettis			x	x			B			
L. Mussel Cr.	C	4.4	Mouth	17,61N,17W	Adair			x	x			B			
L. N. Fk. White R.	P	8.9	Mouth	36,24N,16W	Ozark			x	x	x		B			
L. N. Fk. White R.	C	6.9	36,24N,16W	3,24N,16W	Ozark			x	x	x		B			
L. N. Fork	C	15.1	Mouth	30,31N,32W	Jasper	Barton	x	x	x			B			
L. Niangua R.	P	43.8	Mouth	26,36N,19W	Camden	Dallas		x	x	x		A		x	
L. Niangua R.	C	8.0	26,36N,19W	20,35N,19W	Dallas			x	x			A		x	
L. No Cr.	C	4.9	Mouth	30,63N,22W	Grundy			x	x			B			
L. Noix Cr.	C	1.7	Mouth	28,54N,2W	Pike			x	x					x	
L. Osage R.	P	27.4	19,38N,29W	18,37N,31W	Vernon			x	x			B			
L. Osage R.	C	23.6	18,37N,31W	18,37N,33W	Vernon			x	x			B			
L. Otter Cr.	C	6.2	Mouth	6,55N,11W	Monroe			x	x			B			
L. Otter Cr.	C	3.0	Mouth	4,56N,27W	Caldwell			x	x			B			
L. Paddy Cr.	C	3.5	Mouth	36,33N,11W	Texas			x	x			B			
L. Pike Cr.	C	1.6	Mouth	3,26N,2W	Carter			x	x			B			
L. Piney Cr.	P	7.2	Mouth	25,37N,9W	Phelps			x	x	x		A		x	
L. Piney Cr.	P	13.5	25,37N,9W	4,35N,8W	Phelps			x	x		x	A		x	
L. Piney Cr.	C	5.4	4,35N,8W	21,35N,8W	Phelps			x	x		x	B			
L. Piney Cr.	C	1.9	Mouth	12,33N,12W	Texas			x	x			B			
L. Platte R.	P	13.3	Mouth	Smithville Dam	Platte	Clay		x	x			B		x	
L. Platte R.	C	24.3	Mouth	28,57N,31W	Clinton			x	x			A		x	
L. Pomme de Terre R.	C	5.0	15,38N,23W	3,37N,23W	Benton	Hickory		x	x	x		A		x	
L. Pomme de Terre R.	C	6.0	Mouth	25,31N,21W	Polk	Greene		x	x			B			

IRR-Irrigation
 LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life
 and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

IRR LWW AQL CLF CDF WBC SCR DWS IND
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
L. Pomme de Terre R.	P	15.8	Mouth	15,38N,23W	Benton	Hickory	x	x			A		x	
L. Profits Cr.	P	1.7	Mouth	30,42N,11W	Osage		x	x			B			
L. Profits Cr.	C	0.5	30,42N,11W	30,42N,11W	Osage		x	x			B			
L. Ramsey Cr.	C	1.0	Mouth	16,52N,1E	Pike		x	x			B			
L. Richland Cr.	C	5.5	Mouth	12,44N,18W	Morgan		x	x			A		x	
L. Rock Cr.	C	2.3	Mouth	8,32N,5E	Madison		x	x			B			
L. Rocky Cr.	P	0.7	Mouth	12,28N,3W	Shannon		x	x			B			
L. Rocky Cr.	C	0.5	12,28N,3W	1,28N,3W	Shannon		x	x			B			
L. Sac R.	P	37.0	Mouth	McDaniel Lk. Dam	Polk	Greene	x	x	x		A		x	
L. Sac R.	P	1.3	Mouth	17,30N,21W	Greene		x	x			B			
L. Sac R.	C	2.2	17,30N,21W	Fellows Lake Dam	Greene		x	x			B			
L. Sac R.	C	2.3	Mouth	21,30N,20W	Greene		x	x			B			
L. Saline Cr.	P	5.4	Mouth	29,41N,14W	Miller		x	x			B			
L. Saline Cr.	P	10.3	Mouth	24,36N,8E	Ste. Genevieve		x	x			B			
L. Sandy Cr.	C	6.0	Mouth	9,51N,1W	Lincoln		x	x			B			
L. Shaver Cr.	C	4.5	Mouth	04,45N,20W	Pettis		x	x			B		x	
L. Shawnee Cr.	P	2.0	Mouth	29,29N,3W	Shannon		x	x			B			
L. Shawnee Cr.	C	2.0	29,29N,3W	4,28N,3W	Shannon		x	x			B			
L. Shoal Cr.	P	1.9	Mouth	13,36N,2W	Crawford		x	x			A			
L. Shoal Cr.	C	1.7	13,36N,2W	24,36N,2W	Crawford		x	x			B			
L. Shoal Cr.	C	3.3	Mouth	24,51N,32W	Clay		x	x			B			
L. Shoal Cr.	C	8.7	Mouth	4,66N,16W	Putnam		x	x			B			
L. Sinking Cr.	P	4.0	Mouth	26,32N,3W	Shannon	Dent	x	x			B			
L. Sinking Cr.	C	1.0	26,32N,3W	23,32N,3W	Dent		x	x			B			
L. Sni-a-bar Cr.	P	6.7	Mouth	30,50N,27W	Lafayette		x	x			B			
L. Sni-a-bar Cr.	C	7.5	30,50N,27W	16,49N,27W	Lafayette		x	x			B			
L. Splice Cr.	P	1.7	Mouth	16,47N,14W	Moniteau		x	x			B			
L. Splice Cr.	C	2.3	16,47N,14W	20,47N,14W	Moniteau		x	x			B			
L. St. Francis R.	P	32.4	Mouth	32,35N,07E	Madison	St. Francois	x	x	x		A		x	x
L. St. Francis R.	C	0.8	32,35N,7E	32,35N,7E	Madison	St. Francois	x	x			B			
L. Sugar Cr.	C	4.0	Mouth	10,49N,1E	Lincoln		x	x			B			
L. Sugar Cr.	P	13.2	Mouth	State Line	McDonald		x	x	x		A		x	
L. Tabo Cr.	C	9.2	Mouth	3,50N,25W	Lafayette		x	x			B			
L. Tarkio Cr.	P	17.7	Mouth	19,63N,39W	Holt		x	x			B		x	
L. Tarkio Cr.	C	15.4	30,63N,39W	13,65N,39W	Atchison		x	x			B			
L. Tarkio Ditch	P	6.6	Mouth	36,61N,39W	Holt		x	x			B			
L. Taum Sauk Cr.	C	2.3	Mouth	25,33N,2E	Reynolds		x	x			B			
L. Tavern Cr.	C	4.0	Mouth	33,42N,13W	Miller	Cole	x	x	x		A			
L. Tavern Cr.	P	1.5	33,39N,12W	34,39N,12W	Miller		x	x			B			
L. Tavern Cr.	C	1.5	34,39N,12W	10,38N,12W	Miller		x	x			B			
L. Tavern Cr.	P	11.2	Mouth	5,39N,11W	Miller	Maries	x	x			A			
L. Tavern Cr.	C	1.0	Mouth	11,44N,2E	Franklin		x	x			B			
L. Tavern Cr.	C	2.7	05,39N,11W	07,39N,11W	Maries		x	x			B			
L. Tavern Cr.	C	1.0	Mouth	36,46N,7W	Callaway		x	x			B			
L. Tebo Cr.	C	6.0	Mouth	20,42N,22W	Benton		x	x			A		x	
L. Third Cr.	C	4.6	Mouth	23,42N,7W	Osage		x	x			B			
L. Third Fk. Platte R.	C	26.0	Mouth	27,60N,32W	Dekalb		x	x			B			
L. Turkey Cr.	C	2.3	Mouth	36,40N,22W	Benton		x	x			B			
L. Walnut Cr.	C	2.3	18,60N,16W	14,60N,17W	Macon		x	x			B			
L. Walnut Cr.	C	2.8	Mouth	26,47N,24W	Johnson		x	x			B			
L. Weaubleau Cr.	P	5.9	Mouth	09,36N,23W	St. Clair	Hickory	x	x	x		B		x	

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
L. Weaubleau Cr.	C	3.3	9,36N,23W	12,36N,23W	St. Clair	Hickory		x	x						A
L. Whitewater Cr.	P	24.2	Mouth	16,33N,9E	Cape Girardeau	Bollinger		x	x						A
L. Whitewater Cr.	C	0.5	Mouth	8,33N,9E	Bollinger			x	x						B
L. Wilson Cr.	P	2.9	Mouth	25,32N,21W	Polk			x	x						B
L. Wilson Cr.	C	2.3	25,32N,21W	32,32N,20W	Dallas			x	x						B
L. Wyaconda R.	P	7.4	Mouth	34,64N,8W	Clark			x	x						B
L. Wyaconda R.	C	7.5	34,64N,8W	25,64N,9W	Clark			x	x						B
Labadie Cr.	P	5.0	Mouth	31,44N,2E	Franklin			x	x						B
LaBarque Cr.	P	4.5	Mouth	32,43N,3E	Jefferson			x	x						B
Ladies Br.	C	7.8	Mouth	24,37N,30W	Vernon			x	x						B
Lake Cr.	C	10.2	12,44N,20W	17,43N,20W	Pettis	Benton		x	x		x				B
Lake Cr.	C	5.7	Mouth	20,54N,19W	Chariton			x	x						B
Lake Cr.	C	3.3	Mouth	29,58N,25W	Livingston			x	x						B
Lake Cr.	P	5.4	Mouth	12,44N,20W	Pettis			x	x		x				B
Lake Cr.	C	6.6	Mouth	34,58N,25W	Livingston			x	x						B
Lake Ditch	C	1.8	Mouth	01,42N,09W	Osage			x	x						B
Lake Slough	C	9.3	3,23N,7E	31,25N,8E	Butler			x	x						B
Lamine R.	P	64.0	Mouth	13,45N,19W	Cooper	Morgan	x	x	x						A
Landing Cr.	C	1.0	Mouth	16,42N,12W	Cole			x	x						B
Landon Br.	C	3.0	Mouth	5,34N,31W	Vernon			x	x						B
Lanes Fk.	C	2.8	Mouth	32,39N,7W	Maries			x	x						B
Langejammer Cr.	C	1.5	Mouth	30,43N,4W	Gasconade			x	x						B
Larry Cr.	C	1.2	Mouth	2,59N,28W	Daviess			x	x						B
Lateral #2	C	2.4	Mouth	8,18N,12E	Pemiscot			x	x						B
Lateral #2 Main Ditch	P	11.5	24,23N,10E	25,25N,10E	Stoddard			x	x						B
Lateral #2 Main Ditch	C	4.1	25,25N,10E	6,25N,11E	Stoddard			x	x						B
Lateral #27	P	6.0	29,16N,9E	30,16N,10E	Dunklin			x	x						B
Lateral #27	C	3.3	Mouth	32,20N,13E	Pemiscot			x	x						B
Lateral #4	C	3.2	Mouth	21,27N,14E	Scott		x	x	x						B
Lateral Ditch	C	2.0	Mouth	32,22N,8E	Butler			x	x						B
Lateral Ditch	C	5.8	Mouth	3,22N,7E	Butler			x	x						B
Lateral Ditch #1	C	4.0	Mouth	19,23N,10E	Dunklin			x	x						B
Lateral Ditch #2	C	2.4	Mouth	9,22N,10E	Dunklin			x	x						B
Lateral Ditch #37	C	4.3	Mouth	20,22N,8E	Butler			x	x						B
Laurie Hollow	C	1.4	Mouth	18,39N,17W	Camden			x	x						B
Lead Cr.	P	1.0	Mouth	7,49N,1W	Lincoln			x	x						B
Lead Cr.	C	7.5	7,49N,1W	27,50N,2W	Lincoln			x	x						B
Leatherwood Cr.	P	1.7	Mouth	9,31N,5E	Madison			x	x						B
Leatherwood Cr.	C	2.5	9,31N,5E	6,31N,5E	Madison			x	x						B
Lee Hollow	C	1.0	Mouth	27,26N,7W	Howell			x	x						B
Lee Rowe Ditch	C	6.0	30,24N,16E	30,25N,16E	Mississippi			x	x						B
Leeper Cr.	C	8.4	Mouth	21,58N,23W	Livingston			x	x						B
Lewis Slough	C	2.0	Mouth	32,67N,42W	Atchison			x	x						B
Lick Br.	C	1.5	Mouth	2,24N,10W	Howell			x	x						B
Lick Br.	C	6.6	Mouth	19,43N,29W	Cass			x	x						B
Lick Br.	C	1.8	Mouth	27,29N,3E	Wayne			x	x						B
Lick Cr.	C	5.5	Mouth	9,53N,7W	Ralls			x	x						B
Lick Cr.	P	2.0	Mouth	2,38N,4W	Crawford			x	x						B
Lick Cr.	C	2.5	2,38N,4W	27,39N,4W	Crawford			x	x						B
Lick Cr.	C	1.0	Mouth	32,22N,16W	Ozark			x	x						B
Lick Cr.	P	6.8	25,22N,13W	19,22N,13W	Ozark			x	x						B
Lick Cr.	C	6.1	19,22N,13W	30,23N,13W	Ozark			x	x						B
Lick Cr.	C	4.2	Mouth	6,27N,8E	Wayne			x	x						B

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Lick Cr.	P	3.4	Mouth	25,22N,13W	Ozark		x	x				A			
Lick Cr. Ditch	C	16.2	33,25N,9E	15,26N,10E	Stoddard		x	x				B	x		
Lick Fk	C	8.9	Mouth	02,50N,27W	Lafayette		x	x				B			
Lick Fk.	C	10.1	Mouth	15,51N,13W	Boone		x	x				B			
Lick Fk.	P	5.7	Mouth	30,58N,26W	Daviess		x	x				B			
Lick Fk.	C	9.8	30,58N,26W	7,57N,27W	Daviess	Caldwell	x	x				B			
Lick Fk.	C	1.9	Mouth	2,50N,15W	Howard		x	x				B			
Lick Fk.	C	0.5	Mouth	20,44N,16W	Moniteau		x	x				B			
Lick Log Cr.	P	1.6	Mouth	32,29N,8E	Bollinger		x	x				B			
Lick Log Cr.	C	1.2	32,29N,8E	31,29N,8E	Bollinger		x	x				B			
Ligett Cr.	C	1.0	Mouth	9,26N,5E	Butler		x	x				B			
Limestone Cr.	P	8.4	Mouth	24,30N,27W	Dade		x	x	x			A			
Lincoln Cr.	C	7.4	Mouth	14,60N,36W	Andrew		x	x				B			
Lindley Cr.	P	24.1	Mouth	20,34N,20W	Hickory	Dallas	x	x				B			
Lindley Cr.	C	2.4	20,34N,20W	32,34N,20W	Dallas		x	x				B	x		
Line Cr.	C	7.0	Mouth	Lake Waukomis	Platte		x	x				B			
Liner Cr.	C	1.4	Mouth	9,21N,12W	Ozark		x	x				B			
Linn Cr.	C	2.3	Mouth	31,66N,8W	Clark		x	x				B	x		
Linn Cr.	C	6.0	Mouth	7,43N,8W	Osage		x	x				B			
Little Cr.	C	1.2	Mouth	25,51N,12W	Boone		x	x				B			
Little Cr.	C	1.5	Mouth	3,40N,5E	Jefferson		x	x				B	x		
Little Cr.	C	5.0	Mouth	17,24N,15W	Ozark		x	x				B	x		
Little Cr.	C	2.5	Mouth	36,22N,14W	Ozark		x	x				B			
Little Cr.	C	8.0	Mouth	1,25N,8W	Howell		x	x				B			
Little Cr.	C	4.0	Mouth	26,32N,4W	Shannon	Dent	x	x				B			
Little Cr.	C	2.7	Mouth	19,34N,1W	Iron		x	x				B			
Little Cr.	C	1.0	Mouth	12,32N,3E	Iron		x	x				B			
Little Cr.	P	3.1	Mouth	35,28N,6E	Wayne		x	x				B			
Little Cr.	C	2.7	Mouth	3,42N,3W	Franklin		x	x				B	x		
Little Cr.	C	11.3	Mouth	31,65N,28W	Harrison		x	x				B			
Little Cr.	C	3.5	Mouth	11,46N,28W	Johnson		x	x				B			
Little Cr.	P	2.7	Mouth	8,30N,7E	Wayne		x	x				B			
Little R.	P	8.0	Mouth	State Line	Mercer		x	x				B			
Littleby Cr.	C	16.0	Mouth	24,51N,8W	Audrain		x	x				B			
Locust Cr.	P	91.7	Mouth	State Line	Chariton	Putnam	x	x				B	x	x	
Log Cr.	C	8.8	Mouth	6,55N,28W	Caldwell		x	x				B	x		
Logan Cr.	P	7.2	Mouth	36,23N,3E	Ripley		x	x				B			
Logan Cr.	C	7.5	36,23N,3E	9,23N,3E	Ripley		x	x				B			
Logan Cr.	P	36.0	27,29N,2E	26,31N,2W	Reynolds		x	x				A	x		
Logan Cr.	C	5.8	Mouth	30,46N,7W	Callaway		x	x				A	x		
Logan Cr.	C	3.4	Mouth	19,44N,13W	Cole		x	x				B			
Long Br.	C	29.0	7,53N,8W	7,52N,11W	Monroe	Audrain	x	x				B			
Long Br.	C	1.5	Mouth	25,44N,2W	Franklin		x	x				B			
Long Br.	P	5.5	Mouth	06,45N,23W	Pettis	Johnson	x	x				B			
Long Br.	C	3.0	Mouth	29,66N,38W	Atchison		x	x				B			
Long Br.	C	3.0	Mouth	28,37N,19W	Camden		x	x				B			
Long Br.	P	6.3	Mouth	6,62N,34W	Nodaway		x	x				B			
Long Br.	C	15.0	6,62N,34W	8,64N,34W	Nodaway		x	x				B			
Long Br.	C	1.5	Mouth	27,45N,25W	Johnson		x	x				B			
Long Br.	C	2.1	Mouth	24,40N,11W	Maries		x	x				B			
Long Br.	C	5.7	Mouth	19,62N,31W	Gentry		x	x				B			
Long Br.	C	14.5	Mouth	11,59N,20W	Linn		x	x				B		x	
Long Br.	C	8.8	Mouth	18,55N,18W	Chariton		x	x				B			

IRR-Irrigation
 LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Long Br.	C	6.0	06,45N,23W	09,45N,24W	Pettis	Johnson		x	x			B			
Long Branch Cr.	C	14.8	18,58N,14W	19,60N,14W	Macon			x	x			B		x	
Long Cr.	C	2.3	Mouth	16,40N,08W	Maries			x	x			B			
Long Cr.	C	3.3	Mouth	4,55N,28W	Caldwell			x	x			B			
Long Cr.	C	5.0	Mouth	26,54N,18W	Chariton			x	x			B			
Long Gravel Br.	P	1.0	Mouth	5,33N,5E	Madison			x	x			B			
Long Grove Br.	C	3.2	31,48N,20W	07,47N,20W	Pettis			x	x			B			
Long Grove Br.	P	0.9	Mouth	31,48N,20W	Pettis			x	x			B			
Long Run	C	1.9	Mouth	27,23N,16W	Ozark			x	x			B			
Longan Br.	C	2.3	26,41N,16W	14,41N,16W	Miller			x	x			B			
Longs Cr.	C	1.0	Mouth	Sur 768,33N,9E	Bollinger			x	x			B			
Loose Cr.	C	8.5	16,44N,9W	10,43N,9W	Osage			x	x			B			
Loose Cr.	P	9.5	Mouth	16,44N,9W	Osage			x	x			B			
Lost Camp Cr.	C	5.3	Mouth	20,26N,8W	Howell			x	x			B			
Lost Cr.	P	6.4	Mouth	15,46N,3W	Warren			x	x	x		B			
Lost Cr.	C	3.8	15,46N,3W	2,46N,3W	Warren			x	x			B			
Lost Cr.	P	8.3	Mouth	19,37N,1E	Crawford	Washington		x	x			B			
Lost Cr.	C	3.0	19,37N,1E	29,37N,1E	Washington			x	x			B			
Lost Cr.	P	1.0	Mouth	5,35N,3E	Washington			x	x			B			
Lost Cr.	C	2.5	5,35N,3E	9,35N,3E	Washington			x	x			B			
Lost Cr.	P	8.5	State Line	14,25N,33W	Newton			x	x	x		A		x	
Lost Cr.	C	25.2	Mouth	King Lake	Dekalb			x	x			B			
Lost Cr.	C	5.5	15,64N,16W	5,64N,15W	Schuyler			x	x			B			
Lost Cr.	C	1.8	Mouth	36,61N,32W	Dekalb	Gentry		x	x			B			
Lottie Hollow	C	1.0	Mouth	35,24N,12W	Ozark			x	x			B			
Lotts Cr.	C	9.7	Mouth	8,66N,29W	Worth	Harrison		x	x			B			
Loutre Cr.	C	4.5	Mouth	30,46N,4W	Warren			x	x			B			
Loutre R.	P	39.4	Mouth	5,48N,6W	Montgomery			x	x			B			
Loutre R.	C	15.1	5,48N,6W	36,50N,8W	Montgomery	Audrain		x	x			B			
Loutre Slough	P1	5.5	Mouth	19,46N,4W	Warren			x	x			B			
Lovejoy Cr.	P	1.0	Mouth	Sur	Cape Girardeau			x	x			B			
Lovejoy Cr.	C	1.5	Sur	2246,33N,14E 24,33N,13E	Cape Girardeau			x	x			B			
Lower Peavine Cr.	C	1.0	Mouth	11,40N,7W	Maries			x	x			B			
Lower Rock Cr.	C	3.5	Mouth	32,33N,5E	Madison			x	x			B			
Ludecker Hollow	C	2.0	Mouth	4,23N,14W	Ozark			x	x			B			
Lumpkin Cr.	C	0.5	Mouth	29,47N,32W	Jackson			x	x			B			
Luther Br.	C	0.6	Mouth	32,38N,06W	Phelps			x	x			B			
Luystown Cr.	C	2.0	Mouth	16,44N,8W	Osage			x	x			B			
Luzon Br.	C	1.0	13,44N,10W	24,44N,10W	Osage			x	x			B			
Luzon Br.	P	0.7	Mouth	13,44N,10W	Osage			x	x			B			
Lyman Cr.	C	1.0	Mouth	30,40N,3W	Crawford			x	x		x	A			
M. Fk. Fourche a Renault Cr.	C	1.8	Mouth	25,37N,1E	Washington			x	x			B			
M. Fk. L. Chariton R.	C	17.6	Mouth	3,58N,15W	Macon			x	x			B			
M. Fk. Little Chariton R.	P	31.5	Mouth	24,55N,16W	Chariton	Randolph		x	x			B		x	
M. Fk. Salt R.	P	58.1	Mouth	16,56N,13W	Monroe	Macon	x	x	x			B		x	x
M. Fk. Salt R.	C	25.4	16,56N,13W	23,59N,14W	Macon			x	x			B			
Mace Cr.	C	5.8	Mouth	25,59N,36W	Andrew			x	x			B			
Macks Cr.	P	8.7	Mouth	12,37,19W	Camden			x	x			B			
Macks Cr.	C	2.8	12,37N,19W	23,37N,19W	Camden			x	x			B		x	
Madden Cr.	C	4.5	Mouth	29,36N,8E	Ste. Genevieve			x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Maddin Cr.	C	1.9	Mouth	35,39N,3E	Washington		x	x				B			
Maddox Br.	C	2.8	35,48N,9W	23,48N,9W	Callaway		x	x				B			
Mag Cr.	C	0.1	Mouth	26,40N,10W	Maries		x	x				B			
Mahans Cr.	P	4.3	Mouth	9,28N,4W	Shannon		x	x	x			B			
Mahans Cr.	C	4.4	9,28N,4W	28,28N,04W	Shannon		x	x				B			
Main Ditch	C	13.0	18,22N,6E	15,24N,6E	Butler		x	x	x			B			
Main Ditch	P	11.9	14,16N,10E	30,18N,11E	Pemiscot		x	x				B		x	
Main Ditch	P	23.2	8,19N,10E	19,23N,10E	Dunklin		x	x				B			
Main Ditch	C	6.0	19,23N,10E	20,24N,10E	Dunklin	Stoddard	x	x							x
Main Ditch #36	C	1.8	21,19N,10E	9,19N,10E	Dunklin		x	x				B			
Main Ditch #8	P	18.3	27,18N,10E	3,19N,12E	Pemiscot		x	x				B			
Main Ditch #8	C	11.5	3,19N,12E	18,20N,14E	Pemiscot		x	x						x	
Malaruni Cr.	C	1.5	Mouth	19,56N,3W	Ralls		x	x				B			
Maline Cr.	C	0.6	Sur	9,46N,7E	St. Louis City	St. Louis	x	x				B		x	
Maline Cr.	C	0.5	Mouth	Sur	St. Louis City		x	x						x	
Malone Cr.	P	6.9	Mouth	34,30N,10E	Bollinger		x	x				B			
Malone Cr.	C	2.3	34,30N,10E	28,30N,10E	Bollinger		x	x				B			
Mammoth Cr.	P	0.7	Mouth	11,39N,03E	Jefferson		x	x				B			
Manacle Cr.	C	2.4	Mouth	35,49N,11W	Callaway		x	x							x
Maple Slough	C	18.2	Mouth	11,26N,15E	New Madrid	Mississippi		x	x			B			
Marais des Cygnes R.	P	32.0	19,38N,29W	State Line	Bates		x	x	x			A		x	x
Marble Cr.	P	14.7	Mouth	28,33N,4E	Madison	Iron		x	x	x		B		x	
Marble Cr.	C	1.0	28,33N,4E	20,33N,4E	Iron		x	x				B			
Maries R.	P	44.0	Mouth	24,40N,10W	Osage	Maries		x	x	x		A		x	
Maries R.	C	18.1	24,40N,10W	13,38N,11W	Maries		x	x				B			
Marlin Cr.	C	3.4	34,48N,20W	04,47N,20W	Pettis		x	x				B			
Marlin Cr.	P	3.7	Mouth	34,48N,20W	Pettis		x	x				B			
Marlowe Cr.	P	6.7	Mouth	30,66N,31W	Worth		x	x				B			
Marlowe Cr.	C	1.0	30,66N,31W	19,66N,31W	Worth		x	x				B			
Marmaton R.	P	35.7	11,37N,31W	State Line	Vernon		x	x	x			B			
Marney Br.	C	5.4	Mouth	3,43N,15W	Moniteau			x	x			B			
Marrowbone Cr.	P	11.5	Mouth	36,58N,28W	Daviess			x	x			B			
Marrowbone Cr.	C	13.9	36,58N,28W	15,58N,29W	Daviess			x	x			B			
Marsh Cr.	P	2.3	Mouth	34,32N,5E	Madison			x	x			B			
Marsh Cr.	C	0.6	34,32N,5E	33,32N,5E	Madison			x	x			B			
Marshalls Cr.	C	15.4	Mouth	33,40N,27W	Henry			x	x			B			
Martin Br.	C	0.5	Mouth	2,40N,04W	Franklin			x	x			B			
Martin Cr.	C	6.9	Mouth	27,64N,25W	Harrison	Mercer		x	x			B			
Martin Hollow	C	1.0	Mouth	1,32N,7E	Madison			x	x			B			
Mary's Cr	P	1.0	Mouth	03,39N,01W	Washington			x	x			B			
Marys Hollow	C	4.6	Mouth	5,24N,11W	Ozark			x	x			B			
Mash Cr.	P	0.5	Mouth	12,30N,4W	Shannon			x	x			B			
Mash Cr.	C	2.0	12,30N,4W	35,31N,4W	Shannon			x	x			B			
Mash Hollow	C	1.0	Mouth	33,24N,24W	Stone			x	x			B			
Mason Springs Valley	P	1.0	State Line	21,24N,34W	Newton			x	x			B			
Massey Cr.	C	7.0	2,44N,33W	20,45N,33W	Cass			x	x			B			
Massie Cr.	P	4.0	Mouth	10,46N,4W	Warren			x	x			B			
Massie Cr.	C	3.5	10,46N,4W	36,47N,4W	Warren			x	x			B			
Mattese Cr.	P	1.1	Mouth	15,43N,6E	St. Louis			x	x			B		x	
Maupin Br.	C	1.6	Mouth	35,47N,14W	Moniteau			x	x			B			
Maupin Cr.	P	1.3	Mouth	36,41N,02E	Jefferson			x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Max Cr.	C	3.6	Mouth	26,24N,19W	Taney		x	x				B			
May Br.	C	0.5	Mouth	Hwy AN	Franklin		x	x				B			
May Br.	C	3.5	Mouth	30,48N,22W	Saline	Pettis	x	x				B			
Mayfield Cr.	P	0.8	Mouth	21,32N,10E	Bollinger		x	x				B			
Mayfield Cr.	C	2.7	21,32N,10E	18,32N,10E	Bollinger		x	x				B			
Mayhan Br.	C	1.3	Mouth	18,28N,08W	Texas		x	x					x		
Maze Cr.	C	2.0	Mouth	9,32N,25W	Dade		x	x				B			
McCarty Cr.	C	13.2	Mouth	31,34N,29W	Vernon		x	x				B			
McClanahan Cr.	C	2.5	Mouth	Sur	Perry		x	x				B			
				911,36N,11E											
McCoy Cr.	P	1.9	Mouth	6,47N,2E	St. Charles		x	x				B			
McCoy Cr.	C	4.5	6,47N,2E	10,47N,1E	St. Charles		x	x				B			
McDade Br.	P	0.7	Mouth	9,39N,5W	Crawford		x	x				B			
McDade Br.	C	1.7	9,39N,5W	17,39N,5W	Crawford		x	x				B			
McElroy Cr.	C	3.0	Mouth	9,66N,41W	Atchison		x	x				B			
McGee Br.	C	3.9	Mouth	03,44N,20W	Pettis		x	x				B			
McGee Cr.	P	7.2	Mouth	20,28N,8E	Wayne		x	x				B			
McGuire Br.	C	5.4	Mouth	7,56N,32W	Clinton		x	x				B			
McKenzie Cr.	P	6.3	Mouth	23,29N,3E	Wayne		x	x				B			
McKenzie Cr.	C	4.7	23,29N,3E	34,30N,3E	Wayne		x	x					x		
McKenzie Cr.	C	5.5	Mouth	06,37N,29W	Vernon		x	x				B			
McKill Cr.	P	2.7	Mouth	34,34N,33W	Vernon		x	x				B			
McKill Cr.	C	2.2	34,34N,33W	35,34N,33W	Vernon		x	x				B			
McKinney Cr.	C	0.7	Mouth	23,48N,9W	Callaway		x	x				B			
McLean Cr.	C	6.6	Mouth	16,49N,2E	Lincoln		x	x				B			
McMullen Br.	C	1.2	Mouth	18,39N,5E	Jefferson		x	x					x		
McVey Br.	C	1.5	Mouth	3,21N,16W	Ozark		x	x				B			
Meadows Cr.	P	1.4	Mouth	10,45N,13W	Cole		x	x				B			
Meadows Cr.	C	2.0	10,45N,13W	16,45N,13W	Cole		x	x				B			
Meddleberger Br.	C	1.1	Mouth	34,40N,11W	Maries		x	x				B			
Medicine Cr.	P	31.3	Mouth	9,61N,22W	Livingston	Grundy	x	x				B			
Medicine Cr.	P	43.8	9,61N,22W	State Line	Grundy	Putnam	x	x				B			
Medlen Cr.	C	1.0	Mouth	6,43N,15W	Moniteau		x	x				B			
Melton Cr.	C	2.8	Mouth	21,36N,29W	Vernon		x	x				B			
Menorkenut Slough	C	10.4	Mouth	33,24N,8E	Butler		x	x							
Meramec R.	P	76.0	Big R.	Meramec State Pk.	Jefferson	Franklin	x	x	x			A	x	x	x
Meramec R.	P	51.3	13,40N,2W	22,38N,5W	Franklin	Crawford	x	x	x			A	x		x
Meramec R.	P	10.0	22,38N,5W	6,37N,5W	Crawford		x	x	x	x		A	x		
Meramec R.	P	38.9	7,37N,5W	19,34N,4W	Crawford	Dent	x	x	x			A	x		
Meramec R.	C	4.0	19,34N,4W	4,33N,4W	Dent		x	x	x			B			
Meramec R.	P	22.8	Mouth	18,44N,5E	St. Louis		x	x				A	x	x	x
Meramec R.	P	15.7	18,44N,5E	Big R.	St. Louis	Jefferson	x	x	x			A	x	x	x
Merrills Br.	C	3.2	Mouth	19,58N,8W	Marion		x	x				B			
Miami Cr.	P	19.6	Mouth	4,40N,32W	Bates		x	x				B			
Miami Cr.	C	15.6	10,40N,32W	4,41N,33W	Bates		x	x				B			
Mid. Fk. Shoal Cr.	C	1.3	Mouth	35,36N,2W	Crawford		x	x				B			
Mid. Richland Cr.	C	9.4	Mouth	6,42N,18W	Morgan		x	x				A	x		
Middle Big Cr.	C	9.4	Mouth	Lake Winnebago Dam	Cass		x	x				B			
Middle Br. Squaw Cr.	C	3.0	Mouth	5,62N,38W	Holt		x	x				B			
Middle Brushy Cr.	C	7.0	Mouth	32,27N,3E	Wayne	Carter	x	x				A			
Middle Cr.	C	6.5	Mouth	14,62N,25W	Grundy		x	x				B			

IRR-LWW AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Middle Fabius R.	P	75.7	Mouth	22,64N,12W	Lewis	Scotland		x	x			A	x	x	
Middle Fk.	P	7.0	Mouth	28,25N,6W	Oregon			x	x			A	x		
Middle Fk.	C	12.0	28,25N,6W	4,24N,7W	Oregon	Howell		x	x			B			
Middle Fk. Big Cr.	P	2.0	Mouth	19,31N,7E	Madison			x	x			B			
Middle Fk. Big Cr.	C	1.0	19,31N,7E	18,31N,7E	Madison			x	x			B			
Middle Fk. Black R.	P	21.0	Mouth	24,34N,1W	Reynolds	Iron		x	x		x	A			
Middle Fk. Black R.	C	1.2	24,34N,1W	13,34N,1W	Iron			x	x	x		A			
Middle Fk. Grand R.	P	27.5	Mouth	12,66N,31W	Gentry	Worth	x	x	x			A		x	
Middle Fk. Grand R.	C	2.5	12,66N,31W	State Line	Worth			x	x			B		x	
Middle Fk. Lost Cr.	C	8.0	Mouth	27,60N,31W	Dekalb			x	x			B			
Middle Fk. Tebo Cr.	C	7.5	Mouth	6,43N,24W	Henry			x	x			B			
Middle Fork	C	3.2	Mouth	20,43N,03W	Franklin			x	x			B			
Middle Indian Cr.	C	2.5	Mouth	19,27N,10W	Douglas	Howell		x	x			B			
Middle Indian Cr.	C	3.5	16,24N,30W	12,24N,30W	Newton			x	x			A		x	
Middle Indian Cr.	P	2.2	Mouth	16,24N,30W	Newton			x	x			B			
Middle Prong Brushy Cr	C	1.0	Mouth	29,30N,3W	Shannon			x	x			B			
Middle Prong Crooked Cr.	P	2.2	Mouth	24,35N,4W	Dent			x	x			B			
Middle Prong Crooked Cr.	C	2.0	24,35N,4W	29,35N,3W	Dent	Crawford		x	x			B			
Middle R.	P	15.0	Mouth	4,45N,9W	Callaway			x	x			B			
Middle R.	C	10.6	4,45N,9W	2,46N,10W	Callaway			x	x			B			
Middle Tarkio Cr.	C	10.0	Mouth	State Line	Atchison		x	x	x			B		x	
Middlebrook Cr.	C	1.1	Mouth	07,34N,04E	St. Francois			x	x			B			
Mikes Cr.	P	4.0	Mouth	14,22N,30W	McDonald		x	x	x			A			
Mill Br.	P	1.2	Mouth	3,38N,2E	Washington			x	x			B			
Mill Br.	C	1.0	3,38N,2E	2,38N,2E	Washington			x	x			B			
Mill Cr.	P	1.5	Mouth	30,39N,14W	Miller			x	x			B			
Mill Cr.	C	2.0	30,39N,14W	28,39N,14W	Miller			x	x			B			
Mill Cr.	P	4.8	Mouth	25,37N,15W	Camden			x	x			A		x	
Mill Cr.	P	2.0	Mouth	9,36N,18W	Dallas			x	x		x	B			
Mill Cr.	P	1.5	9,36N,18W	8,36N,18W	Dallas			x	x			B			
Mill Cr.	P	5.8	Mouth	8,37N,21W	Hickory			x	x		x	B			
Mill Cr.	P	1.3	Mouth	29,37N,9W	Phelps			x	x			A			
Mill Cr.	P	6.7	29,37N,9W	Yelton Spring	Phelps			x	x		x	A			
Mill Cr.	P	3.5	Yelton Spring	5,35N,9W	Phelps			x	x			B			
Mill Cr.	C	5.0	Mouth	Sur	Lincoln			x	x			B		x	
Mill Cr.	C	4.3	Mouth	1767,51N,1W	Ste. Genevieve			x	x			B			x
Mill Cr.	P	13.5	Mouth	8,37N,3E	St. Francois	Washington		x	x			B			
Mill Cr.	P	3.0	Mouth	36,36N,3E	Washington			x	x			B			
Mill Cr.	C	0.8	36,36N,3E	36,36N,3E	Washington			x	x			B			
Mill Cr.	P	10.0	Mouth	2,59N,38W	Holt			x	x			B			
Mill Cr.	P	2.7	Mouth	8,27N,1W	Carter			x	x			A			
Mill Cr.	C	2.4	8,27N,1W	1,27N,2W	Carter			x	x			B			
Mill Cr.	C	1.4	Mouth	7,25N,6E	Butler			x	x			B			
Mill Cr.	P	3.5	Mouth	33,33N,7E	Madison			x	x			B			
Mill Cr.	C	1.0	33,33N,7E	33,33N,7E	Madison			x	x			B			
Mill Cr.	C	2.0	Mouth	30,31N,5E	Wayne	Madison		x	x			B			
Mill Cr.	P	10.8	Mouth	State Line	Nodaway			x	x			B			
Mill Cr.	P	2.5	Mouth	24,21N,33W	McDonald			x	x			A			
Mill Cr.	C	3.9	Mouth	17,46N,33W	Jackson	Cass		x	x			B			
Mill Cr.	C	3.2	08,37N,21W	15,37N,21W	Hickory			x	x		x	B			
Mill Cr.	P	0.4	Mouth	21,39N,8W	Maries			x	x			B			
Mill Cr.	C	1.4	21,39N,8W	22,39N,08W	Maries			x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Mill Cr.	P	0.5	Mouth	03,37N,10W	Phelps		x	x				B			
Mill Cr.	C	1.3	Mouth	8,56N,28W	Caldwell		x	x				B			
Mill Rock Cr.	C	1.3	Mouth	9,35N,2W	Crawford		x	x				B			
Mill Spring Cr.	P	1.0	Mouth	3,40N,8W	Maries		x	x				B			
Millan Hollow	C	1.4	Mouth	1,29N,20W	Greene		x	x							
Miller Cr.	C	6.6	Mouth	3,26N,4E	Wayne		x	x				B			
Millers Cr.	C	1.9	Mouth	14,47N,11W	Callaway		x	x				B			
Milligan Cr.	C	9.0	Mouth	18,53N,12W	Monroe		x	x				B			
Mine a Breton Cr.	P	9.0	7,38N,2E	10,37N,2E	Washington		x	x				B			
Mine a Breton Cr.	C	3.0	10,37N,2E	23,37N,2E	Washington		x	x				B			
Mineral Br.	C	1.7	Mouth	17,44N,15W	Moniteau		x	x				B			
Mineral Cr.	C	4.6	Mouth	20,44N,25W	Johnson		x	x				B			
Mineral Fk.	P	16.7	Mouth	7,38N,2E	Washington		x	x		x		A			
Mineral Spring Hollow	C	0.8	Mouth	30,31N,09W	Texas		x	x				B			
Mingo Cr.	C	2.0	Mouth	5,26N,8E	Stoddard		x	x				B			
Mingo Ditch	P	16.0	Mouth	32,27N,8E	Stoddard		x	x				B			
Minnow Br.	C	1.0	Mouth	25,41N,20W	Benton		x	x				B			
Minor Cr.	C	2.0	Mouth	11,33N,3E	Iron		x	x				B			
Mission Cr.	C	2.4	Hwy. 45	17,54N,36W	Platte		x	x				B			
Mississippi R.	P	6.3	N Riverfront Park	Missouri R.	St. Louis City	St. Charles	x	x	x			B	x	x	x
Mississippi R.	P	28.3	Meramec R.	N Riverfront Park	St. Louis	St. Louis City	x	x	x				x	x	x
Mississippi R.	P	125.1	State Line	Ohio R.	Pemiscot	Mississippi	x	x	x			B	x	x	x
Mississippi R.	P	94.4	Cuivre R.	Lock and Dam 21	St. Charles	Marion	x	x				A	x	x	x
Mississippi R.	P	44.1	Missouri R.	Cuivre R.	St. Charles		x	x				A	x	x	x
Mississippi R.	P	44.6	Kaskaskia R.	Meramec R.	Ste. Genevieve	St. Louis	x	x				B	x	x	x
Mississippi R.	P	120.1	Ohio R.	Kaskaskia R.	Mississippi	Ste. Genevieve	x	x	x			B	x	x	x
Mississippi R.	P	37.5	Lock & Dam 21	Des Moines R.	Marion	Clark	x	x	x			A	x	x	x
Missouri R.	P	104.5	Mouth	Gasconade R.	St. Louis	Gasconade	x	x	x			B	x	x	x
Missouri R.	P	129.0	Chariton R.	Kansas R.	Chariton	Jackson	x	x	x			B	x	x	x
Missouri R.	P	135.0	Gasconade R.	Chariton R.	Gasconade	Chariton	x	x	x			B	x	x	x
Missouri R.	P	184.5	Kansas R.	State Line	Jackson	Atchison	x	x	x			B	x	x	x
Mistaken Cr.	P	6.5	Mouth	20,42N,7W	Osage		x	x				B			
Mistaken Cr.	C	1.5	20,42N,7W	30,42N,7W	Osage		x	x				B			
Moccasin Cr.	C	2.6	Mouth	26,63N,33W	Gentry		x	x				B			
Modoc Cr.	C	3.3	32,46N,5W	25,46N,6W	Montgomery		x	x							
Monegaw Cr.	P	4.8	Mouth	21,38N,27W	St. Clair		x	x				A	x		
Monegaw Cr.	C	18.4	21,38N,27W	4,39N,28W	St. Clair		x	x				B	x		
Moniteau Cr.	P	25.7	Mouth	5,50N,14W	Howard		x	x				B	x		
Moniteau Cr.	C	14.4	5,50N,14W	16,52N,14W	Howard	Randolph	x	x				B			
Moniteau Cr.	C	16.1	16,46N,15W	21,46N,17W	Moniteau	Cooper	x	x				B	x		
Moniteau Cr.	P	19.6	Mouth	16,46N,15W	Cole	Moniteau	x	x				B	x		
Montgomery Br.	C	6.5	15,38N,23W	6,37N,22W	Hickory		x	x				B			
Mooney Br.	C	2.2	Mouth	3,33N,10W	Texas		x	x					x		
Moore Br.	C	5.7	Mouth	27,35N,31W	Vernon		x	x				B			
Moores Br.	P	3.0	Mouth	34,35N,33W	Vernon		x	x				B			
Moores Br.	C	2.3	34,35N,33W	33,35N,33W	Vernon		x	x				B			
Moreau R.	P	37.0	Mouth	1,43N,13W	Cole		x	x				A	x		
Morgan Cr.	C	1.5	Mouth	17,43N,14W	Cole		x	x				B			
Mormon Fk.	C	21.2	Mouth	19,42N,32W	Bates		x	x				B			
Morris Br.	C	1.0	Mouth	12,49N,7W	Callaway		x	x				B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Morris Hollow	C	1.7	Mouth	17,22N,16W	Ozark		x	x				B			
Moss Br.	C	2.4	Mouth	16,66N,37W	Nodaway		x	x				B			
Moss Cr.	P	13.7	Mouth	34,52N,25W	Carroll		x	x				B			
Moss Hollow	C	1.0	Mouth	1963,42N,5E	Sur		x	x				B			
Mossy Cr.	C	0.2	Mouth	07,40N,21W	Benton		x	x				B			
Mound Br.	C	8.9	Mouth	13,40N,31W	Bates		x	x				B			
Mound Cr.	C	4.0	Mouth	7,56N,23W	Livingston		x	x				B			
Mountain Cr.	P	6.8	Mouth	23,35N,17W	Laclede		x	x				B			
Mouse Cr.	C	1.5	Mouth	22,47N,32W	Jackson		x	x				B			
Mozingo Cr.	C	5.1	Mouth	13,64N,35W	Nodaway		x	x				B	x		
Mud Cr.	C	17.5	Mouth	20,55N,13W	Monroe	Randolph	x	x				B			
Mud Cr.	C	4.3	Mouth	22,26N,7E	Butler		x	x				B			
Mud Cr.	C	1.3	Mouth	08,34N,04E	St. Francois		x	x				B			
Mud Cr.	P	4.5	36,56N,26W	23,55N,26W	Caldwell		x	x				B			
Mud Cr.	C	6.7	23,55N,26W	18,54N,26W	Caldwell	Ray	x	x				B			
Mud Cr.	C	1.5	Mouth	6,51N,15W	Howard		x	x				B			
Mud Cr.	C	1.5	Mouth	5,45N,13W	Cole		x	x				B			
Mud Cr. Ditch	P	3.5	28,56N,25W	36,56N,26W	Livingston	Caldwell	x	x				B			
Mud Ditch	C	9.0	Mouth	11,23N,15E	New Madrid		x	x				B			
Muddy Cr.	C	2.8	Mouth	19,38N,30W	Vernon	Bates	x	x				B			
Muddy Cr.	C	3.0	Mouth	3017,39N,7E	Sur	Jefferson	x	x					x		
Muddy Cr.	C	5.2	Mouth	11,65N,37W	Nodaway		x	x				B			
Muddy Cr.	C	6.6	31,58N,20W	05,58N,20W	Linn		x	x				B			
Muddy Cr.	C	3.7	Mouth	21,59N,26W	Daviess		x	x				B	x		
Muddy Cr.	C	9.7	Mouth	27,60N,30W	Daviess	Dekalb	x	x				B			
Muddy Cr.	P	42.0	Mouth	22,66N,23W	Grundy	Mercer	x	x				B	x		
Muddy Cr.	C	5.7	Mouth	31,58N,20W	Linn		x	x				B			
Muddy Cr.	C	33.1	Mouth	14,61N,22W	Livingston	Sullivan	x	x				B			
Muddy Cr.	P	62.2	Mouth	17,45N,23W	Pettis		x	x				B			
Muddy Cr.	C	10.4	17,45N,23W	34,45N,24W	Pettis	Johnson	x	x				B	x		
Muddy Cr.	C	9.0	Mouth	22,52N,21W	Saline		x	x				B			
Muddy Fk.	C	8.4	Mouth	35,54N,31W	Clay		x	x				B	x		
Muddy Shawnee Cr.	P	2.5	8,33N,13E	19,33N,13E	Cape Girardeau		x	x				B			
Muddy Shawnee Cr.	C	2.6	19,33N,13E	31,33N,13E	Cape Girardeau		x	x				B			
Mulberry Cr.	C	10.3	Mouth	33,41N,33W	Bates		x	x				B	x		
Mulberry Cr.	C	5.4	Mouth	04,34N,29W	Vernon		x	x				B			
Mulkey Cr.	C	5.0	Mouth	28,48N,25W	Johnson		x	x				B			
Muncas Cr.	P	4.0	Mouth	4,53N,16W	Chariton		x	x				B			
Muncas Cr.	C	8.8	4,53N,16W	6,54N,15W	Randolph		x	x				B			
Murphy Cr.	C	4.2	Mouth	8,36N,14W	Camden		x	x				B			
Musco Cr.	P	1.5	Mouth	26,34N,6E	Madison		x	x				B			
Musco Cr.	C	1.2	26,34N,6E	22,34N,6E	Madison		x	x					x		
Mussel Fk.	C	29.0	18,58N,17W	2,62N,18W	Macon	Sullivan	x	x				B		x	
Mussel Fork Cr.	P	58.0	Mouth	18,58N,17W	Chariton	Macon	x	x				B			
Mutton Hollow	P	2.5	Mouth	13,31N,20W	Greene		x	x				B			
Myatt Cr.	C	12.0	State Line	5,22N,7W	Howell		x	x				B			
N. Ashley Cr.	P	0.7	Mouth	34,32N,7W	Dent		x	x				B			
N. Ashley Cr.	C	9.9	Mouth	34,32N,8W	Dent	Texas	x	x				B			
N. Blackbird Cr.	C	18.1	Mouth	19,66N,18W	Putnam		x	x				B	x		
N. Bridges Cr.	C	4.6	17,22N,11W	2,22N,11W	Ozark		x	x				B			
N. Cobb Cr.	P	6.7	Mouth	2,33N,15W	Laclede		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
N. Deepwater Cr.	C	5.4	Mouth	35,41N,29W	Henry	Bates		x	x			B			
N. Dry Sac R.	P	5.1	Mouth	22,31N,22W	Polk	Greene		x	x			B			
N. Dry Sac R.	C	4.8	9,31N,22W	19,31N,21W	Greene			x	x			B			
N. Elkhorn Cr.	P	4.4	Mouth	14,23N,31W	McDonald			x	x			B			
N. Fabius R.	P	92.0	Mouth	26,67N,14W	Marion	Schuyler	x	x	x			B	x	x	
N. Fabius R.	C	1.0	26,67N,14W	State Line	Schuyler			x	x			B			
N. Fk. Batts Cr.	C	1.0	Mouth	18,52N,16W	Howard			x	x			B			
N. Fk. Beaver Cr.	C	2.6	Mouth	33,30N,12W	Wright			x	x			B			
N. Fk. Blackwater R.	C	12.8	12,46N,27W	12,47N,28W	Johnson			x	x			B	x		
N. Fk. Bratten Spring Cr.	C	1.6	Mouth	13,22N,14W	Ozark			x	x			B			
N. Fk. Buffalo Cr.	P	2.6	20,24N,1E	18,24N,1E	Ripley			x	x			B			
N. Fk. Buffalo Cr.	C	5.9	18,24N,1E	21,24N,1W	Ripley			x	x			B			
N. Fk. Charrette Cr.	C	6.3	24,46N,02W	34,47N,02W	Warren			x	x			B			
N. Fk. Cuivre R.	P	25.1	Mouth	24,51N,3W	Lincoln	Pike		x	x			A	x		
N. Fk. Cuivre R.	C	10.0	24,51N,3W	28,52N,3W	Pike			x	x			B			
N. Fk. Finney Cr.	C	3.6	17,49N,21W	4,49N,21W	Saline			x	x			B			
N. Fk. Fourche a Renault Cr.	C	2.5	23,37N,1E	30,37N,2E	Washington			x	x			B			
N. Fk. Fourche Cr.	P	3.0	Mouth	4,22N,1E	Ripley			x	x			B			
N. Fk. Fourche Cr.	C	5.5	Hwy. 142	19,23N,1E	Ripley			x	x			B			
N. Fk. Grindstone Cr.	C	1.8	Mouth	16,48N,12W	Boone			x	x			B	x		
N. Fk. Hollow	C	1.5	Mouth	7,26N,4E	Butler			x	x			B			
N. Fk. Jones Cr.	P	0.5	Mouth	15,41N,03E	Jefferson			x	x			B			
N. Fk. M Fabius R.	C	28.2	Mouth	21,66N,14W	Scotland	Schuyler		x	x			B			
N. Fk. N. Fabius R.	C	9.0	Mouth	2,66N,13W	Scotland			x	x			B			
N. Fk. S. Fabius R.	C	39.1	29,62N,11W	5,64N,14W	Knox	Schuyler		x	x			B			
N. Fk. Salt R.	P	84.9	Mouth	2,62N,14W	Monroe	Adair	x	x	x			B	x	x	
N. Fk. Salt R.	C	17.2	2,62N,14W	12,64N,15W	Adair	Schuyler		x	x			B			
N. Fk. Spring Cr.	C	2.5	23,26N,10W	7,26N,10W	Howell			x	x			B			
N. Fk. Spring R.	P	17.4	Mouth	6,29N,32W	Jasper			x	x			B	x		
N. Fk. Spring R.	C	55.9	6,29N,32W	20,30N,28W	Jasper	Dade		x	x			B	x		
N. Fk. Web Cr.	P	1.9	Mouth	31,29N,2E	Reynolds			x	x			B			
N. Fk. Web Cr.	C	3.0	31,29N,2E	34,29N,1E	Reynolds			x	x			B			
N. Flat Cr.	C	3.5	Mouth	27,44N,23W	Pettis			x	x			B			
N. Indian Cr.	P	5.2	24,24N,31W	36,25N,30W	Newton			x	x			B			
N. Linn Cr.	C	1.7	Mouth	36,66N,9W	Clark			x	x			B			
N. Moreau Cr.	P	47.9	Mouth	4,44N,16W	Cole	Moniteau		x	x			A	x		
N. Mud Cr.	C	6.2	Mouth	6,55N,26W	Caldwell			x	x			B			
N. Pr. Beaverdam Cr.	C	3.0	Mouth	19,25N,4E	Ripley			x	x			B			
N. Prong Jacks Fk.	P	6.8	29,28N,7W	11,28N,8W	Texas			x	x			B			
N. Prong Jacks Fk.	C	7.0	11,28N,8W	25,29N,9W	Texas			x	x			B			
N. Prong L. Black R.	P	3.2	9,24N,3E	32,25N,3E	Ripley			x	x			B			
N. Prong L. Black R.	C	12.2	32,25N,3E	35,26N,2E	Ripley	Carter		x	x			A			
N. Wyaconda R.	P	16.9	26,65N,9W	18,66N,10W	Clark	Scotland		x	x			B			
N. Wyaconda R.	C	9.2	18,66N,10W	31,67N,11W	Scotland			x	x			B			
Nance Cr.	C	0.5	Mouth	15,24N,14W	Ozark			x	x			B			
Narrows Cr.	C	2.6	Mouth	7,56N,13W	Macon			x	x			B			
Nations Cr.	P	4.5	Mouth	15,34N,9E	Perry			x	x			B			
Nations Cr.	C	2.0	15,34N,9E	8,34N,9E	Perry			x	x				x		
Natural Bridge Holl.	C	1.8	Mouth	17,22N,26W	Barry			x	x				x		
Naylor Cr.	C	1.0	Mouth	7,51N,34W	Platte			x	x			B			
Neals Cr.	C	3.2	Mouth	16,34N,1W	Iron			x	x			B			
New #7 Chute	C	1.6	35,23N,16E	6,22N,17E	Mississippi		x	x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
New Franklin Ditch	P	6.3	6,16N,12E	23,17N,12E	Pemiscot			x	x			B			
New Hope Cr.	C	5.5	Mouth	31,54N,30W	Clay			x	x			B			
Newtonia Br.	P	1.4	Mouth	1,25N,30W	Newton			x	x			B			
Niangua R.	P	5.7	Mouth	19,37N,17W	Camden			x	x			A		x	
Niangua R.	C	6.8	19,37N,17W	19,37N,17W	Camden			x	x			A		x	
Niangua R.	P	5.0	Mouth	2,36N,18W	Camden			x	x			B			
Niangua R.	P	25.0	Dallas County Line	11,35N,18W	Dallas			x	x	x		A		x	
Niangua R.	P	6.0	11,35N,18W	Bennett Spring Cr.	Dallas			x	x	x	x	A		x	
Niangua R.	P	56.0	Bennett Spr Cr.	33,32N,18W	Dallas	Webster		x	x	x		A		x	
Nichols Cr.	C	4.6	Mouth	17,60N,37W	Holt			x	x			B			
Nishnabotna R.	P	10.2	Mouth	State Line	Atchison		x	x	x			B	x	x	
No Cr.	P	28.7	Mouth	14,62N,23W	Livingston	Grundy		x	x			B			
No. 13 Elk Chute	C	2.3	Mouth	35,19N,11E	Pemiscot			x	x			B			
No. 3 Island Chute	P	8.3	6,25N,18E	29,25N,18E	Mississippi			x	x			B			
Noblett Cr.	P	2.4	Mouth	Noblett Lake Dam	Douglas			x	x			B			
Noblett Cr.	P	7.0	24,26N,11W	9,26N,10W	Douglas	Howell		x	x			B			
Noblett Cr.	C	1.2	9,26N,10W	3,26N,10W	Howell			x	x			B			
Nodaway R.	P	59.3	Mouth	State Line	Andrew	Nodaway	x	x	x			B		x	
Noix Cr.	P	1.9	Mouth	19,54N,1W	Pike			x	x			B			
Noix Cr.	C	4.6	19,54N,1W	3,53N,2W	Pike			x	x			B			
Norborne Drainage Ditch	P	5.1	34,52N,25W	21,52N,26W	Carroll	Ray		x	x			B			
Norman Cr.	C	7.7	Mouth	08,36N,06W	Phelps			x	x			B			
Norris Cr.	C	4.0	Mouth	33,44N,27W	Henry			x	x			B			
North Branch Wilsons Cr.	P	3.8	29,29N,22W	16,29N,22W	Greene			x	x			B			
North Cut Ditch	P	24.8	Mouth	3,28N,14E	New Madrid	Scott	x	x	x			B		x	
North Cut Ditch	C	2.3	3,28N,14E	35,29N,14E	Scott		x	x	x			B		x	
North Fk.	C	1.5	Mouth	16,36N,2E	Washington			x	x			B			
North Fork R.	P	23.9	Mouth	2,24N,12W	Ozark		x	x	x		x	A		x	
North Fork R.	P	31.3	34,25N,11W	17,27N,11W	Douglas		x	x	x	x		A		x	
North Fork R.	C	8.0	17,27N,11W	23,28N,12W	Douglas	Texas		x	x			B			
North R.	C	8.7	26,60N,11W	13,60N,12W	Knox			x	x			B		x	
North R.	P1	4.0	Mouth	8,58N,5W	Marion			x	x			B		x	
North R.	P	49.0	8,58N,5W	33,59N,10W	Marion	Shelby		x	x			B		x	
North R.	C	12.8	33,59N,10W	26,60N,11W	Shelby	Knox		x	x			B		x	
Northcut Br.	P	1.0	Mouth	27,39N,1W	Washington			x	x			B			
Northcut Br.	C	1.3	27,39N,1W	34,39N,1W	Washington			x	x			B			
Norvey Cr.	C	9.3	Mouth	9,66N,34W	Nodaway			x	x			B			
Nulls Cr.	C	5.8	Mouth	15,50N,2W	Lincoln			x	x			B			
Off Davis Hollow	C	3.5	Mouth	29,22N,26W	Barry			x	x			A			
Old Bland Cr.	C	2.0	Mouth	8,41N,6W	Gasconade			x	x			B			
Old Ch. L. Tarkio Cr.	P	5.3	Mouth	22,61N,39W	Holt			x	x			B			
Old Ch. L. Tarkio Cr.	C	8.3	22,61N,39W	20,62N,39W	Holt			x	x			B			
Old Ch. Nishnabotna R.	P	13.7	30,64N,41W	1,65N,42W	Atchison			x	x			B			
Old Ch. Nishnabotna R.	C	3.0	1,65N,42W	25,66N,42W	Atchison			x	x			B			
Old Ch. St. Francis R.	P	4.5	Mouth	34,22N,8E	Dunklin			x	x			B			
Old Ch. St. Francis R.	C	8.0	32,22N,8E	15,22N,8E	Dunklin			x	x			B			
Old Chan. Chariton R.	C	14.6	34,65N,16W	34,66N,16W	Putnam	Schuyler		x	x			B			
Old Chan. Chariton R.	C	2.0	Mouth	32,56N,16W	Chariton			x	x			B			
Old Chan. Chariton R.	P	14.5	Mouth	9,52N,18W	Chariton			x	x			B			
Old Chan. Chariton R.	C	11.0	9,52N,18W	29,53N,18W	Chariton			x	x			B			

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Old Chan. Grand R.	C	3.1	12,58N,27W	35,59N,27W	Daviess		x	x							B
Old Chan. Grand R.	C	2.5	Mouth	18,57N,24W	Livingston		x	x							B
Old Chan. Grand R.	P	15.2	Mouth	12,58N,26W	Daviess		x	x							B
Old Chan. Grand R.	C	1.5	20,57N,23W	29,57N,23W	Livingston		x	x							B
Old Chan. Grand R.	C	5.3	7,56N,21W	2,56N,22W	Livingston		x	x							B
Old Chan. Grand R.	C	4.0	26,57N,23W	26,57N,23W	Livingston		x	x							B
Old Chan. Hubble Cr.	C	2.9	Mouth	11,29N,12E	Scott	Cape Girardeau	x	x							B
Old Chan. Little R.	C	15.4	33,20N,11E	3,20N,12E	Pemiscot		x	x							B
Old Chan. Little R.	P	47.2	26,22N,12E	2,27N,12E	New Madrid	Scott	x	x							B
Old Chan. Little R.	P	4.3	11,27N,12E	32,28N,12E	Scott		x	x							B
Old Chan. Mud Cr.	P	3.0	Mouth	29,56N,25W	Livingston		x	x							B
Old Chan. Nodaway R.	C	10.0	Mouth	35,62N,37W	Andrew	Holt	x	x							B
Old Chan. Nodaway R.	C	1.2	Mouth	11,66N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	2.0	Mouth	1,66N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	1.5	Mouth	23,66N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	1.0	Mouth	27,66N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	2.5	4,65N,37W	34,66N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	3.7	8,65N,37W	5,65N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	2.5	Mouth	17,65N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	2.8	Mouth	30,65N,37W	Nodaway		x	x							B
Old Chan. Nodaway R.	C	1.0	1,59N,37W	1,59N,37W	Holt	Andrew	x	x							B
Old Chan. Platte R.	C	3.4	Mouth	16,56N,34W	Buchanan		x	x							B
Old Chan. Platte R.	C	2.2	Mouth	35,57N,34W	Buchanan		x	x							B
Old Chan. Platte R.	C	4.0	21,57N,34W	4,57N,34W	Buchanan		x	x							B
Old Chan. Platte R.	C	5.0	4,57N,34W	28,58N,34W	Buchanan		x	x							B
Old Chan. Platte R.	C	1.0	34,57N,34W	27,57N,34W	Buchanan		x	x							B
Old Chan. Thompson R.	C	1.2	2,61N,25W	35,62N,25W	Grundy		x	x							B
Old Chan. Thompson R.	C	2.7	32,63N,25W	29,63N,25W	Grundy		x	x							B
Old Chan. Thompson R.	C	1.6	8,62N,25W	5,62N,25W	Grundy		x	x							B
Old Chan. Thompson R.	C	8.4	34,62N,25W	8,62N,25W	Grundy		x	x							B
Old Chan. Thompson R.	C	3.6	9,57N,24W	4,57N,24W	Livingston		x	x							B
Old Chan. Wakenda Cr.	P	3.0	6,52N,23W	1,52N,24W	Carroll		x	x							B
Old Chan. Weldon R.	C	4.0	Mouth	20,62N,24W	Grundy		x	x							B
Old Kings Lake Cr	P	3.2	Sur 1724, 50N,2E	35,51N,2E	Lincoln		x	x							B
Old Kings Lake Cr.	PI	6.2	Mouth	Sur 1724,50N,2E	Lincoln		x	x							B
Old Kings Lake Cr.	C	7.3	35,51N,2E	3,51N,2E	Lincoln		x	x							B
Old Mines Cr.	P	6.6	Mouth	Sur 3039,38N,2E	Washington		x	x							A
Old Mines Cr.	C	1.0	Sur 3039,38N,2E	Sur 3040,38N,2E	Washington		x	x							B
Old R. (Slough Miss.)	P	9.2	Mouth	18,37N,10E	Ste. Genevieve		x	x							B
Old Town Br.	C	7.3	Mouth	14,36N,31W	Vernon		x	x							B
Olive Br.	C	1.0	Mouth	17,46N,20W	Pettis		x	x							B
Omete Cr.	P	3.5	Mouth	15,35N,12E	Perry		x	x							B
Omete Cr.	C	1.2	15,35N,12E	22,35N,12E	Perry		x	x							B
One Hundred and Two R.	P	79.7	Mouth	State Line	Buchanan	Nodaway	x	x	x					x	x
Open Hollow	C	0.8	Mouth	16,28N,4W	Shannon		x	x							B
Opossum Cr.	C	2.5	Mouth	36,30N,11W	Texas		x	x							B
Opossum Cr.	C	1.5	Mouth	31,40N,3W	Crawford		x	x							B
Opossum Cr.	C	6.4	Mouth	28,30N,30W	Jasper		x	x							B
Opossum Cr.	P	1.9	Mouth	12,30N,9E	Bollinger		x	x							B

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life
and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Opossum Cr.	C	2.2	12,30N,9E	11,30N,9E	Bollinger			x	x				B		
Osage Fk.	P	69.0	Mouth	26,30N,17W	Laclede	Webster		x	x	x			A	x	
Osage R.	P	81.9	Mouth	Bagnell Dam	Osage	Miller	x	x	x				A	x	
Otter Cr.	C	37.6	Mouth	8,56N,12W	Monroe	Shelby		x	x				B		
Otter Cr.	C	2.2	Mouth	22,24N,16W	Ozark			x	x				B		
Otter Cr.	P	6.0	Mouth	18,27N,6E	Wayne			x	x				B		
Otter Cr.	C	18.0	18,27N,6E	18,28N,4E	Wayne			x	x				B		
Otter Cr.	C	2.5	Mouth	11,56N,27W	Caldwell			x	x				B		
Otter Cr.	C	3.0	Mouth	31,46N,18W	Cooper			x	x					x	
Otter Slough Ditch	P	4.0	12,23N,8E	19,24N,9E	Stoddard			x	x				B		
Otter Slough Ditch	P	7.3	Mouth	3,24N,13E	New Madrid			x	x				B		
Ottery Cr.	P	6.9	Mouth	14,34N,1E	Reynolds	Iron		x	x				B		
Ottery Cr.	C	1.8	14,34N,1E	12,34N,1E	Iron			x	x				B		
Owens Cr.	C	3.2	Mouth	21,43N,32W	Cass			x	x				B		
Owens Cr.	C	3.7	Mouth	12,42N,8W	Osage			x	x				B		
Owl Cr.	C	2.0	Mouth	11,36N,4E	St. Francois			x	x				B		
Owl Cr.	C	3.3	Mouth	27,49N,28W	Lafayette			x	x					x	
Owl Cr.	C	4.8	Mouth	24,54N,35W	Platte			x	x						
Owl Cr.	C	2.0	Mouth	3,47N,11W	Callaway			x	x					x	
P.D. Cr.	C	0.1	Mouth	28,40N,21W	Benton			x	x				B		
Painter Br.	C	3.2	Mouth	33,48N,20W	Pettis			x	x				B		
Palmer Cr.	P	12.2	Mouth	9,53N,19W	Chariton			x	x				B		
Palmer Cr.	C	2.8	9,53N,19W	33,54N,19W	Chariton			x	x				B		
Panther Cr.	C	8.0	Mouth	15,44N,29W	Johnson			x	x				B		
Panther Cr.	C	12.6	Mouth	14,39N,29W	Bates			x	x				B	x	
Panther Cr.	C	9.7	Mouth	13,35N,24W	St. Clair	Polk		x	x				B		
Panther Cr.	P	2.9	Mouth	13,32N,17W	Webster	Laclede		x	x				B		
Panther Cr.	C	0.5	13,32N,17W	14,32N,17W	Laclede			x	x				B		
Panther Cr.	P	3.1	Mouth	36,32N,10E	Cape Girardeau	Bollinger		x	x				B		
Panther Cr.	C	1.2	36,32N,10E	2,31N,10E	Bollinger			x	x				B		
Panther Cr.	P	9.3	Mouth	29,29N,18W	Webster			x	x				B		
Panther Cr.	C	2.3	Mouth	18,28N,11W	Texas			x	x				B		
Panther Cr.	C	4.8	Mouth	33,64N,30W	Gentry			x	x				B		
Panther Cr.	C	5.0	Mouth	28,57N,26W	Caldwell			x	x					x	
Panther Cr.	P	3.5	Mouth	14,64N,26W	Harrison			x	x				B		
Panther Cr.	C	6.8	14,64N,26W	36,65N,27W	Harrison			x	x				B		
Panther Hollow	C	1.5	Mouth	3,27N,07W	Howell			x	x				B		
Paris Br.	C	3.0	Mouth	31,50N,1W	Lincoln			x	x					x	
Parker Br.	P	3.4	Mouth	2,39N,32W	Bates			x	x				B		
Parker Br.	C	2.6	26,33N,3W	15,33N,3W	Reynolds			x	x				B		
Parker Hollow	P	2.2	Mouth	20,32N,6W	Dent			x	x		x		B		
Parks Cr.	P	3.0	Mouth	30,32N,15W	Laclede	Wright		x	x				B		
Parks Cr.	C	2.4	30,32N,15W	6,31N,15W	Wright			x	x				B		
Parson Cr.	P	15.0	Mouth	23,58N,22W	Livingston	Linn		x	x				B	x	
Parson Cr.	C	14.6	23,58N,22W	31,60N,21W	Linn			x	x				B		
Pass Br.	C	3.2	Mouth	3,50N,23W	Saline			x	x				B		
Patterson Cr.	C	1.8	Mouth	35,33N,4E	Iron			x	x				B		
Patterson Cr.	P	3.5	State Line	11,22N,34W	McDonald		x	x	x				B		
Patton Br.	C	5.0	Mouth	26,33N,29W	Barton			x	x				B		
Pea Ridge Cr.	P	1.5	Mouth	2,29N,22W	Greene			x	x				B		x
Peachtree Fk.	P	2.0	Mouth	5,29N,4E	Wayne			x	x				B		
Peachtree Fk.	C	3.2	5,29N,4E	36,30N,3E	Wayne			x	x				B		
Pearson Cr.	P	8.0	Mouth	5,29N,20W	Greene			x	x				A		

IRR-Livestock & Wildlife Watering
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Peavine Cr.	C	1.7	Mouth	11,40N,7W	Maries		x	x				B			
Peavine Cr.	C	3.7	Mouth	20,48N,24W	Johnson		x	x				B			
Pecaut Hollow	C	1.5	Mouth	19,35N,10E	Perry		x	x				B			
Peckout Hollow	C	1.8	Mouth	9,25N,20W	Christian		x	x				B			
Peddler Cr.	P	1.5	Mouth	28,64N,31W	Gentry		x	x				B			
Peddler Cr.	C	3.0	28,64N,31W	16,64N,31W	Gentry		x	x				B	x		
Pedelo Cr.	P	0.5	Mouth	7,27N,19W	Christian		x	x				B			
Pedelo Cr.	C	1.0	7,27N,19W	6,27N,19W	Christian		x	x				B			
Pedlar Cr.	C	5.4	Mouth	23,61N,36W	Andrew		x	x				B			
Peers Slough	C	3.0	Mouth	27,45N,2W	Warren		x	x				B			
Peggy Br.	P	1.3	Mouth	32,43N,7W	Osage		x	x				B			
Peggy Br.	C	0.5	32,43N,7W	5,42N,7W	Osage		x	x				B			
Peno Cr.	C	14.4	Mouth	32,54N,3W	Pike		x	x	x			B			
Pepper Cr.	C	2.8	Mouth	33,44N,23W	Pettis		x	x				B			
Perche Cr.	C	23.7	5,49N,13W	19,52N,13W	Boone	Randolph	x	x				A	x		
Perche Cr.	P	17.5	29,48N,13W	5,49N,13W	Boone		x	x				B	x		
Perche Cr.	P1	11.3	Mouth	29,48N,13W	Boone		x	x				B	x		
Perkins Br.	P	1.5	Mouth	12,27N,6E	Wayne		x	x				B			
Perkins Cr.	C	3.0	36,30N,8E	24,30N,8E	Bollinger		x	x				B			
Perkins Cr.	P	8.5	Mouth	36,30N,8E	Bollinger		x	x				B			
Peruque Cr.	P1	9.6	Mouth	9,47N,3E	St. Charles		x	x				B	x		
Peruque Cr.	P	10.3	9,47N,3E	Lake St. Louis Dam	St. Charles		x	x				B	x		
Peruque Cr.	P	4.0	Mouth	25,47N,1E	St. Charles		x	x				B	x		
Peruque Cr.	C	10.9	25,47N,1E	23,47N,1W	St. Charles	Warren	x	x				B	x		
Peters Br.	C	1.5	Mouth	13,29N,5E	Wayne		x	x				B			
Peters Cr.	C	3.5	Mouth	22,29N,8W	Texas		x	x				B			
Peters Cr.	C	1.0	Mouth	36,32N,6E	Madison		x	x				B			
Petite Saline Cr.	P	21.0	Mouth	24,48N,17W	Moniteau	Cooper	x	x				A	x		
Petite Saline Cr.	C	28.0	24,48N,17W	26,46N,18W	Cooper		x	x				B	x		
Pettis Cr.	C	5.3	Mouth	9,31N,30W	Barton		x	x				B			
Pickrel Cr.	P	3.3	Mouth	26,29N,24W	Greene		x	x				B			
Pickrel Cr.	C	0.5	26,29N,24W	26,29N,24W	Greene		x	x						x	
Pickle Cr.	P	7.8	Mouth	19,36N,7E	Ste. Genevieve		x	x				B			
Pierce Cr.	P	2.4	Mouth	19,41N,2E	Franklin		x	x				B			
Pierce Cr.	C	2.8	19,41N,2E	31,41N,2E	Franklin		x	x				B			
Pierre Fleche Cr.	C	5.5	Mouth	15,50N,19W	Saline		x	x				B			
Pigeon Cr.	C	1.2	State Line	11,21N,13W	Ozark		x	x				B			
Pigeon Cr.	P	7.6	Montauk Spring	8,32N,7W	Dent		x	x				A			
Pigeon Cr.	C	7.7	8,32N,7W	34,33N,8W	Dent	Texas	x	x				B			
Pigeon Cr.	C	7.2	Mouth	15,56N,35W	Buchanan		x	x				B			
Pigeon Roost Cr.	C	0.5	Mouth	18,54N,7W	Monroe		x	x				B			
Pike Cr.	P	3.8	Mouth	34,27N,1W	Carter		x	x	x			B			
Pike Cr.	C	25.6	34,27N,1W	27,27N,3W	Carter	Shannon	x	x						x	
Pike Cr.	C	6.0	15,24N,6E	30,25N,6E	Butler		x	x	x						
Pike Cr.	C	5.0	18,22N,6E	33,23N,6E	Butler		x	x	x			B			
Pike Cr. Ditch	C	4.0	State Line	18,22N,6E	Butler		x	x	x			B			
Pike Run	P	1.8	Mouth	32,38N,05E	St. Francois		x	x				B			
Pike Run	C	0.9	32,38N,05E	28,38N,05E	St. Francois		x	x				B			
Pike Slough	C	6.4	Mouth	28,24N,6E	Butler		x	x						x	
Pilot Br.	C	1.0	Mouth	10,44N,16W	Moniteau		x	x				B			
Pilot Grove Cr.	C	5.4	Mouth	11,60N,27W	Daviess		x	x				B			
Pin Oak Cr.	P	1.3	Mouth	7,43N,6W	Gasconade		x	x				B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Pin Oak Cr.	C	1.8	17,43N,6W	Hwy. 50	Gasconade		x	x				B			
Pin Oak Cr.	C	2.0	Mouth	3,44N,3W	Franklin		x	x				B			
Pin Oak Cr.	C	3.0	Mouth	03,42N,04W	Franklin		x	x				B			
Pin Oak Cr.	C	1.6	Mouth	11,39N,07W	Maries		x	x				B			
Pin Oak Cr.	C	3.0	Mouth	3,45N,28W	Johnson		x	x				B	x		
Pine Br.	C	3.6	Mouth	01,28N,08W	Texas		x	x				B			
Pine Cr.	P	1.5	Mouth	30,23N,12W	Ozark		x	x				B			
Pine Cr.	C	8.6	30,23N,12W	2,23N,13W	Ozark		x	x				B			
Pine Cr.	P	9.5	Mouth	5,27N,9W	Texas	Howell	x	x				B			
Pine Cr.	C	1.0	5,27N,9W	6,27N,9W	Howell		x	x				B			
Pine Hollow	C	4.0	Mouth	25,28N,5W	Shannon		x	x				B			
Pine Run	C	5.1	Mouth	26,25N,24W	Stone		x	x				B			
Pine Valley Cr.	C	6.9	Mouth	13,28N,1W	Carter	Reynolds	x	x				B			
Pinery Cr.	C	0.8	Mouth	21,39N,1E	Washington		x	x				B			
Pinery Cr.	C	1.0	Mouth	36,40N,1E	Washington		x	x				B			
Piney Br.	C	1.2	Mouth	25,36N,1W	Washington		x	x				B			
Piney Cr.	C	2.8	Mouth	22,23N,25W	Stone	Barry	x	x				B			
Piney Cr.	C	10.5	Mouth	Hwy. 160	Oregon		x	x				B	x		
Piney Cr.	C	1.5	Mouth	7,33N,6E	Madison		x	x				B			
Piper Cr.	P	5.3	Mouth	31,34N,22W	Polk		x	x				B			
Pipes Br.	C	2.0	Mouth	16,49N,15W	Howard		x	x				B			
Pippin Br.	P	3.0	26,37N,20W	28,37N,20W	Hickory		x	x				B			
Pippin Br.	P	1.0	Mouth	26,37N,20W	Hickory		x	x				B			
Platte R.	P	142.4	Mouth	State Line	Platte	Worth	x	x	x			B	x	x	
Plattin Cr.	P	19.9	Mouth	01,38N,05E	Jefferson	St. Francois	x	x	x			A	x		x
Plattin Cr.	C	3.5	31,39N,06E	8,38N,06E	Jefferson	St. Francois	x	x				B			
Pleasant Run Cr.	C	7.6	Mouth	28,34N,31W	Vernon		x	x				B			
Pleasant Valley Cr.	P	3.2	Mouth	14,39N,5W	Crawford		x	x				B			
Pleasant Valley Cr.	C	1.7	14,39N,5W	24,39N,5W	Crawford		x	x				B			
Plum Cr.	C	1.8	Mouth	2,33N,6E	Madison		x	x				B			
Pogue Cr.	C	2.5	Mouth	32,24N,28W	Barry		x	x				B			
Pointers Cr.	C	1.0	Mouth	31,43N,7W	Osage		x	x				B	x		
Pole Cat Slough	P	12.6	Mouth	2,18N,9E	Dunklin		x	x				B			
Pole Hollow	P	4.3	Mouth	25,42N,20W	Benton		x	x				B			
Polecat Cr.	C	4.0	Mouth	13,34N,26W	Cedar		x	x				B	x		
Polecat Cr.	C	11.1	Mouth	Hwy. 136	Harrison		x	x				B			
Pomme Cr.	P	1.8	Mouth	Sur	Jefferson		x	x				B			
Pomme de Terre R.	P	21.8	Mouth	2991,43N,06E	Hickory		x	x	x			A	x		
Pomme de Terre R.	P	69.1	Mouth	8,30N,18W	Polk	Webster	x	x				A	x		
Pond Cr.	P	4.0	Mouth	5,28N,23W	Greene		x	x				B			
Pond Cr.	P	1.3	Mouth	35,38N,3E	Washington		x	x				B			
Pond Cr.	C	1.0	Mouth	3,37N,3E	Washington		x	x				B			
Pond Cr.	C	3.0	Mouth	30,30N,33W	Jasper		x	x				B			
Pond Cr.	P	4.4	Mouth	11,29N,8E	Bollinger		x	x				B			
Pond Cr.	C	2.0	11,29N,8E	3,29N,8E	Bollinger		x	x				B			
Pond Fk.	P	4.2	Mouth	23,23N,16W	Ozark		x	x				B			
Pond Fk.	C	6.3	23,23N,16W	Taney Co. Line	Ozark		x	x				B			
Pond Spring Br.	P	2.6	Mouth	15,30N,08W	Texas		x	x				B			
Poney Cr.	P	3.9	Mouth	13,44N,33W	Cass		x	x				B			
Poney Cr.	C	8.3	13,44N,33W	State Line	Cass		x	x				B			
Poor Cr.	C	3.0	Mouth	13,48N,3W	Montgomery		x	x				B			
Possum Hollow	C	1.0	Mouth	12,38N,17W	Camden		x	x				B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Possum Hollow	P	1.4	28,27N,7E	22,27N,7E	Wayne		x	x				B			
Possum Hollow	C	1.0	22,27N,7E	16,27N,7E	Wayne		x	x				B			
Possum Trot Hollow	P	2.0	Mouth	16,35N,2W	Crawford		x	x				B			
Possum Trot Hollow	C	1.0	16,35N,2W	21,35N,2W	Crawford		x	x				B			
Possum Walk Cr.	C	4.2	Mouth	18,21N,13W	Ozark		x	x				B			
Post Oak Cr.	P	3.3	Mouth	22,46N,26W	Johnson		x	x				B		x	
Potters Cr.	P	4.4	Mouth	16,28N,10W	Texas		x	x				B			
Potters Cr.	C	1.4	16,28N,10W	22,28N,10W	Texas		x	x				B			
Prairie Cr.	C	1.5	Mouth	1,39N,5W	Crawford		x	x				B			
Prairie Cr.	C	4.3	Mouth	3,27N,15W	Douglas		x	x				B			
Prairie Cr.	C	3.7	Mouth	12,52N,35W	Platte		x	x				B			
Prairie Cr.	C	3.5	Mouth	35,39N,22W	Benton		x	x				B			
Prairie Cr.	C	2.0	Mouth	36,39N,11W	Maries		x	x				B			
Prairie Cr.	C	4.1	Mouth	04,32N,12W	Texas	Laclede	x	x				B			
Prairie Fk.	P	2.9	Mouth	8,47N,6W	Montgomery		x	x				B			
Prairie Fk.	C	5.0	8,47N,6W	10,47N,7W	Montgomery	Callaway	x	x				B			
Prairie Fk.	C	0.8	Mouth	21,44N,3W	Franklin		x	x				B			
Prairie Fk.	C	3.9	Mouth	20,46N,9W	Callaway		x	x				B			
Prairie Hollow	P	6.8	Mouth	04,37N,18W	Camden		x	x				B			
Prairie Run Hollow	C	1.0	Mouth	25,25N,27W	Barry		x	x				B			
Price Br.	C	3.0	Mouth	34,34N,25W	Cedar		x	x				B			
Price Cr.	C	1.7	Mouth	27,40N,6W	Gasconade		x	x				B			
Prime Cr.	C	2.2	Mouth	31,46N,9W	Callaway		x	x				B			
Primrose Cr.	C	2.0	Mouth	22,38N,4E	St. Francois		x	x				B			
Profits Cr.	C	2.0	Mouth	24,42N,12W	Cole		x	x				B			
Province Br.	P	1.2	Mouth	2,29N,25W	Lawrence		x	x				B			
Pruett Cr.	P	1.7	Mouth	16,38N,5W	Crawford		x	x				B			
Pruett Cr.	C	1.2	16,38N,5W	9,38N,5W	Crawford		x	x				B			
Pryor Cr.	C	3.2	Mouth	08,37N,32W	Vernon		x	x				B			
Pucket Br.	C	1.2	Mouth	12,38N,1E	Washington		x	x				B			
Pump Hollow	C	2.0	Mouth	16,40N,2W	Crawford		x	x				B		x	
Punch Cr.	C	1.3	Mouth	6,31N,9E	Bollinger		x	x				B			
Puncheon Cr.	C	2.9	Mouth	36,44N,6W	Gasconade		x	x				B			
Purcett Br.	C	3.2	Mouth	05,35N,25W	St. Clair	Cedar	x	x				B			
Puzzle Cr.	C	12.5	Mouth	25,57N,17W	Chariton	Macon	x	x				B			
Pyatt Hollow	C	2.0	Mouth	13,36N,3W	Crawford		x	x				B			
Quick Cr.	P1	1.8	Mouth	Sur	Montgomery		x	x				B			
Quick Cr.	C	2.0	Sur	2658,46N,5W 32,46N,5W	Montgomery		x	x				B		x	
Rabbit Hollow	C	1.5	Mouth	14,38N,1E	Washington		x	x				B			
Raccoon Cr.	C	3.7	Mouth	5,61N,25W	Grundy		x	x				B		x	
Raccoon Hollow	C	1.0	Mouth	16,24N,11W	Ozark		x	x				B			
Race Cr.	P	0.5	Mouth	21,37N,1E	Washington		x	x				B			
Ragan Br.	C	4.3	Mouth	20,36N,07W	Phelps		x	x				B			
Railey Cr.	C	7.4	Mouth	Reeds Spring	Stone		x	x				B			
Rainy Cr.	P	2.5	Mouth	7,39N,19W	Camden		x	x				A		x	
Rainy Cr.	C	1.5	7,39N,19W	13,39N,20W	Camden	Benton	x	x						x	
Ramsey Br.	P	6.5	Mouth	33,31N,13E	Cape Girardeau		x	x				B		x	
Ramsey Br.	C	1.0	33,31N,13E	28,31N,13E	Cape Girardeau		x	x				B			
Ramsey Cr.	C	8.9	Mouth	Sur 1709(9), 52N,1E	Pike		x	x				B			
Ramsey Cr.	P	6.3	Mouth	20,29N,14E	Scott		x	x				B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Ramsey Cr. Div. Chan.	P	3.0	Mouth	1,29N,13E	Scott		x	x				B			
Rattlesnake Cr.	C	3.0	Mouth	3,56N,25W	Livingston		x	x				B			
Red Oak Cr.	P	5.2	Mouth	28,42N,4W	Franklin	Gasconade	x	x				B			
Red Oak Cr.	C	10.0	28,42N,4W	16,41N,5W	Gasconade		x	x				B			
Reed Cr.	C	2.7	Mouth	11,37N,32W	Vernon		x	x				B			
Reese Fk.	C	7.0	Mouth	28,53N,12W	Monroe		x	x				B	x		
Reid Cr.	C	2.6	Mouth	5,38N,27W	St. Clair		x	x				B			
Reid Cr.	C	2.0	Mouth	Sur 1812,51N,2W	Lincoln		x	x				B			
Reid Cr.	C	2.3	Mouth	Sur 3093,35N,3E	Washington	Iron	x	x							
Reisobel Br.	C	1.2	Mouth	21,40N,6W	Gasconade		x	x				B			
Renfro Cr.	C	1.5	Mouth	14,49N,11W	Callaway		x	x				B			
Richland Cr.	C	0.5	Mouth	6,44N,6W	Gasconade		x	x				B			
Richland Cr.	C	4.3	Mouth	29,48N,9W	Callaway		x	x				B	x		
Richland Cr.	P	5.1	Mouth	Hwy. 87	Howard		x	x				B			
Richland Cr.	C	2.0	Hwy. 87	16,50N,17W	Howard		x	x				B			
Richland Cr.	P	8.7	13,45N,19W	17,44N,18W	Morgan		x	x				A	x		
Richland Cr.	C	10.0	17,44N,18W	22,43N,18W	Morgan		x	x				A	x		
Ricky Cr.	C	7.8	Mouth	14,39N,28W	St. Clair		x	x				B			
Riggin Br.	C	1.9	Mouth	21,60N,35W	Andrew		x	x				B			
Rings Cr.	P	5.2	Mouth	23,29N,4E	Wayne		x	x				A			
Rings Cr.	C	1.1	23,29N,4E	27,29N,4E	Wayne		x	x				B			
Rippee Cr.	P	4.5	Mouth	13,25N,15W	Douglas		x	x				B			
Rippee Cr.	C	2.0	13,25N,15W	14,25N,15W	Douglas		x	x				B			
Rising Cr.	P	1.2	Mouth	Sur 5616,44N,10W	Cole		x	x				B			
Rising Cr.	C	4.4	19,44N,10W	36,44N,11W	Cole		x	x				B	x		
Rivoux Cr.	P1	2.2	Mouth	21,44N,10W	Callaway		x	x				B			
Rivoux Cr.	C	3.5	21,44N,10W	8,44N,10W	Callaway		x	x				B			
River aux Vases	P	21.6	Mouth	12,36N,7E	Ste. Genevieve		x	x				A			
River aux Vases	C	7.1	12,36N,7E	27,36N,7E	Ste. Genevieve		x	x				B			
River des Peres	P	2.6	Mouth	Sur 1359,44N,6E	St. Louis City		x	x						x	
River des Peres	P	3.7	Sur 1359,44N,6E	2037,45N,6E	St. Louis City		x	x						x	
Roach Lake Cr.	C	0.7	Mouth	30,57N,24W	Livingston		x	x				B			
Roaring R.	P	6.5	Mouth	27,22N,27W	Barry		x	x			x	A	x		
Roaring Springs	P	0.1	Mouth	35,33N,10W	Texas		x	x				B			
Roark Br.	C	1.3	Mouth	23,43N,14W	Cole		x	x				B	x		
Roark Cr.	C	2.7	Mouth	36,23N,22W	Taney		x	x			x	A	x		
Roark Cr.	C	4.0	36,23N,22W	15,23N,22W	Taney		x	x				A	x		
Roberts Br.	C	2.0	Mouth	5,54N,32W	Clinton		x	x				B			
Robinson Br.	C	2.0	Mouth	30,36N,29W	Vernon		x	x				B			
Robinson Creek	P	3.1	Mouth	Hwy B	Phelps		x	x				B			
Rock Br.	C	3.1	Mouth	25,36N,3W	Crawford		x	x				B			
Rock Br.	P	2.0	State Line	12,26N,34W	Newton		x	x				B			
Rock Cr.	C	1.0	Mouth	19,43N,11W	Cole		x	x				A	x		
Rock Cr.	C	3.0	Mouth	24,33N,12W	Texas		x	x				B			
Rock Cr.	P	5.8	Mouth	Sur 2970,42N,5E	Jefferson		x	x				B	x		
Rock Cr.	C	3.0	Sur 2970,42N,5E	Sur 1974,43N,5E	Jefferson		x	x				A	x		
Rock Cr.	P	2.2	Mouth	30,64N,41W	Atchison		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life
 and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Rock Cr.	C	19.0	30,64N,41W	17,66N,40W	Atchison			x	x						B
Rock Cr.	P	2.6	36,22N,26W	24,22N,26W	Barry			x	x						B
Rock Cr.	C	4.6	24,22N,26W	8,22N,26W	Barry			x	x						B
Rock Cr.	P	0.8	Mouth	19,34N,7E	Madison			x	x						B
Rock Cr.	C	2.0	Mouth	9,34N,7E	Madison	St. Francois		x	x						B
Rock Cr.	P	2.9	Mouth	16,33N,5E	Madison			x	x						B
Rock Cr.	C	1.1	16,33N,5E	17,33N,5E	Madison			x	x						B
Rock Cr.	C	3.4	Mouth	31,53N,31W	Clay			x	x						B
Rock Cr.	C	4.8	Mouth	34,62N,12W	Knox			x	x						B
Rock Cr.	P	0.5	Mouth	9,45N,13W	Cole			x	x						B
Rock Cr.	C	4.0	9,45N,13W	18,45N,13W	Cole			x	x						B x
Rock Enon Cr.	C	3.3	Mouth	14,43N,15W	Moniteau			x	x						B
Rockhouse Cr.	P	2.8	Mouth	14,23N,26W	Barry			x	x						B
Rockhouse Cr.	C	4.3	14,23N,26W	28,23N,26W	Barry			x	x						B
Rocky Br.	C	3.2	Mouth	11,52N,33W	Clay			x	x						B
Rocky Br.	C	0.4	Mouth	23,39N,02E	Washington			x	x						B
Rocky Br.	C	1.6	Mouth	10,32N,10W	Texas			x	x						B x
Rocky Br.	C	1.7	Mouth	16,43N,16W	Moniteau			x	x						B
Rocky Cr.	P	2.4	Mouth	6,28N,2W	Shannon			x	x						B
Rocky Cr.	C	2.7	Mouth	7,28N,8E	Wayne	Bollinger		x	x						B
Rocky Fk.	C	11.3	Mouth	36,50N,13W	Boone			x	x						B
Rocky Fk.	C	0.1	Mouth	04,35N,01W	Washington			x	x						B
Rocky Fk.	C	4.0	Mouth	19,53N,28W	Ray			x	x						B
Rocky Ford. Cr.	P	3.0	Mouth	21,42N,18W	Morgan			x	x						B
Rocky Hollow	C	1.2	Mouth	08,35N,29W	Vernon			x	x						B
Rodgers Cr.	C	1.0	Mouth	7,39N,10W	Maries			x	x						B
Rogers Cr.	C	9.6	Mouth	28,28N,02W	Carter			x	x						A
Rollins Cr.	C	1.3	Mouth	16,38N,14W	Miller			x	x						B
Rollins Cr.	C	7.0	Mouth	13,51N,29W	Ray			x	x						B
Ross Cr.	P	3.0	Mouth	13,41N,21W	Benton			x	x						B
Roth Cr.	C	1.8	Mouth	07,42N,01W	Franklin			x	x						B
Roubidoux Cr.	P	4.0	Mouth	25,36N,12W	Pulaski			x	x			x			A x
Roubidoux Cr.	C	22.9	25,36N,12W	11,34N,12W	Pulaski			x	x	x					A x
Roubidoux Cr.	P	30.5	11,34N,12W	4,31N,11W	Pulaski	Texas		x	x	x					A x
Rubeneau Br.	C	1.8	Mouth	Sur 2115,37N,3E	Washington			x	x						B
Rush Cr.	P	4.5	Mouth	22,51N,34W	Platte			x	x						B
Rush Cr.	P	8.2	Mouth	5,51N,31W	Clay			x	x						A
Rutledge Run	C	2.2	Mouth	15,35N,2E	Washington			x	x						B
Rye Cr.	P	2.8	Mouth	23,41N,1E	Franklin			x	x						B
Rye Cr.	C	1.0	23,41N,1E	26,41N,1E	Franklin			x	x						B
S. Ashley Cr.	P	5.0	Mouth	8,31N,7W	Dent	Texas		x	x						B
S. Ashley Cr.	C	2.0	9,31N,7W	18,31N,7W	Texas			x	x						B
S. Big Cr.	C	5.6	Mouth	Lake Viking Dam	Daviess			x	x						B
S. Blackbird Cr.	C	13.0	Mouth	18,65N,18W	Putnam			x	x						B
S. Bridges Cr.	C	4.0	Mouth	13,22N,11W	Ozark			x	x						B
S. Brush Cr.	C	2.0	Mouth	12,53N,9W	Monroe			x	x						B
S. Davis Cr.	C	4.6	Mouth	22,48N,27W	Lafayette			x	x						B
S. Deepwater Cr.	C	11.9	Mouth	20,40N,29W	Bates			x	x						B
S. Dry Sac R.	P	2.0	Mouth	3,29N,22W	Greene			x	x						B
S. Dry Sac R.	C	4.2	3,29N,22W	5,29N,21W	Greene			x	x						A x
S. Fabius R.	P	80.6	Mouth	29,62N,11W	Marion	Knox		x	x	x					B

IRR-LWW AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life
and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial

TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
S. Fk. Apple Cr.	P	5.5	Mouth	34,34N,10E	Cape Girardeau	Perry	x	x			B			
S. Fk. Apple Cr.	C	1.0	34,34N,10E	4,33N,10E	Perry		x	x			B			
S. Fk. Blackwater R.	P	5.7	Mouth	19,46N,27W	Johnson		x	x			B			
S. Fk. Blackwater R.	C	15.1	19,46N,27W	30,47N,28W	Johnson		x	x			B		x	
S. Fk. Bratten Spring Cr.	C	1.8	Mouth	19,22N,14W	Ozark		x	x			B			
S. Fk. Brush Cr.	C	5.5	Mouth	03,34N,24W	Polk		x	x			B			
S. Fk. Buffalo Cr.	P	2.0	Mouth	30,24N,1E	Ripley		x	x		x	B			
S. Fk. Buffalo Cr.	C	4.7	30,24N,1E	34,24N,1W	Ripley		x	x		x	B			
S. Fk. Capps Cr.	C	4.3	Mouth	27,25N,28W	Barry		x	x			B		x	
S. Fk. Clear Cr.	C	6.0	Mouth	21,65N,36W	Nodaway		x	x			B			
S. Fk. Gees Cr.	C	2.8	Mouth	2,59N,25W	Livingston		x	x			B			
S. Fk. Isle Du Bois Cr.	C	4.0	Mouth	36,39N,6E	Ste. Genevieve		x	x			A		x	
S. Fk. Jonca Cr.	C	2.0	8,36N,7E	18,36N,7E	Ste. Genevieve		x	x			B			
S. Fk. M. Fabius R.	P	14.8	22,64N,12W	31,65N,13W	Scotland	Schuyler	x	x			B			
S. Fk. M. Fabius R.	C	13.0	31,65N,13W	Hwy. 63	Schuyler		x	x			B			
S. Fk. N. Fabius R.	C	11.5	Mouth	27,67N,15W	Schuyler		x	x			B			
S. Fk. North R.	P	6.9	Mouth	13,57N,8W	Marion		x	x			B			
S. Fk. North R.	C	4.3	13,57N,8W	21,57N,8W	Marion		x	x			B			
S. Fk. Pomme de Terre	P	5.0	Mouth	25,30N,20W	Greene		x	x			A		x	
S. Fk. S. Fabius R.	P	7.9	29,62N,11W	9,62N,12W	Knox		x	x			B			
S. Fk. S. Fabius R.	C	18.3	9,62N,12W	13,63N,14W	Knox	Adair	x	x			B			
S. Fk. S. Grand R.	C	14.2	Mouth	34,44N,33W	Cass		x	x			B			
S. Fk. Saline Cr.	P	23.4	Mouth	27,35N,9E	Perry		x	x		x	B			
S. Fk. Saline Cr.	C	5.0	27,35N,9E	1,34N,8E	Perry	Ste. Genevieve	x	x			B			
S. Fk. Salt R.	P	9.3	Mouth	Audrain Co. Line	Monroe		x	x	x		B		x	
S. Fk. Salt R.	C	40.1	29,53N,8W	5,49N,8W	Monroe	Callaway	x	x			B		x	
S. Fk. Spring Cr.	C	1.5	Mouth	13,26N,10W	Howell		x	x			B			
S. Fk. Spring R.	P	4.2	State Line	26,22N,8W	Howell		x	x			B			
S. Fk. Spring R.	C	11.0	26,22N,8W	32,23N,8W	Howell		x	x			B			
S. Fk. Turkey Cr.	C	4.5	21,35N,25W	34,35N,25W	Cedar		x	x			A			
S. Fk. Weaubleau Cr.	C	7.3	Mouth	20,36N,24W	St. Clair		x	x			A			
S. Flat Cr.	C	0.9	27,43N,22W	27,43N,22W	Benton		x	x			B			
S. Flat Cr.	P	8.2	Mouth	27,43N,22W	Pettis	Benton	x	x			B			
S. Grand R.	P	66.8	Mouth	02,44N,33W	Henry	Cass	x	x			B		x	
S. Indian Cr.	P	8.7	Mouth	1,23N,30W	Newton	McDonald	x	x		x	B			
S. Moreau Cr.	P	21.1	1,43N,13W	29,43N,14W	Cole		x	x			A		x	
S. Moreau Cr.	C	10.2	29,43N,14W	7,42N,15W	Cole	Miller	x	x			A		x	
S. Moreau Cr.	C	6.5	7,42N,15W	36,42N,15W	Miller		x	x			B			
S. Mud Cr.	C	3.8	Mouth	2,54N,27W	Ray		x	x			B			
S. Prong Beaverdam Cr.	C	7.2	Mouth	27,25N,3E	Ripley		x	x			B			
S. Prong Jacks Fk.	P	7.0	Mouth	21,28N,8W	Texas		x	x			B			
S. Prong Jacks Fk.	C	4.5	21,28N,8W	14,28N,9W	Texas		x	x			B			
S. Prong L. Black R.	P	5.5	Mouth	Hwy. 21	Ripley		x	x			B			
S. Prong L. Black R.	C	6.0	Hwy. 21	33,25N,2E	Ripley		x	x			B			
S. Rock Br.	C	3.2	Mouth	14,35N,3W	Crawford		x	x			B			
S. Spencer Cr.	C	9.3	Mouth	6,53N,4W	Ralls	Pike	x	x					x	
S. Spring Cr.	P	4.0	Mouth	23,25N,16W	Douglas		x	x			B			
S. Wyaconda R.	P	9.7	26,65N,9W	4,65N,10W	Clark	Scotland	x	x			B		x	
S. Wyaconda R.	C	17.5	4,65N,10W	32,67N,12W	Scotland		x	x			B			
Sac R.	P	48.8	Mouth	Stockton Lake Dam	St. Clair	Cedar	x	x	x		A		x	
Sac R.	P	35.0	1,31N,26W	15,29N,24W	Dade	Greene	x	x	x		A		x	

IRR-Livestock & Wildlife Watering

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Sac R.	C	3.5	15,29N,24W	19,29N,23W	Greene			x	x			B			
Sadler Br.	C	0.8	Mouth	17,35N,24W	Polk			x	x			B			
Salem Cr.	C	2.0	Mouth	26,37N,5E	St. Francois			x	x					x	
Salem Springs Cr.	C	1.0	Mouth	11,32N,17W	Laclede			x	x			B			
Saline Cr.	P	13.8	Mouth	10,41N,15W	Miller			x	x			A		x	
Saline Cr.	P	11.0	Mouth	13,36N,9E	Ste. Genevieve	Perry		x	x			A			
Saline Cr.	P	15.0	13,36N,9E	16,35N,8E	Ste. Genevieve			x	x	x		A			
Saline Cr.	C	4.0	16,35N,8E	11,35N,7E	Ste. Genevieve			x	x			B			
Saline Cr.	P	4.3	Mouth	32,35N,3E	Iron			x	x			B			
Saline Cr.	P	1.8	Mouth	3011,43N,5E	Jefferson			x	x			B			
Saline Cr.	C	2.3	Sur 3011, 43N,5E	1331,43N,5E	Jefferson			x	x			B		x	
Saline Cr.	P	5.8	Mouth	12,33N,7E	Madison			x	x			B			
Saline Cr.	C	1.1	12,33N,7E	7,33N,7E	Madison			x	x			B			
Salley Br.	C	0.1	Mouth	27,39N,22W	Benton			x	x			B			
Sals Cr.	C	1.5	Mouth	14,29N,13E	Scott			x	x			B			
Sals Cr. Div. Chan.	C	2.7	Mouth	3,29N,13E	Scott			x	x			B			
Salt Br.	C	5.7	Mouth	35,53N,21W	Saline			x	x			B			
Salt Br.	C	7.2	Mouth	20,50N,22W	Saline			x	x			B			
Salt Cr.	C	5.0	Mouth	9,38N,26W	St. Clair			x	x			B			
Salt Cr.	C	14.9	Mouth	25,55N,20W	Chariton			x	x			B			
Salt Cr.	P1	3.0	Mouth	33,49N,15W	Howard			x	x			B			
Salt Cr.	C	10.0	33,49N,15W	31,50N,15W	Howard			x	x			B			
Salt Cr.	P	3.1	Mouth	6,49N,17W	Howard			x	x			B			
Salt Fk.	C	7.2	Mouth	2,51N,15W	Howard			x	x			B			
Salt Fk.	P	26.7	Mouth	28,51N,22W	Saline			x	x			B		x	
Salt Fk.	C	18.6	28,51N,22W	29,50N,24W	Saline	Lafayette		x	x			B			
Salt Pine Cr.	C	1.2	Mouth	5,38N,3E	Washington			x	x			B			
Salt Pond Cr.	P	3.6	Mouth	25,49N,23W	Saline			x	x			B			
Salt Pond Cr.	C	2.4	25,49N,23W	14,49N,23W	Saline			x	x			B			
Salt R.	P1	9.3	Re-Reg Dam	Cannon Dam	Ralls		x	x	x			A		x	x
Salt R.	P1	15.0	Mouth	Hwy. 79	Pike		x	x	x			A		x	
Salt R.	P	29.0	Hwy. 79	Re-Reg Dam	Pike	Ralls	x	x	x			A		x	x
Sampson Cr.	P	13.5	Mouth	19,62N,29W	Daviess	Harrison		x	x			B			
Sampson Cr.	C	5.6	19,62N,29W	1,62N,30W	Gentry			x	x			B			
Sand Cr.	C	15.0	Mouth	12,43N,26W	Henry			x	x			B			
Sand Cr.	C	4.9	Mouth	11,64N,37W	Nodaway			x	x			B			
Sand Cr.	C	1.8	Mouth	34,36N,06E	St. Francois			x	x			B			
Sand Cr.	P	1.6	Mouth	18,42N,4E	Jefferson			x	x			B			
Sand Cr.	C	2.4	Mouth	36,65N,16W	Schuyler			x	x			B			
Sand Hollow	C	0.3	Mouth	24,31N,10W	Texas			x	x			B			
Sand Run	C	2.0	Mouth	24,48N,1W	Lincoln			x	x			B			
Sandy Cr.	C	7.0	Mouth	27,52N,2W	Lincoln	Pike		x	x			B			
Sandy Cr.	C	7.5	Mouth	1987,41N,5E	Jefferson			x	x			B			
Sandy Cr.	P	2.4	Mouth	11,33N,11E	Cape Girardeau			x	x			B			
Sandy Cr.	C	1.3	Mouth	1,34N,10E	Perry			x	x					x	
Sandy Cr.	C	0.5	11,33N,11E	3,33N,11E	Cape Girardeau			x	x			B			
Sandy Cr.	C	6.0	Mouth	23,51N,5W	Montgomery	Audrain		x	x			B			
Sandy Cr.	C	13.8	Mouth	25,50N,1E	Lincoln			x	x			B			
Sandy Cr.	C	11.6	Mouth	15,65N,25W	Harrison	Mercer		x	x			B			
Sandy Cr.	C	3.0	Mouth	19,66N,17W	Putnam			x	x			B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Sanford Cr.	C	1.0	Mouth	4,43N,10W	Cole		x	x				B			
Sara Br.	C	2.5	Mouth	01,32N,18W	Webster		x	x				B			
Sardine Cr.	C	1.8	Mouth	2,29N,25W	Lawrence		x	x				B			
Sawmill Hollow	C	2.6	Mouth	17,24N,11W	Ozark		x	x				B			
Sawyer Cr.	P	5.5	Mouth	1,28N,20W	Greene		x	x				B			
Schawanee Spr. Br.	C	2.8	Mouth	5,34N,11E	Perry		x	x				B			
School Hollow Cr.	P	1.3	Mouth	08,41N,09W	Osage		x	x				B			
Schoolhouse Hollow	C	0.3	Mouth	19,31N,09W	Texas		x	x				B			
Schulte Cr.	P	0.5	Mouth	8,43N,5W	Gasconade		x	x				B			
Schultz Cr.	C	5.0	Mouth	10,32N,21W	Polk		x	x				B			
Scott Br.	C	1.5	Mouth	21,37N,2W	Crawford		x	x				B			
Scott Br.	C	1.2	Mouth	5,37N,1E	Washington		x	x				B			
Scott Br.	C	0.5	Mouth	5,44N,15W	Moniteau		x	x				B			
Second Cr.	P	8.0	Mouth	12,43N,6W	Gasconade		x	x				B			
Second Cr.	C	6.5	12,43N,6W	Hwy. 19	Gasconade		x	x				B			
Second Cr.	C	11.5	Mouth	29,52N,33W	Clay	Platte	x	x				B			
Second Nicolson Cr.	P	4.5	4,32N,33W	18,32N,33W	Barton		x	x				B			
Sees Cr.	P	1.0	Mouth	15,57N,7W	Marion		x	x				B			
Sees Cr.	C	2.2	15,57N,7W	22,57N,7W	Marion		x	x				B			
Sellars Cr.	C	3.5	Mouth	6,36N,14W	Camden		x	x				A		x	
Sellers Hollow	C	5.3	Mouth	7,37N,15W	Camden		x	x				B		x	
Selph Br.	P	1.0	Mouth	23,31N,20W	Greene		x	x				B			
Selvage Hollow	C	2.4	Mouth	21,33N,16W	Laclede		x	x				B			
Sewer Br.	C	1.0	Mouth	16,46N,21W	Pettis		x	x				B			
Shackelford Br.	C	5.9	Mouth	21,52N,29W	Ray		x	x				B			
Shady Cr.	C	9.4	Mouth	5,52N,5W	Pike		x	x				B		x	
Shain Cr.	C	13.0	Mouth	Hwy. 46	Harrison		x	x				B			
Sharpsburg Br.	C	1.5	Mouth	28,57N,8W	Marion		x	x				B		x	
Shaver Cr.	P	15.1	Mouth	06,45N,20W	Pettis		x	x				B			
Shaw Br.	C	1.2	Mouth	Sur 3272,36N,5E	St. Francois		x	x				B		x	
Shawnee Cr.	P	3.2	Mouth	8,33N,13E	Cape Girardeau		x	x				B			
Shawnee Cr.	P	2.0	Mouth	30,29N,3W	Shannon		x	x				B			
Shawnee Cr.	C	6.5	30,29N,03W	19,28N,03W	Shannon		x	x				B			
Shawnee Cr.	P	4.5	Mouth	9,45N,7W	Gasconade	Osage	x	x				B			
Shawnee Cr.	C	1.5	9,45N,7W	16,45N,7W	Osage		x	x				B			
Shays Cr.	C	1.7	Mouth	33,34N,7E	Madison		x	x				B			
Sheep Cr.	C	1.0	Mouth	1,56N,29W	Caldwell		x	x				B			
Shell Br.	C	5.3	Mouth	8,55N,8W	Monroe		x	x				B			
Shetley Cr.	P	4.0	Mouth	12,31N,7E	Madison		x	x				B			
Shetley Cr.	C	2.7	12,31N,7E	2,31N,7E	Madison		x	x				B			
Shibboleth Br.	P	1.0	Mouth	14,38N,3E	Washington		x	x				B			
Shibboleth Br.	C	3.0	14,38N,3E	21,38N,3E	Washington		x	x				B			
ShIPLEY Slough	C	2.5	35,19N,9E	24,19N,9E	Dunklin		x	x				B			
Shoal Cr.	P	7.7	Mouth	27,36N,2W	Crawford		x	x				A			
Shoal Cr.	C	3.0	27,36N,2W	10,35N,2W	Crawford		x	x				B			
Shoal Cr.	C	3.1	Mouth	31,22N,17W	Taney		x	x				A		x	
Shoal Cr.	P	41.1	State Line	27,26N,30W	Newton		x	x	x	x		A	x	x	x
Shoal Cr.	P	0.5	10,25N,29W	Capps Cr.	Newton		x	x	x		x	A	x		
Shoal Cr.	P	15.7	9,25N,29W	12,23N,29W	Newton	Barry	x	x	x	x		A	x		
Shoal Cr.	C	5.0	12,23N,29W	32,23N,28W	Barry		x	x				B			
Shoal Cr.	P	10.3	Mouth	27,51N,32W	Clay		x	x				B			
Shoal Cr.	C	10.6	27,51N,32W	2,51N,33W	Clay		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Shoal Cr.	P	54.6	Mouth	25,56N,28W	Livingston	Caldwell	x	x				A	x	x	
Shoal Cr.	C	34.0	25,56N,28W	5,55N,30W	Caldwell	Clinton	x	x				B		x	
Shoal Cr.	C	17.4	Mouth	5,66N,17W	Putnam		x	x				B			
Shoal Cr. Ditch	C	9.8	27,57N,24W	28,56N,25W	Livingston		x	x				B			
Shootman Cr.	C	1.5	Mouth	6,53N,22W	Carroll		x	x				B			
Short Cr.	P	2.9	Mouth	30,22N,21W	Taney		x	x				B			
Short Cr.	C	0.9	30,22N,21W	36,22N,22W	Taney		x	x				B			
Shrum Cr.	P	1.7	Mouth	6,33N,10E	Bollinger		x	x				B			
Shrum Cr.	C	1.0	6,33N,10E	County Line	Bollinger		x	x				B			
Shuld Br.	C	2.0	Mouth	23,28N,9W	Texas		x	x				B			
Shuteye Cr.	C	4.5	Mouth	31,64N,16W	Adair		x	x				B			
Shut-in Cr.	P	1.8	Mouth	6,33N,2E	Reynolds		x	x				B			
Shut-in Cr.	C	3.3	6,33N,2E	20,34N,2E	Iron		x	x				B			
Shuyler Cr.	P	3.6	Mouth	28,28N,23W	Greene		x	x				B			
Silver Cr.	P	1.9	Mouth	25,27N,33W	Newton		x	x				B			
Silver Cr.	C	1.8	Mouth	01,23N,21W	Taney		x	x				B			
Silver Cr.	C	8.4	Mouth	34,53N,15W	Chariton	Randolph	x	x				B			
Silver Fk.	C	30.0	Mouth	33,51N,11W	Boone		x	x				A			
Silver Lake Br.	C	2.0	Mouth	13,26N,23W	Stone		x	x				B			
Simms Cr.	C	2.6	Mouth	15,37N,27W	St. Clair		x	x				B			
Simpson Br.	C	2.0	Mouth	6,38N,2E	Washington		x	x				B			
Sims Br.	C	1.3	Mouth	26,31N,22W	Greene		x	x				B			
Sinking Cr.	P	2.3	Mouth	10,30N,26W	Dade		x	x				B			
Sinking Cr.	C	2.0	10,30N,26W	12,30N,26W	Dade		x	x				B			
Sinking Cr.	P	5.2	12,30N,26W	16,30N,25W	Dade		x	x				B			
Sinking Cr.	P	24.0	Mouth	8,32N,3W	Shannon	Dent	x	x	x			A			
Sinking Cr.	P	19.9	Mouth	19,31N,1E	Reynolds		x	x				B			
Sitton Br.	P	0.8	Mouth	12,50N,2W	Lincoln		x	x				B			
Sitton Br.	C	2.8	12,50N,2W	10,50N,2W	Lincoln		x	x				B			
Skinner Cr.	C	1.3	Mouth	09,42N,03W	Franklin		x	x				B			
Skull Cr.	C	0.5	Mouth	10,47N,19W	Cooper		x	x				B			
Skullbones Cr.	C	1.1	Mouth	35,42N,03E	Jefferson		x	x				B			
Slabtown Br.	C	3.7	Mouth	23,33N,10W	Texas		x	x				B			
Slagle Cr.	P	8.2	Mouth	17,32N,22W	Polk		x	x				B			
Slagle Cr.	P	2.2	Mouth	18,28N,9E	Bollinger		x	x				B			
Slater Br.	C	2.0	Mouth	Sur	Madison		x	x				B			
				1852,33N,6E											
Slater Br.	C	3.7	Mouth	34,30N,32W	Jasper		x	x				B			
Smiley Cr.	C	3.0	Mouth	36,46N,17W	Cooper		x	x				B			
Smith Br.	C	3.6	Mouth	18,48N,5W	Montgomery		x	x				B			
Smith Br.	C	0.5	Mouth	16,47N,9W	Callaway		x	x				B			
Smith Cr.	C	1.5	Mouth	26,47N,11W	Callaway		x	x				B			
Smith Cr.	C	12.0	Mouth	2,43N,17W	Moniteau	Morgan	x	x				A			
Smith Fk.	C	3.0	Mouth	15,56N,31W	Clinton		x	x				B			
Smith Hollow	C	1.0	Mouth	31,23N,11W	Ozark		x	x				B			
Smith Hollow Cr.	P	1.1	Mouth	26,37N,10W	Phelps		x	x				B			
Smith Hollow Cr.	C	1.9	Mouth	36,37N,10W	Phelps		x	x				B			
Snag Br.	C	2.4	Mouth	21,34N,27W	Cedar		x	x				B			
Snapps Br.	C	1.5	Mouth	2,36N,1W	Washington		x	x				B			
Sni-a-bar Cr.	C	4.3	30,48N,29W	5,47N,29W	Jackson		x	x				B			
Sni-a-bar Cr.	P	36.6	Mouth	30,48N,29W	Lafayette	Jackson	x	x				B		x	
Snowden Br.	C	2.0	Mouth	1,32N,7E	Madison		x	x				B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Snyder Ditch	C	6.5	26,24N,7E	26,25N,7E	Butler			x	x			B			
Soap Cr.	P	1.0	Mouth	32,41N,17W	Morgan			x	x			B			
Soap Cr.	P	0.8	Mouth	19,42N,04W	Gasconade			x	x			B			
Soap Cr.	C	4.5	19,42N,04W	11,42N,05W	Gasconade			x	x			B		x	
Sons Cr.	P	1.5	Mouth	27,32N,27W	Dade			x	x			B			
Sons Cr.	C	10.8	27,32N,27W	31,31N,27W	Dade			x	x			B			
South Cr.	P	3.8	Mouth	34,29N,22W	Greene			x	x			B			
South Fk.	C	4.5	Mouth	25,24N,15W	Ozark			x	x			B			
South Fk. Blackwater R.	C	17.1	Mouth	08,46N,23W	Saline	Pettis		x	x			B			
South R.	PI	2.6	Mouth	16,58N,5W	Marion			x	x			B			
South R.	C	16.3	16,58N,5W	33,57N,6W	Marion			x	x			B			
Sparrow Foot Cr.	C	2.6	Mouth	15,41N,25W	Henry			x	x			B			
Spence Cr.	C	3.6	1,28N,15W	19,28N,15W	Wright			x	x			B			
Spencer Cr.	C	2.3	Mouth	14,37N,17W	Camden			x	x						x
Spencer Cr.	C	1.5	Mouth	1786,47N,4E	Sur	St. Charles		x	x						x
Spencer Cr.	P	11.0	Mouth	31,55N,4W	Ralls			x	x			B			
Spencer Cr.	C	24.0	31,55N,4W	23,53N,6W	Ralls			x	x			B			
Spillway Ditch	P	24.7	28,23N,15E	33,25N,16E	New Madrid	Mississippi		x	x			A			
Spillway Ditch	C	8.7	5,24N,16E	25,26N,16E	Mississippi			x	x			B			
Splice Cr.	P	3.6	Mouth	7,47N,14W	Moniteau			x	x			A			x
Splice Cr.	C	2.5	7,47N,14W	11,47N,15W	Moniteau			x	x			B			
Spring Alec Hollow	P	1.5	Mouth	29,30N,2W	Shannon			x	x			B			
Spring Alec Hollow	C	1.3	29,30N,2W	21,30N,2W	Shannon			x	x			B			
Spring Br.	P	1.0	Mouth	19,41N,17W	Morgan			x	x		x	B			
Spring Br.	P	1.9	Mouth	4,29N,22W	Greene			x	x			B			
Spring Cr.	P	5.8	Mouth	8,34N,24W	Cedar	Polk		x	x			B			
Spring Cr.	P	5.4	Mouth	17,39N,8W	Maries			x	x			B			
Spring Cr.	P	7.4	Mouth	31,35N,9W	Phelps		x	x	x		x	A			x
Spring Cr.	P	16.0	31,35N,9W	16,33N,9W	Phelps	Texas		x	x			B			
Spring Cr.	C	3.7	16,33N,9W	26,33N,9W	Texas			x	x						x
Spring Cr.	P	18.0	Mouth	19,34N,05W	Dent			x	x			B			x
Spring Cr.	P	2.7	Mouth	4,41N,2W	Franklin			x	x		x	B			
Spring Cr.	C	5.1	4,41N,2W	17,41N,2W	Franklin			x	x			B			x
Spring Cr.	P	6.5	Mouth	12,26N,24W	Stone			x	x		x	B			
Spring Cr.	P	5.2	Mouth	14,23N,11W	Ozark			x	x			B			x
Spring Cr.	P	7.5	14,23N,11W	17,23N,10W	Ozark	Howell		x	x			A			x
Spring Cr.	C	8.9	17,23N,10W	6,23N,9W	Howell			x	x			B			
Spring Cr.	P	19.2	Mouth	23,26N,10W	Douglas	Howell		x	x			B			x
Spring Cr.	P	6.0	Mouth	06,24N,13W	Douglas	Ozark		x	x		x	B			x
Spring Cr.	C	5.3	6,24N,13W	8,24N,14W	Ozark			x	x			B			
Spring Cr.	C	1.0	Mouth	30,23N,8W	Howell			x	x			B			
Spring Cr.	P	8.5	Mouth	24,25N,5W	Oregon			x	x			B			
Spring Cr.	C	5.8	24,25N,5W	3,25N,5W	Oregon			x	x			B			
Spring Cr.	C	4.0	Mouth	28,49N, 01W	Lincoln			x	x			B			
Spring Cr.	P	18.7	Mouth	26,64N,18W	Adair	Sullivan	x	x	x			A			
Spring Cr.	C	5.0	26,64N,18W	19,64N,18W	Sullivan			x	x			B			x
Spring Cr.	P	1.0	Mouth	18,25N,16W	Douglas			x	x			B			
Spring Cr. Ditch	C	4.4	27,25N,9E	10,25N,9E	Stoddard			x	x			B			
Spring Fk.	C	6.3	16,44N,21W	01,43N,21W	Pettis	Benton		x	x			B			
Spring Fk.	P	5.4	Mouth	16,44N,21W	Pettis			x	x			B			
Spring Hollow	C	11.4	Bennett Springs	27,34N,17W	Laclede			x	x		x	B			
Spring R.	P	0.5	22,28N,34W	15,28N,34W	Jasper		x	x	x	x		A		x	x

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Spring R.	P	61.7	State Line	20,28N,27W	Jasper	Lawrence	x	x	x	x		A	x		x
Spring R.	P	8.8	20,28N,27W	13,27N,27W	Lawrence		x	x	x		x	A	x		x
Spring R.	P	11.9	13,27N,27W	28,26N,26W	Lawrence			x	x			A	x		
Spring R.	C	1.0	28,26N,26W	27,26N,26W	Lawrence			x	x			B			
Spring Valley Cr.	P	10.8	Mouth	35,30N,5W	Shannon			x	x			B			
Spring Valley Cr.	C	10.0	35,30N,5W	6,29N,5W	Shannon			x	x			B			
Spurlock Hollow	C	2.7	Mouth	15,30N,11W	Texas			x	x			B			
Squaw Cr.	P	21.0	36,61N,39W	33,64N,38W	Holt	Atchison			x	x		B			
St. Francis R.	P	93.1	13,28N, 5E	16,35N,4E	Wayne	St. Francois	x	x	x	x		A	x		
St. Francis R.	C	3.8	16,35N,4E	Ozark Ore Lake Dam	St. Francois			x	x			B			
St. Francis R.	P	104.0	State Line	Wappapello Dam	Dunklin	Wayne	x	x	x			A	x		
St. James Ditch	C	2.1	11,23N,15E	1,23N,15E	New Madrid			x	x			B			
St. Johns Bayou	P	4.7	Mouth	28,23N,15E	New Madrid			x	x			B			
St. Johns Cr.	P	21.0	Mouth	12,43N,2W	Franklin			x	x			B			
St. Johns Cr.	C	9.0	12,43N,2W	19,43N,2W	Franklin			x	x			B			
St. Johns Ditch	P	15.3	Mouth	16,25N,14E	New Madrid			x	x			B	x		
St. Johns Ditch	C	4.7	36,28N,13E	Sur	Scott		x	x	x			A			
St. Johns Ditch	P	18.7	16,25N,14E	36,28N,13E	New Madrid	Scott		x	x					x	
St. Johns Div. Ditch	C	5.0	11,23N,15E	9,23N,16E	New Madrid			x	x			B			
St. Johns Div. Ditch	C	4.3	4,23N,16E	12,23N,16E	Mississippi			x	x			B			
Stahl Cr.	P	7.3	Mouth	25,29N,27W	Lawrence			x	x			B			
Stanley Cr.	P	3.1	Mouth	18,27N,8E	Wayne			x	x			B			
Starks Cr.	P	10.3	Mouth	12,37N,21W	Hickory			x	x	x		B			
Starks Cr.	C	7.0	12,37N,21W	31,37N,20W	Hickory			x	x	x		B			
Starvey Cr.	C	3.0	Mouth	15,32N,18W	Dallas			x	x			B			
Stater Cr.	P	2.4	Mouth	27,40N,2W	Crawford			x	x			B			
Stater Cr.	C	2.3	27,40N,2W	29,40N,2W	Crawford			x	x			A	x		
Steins Cr.	C	16.6	25,33N,15W	33,31N,15W	Laclede	Wright		x	x			B			
Stephens Br.	C	8.8	Mouth	29,47N,17W	Cooper			x	x			B			
Sterett Cr.	C	1.2	Mouth	21,41N,22W	Benton			x	x			B			
Steuber Hollow Cr.	P	0.6	Mouth	13,41N,09W	Osage			x	x			B			
Stevenson Bayou	C	6.4	25,26N,16E	31,27N,17E	Mississippi			x	x			B			
Stewart Cr.	P	1.0	Mouth	12,27N,19W	Christian			x	x			B			
Stewart Cr.	C	3.0	12,27N,19W	17,27N,18W	Christian			x	x			B			
Stick Br.	C	0.4	Mouth	21,36N,21W	Hickory			x	x			B			
Stillcamp Ditch	C	12.3	Mouth	35,24N,6E	Butler		x	x	x			B			
Stillhouse Br.	C	2.0	Mouth	26,62N,31W	Gentry			x	x			B			
Stinking Cr.	C	4.7	Mouth	5,34N,28W	Cedar			x	x			B			
Stinking Cr.	C	1.4	Mouth	22,35N,22W	Polk			x	x			B			
Stinking Cr.	C	15.8	24,56N,16W	Mouth	Macon			x	x			B			
Stinson Cr.	C	11.9	Mouth	16,47N,9W	Callaway			x	x			B			
Stoak Cr.	C	2.3	Mouth	14,45N,26W	Johnson			x	x			B			
Stockton Br.	C	3.6	Mouth	4,34N,26W	Cedar			x	x			B			
Stone Hill Br.	C	2.3	Mouth	35,34N,4W	Dent			x	x			B			
Stone Hill Br.	P	2.2	35,34N,4W	31,34N,3W	Dent			x	x			B			
Storys Cr.	C	2.7	Mouth	16,29N,4W	Shannon			x	x			B			
Stouts Cr.	P	7.3	Mouth	33,34N,4E	Madison	Iron	x	x	x	x		B	x		
Stouts Cr.	P	4.0	33,34N,4E	1,33N,3E	Iron			x	x			B	x		
Stouts Cr.	C	1.1	1,33N,3E	2,33N,3E	Iron			x	x			B			
Straight Fk.	P	12.0	4,44N,16W	6,43N,17W	Moniteau	Morgan		x	x			A			

IRR-Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering CDF-Cold Water Fishery DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption WBC-Whole Body Contact Recreation IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Straight Fk.	C	6.0	6,43N,17W	36,43N,18W	Morgan		x	x			B			
Stream Mill Hollow	P	3.0	Mouth	27,32N,10W	Texas		x	x			B			
Stream Mill Hollow	C	2.0	27,32N,10W	28,32N,10W	Texas		x	x					x	
String Cr.	C	2.0	Mouth	20,45N,14W	Moniteau		x	x			B			
Stringtown Br.	C	1.5	Mouth	12,36N,1W	Washington		x	x			B			
Strobel Br.	P	0.7	Mouth	1,44N,14W	Cole		x	x			B			
Strobel Br.	C	2.0	12,44N,14W	35,45N,14W	Cole		x	x			B			
Strobel Br.	C	2.4	Mouth	24,44N,14W	Cole		x	x			B			
Strother Cr.	P	6.0	Mouth	33,34N,1W	Reynolds	Iron	x	x	x		B			
Sugar Br.	P	2.3	Mouth	12,48N,14W	Boone		x	x			B			
Sugar Br.	C	3.0	12,48N,14W	3,48N,14W	Boone		x	x			B			
Sugar Cr.	C	1.6	Mouth	17,51N,13W	Boone		x	x			B			
Sugar Cr.	P	9.5	Mouth	23,41N,11W	Miller	Maries		x	x		B			
Sugar Cr.	C	13.8	Mouth	33,44N,30W	Cass		x	x			B			
Sugar Cr.	C	11.0	Mouth	Sur 1683,50N,1E	Lincoln		x	x			B			
Sugar Cr.	C	3.8	Mouth	33,45N,6W	Gasconade		x	x			B			
Sugar Cr.	C	5.5	Mouth	20,43N,5E	Jefferson		x	x			B			
Sugar Cr.	P	3.0	Mouth	2,54N,37W	Platte		x	x			B			
Sugar Cr.	C	6.5	2,54N,37W	28,55N,36W	Platte	Buchanan	x	x			B			
Sugar Cr.	P1	3.8	Mouth	18,64N,6W	Clark		x	x			B			
Sugar Cr.	C	10.2	18,64N,6W	29,65N,7W	Clark		x	x			B			
Sugar Cr.	C	12.0	Mouth	15,62N,7W	Lewis		x	x			B		x	
Sugar Cr.	P	8.0	Mouth	22,62N,26W	Grundy	Harrison	x	x			B			
Sugar Cr.	C	12.0	22,62N,26W	35,63N,27W	Harrison		x	x			B			
Sugar Cr.	C	6.3	Mouth	18,61N,15W	Adair		x	x			B			
Sugar Cr.	P	6.8	Mouth	Sugar Cr. Lake Dam	Randolph		x	x			B			
Sugar Cr.	C	1.5	Mouth	36,55N,3W	Pike		x	x			B			
Sugar Fk.	P	1.0	Mouth	5,23N,33W	McDonald		x	x			B			
Sugar Tree Br.	C	3.5	Mouth	34,52N,15W	Howard		x	x			B			
Sugarcamp Hollow	C	2.5	Mouth	17,23N,26W	Barry		x	x					x	
Sulphur Cr.	P	2.1	Mouth	15,51N,2W	Lincoln		x	x			B			
Sulphur Cr.	C	9.3	15,51N,2W	19,52N,2W	Lincoln	Pike	x	x			B			
Sulphur Cr.	C	1.8	Mouth	9,31N,4E	Iron		x	x			B			
Sulphur Cr.	P	5.5	Mouth	30,49N,16W	Howard		x	x			B			
Sulphur Cr.	C	7.0	30,49N,16W	26,50N,17W	Howard		x	x			B			
Summers Cr.	C	1.0	Mouth	19,32N,9E	Bollinger		x	x			B			
Surratt Cr.	C	1.2	Mouth	26,25N,19W	Christian		x	x			B			
Sutton Br.	P	0.5	Mouth	35,32N,2E	Reynolds		x	x			B			
Sutton Cr.	P	1.0	Mouth	12,29N,4W	Shannon		x	x			B			
Sutton Hollow	C	0.5	Mouth	36,31N,3E	Iron		x	x			B			
Swan Cr.	C	2.2	Mouth	8,42N,8W	Osage		x	x			B			
Swan Cr.	P	36.8	Mouth	4,26N,18W	Taney	Christian	x	x	x	x	A		x	
Swan Cr.	C	2.0	4,26N,18W	34,27N,18W	Christian	Douglas	x	x			B			
Swede Br.	C	0.4	Mouth	32,37N,21W	Hickory		x	x			B			
Sweet Hollow	C	2.7	Mouth	27,36N,17W	Laclede		x	x			B			
Sweet Spring Cr.	C	11.2	Mouth	18,53N,14W	Randolph		x	x			B		x	
Sweeten Cr.	C	1.6	Mouth	26,22N,13W	Ozark		x	x			B			
Sweetwater Br.	P	1.0	Mouth	30,34N,7E	Madison		x	x			B			
Sweetwater Br.	C	1.7	30,34N,7E	28,34N,7E	Madison		x	x			B			
Sweetwater Cr.	P	3.0	Mouth	28,31N,2W	Reynolds		x	x			B			
Sweezer Cr.	C	4.9	Mouth	20,58N,15W	Macon		x	x			B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Swift Cr.	C	1.0	Mouth	15,26N,5E	Butler			x	x				B		
Swift Ditch	C	4.0	26,23N,14E	2,23N,14E	New Madrid			x	x				B		
Sycamore Br.	P	4.5	Mouth	7,29N,26W	Lawrence			x	x				B		
Sycamore Cr.	P	3.7	Mouth	20,29N,24W	Greene			x	x				B		
Sycamore Cr.	C	1.0	Mouth	15,27N,3W	Shannon			x	x				B		
Tabo Cr.	P	11.4	Mouth	27,50N,26W	Lafayette			x	x				B		
Tabo Cr.	C	8.4	27,50N,26W	20,49N,26W	Lafayette			x	x				B		
Tabor Cr.	P	5.6	Mouth	9,24N,10W	Douglas	Howell		x	x				B		
Tabor Cr.	C	3.7	9,24N,10W	11,24N,10W	Howell			x	x				B		
Tanyard Cr.	C	4.0	Mouth	9,50N,16W	Howard			x	x				B		
Tarbutton Cr.	P	2.0	Mouth	4,26N,14W	Douglas			x	x				B		
Tarkio R.	P	33.5	Mouth	State Line	Holt	Atchison	x	x	x				B	x	x
Tater Hill Cr.	C	7.7	Mouth	27,55N,24W	Carroll			x	x				B		
Taum Sauk Cr.	C	4.0	Mouth	14,33N,2E	Reynolds			x	x				B		
Tavern Cr.	P	39.2	Mouth	5,38N,12W	Miller			x	x	x			A	x	
Tavern Cr.	C	10.6	5,38N,12W	12,37N,13W	Miller	Pulaski		x	x	x			A		
Tavern Cr.	P	2.7	Mouth	12,44N,2E	Franklin			x	x				B		
Taylor Br.	C	1.2	Mouth	27,36N,6E	St. Francois			x	x				B		
Teague Br.	C	5.8	Mouth	1,33N,27N	Cedar			x	x				B		
Tebo Cr.	P	4.0	Mouth	6,42N,24W	Henry			x	x				B		
Tebo Cr.	C	0.5	6,42N,24W	31,43N,24W	Henry			x	x				B		
Tebo Cr.	C	3.1	Mouth	19,44N,21W	Pettis			x	x				B		
Teeter Cr.	C	3.0	Mouth	20,25N,14W	Douglas			x	x				B		
Tenmile Cr.	P	9.3	Mouth	10,25N,4E	Butler			x	x				A	x	
Tenmile Cr.	C	14.2	10,25N,4E	29,26N,3E	Butler	Carter		x	x				A	x	
Tenmile Pond	C	5.1	28,24N,16E	2,24N,16E	Mississippi			x	x				B		
Tennessee Cr.	C	8.0	Mouth	34,44N,31W	Cass			x	x				B		
Terrell Br.	P	2.2	Mouth	17,28N,18W	Webster			x	x				B		
Terre Bleue Cr.	P	6.3	Mouth	Sur	St. Francois			x	x	x			A		
Terre Bleue Cr.	C	6.0	Sur	Sur	St. Francois			x	x				B		
Terrell Cr.	P	1.0	Mouth	2,27N,23W	Christian			x	x		x		B		
Terrell Cr.	P	3.7	2,27N,23W	5,27N,23W	Christian			x	x				B		
Terrell Cr.	C	1.0	5,27N,23W	6,27N,23W	Christian			x	x				B		
Terrell Cr.	P	1.0	6,27N,23W	1,27N,24W	Christian			x	x				B		
Thief Cr.	C	3.6	Mouth	12,66N,16W	Schuyler			x	x				B		
Third Cr.	P	4.5	Mouth	5,42N,6W	Osage	Gasconade		x	x				B		
Third Cr.	C	6.5	5,42N,6W	7,42N,5W	Gasconade			x	x				B		
Third Fk. Platte R.	C	33.7	Mouth	25,61N,33W	Buchanan	Gentry		x	x				B	x	
Thomas Cr.	C	8.8	Mouth	3,35N,20W	Hickory	Dallas		x	x				B		
Thompson Br.	C	1.0	Mouth	1,62N,31W	Gentry			x	x				B		
Thompson Br.	C	0.5	Mouth	5,47N,14W	Moniteau			x	x				B		
Thompson Cr.	C	1.6	Mouth	12,59N,27W	Daviess			x	x				B		
Thompson R.	P	70.6	Mouth	State Line	Livingston	Harrison	x	x	x				B		x
Three Hill Cr.	C	4.4	Mouth	7,37N,4E	St. Francois			x	x				B	x	
Threemile Cr.	C	2.4	Mouth	21,40N,4W	Franklin	Crawford		x	x				B		
Thurman Cr.	P	3.0	Mouth	30,27N,32W	Newton			x	x				B		
Tick Cr.	C	4.4	Mouth	28,38N,9W	Phelps			x	x					x	
Tiff Cr.	P	2.1	Mouth	04,38N,04E	Jefferson			x	x				B		
Tiger Fk.	C	14.0	Mouth	10,59N,10W	Shelby			x	x				B		
Tobin Cr.	C	8.0	Mouth	34,65N,12W	Scotland			x	x				B		
Toby Hollow	C	1.7	Mouth	Toby Sprg.	Camden			x	x				B		

IRR-LWWS AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Todd Cr.	C	9.9	Mouth	15,52N,34W	Platte		x	x				B		x	
Todd Hollow	C	0.5	Mouth	34,35N,3W	Crawford		x	x				B			
Todd Hollow	C	1.0	Mouth	3,36N,2W	Crawford		x	x				B			
Tombstone Cr.	P	2.7	Mouth	26,62N,26W	Harrison		x	x				B			
Tombstone Cr.	C	3.9	26,62N,26W	28,62N,26W	Harrison		x	x						x	
Toms Cr.	C	2.2	Mouth	10,32N,2W	Reynolds		x	x						x	
Tory Cr.	P	2.8	Mouth	27,26N,22W	Stone	Christian	x	x			x	B			
Town Br.	P	0.8	Mouth	13,36N,1W	Washington		x	x				B			
Town Br.	C	1.8	13,36N,1W	18,36N,1E	Washington		x	x				B			
Town Br.	P	2.5	Mouth	12,33N,23W	Polk		x	x				B			
Townsend Slough	C	1.7	Mouth	21,37N,32W	Vernon		x	x				B			
Towstring Cr.	C	7.7	Mouth	20,56N,22W	Livingston		x	x				B			
Tr. to Blue Shawnee Cr.	C	1.8	Mouth	21,33N,13E	Cape Girardeau		x	x				B			
Tr. to Bois Brule Ditch	C	1.0	Mouth	Sur	Perry		x	x				B			
				1870,36N,11E											
Tr. to Isle du Bois Cr.	C	1.0	Mouth	14,39N,6E	Ste. Genevieve		x	x				B			
Tr. to N. Pr. Beaverdam Cr.	C	1.0	Mouth	19,25N,4E	Ripley		x	x				B			
Tr. to O. Ch. Nishnabotna R.	C	0.9	Mouth	17,64N,41W	Atchison		x	x				B			
Tr. to O. Ch. Nishnabotna R.	C	2.0	Mouth	30,66N,41W	Atchison		x	x				B			
Tr. to Woods Fk. Gasconade	C	2.3	2,29N,16W	15,29N,16W	Wright		x	x				B			
Trace Cr.	P	1.3	Mouth	1,35N,1W	Washington		x	x				B			
Trace Cr.	C	1.3	1,35N,1W	6,35N,1E	Washington		x	x				B			
Trace Cr.	C	6.2	Mouth	29,32N,6E	Madison		x	x				B			
Trace Cr.	P	4.0	Mouth	4,30N,8E	Wayne	Bollinger	x	x		x		B			
Trace Cr.	C	3.4	4,30N,8E	26,31N,8E	Bollinger	Madison	x	x				B			
Trail Cr.	C	4.0	Mouth	10,24N,12W	Ozark		x	x				B			
Trail Cr.	P	4.7	Mouth	Hwy. 136	Harrison		x	x				B			
Trail Cr.	C	5.0	Hwy. 136	19,64N,26W	Harrison		x	x				B			
Trib to Bates Cr.	C	1.0	Mouth	16,37N,02E	Washington		x	x				B			
Trib to Coon Cr.	C	0.5	Mouth	2,45N,22W	Pettis		x	x						x	
Trib to Coon Cr.	C	1.8	Mouth	12,45N,22W	Pettis		x	x						x	
Trib to Crabapple Cr.	C	1.3	Mouth	2,53N,26W	Ray		x	x				B			
Trib to E. Fk Postoak Cr.	C	2.0	Mouth	34,45N,26W	Johnson		x	x				B			
Trib to E. Fk Postoak Cr.	C	3.9	Mouth	23,44N,26W	Johnson		x	x				B			
Trib to L. Whitewater Cr.	C	1.0	16,33N,9E	17,33N,9E	Bollinger		x	x				B			
Trib to Pomme de Terre Res.	C	1.5	Mouth	30,36N,22W	Hickory		x	x				B			
Trib to Roubidoux Cr.	C	3.6	Mouth	7,33N,11W	Pulaski	Texas	x	x				B			
Trib to trib to Bois Brule Ditch	C	1.6	9,36N,11E	Sur	Perry		x	x						x	
				147,37N,11E											
Trib to Trib. to S. Moreau Cr.	C	1.2	Mouth	30,43N,15W	Moniteau		x	x				B			
Trib. Headwater Div.	P	1.5	Mouth	31,30N,12E	Cape Girardeau		x	x				B			
Trib. Headwater Div.	C	1.0	31,30N,12E	36,30N,11E	Cape Girardeau		x	x				B			
Trib. M. Fk. Big Cr.	C	1.6	Mouth	24,31N,6E	Madison		x	x				B			
Trib. M. Fk. Grand R.	C	1.4	Mouth	State Line	Worth		x	x				B			
Trib. M. Fk. Salt R.	C	1.0	Mouth	22,59N,14W	Macon		x	x				B			
Trib. M. Fk. Tebo Cr.	C	1.7	19,43N,24W	17,43N,24W	Henry		x	x				B			
Trib. M. Fk. Tebo Cr.	C	0.5	9,43N,24W	3,43N,24W	Henry		x	x				B			
Trib. M. Fk. Tebo Cr.	C	0.5	Mouth	5,43N,24W	Henry		x	x				B			
Trib. M. Fk. Tebo Cr.	C	3.1	Mouth	36,44N,25W	Henry		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. Old Mines Cr.	C	1.5	Mouth	32,39N,3E	Washington		x	x				B			
Trib. to Alley Br.	C	1.6	Mouth	22,29N,5W	Shannon		x	x				B			
Trib. to Apple Cr.	C	4.7	Mouth	Hwy. 51	Perry		x	x				B			
Trib. to Apple Cr.	C	2.1	Mouth	16,34N,10E	Perry		x	x				B			
Trib. to Atwell Cr.	C	3.2	Mouth	05,38N,11W	Miller	Maries	x	x				B			
Trib. to Baileys Cr.	C	0.8	Mouth	06,45N,06W	Gasconade		x	x				B			
Trib. to Baileys Cr.	P	0.8	Mouth	32,45N,07W	Osage		x	x				B			
Trib. to Baileys Cr.	C	0.5	Mouth	27,45N,7W	Osage		x	x				B			
Trib. to Barkers Cr.	C	1.0	Mouth	15,42N,24W	Henry		x	x				B			
Trib. to Barn Hollow	C	1.3	Mouth	4,27N,7W	Texas	Howell	x	x				B			
Trib. to Barren Fk.	C	1.0	Mouth	31,39N,13W	Miller		x	x				B			
Trib. to Barren Fork	C	1.5	Mouth	36,44N,05W	Gasconade		x	x				B			
Trib. to Basin Fk.	C	3.7	Mouth	23,44N,23W	Pettis		x	x				B			
Trib. to Basin Fk.	C	3.1	Mouth	36,45N,23W	Pettis		x	x				B			
Trib. to Bauer Br.	C	3.0	Mouth	28,43N,21W	Benton		x	x				B			
Trib. to Beaver Cr.	C	1.0	Mouth	25,29N,12W	Texas		x	x				B			
Trib. to Beaver Cr.	C	1.0	Mouth	23,24N,18W	Taney		x	x				B			
Trib. to Beaverdam Cr.	C	0.7	Mouth	25,47N,23W	Pettis		x	x				B			
Trib. to Beaverdam Cr.	C	0.8	Mouth	24,47N,23W	Pettis		x	x				B			
Trib. to Bee Cr.	C	1.8	Mouth	3,54N,35W	Platte		x	x				B			
Trib. to Beeler Br.	C	1.4	Mouth	29,28N,10W	Texas		x	x				B			
Trib. to Benton Cr.	P	0.7	Mouth	5,36N,5W	Crawford		x	x				B			
Trib. to Big Berger Cr.	C	0.8	Mouth	35,45N,4W	Franklin		x	x				B			
Trib. to Big Br.	C	1.2	Mouth	14,44N,04W	Franklin		x	x				B			
Trib. to Big Buffalo Cove	C	0.8	Mouth	35,41N,20W	Benton		x	x				B			
Trib. to Big Buffalo Cr.	C	0.6	Mouth	12,41N,20W	Benton		x	x				B			
Trib. to Big Cr.	C	3.0	Mouth	4,29N,8W	Texas		x	x				B			
Trib. to Big Cr.	C	2.2	Mouth	2,29N,8W	Texas		x	x				B			
Trib. to Big Cr.	C	1.0	Mouth	24,31N,3E	Iron		x	x				B			
Trib. to Big Cr.	C	1.4	Mouth	35,32N,3E	Iron		x	x				B			
Trib. to Big Lake Bayou	C	3.1	Mouth	19,27N,16E	Mississippi		x	x				B			
Trib. to Big Otter Cr.	C	1.0	Mouth	32,40N,25W	Henry		x	x				B			
Trib. to Big R.	C	1.0	Mouth	26,39N,3E	Washington		x	x					x		
Trib. to Big R.	C	1.0	Mouth	2,36N,3E	Washington		x	x				B			
Trib. to Billies Cr.	C	2.1	Mouth	10,29N,25W	Lawrence		x	x				B			
Trib. to Bird Br.	C	0.6	Mouth	14,41N,22W	Benton		x	x				B			
Trib. to Black R.	C	2.0	Mouth	11,30N,2E	Reynolds		x	x				B			
Trib. to Blackwater R.	C	1.1	Mouth	24,48N,22W	Saline	Pettis	x	x				B			
Trib. to Blackwater R.	C	0.7	Mouth	19,48N,22W	Saline	Pettis	x	x				B			
Trib. to Blackwater R.	C	0.5	Mouth	21,48N,23W	Pettis		x	x				B			
Trib. to Blackwater R.	C	1.7	Mouth	29,48N,23W	Pettis		x	x				B			
Trib. to Boeuf Cr.	C	1.5	Mouth	35,45N,3W	Franklin		x	x				B			
Trib. to Boeuf Cr.	C	1.5	Mouth	17,44N,3W	Franklin		x	x				B			
Trib. to Boeuf Cr.	C	1.2	Mouth	17,44N,2W	Franklin		x	x				B			
Trib. to Boeuf Cr.	C	0.2	Mouth	12,43N,04W	Franklin		x	x				B			
Trib. to Boeuf Cr.	C	1.3	Mouth	08,42N,04W	Gasconade		x	x				B			
Trib. to Bois Brule Cr.	C	0.9	Mouth	15,42N,13W	Cole		x	x				B			
Trib. to Bois Brule Cr.	C	0.7	Mouth	24,42N,13W	Cole		x	x				B			
Trib. to Bois Brule Ditch	P	1.7	Mouth	4,36N,11E	Perry		x	x				B			
Trib. to Boone Cr.	C	0.3	Mouth	15,40N,03W	Crawford		x	x				B			
Trib. to Bourbeuse R.	C	2.0	Mouth	14,40N,06W	Hwy. B	Gasconade	x	x				B			
Trib. to Bourbeuse R.	P	0.2	Mouth	14,40N,06W	Gasconade		x	x				B			
Trib. to Brazeau Cr.	P	2.2	Mouth	7,34N,13E	Perry		x	x				B			

IRR-Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering

CDF-Cold Water Fishery

DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

WBC-Whole Body Contact Recreation

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Brazeau Cr.	C	1.0	7,34N,13E	12,34N,12E	Perry		x	x							B
Trib. to Brewers Cr.	C	0.5	Mouth	19,34N,5E	Madison		x	x							B
Trib. to Brock Cr.	C	1.0	Mouth	35,36N,1E	Washington		x	x							B
Trib. to Brush Cr.	C	1.9	Mouth	15,42N,23W	Benton		x	x							B
Trib. to Brush Cr.	C	1.7	Mouth	24,42N,9W	Osage		x	x							B
Trib. to Brush Cr.	C	1.5	Mouth	19,42N,8W	Osage		x	x							B
Trib. to Brush Cr.	C	1.0	Mouth	34,40N,5W	Crawford		x	x							B
Trib. to Brush Cr.	C	1.0	Mouth	25,40N,5W	Crawford		x	x							B
Trib. to Brush Cr.	C	1.4	Mouth	30,36N,25W	St. Clair		x	x							B
Trib. to Brush Cr.	C	0.4	Mouth	28,36N,25W	St. Clair		x	x							B
Trib. to Brush Cr.	C	0.1	Mouth	26,39N,05W	Crawford		x	x							B
Trib. to Brush Cr.	C	1.0	Mouth	34,43N,14W	Cole		x	x							B
Trib. to Bryant Cr.	C	1.8	Mouth	14,24N,13W	Ozark		x	x							B
Trib. to Bryants Cr.	C	3.0	Mouth	17,51N,1E	Lincoln		x	x							B
Trib. to Bryants Cr.	C	1.7	Mouth	20,51N,1E	Lincoln		x	x							B
Trib. to Bucklick Cr.	C	1.5	Mouth	24,44N,3W	Franklin		x	x							B
Trib. to Bucklick Cr.	C	1.3	Mouth	29,44N,2W	Franklin		x	x							B
Trib. to Burris Fk.	C	0.5	Mouth	34,44N,16W	Moniteau		x	x							B
Trib. to Burris Fk.	C	0.5	Mouth	3,43N,16W	Moniteau		x	x							B
Trib. to Busch Cr.	C	3.0	Mouth	34,44N,1W	Franklin		x	x							x
Trib. to Busch Cr.	C	1.8	Mouth	35,44N,1W	Franklin		x	x							B
Trib. to Butcher Cr.	C	1.0	Mouth	22,48N,1E	Lincoln		x	x							B
Trib. to Byrd Cr.	C	1.0	Mouth	Sur	Cape Girardeau		x	x							B
				2236,32N,12E											
Trib. to Camp Br.	C	1.0	Mouth	24,45N,22W	Pettis		x	x							B
Trib. to Camp Br.	C	0.7	Mouth	23,45N,22W	Pettis		x	x							B
Trib. to Camp Br.	C	0.8	Mouth	29,45N,22W	Pettis		x	x							B
Trib. to Camp Cr.	C	1.1	Mouth	20,36N,6E	St. Francois		x	x							B
Trib. to Cane Cr.	P	1.3	Mouth	Sur	Cape Girardeau		x	x							B
				2138,32N,12E											
Trib. to Cane Cr.	C	0.8	Mouth	10,26N,4E	Butler		x	x							B
Trib. to Cane Cr.	C	1.0	Mouth	8,26N,4E	Butler		x	x							B
Trib. to Cane Cr.	C	1.2	Mouth	35,26N,4E	Butler		x	x							B
Trib. to Caney Cr.	C	1.9	Mouth	12,24N,17W	Taney		x	x							A
Trib. to Cape La Croix Cr.	C	1.7	Sur	11,31N,13E	Cape Girardeau		x	x							
				3314,31N,13E											
Trib. to Capps Cr.	P	1.0	Mouth	14,25N,29W	Newton		x	x							B
Trib. to Castile Cr.	C	1.2	Mouth	3,56N,32W	Clinton		x	x							B
Trib. to Castor R.	P	1.8	Mouth	5,28N,9E	Bollinger		x	x							B
Trib. to Castor R.	C	0.5	5,28N,9E	Hwy. 51	Bollinger		x	x							B
Trib. to Castor R.	C	1.5	Mouth	16,28N,10E	Bollinger	Stoddard	x	x							B
Trib. to Castor R.	C	1.0	Mouth	25,34N,7E	Madison		x	x							B
Trib. to Castor R.	P	3.0	Mouth	23,34N,7E	Madison		x	x							B
Trib. to Cedar Cr.	C	0.5	Mouth	32,46N,11W	Callaway		x	x							B
Trib. to Center Cr.	C	1.0	Mouth	21,27N,29W	Newton		x	x							B
Trib. to Cherry Valley Cr.	C	1.2	Mouth	9,37N,3W	Crawford		x	x							B
Trib. to Clark Fk.	C	0.5	Mouth	15,47N,16W	Cooper		x	x							
Trib. to Clear Cr.	C	1.0	Mouth	21,36N,2E	Washington		x	x							B
Trib. to Clear Cr.	C	0.4	Mouth	23,44N,25W	Johnson		x	x							B
Trib. to Clear Cr.	C	1.6	Mouth	26,39N,06W	Phelps		x	x							B
Trib. to Clear Cr.	C	1.7	Mouth	05,34N,30W	Vernon		x	x							B
Trib. to Clear Cr.	C	0.9	Mouth	28,42N,23W	Benton		x	x							B
Trib. to Clear Cr.	C	1.8	Mouth	32,34N,30W	Vernon		x	x							B

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation

LWV-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Clear Cr.	C	2.2	Mouth	15,54N,31W	Clinton		x	x				B			
Trib. to Clear Fk.	C	0.8	Mouth	15,44N,25W	Johnson		x	x						x	
Trib. to Clear Fk.	C	2.0	Mouth	04,44N,25W	Johnson		x	x				B			
Trib. to Coon Cr.	C	2.0	Mouth	32,54N,13W	Randolph		x	x				B			
Trib. to Coopers Cr.	C	3.2	Mouth	4,39N,26W	St. Clair		x	x				B			
Trib. to Courtois Cr.	C	1.2	Mouth	31,37N,1W	Washington		x	x				B			
Trib. to Crane Cr.	C	0.9	Mouth	14,36N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	0.8	Mouth	15,36N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	1.9	Mouth	2,36N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	1.0	Mouth	29,37N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	0.2	Mouth	01,36N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	0.4	Mouth	01,36N,21W	Hickory		x	x				B			
Trib. to Crane Cr.	C	0.1	Mouth	31,37N,21W	Hickory		x	x				B			
Trib. to Crider Cr.	C	0.9	Mouth	11,41N,7W	Osage		x	x				B			
Trib. to Crooked Cr.	C	1.0	Mouth	31,37N,4W	Crawford		x	x				B			
Trib. to Crooked Cr.	P	1.0	Mouth	Lk Girardeau Dam	Cape Girardeau		x	x				B			
Trib. to Crooked Cr.	C	1.5	9,30N,11E	5,30N,11E	Cape Girardeau		x	x				B			
Trib. to Crooked Cr.	C	1.0	Mouth	14,30N,10E	Bollinger		x	x				B			
Trib. to Crooked Cr.	C	0.7	Mouth	32,30N,11E	Cape Girardeau		x	x				B			
Trib. To Cub Cr.	C	1.9	Mouth	17,35N,1E	Washington		x	x				B			
Trib. to Davis Cr.	C	3.0	Mouth	3,61N,38W	Holt		x	x						x	
Trib. to Deer Cr.	P	1.0	Mouth	33,45N,08W	Osage		x	x				B			
Trib. to Deer Cr.	C	1.9	33,45N,08W	04,44N,08W	Osage		x	x				B			
Trib. to Deer Cr.	P	0.3	Mouth	06,39N,20W	Benton		x	x				B			
Trib. to Deer Cr.	P	0.8	Mouth	28,40N,20W	Benton		x	x				B			
Trib. to Dillard Cr.	C	1.5	Mouth	20,31N,11E	Cape Girardeau		x	x				B			
Trib. to Dry Cr.	C	1.0	Mouth	15,36N,3W	Crawford		x	x				B			
Trib. to Dry Cr.	C	1.8	Mouth	36,37N,3W	Crawford		x	x				B			
Trib. to Dry Cr.	C	4.8	Mouth	20,25N,9W	Howell		x	x				B			
Trib. to Dry Cr.	C	2.2	Mouth	10,25N,9W	Howell		x	x				B			
Trib. to Dry Fork	C	2.0	Mouth	34,37N,07W	Phelps		x	x				B			
Trib. to Dry Fork	C	0.4	Mouth	27,38N,06W	Phelps		x	x				B			
Trib. to Dunn Spring Cr.	C	1.5	Mouth	Sur 976,44N,1E	Franklin		x	x				B			
Trib. to E. Brush Cr.	C	0.5	Mouth	3,45N,15W	Moniteau		x	x				B			
Trib. to E. Fk. Crooked R.	C	4.8	Mouth	24,54N,28W	Ray		x	x				B			
Trib. to E. Fk. Huzzah Cr.	C	1.0	Mouth	30,34N,2W	Dent		x	x				B			
Trib. to E. Fk. L. Blue R.	P	1.9	Mouth	Lk. Tapawingo Dam	Jackson		x	x				B			
Trib. to E. Fk. Lost Cr.	P	1.0	Mouth	2,27N,7E	Wayne		x	x				B			
Trib. to E. Fk. Lost Cr.	C	1.0	2,27N,7E	2,27N,7E	Wayne		x	x				B			
Trib. to E. Fk. Rock Cr.	C	1.0	Mouth	18,22N,25W	Barry		x	x				B			
Trib. to E. Fk. Rock Cr.	C	1.0	Mouth	11,22N,26W	Barry		x	x				B			
Trib. to E. Fk. Sni-a-bar	C	3.8	Mouth	22,48N,28W	Lafayette		x	x				B			
Trib. to E. Fk. Sni-a-bar	C	2.7	Mouth	19,48N,28W	Lafayette		x	x				B			
Trib. to East Cr.	C	1.3	Mouth	32,46N,32W	Cass		x	x				B			
Trib. to Edmondson Cr.	C	3.1	Mouth	15,52N,20W	Saline		x	x				B			
Trib. to Elk Br.	C	0.2	Mouth	32,46N,22W	Pettis		x	x				B			
Trib. to Elk Fk.	C	0.2	Mouth	16,44N,23W	Pettis		x	x				B			
Trib. to Factory Cr.	P	0.5	Mouth	2,46N,14W	Moniteau		x	x				B			
Trib. to Factory Cr.	C	0.5	2,46N,14W	35,47N,14W	Moniteau		x	x				B			
Trib. to Factory Cr.	C	0.9	Mouth	29,47N,14W	Moniteau		x	x				B		x	
Trib. to First Cr.	C	2.0	Mouth	28,45N,5W	Gasconade		x	x				B			

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

IRR LWW AQL CLF CDF WBC SCR DWS IND
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Flat Cr.	C	2.2	Mouth	26,22N,28W	Barry		x	x				B			
Trib. to Flat Cr.	C	3.2	Mouth	15,45N,20W	Pettis		x	x				B	x		
Trib. to Flat Cr.	C	1.8	Mouth	18,45N,20W	Pettis		x	x				B			
Trib. to Flat Cr.	C	1.5	Mouth	18,45N,21W	Pettis		x	x				B			
Trib. to Flat Cr.	C	1.8	Mouth	24,45N,22W	Pettis		x	x				B			
Trib. to Flat Cr.	C	0.9	Mouth	10,44N,22W	Pettis		x	x				B			
Trib. to Flat Cr.	C	1.4	Mouth	19,44N,22W	Pettis		x	x				B			
Trib. to Flat Cr.	C	2.7	Mouth	07,43N,22W	Pettis		x	x				B			
Trib. to Flat Cr.	C	1.0	Mouth	14,43N,23W	Pettis	Benton	x	x				B			
Trib. to Fleck Cr.	C	2.5	Mouth	28,32N,33W	Barton		x	x				B			
Trib. to Fourche a DuClos Cr.	C	1.0	Mouth	31,38N,7E	Ste. Genevieve		x	x				B			
Trib. to Frene Cr.	C	0.5	Mouth	10,45N,5W	Gasconade		x	x				B			
Trib. to Gasconade R.	C	2.2	Mouth	24,44N,7W	Gasconade	Osage	x	x				B			
Trib. to Gasconade R.	C	0.5	26,29N,16W	34,29N,16W	Wright		x	x				B			
Trib. to Gasconade R.	C	1.4	Mouth	2,38N,9W	Phelps		x	x				B			
Trib. to Gizzard Cr.	C	1.0	Mouth	1,29N,10E	Bollinger		x	x				B			
Trib. to Goose Cr.	C	3.0	Mouth	18,28N,25W	Lawrence		x	x				B			
Trib. to Goose Pond Ditch	C	1.0	Mouth	4,26N,9E	Stoddard		x	x				B			
Trib. to Greasy Cr.	C	2.0	Mouth	15,21N,29W	Barry		x	x				B			
Trib. to Greedy Cr.	P	0.2	Mouth	Hwy B	Gasconade		x	x				B			
Trib. to Grindstone Cr.	C	1.0	Mouth	9,57N,30W	Dekalb		x	x				B			
Trib. to Hamilton Cr.	C	0.9	Mouth	29,40N,1W	Washington		x	x				B			
Trib. to Haw Cr.	P	1.0	Mouth	19,43N,19W	Morgan		x	x				B			
Trib. to Haw Cr.	C	1.0	Mouth	26,43N,20W	Benton		x	x				B			
Trib. to Hazel Cr.	C	0.8	Mouth	22,36N,1E	Washington		x	x				B			
Trib. to Heaths Cr.	C	3.9	Mouth	28,47N,22W	Pettis		x	x				B			
Trib. to Heaths Cr.	C	2.0	Mouth	20,47N,22W	Pettis		x	x				B			
Trib. to Heaths Cr.	C	1.1	Mouth	08,47N,21W	Pettis		x	x				B			
Trib. to Heaths Cr.	C	0.5	Mouth	32,48N,21W	Pettis		x	x				B			
Trib. to Henry Cr.	C	1.2	Mouth	31,44N,21W	Pettis	Benton	x	x				B			
Trib. to Hess Cr.	C	0.7	Mouth	18,47N,21W	Pettis		x	x				B			
Trib. to Hickory Cr.	C	0.6	Mouth	9,60N,25W	Grundy		x	x				B			
Trib. to Higgins Cr.	C	0.5	Mouth	34,43N,12W	Cole		x	x				B			
Trib. to High Cr.	C	2.0	Mouth	14,66N,41W	Atchison		x	x				B			
Trib. to Hinch Cr.	C	1.0	Mouth	34,39N,2W	Crawford		x	x				B			
Trib. to Hinkson Cr.	C	0.5	Mouth	2,49N,12W	Boone		x	x				B			
Trib. to Hogan Fk.	C	2.0	Mouth	13,44N,27W	Johnson		x	x				B			
Trib. to Hogles Cr.	C	1.0	Mouth	26,39N,24W	St. Clair		x	x				B			
Trib. to Hogles Cr.	C	3.3	Mouth	22,37N,23W	Hickory		x	x				B			
Trib. to Hogles Cr.	C	1.1	Mouth	32,39N,23W	Benton		x	x				B			
Trib. to Honey Run	C	0.8	Mouth	6,38N,15W	Camden		x	x				B			
Trib. to Horse Cr.	C	2.0	Mouth	29,32N,28W	Dade		x	x				B			
Trib. to Howell Cr.	C	1.4	Mouth	12,23N,7W	Howell		x	x				B			
Trib. to Huzzah Cr.	C	1.2	Mouth	26,38N,3W	Crawford		x	x				B			
Trib. to Huzzah Cr.	C	1.6	Mouth	29,37N,2W	Crawford		x	x				B			
Trib. to Huzzah Cr.	C	1.2	Mouth	17,35N,2W	Crawford		x	x				B			
Trib. to Huzzah Cr.	C	1.0	Mouth	4,35N,2W	Crawford		x	x				B			
Trib. to Indian Cr.	C	0.6	Mouth	6,40N,1E	Franklin		x	x				B			
Trib. to Indian Cr.	C	2.5	Mouth	15,40N,1W	Washington		x	x				B			
Trib. to Indian Cr.	C	1.1	27,35N,4E	27,35N,04E	St. Francois		x	x				B			
Trib. to Indian Cr.	C	0.3	Mouth	07,35N,01W	Washington		x	x				B	x		
Trib. to Indian Cr.	P	0.9	Mouth	27,35N,4E	St. Francois		x	x				B			

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Indian Cr.	P	0.1	Mouth	35,42N,21W	Benton		x	x				B			
Trib. to Indian Cr.	C	1.9	Mouth	34,42N,20W	Benton		x	x				B			
Trib. to Indian Cr.	C	0.2	Mouth	12,40N,01W	Franklin		x	x				B			
Trib. to Indian Cr.	C	0.9	Mouth	21,40,9W	Maries		x	x				B			
Trib. to Indian Cr.	C	0.4	Mouth	32,38N,03W	Washington		x	x				B			
Trib. to James Cr.	C	1.0	Mouth	22,35N,3W	Crawford		x	x				B			
Trib. to Jenkins Cr.	C	1.8	7,27N,29W	20,27N,29W	Jasper	Newton	x	x				B			
Trib. to Joachim Cr.	C	1.0	Mouth	10,39N,4E	Jefferson		x	x				B			
Trib. to Johns Cr.	C	1.0	Mouth	23,36N,1W	Washington		x	x				B			
Trib. to Knobby Cr.	P	0.9	Mouth	35,40N,20W	Benton		x	x				B			
Trib. to L. Apple Cr.	C	0.5	Mouth	18,33N,12E	Cape Girardeau		x	x				B			
Trib. to L. Beaver Cr.	C	2.3	Mouth	15,37N,8W	Phelps		x	x				B		x	
Trib. to L. Berger Cr.	C	1.0	Mouth	4,45N,4W	Gasconade		x	x				B			
Trib. to L. Boeuf Cr.	C	0.3	Mouth	15,44N,2W	Franklin		x	x				B			
Trib. to L. Boeuf Cr.	C	1.2	Mouth	11,44N,2W	Franklin		x	x				B			
Trib. to L. Bourbeuse R.	C	1.2	Mouth	4,39N,4W	Crawford		x	x				B			
Trib. to L. Bourbeuse R.	C	2.0	Mouth	4,39N,4W	Crawford		x	x				B		x	
Trib. to L. Bourbeuse R.	C	0.1	Mouth	04,39N,07W	Maries		x	x				B			
Trib. to L. Bourbeuse R.	P	1.4	Mouth	02,39N,04W	Crawford		x	x				B			
Trib. to L. Clear Cr.	C	1.0	Mouth	2,36N,28W	St. Clair		x	x				B			
Trib. to L. Deer Cr.	C	0.4	Mouth	24,39N,21W	Benton		x	x				B			
Trib. to L. Dry Wood Cr.	C	1.3	Mouth	02,34N,32W	Vernon		x	x				B			
Trib. to L. Finley Cr.	P	2.0	Mouth	7,28N,17W	Webster		x	x				B			
Trib. to L. Indian Cr.	C	1.0	Mouth	26,40N,1E	Washington		x	x				B			
Trib. to L. Maries Cr.	C	1.5	Mouth	30,42N,10W	Osage		x	x				B			
Trib. to L. Maries R.	C	0.5	Mouth	3,40N,10W	Maries		x	x				B			
Trib. to L. Maries R.	C	0.9	Mouth	11,39N,11W	Maries		x	x				B			
Trib. to L. Maries R.	C	1.8	Mouth	09,40N,10W	Maries		x	x				B			
Trib. to L. Maries R.	C	0.1	Mouth	09,38N,11W	Maries		x	x				B			
Trib. to L. Mill Cr.	C	0.6	Mouth	19,38N,21W	Hickory		x	x				B			
Trib. to L. Moniteau Cr.	C	3.0	Mouth	11,45N,15W	Moniteau		x	x				B			
Trib. to L. Muddy Cr.	C	2.5	Mouth	04,46N,22W	Pettis		x	x				B			
Trib. to L. Muddy Cr.	C	2.9	Mouth	06,46N,22W	Pettis		x	x				B			
Trib. to L. Muddy Cr.	C	1.0	Mouth	14,46N,22W	Pettis		x	x				B			
Trib. to L. N. Fk. Spring R.	C	1.2	Mouth	29,31N,32W	Barton		x	x				B			
Trib. to L. Rocky Cr.	C	1.0	Mouth	1,28N,3W	Shannon		x	x				B			
Trib. to L. Sandy Cr.	C	2.1	Mouth	Sur	Lincoln		x	x				B			
Trib. to L. Splice Cr.	C	1.0	Mouth	1686,51N,1W	Moniteau		x	x				B			
Trib. to L. Tavern Cr.	C	1.1	Mouth	19,47N,14W	Moniteau		x	x				B			
Trib. to L. Tavern Cr.	C	1.1	Mouth	27,40N,11W	Maries		x	x				B			
Trib. to L. Tavern Cr.	C	1.3	Mouth	15,40N,11W	Maries		x	x				B			
Trib. to L. Tavern Cr.	C	1.2	Mouth	22,40N,11W	Maries		x	x				B			
Trib. to L. Tebo Cr.	C	1.5	Mouth	30,42N,22W	Benton		x	x				B			
Trib. to L. Tebo Cr.	C	0.9	Mouth	21,42N,22W	Benton		x	x				B			
Trib. to L. Turkey Cr.	C	1.4	Mouth	3,39N,22W	Benton		x	x				B			
Trib. to L. Weaubleau Cr.	C	0.5	Mouth	12,36N,23W	Hickory		x	x				B			
Trib. to Labadie Cr.	P	1.6	Mouth	6,43N,2E	Franklin		x	x				B			
Trib. to Labadie Cr.	C	0.5	Mouth	1,43N,1E	Franklin		x	x				B		x	
Trib. to Labadie Cr.	C	1.0	Mouth	32,44N,2E	Franklin		x	x				B			
Trib. to LaBarque Cr.	P	1.0	Mouth	4,42N,3E	Jefferson		x	x				B			
Trib. to Lake Cr.	C	1.2	Mouth	17,43N,20W	Benton		x	x				B			
Trib. to Lake Cr.	C	0.6	Mouth	09,43N,20W	Benton		x	x				B			

IRR-Irrigation
 LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

IRR LWW AQL CLF CDF WBC SCR DWS IND
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Lake Cr.	C	4.0	Mouth	02,43N,20W	Pettis	Benton	x	x				B			
Trib. to Lake Niangua	C	0.7	Mouth	19,37N,17W	Camden		x	x				B			
Trib. to Lake of Ozarks	C	1.0	Mouth	17,40N,19W	Camden		x	x				B			
Trib. to Lake of Ozarks	C	0.8	Mouth	5,39N,19W	Camden		x	x				B			
Trib. to Lake of Ozarks	C	0.7	Mouth	11,39N,19W	Camden		x	x				B			
Trib. to Lick Cr.	C	1.2	Mouth	34,39N,4W	Crawford		x	x				B			
Trib. to Lick Log Cr.	C	1.0	Mouth	33,29N,8E	Bollinger		x	x				B			
Trib. to Lindley Cr.	C	3.0	Mouth	34,35N,20W	Dallas		x	x				B			
Trib. to Little Cr.	C	1.0	Mouth	18,24N,15W	Ozark		x	x				B			
Trib. to Lk. Wappapello	P	0.5	Mouth	8,27N,7E	Wayne		x	x				B			
Trib. to Lk. Wappapello	C	0.5	8,27N,7E	9,27N,7E	Wayne		x	x				B			
Trib. to Logan Cr.	C	1.0	Mouth	28,44N,13W	Cole		x	x				B			
Trib. to Long Br.	C	0.4	Mouth	07,45N,23W	Pettis		x	x				B			
Trib. to Lost Cr.	C	1.0	Mouth	18,37N,1E	Washington		x	x				B			
Trib. to Lost Cr.	C	1.0	Mouth	21,37N,1W	Washington		x	x				B			
Trib. to Loutre R.	C	4.0	Mouth	20,50N,7W	Audrain		x	x				B			
Trib. to Macks Cr.	C	1.0	Mouth	18,37N,18W	Camden		x	x				B			
Trib. to Macks Cr.	C	1.0	Mouth	6,37N,18W	Camden		x	x				B			
Trib. to Marble Cr.	C	0.5	Mouth	18,32N,5E	Madison		x	x				B			
Trib. to Marble Cr.	C	1.5	Mouth	22,33N,4E	Iron		x	x				B			
Trib. to Maries R.	C	0.4	Mouth	18,38N,10W	Maries		x	x				B			
Trib. to Maries R.	C	0.7	Mouth	14,38N,11W	Maries		x	x				B			
Trib. to Maries R.	C	1.7	Mouth	9,39N,10W	Maries		x	x				B			
Trib. to Maries R.	C	0.5	Mouth	06,39N,10W	Maries		x	x				B			
Trib. to Maries R.	C	2.5	Mouth	21,42N,10W	Osage		x	x				B			
Trib. to Massey Cr.	C	3.3	Mouth	33,45N,33W	Cass		x	x				B	x		
Trib. to Maupin Br.	P	2.0	Mouth	26,47N,14W	Moniteau		x	x				B			
Trib. to Meramec R.	C	0.8	Mouth	29,38N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	1.4	Mouth	2,36N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	1.3	Mouth	23,36N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	1.5	Mouth	27,36N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	2.0	Mouth	30,36N,4W	Crawford		x	x				B			
Trib. to Meramec R.	C	1.0	Mouth	26,37N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	1.2	Mouth	8,37N,5W	Crawford		x	x				B			
Trib. to Meramec R.	C	2.4	Mouth	2,37N,5W	Crawford		x	x				B			
Trib. to Middle Big Cr.	C	3.6	Mouth	Lake Harrisonville	Cass		x	x				B			
Trib. to Mill Cr.	C	1.8	Mouth	14,37N,15W	Camden		x	x				B			
Trib. to Mill Cr.	C	1.0	Mouth	33,51N,1W	Lincoln		x	x				B			
Trib. to Mill Cr.	C	1.8	Mouth	13,66N,38W	Nodaway		x	x				B			
Trib. to Mill Cr.	C	0.3	Mouth	14,37N,21W	Hickory		x	x				B			
Trib. to Mill Cr.	C	0.6	Mouth	9,37N,21W	Hickory		x	x				B			
Trib. to Mill Cr.	C	0.1	Mouth	10,40N,08W	Maries		x	x				B			
Trib. to Mine a Breton Cr.	C	0.4	Mouth	24,37N,2E	Washington		x	x				B			
Trib. to Mineral Br.	C	0.5	Mouth	16,44N,15W	Moniteau		x	x				B			
Trib. to Mineral Cr.	C	1.0	Mouth	18,44N,25W	Johnson		x	x				B			
Trib. to Mineral Fk.	C	2.0	Mouth	33,39N,3E	Washington		x	x				B			
Trib. to Missouri R.	P1	3.0	Mouth	21,44N,1E	St. Charles		x	x				B			
Trib. to Missouri R.	C	3.1	Mouth	07,44N,01W	Franklin		x	x				B			
Trib. to Missouri R.	C	5.3	Mouth	14,51N,23W	Saline		x	x				B			
Trib. to Moreau R.	C	0.5	Mouth	06,43N,12W	Cole		x	x					x		
Trib. to Moss Cr.	P	0.5	Mouth	12,52N,24W	Carroll		x	x				B			
Trib. to Mud Cr.	C	0.8	Mouth	12,55N,26W	Caldwell		x	x				B			

IRR-Irrigation
 LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Mud Cr.	C	2.0	Mouth	24,55N,26W	Caldwell		x	x				B			
Trib. to Mud Cr.	C	1.0	Mouth	12,55N,26W	Caldwell		x	x				B			
Trib. to Muddy Cr.	C	1.7	Mouth	10,46N,21W	Pettis		x	x				B	x		
Trib. to Muddy Cr.	C	1.9	Mouth	06,45N,22W	Pettis		x	x				B			
Trib. to Muddy Cr.	C	1.1	Mouth	32,46N,22W	Pettis		x	x				B			
Trib. to Muddy Cr.	C	1.0	Mouth	04,45N,22W	Pettis		x	x				B			
Trib. to Muddy Cr.	C	2.5	Mouth	24,46N,23W	Pettis		x	x						x	
Trib. to Muddy Cr.	C	2.0	Mouth	29,60N,22W	Grundy		x	x				B			
Trib. to Murphy Cr.	C	0.5	Mouth	4,36N,14W	Camden		x	x				B			
Trib. to Murphy Cr.	C	1.0	Mouth	34,37N,14W	Camden		x	x				B			
Trib. To N. Br. Wilson Cr.	C	1.3	16,29N,22W	10,29N,22W	Greene		x	x				B			
Trib. to N. Fk. Cuivre R.	C	2.0	Mouth	25,51N,2W	Lincoln		x	x				B			
Trib. to N. Fk. Spring R.	C	5.3	Mouth	31,33N,30W	Barton		x	x				B			
Trib. to N. Fk. White R.	C	1.2	Mouth	34,23N,12W	Ozark		x	x				B			
Trib. to N. Indian Cr.	P	1.3	Mouth	19,24N,30W	Newton		x	x				B			
Trib. to N. Moreau Cr.	C	0.8	Mouth	23,44N,13W	Cole		x	x				B			
Trib. to N. Moreau Cr.	C	0.5	Mouth	8,44N,13W	Cole		x	x				B			
Trib. to N. Moreau Cr.	C	2.4	Mouth	33,45N,15W	Moniteau		x	x							
Trib. to N. Moreau Cr.	C	0.5	Mouth	4,44N,15W	Moniteau		x	x				B			
Trib. to N. Moreau Cr.	C	2.0	Mouth	2,44N,16W	Moniteau		x	x				B			
Trib. to N. Moreau Cr.	C	2.0	Mouth	12,44N,16W	Moniteau		x	x				B			
Trib. to N. Moreau Cr.	C	2.0	Mouth	18,44N,15W	Moniteau		x	x				B			
Trib. to Niangua R.	C	1.2	Mouth	17,37N,17W	Camden		x	x				B			
Trib. to Nichols Cr.	C	1.3	Mouth	29,61N,37W	Holt		x	x				B			
Trib. To Nodaway R.	C	1.0	Mouth	13,60N,37W	Andrew			x	x			B			
Trib. to North Cut Ditch	C	2.0	Mouth	36,29N,14E	Scott		x	x	x			B			
Trib. to North Cut Ditch	C	4.0	Mouth	34,27N,14E	Scott		x	x	x			B			
Trib. to Old Town Br.	C	1.7	Mouth	01,36N,31W	Vernon			x	x			B			
Trib. to Omete Cr.	C	1.3	Mouth	16,35N,12E	Perry		x	x				B			
Trib. to Osage Fk.	P	3.0	Mouth	29,30N,17W	Webster		x	x				B			
Trib. to Osage R.	C	2.0	Mouth	9,43N,10W	Cole		x	x				B			
Trib. to Osage R.	C	0.8	Mouth	9,42N,12W	Cole		x	x				B			
Trib. to Panther Cr.	C	2.4	Mouth	23,57N,26W	Caldwell		x	x				B			
Trib. to Peno Cr.	C	1.0	19,55N,3W	30,55N,3W	Pike		x	x				B			
Trib. to Perche Cr.	C	2.0	Mouth	5,47N,13W	Boone		x	x					x		
Trib. to Perkins Cr.	C	2.0	Mouth	25,30N,8E	Bollinger		x	x				B			
Trib. to Pierce Cr.	C	0.9	Mouth	31,41N,02E	Franklin		x	x				B			
Trib. to Pierce Cr.	C	1.0	Mouth	06,40N,02E	Franklin		x	x				B			
Trib. to Pippin Br.	C	1.5	Mouth	29,37N,20W	Hickory		x	x				B			
Trib. to Pippin Br.	C	0.5	Mouth	26,37N,20W	Hickory		x	x				B			
Trib. to Plattin Cr.	P	1.0	Mouth	13,39N,5E	Jefferson		x	x				B			
Trib. to Pond Cr.	C	1.9	35,38N,3E	11,37N,3E	Washington		x	x				B			
Trib. to Pond Cr.	C	1.0	Mouth	15,29N,8E	Bollinger		x	x				B			
Trib. to Possum Hollow	P	0.5	Mouth	22,27N,7E	Wayne		x	x				B			
Trib. to Possum Hollow	C	0.5	22,27N,7E	15,27N,7E	Wayne		x	x				B			
Trib. to Prairie Cr.	C	1.0	Mouth	24,52N,35W	Platte		x	x				B			
Trib. to Province Br.	C	1.0	Mouth	3,29N,25W	Lawrence		x	x				B			
Trib. to Pruett Cr.	C	1.0	Mouth	21,38N,5W	Crawford		x	x				B			
Trib. to Puncheon Cr.	C	1.5	Mouth	30,44N,5W	Gasconade		x	x				B			
Trib. to Pyatt Hollow	C	1.5	Mouth	24,36N,3W	Crawford		x	x				B			
Trib. to Raccoon Cr.	C	1.0	Mouth	9,61N,25W	Grundy		x	x				B			
Trib. to Red Oak Cr.	P	0.5	Mouth	35,42N,05W	Gasconade		x	x				B			
Trib. to Red Oak Cr.	C	1.9	35,42N,05W	27,42N,05W	Gasconade		x	x						x	

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation
SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Rings Cr.	C	1.0	Mouth	14,29N,4E	Wayne		x	x				B			
Trib. to Rings Cr.	C	0.5	Mouth	26,29N,4E	Wayne		x	x				B			
Trib. to Rockhouse Cr.	C	3.0	Mouth	34,23N,26W	Barry		x	x				B	x		
Trib. to S. Fk. Apple Cr.	C	0.8	Mouth	33,34N,10E	Perry		x	x				B			
Trib. to S. Fk. Blackwater R.	C	1.3	Mouth	3,46N,23W	Pettis		x	x				B			
Trib. to S. Fk. Blackwater R.	C	3.9	Mouth	18,46N,28W	Johnson		x	x				B			
Trib. to S. Fk. Brush Cr.	C	1.7	Mouth	33,35N,24W	Polk		x	x				B			
Trib. to S. Fk. N. Fabius R.	C	4.1	Mouth	30,67N,14W	Schuyler		x	x				B			
Trib. to S. Fk. Saline Cr.	P	2.0	Mouth	3,34N,9E	Perry		x	x				B			
Trib. to S. Fk. Salt R.	C	0.5	Mouth	35,52N,9W	Audrain		x	x				B			
Trib. to S. Fk. Spring R.	P	1.0	Mouth	34,22N,8W	Howell		x	x				B			
Trib. to S. Fk. Weaubleau Cr.	C	7.0	Mouth	25,36N,24W	St. Clair	Hickory	x	x						x	
Trib. to S. Flat Cr.	C	2.4	Mouth	24,43N,22W	Benton		x	x						x	
Trib. to S. Flat Cr.	C	1.1	Mouth	03,43N,21W	Pettis		x	x				B			
Trib. to S. Moreau Cr.	C	1.5	Mouth	28,43N,15W	Moniteau		x	x				B			
Trib. to S. Moreau Cr.	P	0.8	Mouth	31,43N,15W	Moniteau		x	x				B			
Trib. to S. Moreau Cr.	C	1.5	31,43N,15W	25,43N,16W	Moniteau		x	x				B			
Trib. to S. Moreau Cr.	C	0.7	Mouth	25,43N,14W	Cole		x	x				B			
Trib. to S. Moreau Cr.	C	0.5	Mouth	24,43N,13W	Cole		x	x				B			
Trib. to S. Moreau Cr.	C	1.5	Mouth	29,42N,15W	Miller		x	x						x	
Trib. to Salt Cr.	C	1.3	Mouth	17,38N,26W	St. Clair		x	x				B			
Trib. to Sandy Cr.	P	0.1	Mouth	33,42N,04E	Jefferson		x	x				B			
Trib. to Sandy Cr.	P	0.2	Mouth	32,42N,04E	Jefferson		x	x				B			
Trib. to Schawanee Spr. Br.	C	1.2	Mouth	33,35N,11E	Perry		x	x				B			
Trib. to Sellars Cr.	C	1.0	Mouth	6,36N,14W	Camden		x	x				B			
Trib. to Shaver Cr.	C	0.9	Mouth	28,46N,20W	Pettis		x	x				B			
Trib. to Shaver Cr.	C	1.3	Mouth	14,46N,20W	Pettis		x	x				B			
Trib. to Shaver Cr.	C	1.1	Mouth	06,45N,20W	Pettis		x	x				B			
Trib. to Shibboleth Cr.	C	1.3	Mouth	9,38N,3E	Washington		x	x						x	
Trib. to Shoal Cr.	C	1.0	Mouth	34,37N,2W	Crawford		x	x				B			
Trib. to Shoal Cr.	C	0.5	Mouth	34,37N,2W	Crawford		x	x				B			
Trib. to Shoal Cr.	P	1.0	Mouth	10,26N,32W	Newton		x	x				B			
Trib. to Silver Fk.	C	1.5	Mouth	19,51N,11W	Boone		x	x				B			
Trib. to Silver Fk.	C	1.0	Mouth	28,50N,13W	Boone		x	x				B			
Trib. to Spring Cr.	P	1.0	Mouth	18,26N,23W	Stone		x	x				B			
Trib. to Spring Cr.	C	1.1	Mouth	14,38N,08W	Phelps		x	x				B			
Trib. to Spring Cr.	P	0.8	14,38N,08W	10,38N,08W	Phelps		x	x				B			
Trib. to Spring Cr.	C	0.7	Mouth	26,35N,10W	Phelps		x	x				B			
Trib. to Spring Fk.	C	2.5	Mouth	02,43N,21W	Pettis	Benton	x	x				B			
Trib. to Spring Fk.	C	0.7	Mouth	36,44N,21W	Pettis		x	x				B			
Trib. to Spring R.	C	5.0	Mouth	23,29N,33W	Jasper		x	x				B			
Trib. to Spring R.	C	2.7	Mouth	1,28N,28W	Lawrence		x	x				B			
Trib. to Spring R.	C	1.0	16,28N,28W	15,28N,28W	Lawrence		x	x				B			
Trib. to Spring R.	P	2.8	Mouth	5,28N,28W	Lawrence		x	x				B			
Trib. to St. Francis R.	C	1.0	Mouth	9,35N,4E	St. Francois		x	x				B			
Trib. to St. Francis R.	C	1.0	Mouth	33,31N,5E	Madison		x	x				B			
Trib. to St. John's Cr.	C	1.5	Mouth	18,43N,2W	Franklin		x	x				B			
Trib. to Stahl Cr.	C	2.6	Mouth	22,29N,27W	Lawrence		x	x				B			
Trib. to Starks Cr.	C	0.8	Mouth	19,37N,20W	Hickory		x	x				B			
Trib. to Starks Cr.	C	1.1	Mouth	29,38N,20W	Hickory		x	x				B			

IRR-Irrigation LWW-Livestock & Wildlife Watering AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery CDF-Cold Water Fishery WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation DWS-Drinking Water Supply IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Starks Cr.	C	0.5	Mouth	18,37N,20W	Hickory		x	x				B			
Trib. to Starks Cr.	C	1.9	Mouth	18,38N,20W	Hickory		x	x				B			
Trib. to Starks Cr.	C	1.0	Mouth	02,37N,21W	Hickory		x	x				B			
Trib. to Stockton Br.	C	2.0	Mouth	6,34N,26W	Cedar		x	x				B			
Trib. to Stouts Cr.	C	0.5	Mouth	6,33N,5E	Madison		x	x				B			
Trib. to Stouts Cr.	C	1.0	Mouth	6,33N,5E	Madison		x	x				B			
Trib. to Stouts Cr.	C	1.3	Mouth	36,34N,03E	Iron		x	x				B			
Trib. to Strobel Br.	C	0.5	Mouth	1,44N,14W	Cole		x	x				B			
Trib. to Strobel Br.	C	0.5	Mouth	36,45N,14W	Cole		x	x				B		x	
Trib. to Sweetwater Br.	C	1.0	Mouth	19,34N,7E	Madison		x	x				B			
Trib. to Tater Hill Cr.	C	2.0	Mouth	22,55N,24W	Carroll		x	x				B			
Trib. to Tavern Cr.	C	0.1	Mouth	01,44N,02E	Franklin		x	x				B			
Trib. to Third Cr.	C	1.0	Mouth	5,42N,6W	Gasconade		x	x				B			
Trib. to Third Cr.	C	0.7	Mouth	6,42N,6W	Gasconade		x	x				B			
Trib. to Thomas Cr.	C	0.5	Mouth	26,36N,20W	Dallas		x	x				B			
Trib. to Trib. M. Fk. Tebo Cr.	C	1.3	Mouth	36,44N,25W	Henry		x	x				B			
Trib. to Trib. to Wolf Cr.	C	0.8	Mouth	32,36N,6E	St. Francois		x	x				B			
Trib. To trib. to Flat Cr.	C	2.1	Mouth	13,45N,20W	Pettis		x	x				B			
Trib. to trib. to Heaths Cr.	C	1.5	Mouth	27,47N,22W	Pettis		x	x				B			
Trib. to Trib. to Weaubleau Cr.	C	0.8	Mouth	15,36N,23W	Hickory		x	x				B			
Trib. to Turkey Cr.	C	2.2	Mouth	2,31N,24W	Polk		x	x				B			
Trib. to Turkey Cr.	C	0.3	Mouth	09,38N,21W	Hickory		x	x				B			
Trib. to Turkey Cr.	C	2.4	Mouth	14,38N,21W	Hickory		x	x				B			
Trib. to Turkey Cr.	C	1.0	Mouth	23,38N,21W	Hickory		x	x				B			
Trib. to Turkey Cr.	C	0.5	Mouth	20,47N,21W	Pettis		x	x				B			
Trib. to Turkey Cr.	C	1.7	Mouth	33,39N,21W	Benton		x	x				B			
Trib. to Turkey Cr.	C	1.0	Mouth	29,57N,26W	Caldwell		x	x				B			
Trib. to Turkey Cr.	C	0.5	Mouth	17,59N,16W	Macon		x	x				B			
Trib. to Turnback Cr.	P	1.0	Mouth	24,29N,26W	Lawrence		x	x				B			
Trib. to Twelve Mile Cr.	C	1.0	Mouth	6,31N,7E	Madison		x	x				B			
Trib. to Unnamed trib to Atwell Cr.	C	0.6	Mouth	07,38N,11W	Maries		x	x				B			
Trib. to W. Fk. Clear Cr.	C	0.8	Mouth	35,36N,30W	Vernon		x	x				B			
Trib. to W. Fk. Finney Cr.	C	0.8	Mouth	7,49N,21W	Saline		x	x				B			
Trib. to W. Fk. Lost Cr.	C	0.5	Mouth	13,28N,6E	Wayne		x	x				B			
Trib. to W. Fk. Lost Cr.	C	2.8	Mouth	Maysville Lake	Dekalb		x	x				B		x	
Trib. to W. Fk. Lost Cr.	C	2.6	Mouth	9,58N,31W	Dekalb		x	x				B			
Trib. to W. Fk. Niangua R.	P	1.5	Mouth	19,31N,18W	Webster		x	x				B			
Trib. to W. Fk. Postoak Cr.	C	1.4	Mouth	36,45N,27W	Johnson		x	x				B			
Trib. to W. Fk. Roubidoux Cr.	C	2.2	Mouth	33,31N,11W	Texas		x	x				B			
Trib. to W. Mill Cr.	C	0.8	Mouth	19,37N,3E	Washington		x	x				B			
Trib. to W. Muddy Cr.	P	0.5	Mouth	31,64N,24W	Mercer		x	x				B			
Trib. to Wade Cr.	C	2.0	Mouth	33,44N,25W	Henry		x	x				B			
Trib. to Wallace Cr.	P	1.8	Mouth	07,40N,06W	Gasconade		x	x				B			
Trib. to Wallen Cr.	P	1.0	Mouth	4,36N,3E	Washington		x	x				B			
Trib. to Wallen Cr.	C	1.5	4,36N,3E	32,37N,3E	Washington		x	x				B			
Trib. to Watery Fk.	C	1.0	Mouth	5,34N,4W	Dent		x	x				B			
Trib. to Weaubleau Cr.	C	0.8	Mouth	19,36N,23W	Hickory		x	x				B			
Trib. to Weaubleau Cr.	C	0.5	Mouth	3,35N,23W	Hickory		x	x				B			
Trib. to Weaubleau Cr.	C	1.3	Mouth	02,35N,23W	Hickory		x	x				B			
Trib. to Weaubleau Cr.	C	1.3	Mouth	26,36N,23W	Hickory		x	x				B			

IRR-Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering CDF-Cold Water Fishery DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption WBC-Whole Body Contact Recreation IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Trib. to Weableau Cr.	C	1.5	Mouth	23,36N,23W	Hickory		x	x				B			
Trib. to Weidensaul Holl.	C	1.0	Mouth	35,23N,13W	Ozark		x	x				B			
Trib. to White Oak Cr.	C	0.5	Mouth	25,42N,13W	Cole		x	x				B			
Trib. to White Oak Cr.	C	6.3	Mouth	24,29N,28W	Lawrence		x	x				B			
Trib. to Whitewater R.	C	1.7	Mouth	3,30N,11E	Cape Girardeau		x	x				B			
Trib. to Whittenburg Cr.	C	1.0	Mouth	12,37N,4W	Crawford		x	x				B			
Trib. to Wildcat Cr.	C	2.0	Mouth	30,63N,32W	Gentry		x	x				B			
Trib. to Wildcat Cr.	C	2.0	Mouth	32,63N,33W	Nodaway		x	x				B			
Trib. to Williams Cr.	P	1.0	Mouth	Sur	Cape Girardeau		x	x				B			
Trib. to Willow Fk.	C	0.5	Mouth	256,30N,13E 27,45N,17W	Moniteau		x	x							
Trib. to Wolf Cr.	P	1.1	Mouth	32,36N,6E	St. Francois		x	x				B			
Trib. to Wolf Cr.	C	1.5	32,36N,6E	Sur 349,36N,6E	St. Francois		x	x				B			
Trib. to Workman Cr.	P	0.5	Mouth	13,45N,13W	Cole		x	x				B			
Trib. to Yadkin Cr.	C	3.7	Mouth	12,37N,5W	Crawford		x	x				B			
Trib. to Yellow Cr.	C	1.0	Mouth	32,38N,26W	St. Clair		x	x				B			
Trinity Hollow	P	1.6	Mouth	13,38N,23W	Benton	Hickory	x	x				B			
Troesser Cr.	C	0.7	Mouth	18,44N,8W	Osage		x	x				B			
Troublesome Cr.	P	4.8	Mouth	15,59N,7W	Marion		x	x				B	x		
Troublesome Cr.	C	41.3	15,59N,7W	5,61N,10W	Marion	Knox	x	x				B	x		
Truitt Cr.	P	1.5	Mouth	23,28N,27W	Lawrence		x	x				B			
Truitt Cr.	C	6.4	23,28N,27W	32,29N,26W	Lawrence		x	x							
Tub Cr.	C	1.0	Mouth	31,56N,28W	Caldwell		x	x				B			
Tunas Br.	C	2.7	Mouth	33,36N,19W	Dallas		x	x				B			
Tuque Cr.	P	5.4	Mouth	16,45N,1W	Warren		x	x				B	x		
Tuque Cr.	C	2.3	16,45N,1W	3,45N,1W	Warren		x	x				B			
Turkey Cr.	P	17.9	Mouth	05,38N,21W	Benton		x	x	x			B			
Turkey Cr.	C	15.9	Mouth	21,35N,25W	St. Clair	Cedar	x	x				A			
Turkey Cr.	P	6.0	Mouth	27,32N,24W	Polk		x	x				B			
Turkey Cr.	C	3.3	Mouth	3,53N,10W	Monroe		x	x				B			
Turkey Cr.	P	2.0	Mouth	32,33N,14E	Cape Girardeau		x	x				B			
Turkey Cr.	C	2.2	32,33N,14E	36,33N,13E	Cape Girardeau		x	x				B			
Turkey Cr.	C	1.5	Mouth	21,49N,2W	Lincoln		x	x				B	x		
Turkey Cr.	C	1.4	Mouth	Sur	Washington		x	x				B			
Turkey Cr.	C	9.9	Mouth	3022,40N,2E	Ozark		x	x				B			
Turkey Cr.	P	2.6	Mouth	15,24N,15W 16,22N,21W	Taney		x	x			x	B	x		
Turkey Cr.	C	4.0	16,22N,21W	4,21N,21W	Taney		x	x					x		
Turkey Cr.	C	2.6	Mouth	22,22N,16W	Ozark		x	x				B			
Turkey Cr.	C	1.5	Mouth	9,26N,15W	Douglas		x	x				B			
Turkey Cr.	C	4.5	Mouth	36,34N,5E	Madison		x	x				B			
Turkey Cr.	C	3.1	Mouth	34,27N,8E	Stoddard		x	x				B	x		
Turkey Cr.	P	7.7	State Line	35,28N,33W	Jasper		x	x				B			
Turkey Cr.	P	6.1	35,28N,33W	9,27N,32W	Jasper		x	x				A			
Turkey Cr.	P	2.4	Mouth	Hwy. 47	St. Francois		x	x				B			
Turkey Cr.	P	4.7	Mouth	14,53N,25W	Carroll		x	x				B			
Turkey Cr.	C	3.5	14,53N,25W	34,54N,25W	Carroll		x	x				B			
Turkey Cr.	C	5.8	05,38N,21W	22,38N,21W	Benton	Hickory	x	x				B			
Turkey Cr.	C	1.8	Mouth	26,62N,33W	Gentry		x	x				B			
Turkey Cr.	C	2.5	Mouth	33,57N,26W	Caldwell		x	x				B			
Turkey Cr.	C	14.4	Mouth	Hwy. 36	Chariton	Linn	x	x				B			
Turkey Cr.	C	3.5	Mouth	12,66N,17W	Putnam		x	x				B			
Turkey Cr.	C	2.4	Mouth	17,59N,16W	Macon		x	x				B			
Turkey Cr.	C	3.3	Mouth	3,44N,11W	Callaway		x	x				B			

IRR-LWV AQL CLF CDF WBC SCR DWS IND

IRR-Irrigation

LWW-Livestock & Wildlife Watering

AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery

CDF-Cold Water Fishery

WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation

DWS-Drinking Water Supply

IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Turkey Cr.	C	6.3	Mouth	14,47N,12W	Boone		x	x				A			
Turkey Cr.	C	2.9	Mouth	20,47N,21W	Pettis		x	x				B			
Turkey Cr.	C	1.7	Mouth	Sur 3243(3), 55N,5W	Ralls		x	x				B			
Turkey Cr.	P	1.0	Mouth	32,34N,8E	Madison		x	x				B			
Turkey Cr.	P	7.3	Mouth	21,30N,7E	Wayne		x	x				B			
Turnback Cr.	P	16.0	Mouth	35,30N,26W	Dade		x	x				A			
Turnback Cr.	P	19.9	35,30N,26W	24,28N,25W	Dade	Lawrence	x	x		x		A	x		
Turnbo Cr.	P	6.8	Mouth	16,30N,18W	Webster		x	x				B			
Turner Cr.	P	4.5	Mouth	33,29N,20W	Greene		x	x				B			
Turtle Spr. Br.	C	3.3	Mouth	23,45N,14W	Moniteau		x	x				B			
Twelve Mile Cr.	P	8.4	Mouth	12,31N,6E	Madison		x	x		x		A			
Twelve Mile Cr.	C	6.8	12,31N,6E	17,32N,7E	Madison		x	x		x		B	x		
Twomile Cr.	C	2.6	Mouth	28,36N,32W	Vernon		x	x				B			
Tyler Br.	C	1.7	36,35N,10E	34,35N,10E	Perry		x	x						x	
Tyre Cr.	P	0.8	12,40N,02E	11,40N,02E	Jefferson		x	x				B			
Upper Peavine Cr.	C	2.2	Mouth	15,40N,7W	Maries		x	x				B			
Van Meter Ditch	C	4.5	24,52N,22W	4,51N,22W	Saline		x	x				B			
Vance Br.	C	0.5	Mouth	05,39N,22W	Benton		x	x						x	
Varney R. Ditch	P	14.0	12,17N,7E	34,19N,9E	Dunklin		x	x				B			
Varney R. Ditch	C	10.0	34,19N,9E	35,20N,9E	Dunklin		x	x				B			
Village Cr.	P	1.9	Mouth	Sur 3323,33N,7E	Madison		x	x				B			
Village Cr.	C	3.0	Sur 3323,33N,7E	34,34N,7E	Madison		x	x				B			
Virgin Cr.	C	1.2	Mouth	15,29N,9E	Bollinger		x	x				B			
W. Br. Clark Fk.	C	4.0	Mouth	8,47N,16W	Cooper		x	x				B			
W. Br. Crawford Cr.	C	14.7	Mouth	21,47N,30W	Jackson		x	x				B			
W. Br. Mill Cr.	C	1.8	8,37N,3E	18,37N,3E	Washington		x	x				A	x		
W. Br. Mill Cr.	C	1.0	18,37N,3E	19,37N,3E	Washington		x	x				B			
W. Cow Cr.	C	4.4	Mouth	11,51N,21W	Saline		x	x				B			
W. Elk Fk.	C	2.5	Mouth	05,44N,23W	Pettis		x	x				B			
W. Fk. Bear Cr.	P	2.8	Mouth	9,29N,6E	Wayne		x	x				B			
W. Fk. Bear Cr.	C	1.0	9,29N,6E	8,29N,6E	Wayne		x	x				B			
W. Fk. Bee Br.	C	6.5	Mouth	21,56N,17W	Chariton		x	x				B			
W. Fk. Benton Cr.	C	2.5	Mouth	7,36N,5W	Crawford		x	x				B			
W. Fk. Big Cr.	C	3.0	Mouth	3,22N,17W	Taney		x	x				B			
W. Fk. Big Cr.	P	18.0	9,63N,28W	34,65N,28W	Harrison		x	x				B			
W. Fk. Big Cr.	C	14.0	34,65N,28W	22,66N,28W	Harrison		x	x				B			
W. Fk. Big Cr.	P	1.4	Mouth	31,31N,7E	Madison		x	x				B			
W. Fk. Big Cr.	C	1.5	31,31N,7E	36,31N,6E	Madison		x	x				B			
W. Fk. Black R.	P	32.3	Mouth	25, 33N,03W	Reynolds		x	x		x		A			
W. Fk. Black R.	C	0.5	25,32N,3W	26,32N,3W	Reynolds		x	x				B			
W. Fk. Bull Cr.	C	4.0	Mouth	8,26N,20W	Christian		x	x				B			
W. Fk. Clear Cr.	C	14.0	Mouth	17,35N,30W	Vernon		x	x				B			
W. Fk. Crooked R.	P	6.6	Mouth	19,52N,27W	Ray		x	x	x			B			
W. Fk. Crooked R.	C	9.8	19,52N,27W	18,52N,28W	Ray		x	x				B			
W. Fk. Cuivre R.	P	42.4	11,49N,1W	Pike Co. Line	Lincoln	Montgomery	x	x				A			
W. Fk. Cuivre R.	C	23.9	6,50N,4W	14,51N,7W	Pike	Audrain	x	x				B			
W. Fk. Dry Wood Cr.	C	8.1	Mouth	State Line	Vernon		x	x				B			
W. Fk. East Cr.	C	4.8	Mouth	26,46N,33W	Cass		x	x				B			
W. Fk. Finney Cr.	C	4.0	20,49N,21W	6,49N,21W	Saline		x	x				B			
W. Fk. Fourche Cr.	P	9.7	Mouth	15,22N,1W	Ripley		x	x		x		B			

IRR-Irrigation CLF-Cool Water Fishery SCR-Secondary Contact Recreation

LWW-Livestock & Wildlife Watering

CDF-Cold Water Fishery

DWS-Drinking Water Supply

AQL-Protection of Warm Water Aquatic Life

WBC-Whole Body Contact Recreation

IND-Industrial

and Human Health-Fish Consumption



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
W. Fk. Fourche Cr.	C	2.0	15,22N,1W	8,22N,1W	Ripley		x	x		x		B			
W. Fk. Huzzah Cr.	P	5.5	1,34N,3W	22,34N,3W	Dent		x	x				A			
W. Fk. Huzzah Cr.	C	2.0	22,34N,3W	28,34N,3W	Dent		x	x				B			
W. Fk. Jones Cr.	P	0.7	Mouth	16,41N,03E	Jefferson		x	x				B			
W. Fk. Limestone Cr.	C	3.2	Mouth	10,30N,27W	Dade		x	x				B			
W. Fk. Locust Cr.	C	17.0	Hwy. 6	33,64N,21W	Sullivan		x	x				B		x	
W. Fk. Lost Cr.	P	4.4	Mouth	25,28N,7E	Wayne		x	x				B			
W. Fk. Lost Cr.	C	4.2	25,28N,6E	16,28N,6E	Wayne		x	x				B			
W. Fk. Lost Cr.	C	11.7	Mouth	27,58N,31W	Dekalb		x	x				B			
W. Fk. Medicine Cr.	C	5.5	Mouth	35,67N,22W	Putnam		x	x				B			
W. Fk. Niangua R.	P	7.0	33,32N,18W	33,31N,18W	Webster		x	x				B			
W. Fk. Post Oak Cr.	C	12.8	Mouth	22,45N,27W	Johnson		x	x				B		x	
W. Fk. Roark Cr.	C	3.5	15,23N,22W	7,23N,22W	Taney	Stone	x	x				B		x	
W. Fk. Roubidoux Cr.	P	3.0	4,31N,11W	17,31N,11W	Texas		x	x				B			
W. Fk. Roubidoux Cr.	C	2.0	17,31N,11W	30,31N,11W	Texas		x	x				B			
W. Fk. Sni-a-bar Cr.	P	9.0	Mouth	Lk Lotawana Dam	Jackson		x	x				B			
W. Fk. Spring Cr.	P	2.5	Mouth	31,22N,8W	Howell		x	x				B			
W. Fk. Spring R.	C	8.7	31,22N,8W	10,22N,9W	Howell		x	x				A		x	
W. Fk. Tebo Cr.	C	6.8	Mouth	Hwy. 52	Henry		x	x				B			
W. Fk. Wakenda Cr.	P	3.3	Mouth	6,52N,25W	Carroll		x	x				B			
W. Fk. Wakenda Cr.	C	7.8	6,52N,25W	20,53N,26W	Ray		x	x				B			
W. High Cr.	C	2.8	Mouth	10,66N,41W	Atchison		x	x				B			
W. Honey Cr.	C	14.0	Mouth	34,65N,23W	Grundy	Mercer		x	x			B		x	
W. Locust Cr.	P	17.0	Mouth	25,62N,21W	Linn	Sullivan		x	x			B			
W. Muddy Cr.	P	8.0	Mouth	6,63N,24W	Grundy	Mercer		x	x			B			
W. Muddy Cr.	C	8.5	6,63N,24W	31,65N,24W	Mercer		x	x				B			
W. Piney Cr.	P	13.1	Mouth	33,30N,11W	Texas		x	x				B			
W. Piney Cr.	C	2.0	33,30N,11W	5,29N,11W	Texas		x	x				B			
W. Tarkio Cr.	P	1.2	Mouth	14,65N,40W	Atchison		x	x	x			B		x	
W. Tarkio Cr.	C	9.6	14,65N,40W	State Line	Atchison		x	x	x			B			
W. Yellow Cr.	C	17.2	14,61N,19W	14,63N,19W	Sullivan		x	x				B		x	
Wachita Cr.	C	0.5	Mouth	28,34N,5E	Madison		x	x				B			
Wade Cr.	C	5.4	Mouth	9,43N,25W	Henry		x	x				B			
Wakenda Cr.	P	29.2	Mouth	4,52N,25W	Carroll		x	x				B			
Wakenda Cr.	C	10.6	4,52N,25W	33,54N,26W	Carroll		x	x				B			
Walkers Slough	PI	1.6	Mouth	6,57N,4W	Marion		x	x				B			
Walkers Slough	C	3.5	6,57N,4W	24,58N,5W	Marion		x	x				B			
Wallace Cr.	P	3.3	Mouth	05,40N,06W	Gasconade		x	x				B			
Wallace Cr.	C	1.9	05,40N,06W	07,40N,06W	Gasconade		x	x				B			
Wallen Cr.	P	1.4	Mouth	9,36N,3E	Washington		x	x				B			
Wallen Cr.	C	3.0	9,36N,3E	6,36N,3E	Washington		x	x				B		x	
Wallen Cr.	C	1.1	Mouth	27,36N,3E	Washington		x	x				B			
Walnut Br.	C	2.7	Mouth	12,45N,23W	Pettis		x	x				B			
Walnut Cr.	C	10.1	Mouth	28,39N,33W	Bates		x	x				B			
Walnut Cr.	P	2.3	Mouth	17,36N,28W	St. Clair	Cedar		x	x			B			
Walnut Cr.	C	3.6	25,45N,21W	2,44N,21W	Pettis		x	x				B			
Walnut Cr.	C	2.3	Mouth	03,34N,30W	Vernon		x	x				B			
Walnut Cr.	C	15.7	Mouth	2,61N,17W	Macon	Adair		x	x			B			
Walnut Cr.	C	3.5	Mouth	20,55N,14W	Randolph		x	x				B		x	
Walnut Cr.	P	1.3	Mouth	25,45N,21W	Pettis		x	x				B			
Walnut Cr.	C	2.7	Mouth	27,47N,26W	Johnson		x	x				B			
Walnut Cr.	C	11.9	Mouth	14,46N,24W	Johnson		x	x				B		x	
Walnut Fk.	C	4.3	Mouth	22,62N,32W	Gentry		x	x				B			

IRR-Irrigation
 LWV-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption
 CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Wamsley Cr.	C	1.7	Mouth	27,58N,30W	Dekalb			x	x						x
Ward Br.	P	3.3	Mouth	13,28N,22W	Greene			x	x			B			
Wardens Br.	C	1.0	Mouth	18,46N,5W	Montgomery			x	x			B			
Warm Fk. Spring R.	P	13.8	State Line	25,23N,06W	Oregon		x	x	x			A		x	
Warm Fk. Spring R.	C	9.4	25,23N,06W	8,23N,6W	Oregon			x	x			B			
Warren Br.	P	1.5	State Line	36,26N,34W	Newton			x	x			B			
Warren Br.	C	1.5	36,26N,34W	29,26N,33W	Newton			x	x			B			
Wash Cr.	P	1.2	Mouth	27,32N,8E	Madison			x	x			B			
Wash Cr.	C	0.5	27,32N,8E	26,32N,8E	Madison			x	x			B			
Watery Fk.	P	5.8	Mouth	12,34N,4W	Dent			x	x			B			
Watkins Cr.	C	1.4	Mouth	Hwy. 270	St. Louis City	St. Louis		x	x			B			
Watson Br.	C	1.0	Mouth	20,39N,1E	Washington			x	x			B			
Weaubleau Cr.	P	30.7	Mouth	03,35N,23W	St. Clair	Hickory		x	x			A		x	
Web Cr.	P	4.7	Mouth	5,28N,2E	Reynolds			x	x			B			
Web Valley	P	3.0	Mouth	11,28N,2E	Reynolds			x	x			B			
Weidensaul Hollow	C	3.0	Mouth	26,23N,13W	Ozark			x	x			B			
Weldon Br.	C	4.4	Mouth	8,63N,30W	Gentry			x	x			B			
Weldon R.	P	43.4	State Line		Grundy	Mercer		x	x			B			
West Ditch	P	10.5	31,18N,10E	8,19N,10E	Dunklin			x	x			B			
West Elm Br.	P	1.1	Mouth	29,33N,33W	Barton			x	x			B			
West Fk.	P	1.0	Mouth	7,34N,23W	Polk			x	x			B			
West Fk.	C	3.0	Mouth	14,38N,5E	Jefferson	St. Francois		x	x			B			
West Fk.	C	6.8	Mouth	8,31N,31W	Barton			x	x			B			
West Prong Indian Cr.	C	2.0	6,25N,7E	36,26N,6E	Butler			x	x			B			
Wet Fk.	C	1.5	Mouth	5,28N,5E	Wayne			x	x			B			
Wet Fk.	P	2.4	Mouth	29,27N,6E	Wayne			x	x			B			
Wet Glaize Cr.	P	9.6	24,38N,15W	20,37N,14W	Camden			x	x			A		x	
Wheeler Cr.	C	2.4	Mouth	31,58N,30W	Dekalb			x	x			B			
Whetstone Cr.	P	12.2	Mouth	21,29N,13W	Wright			x	x	x		B			
Whetstone Cr.	P	1.5	Mouth	7,48N,6W	Montgomery			x	x			B			
Whetstone Cr.	C	10.8	7,48N,6W	1,48N,8W	Callaway			x	x			B			
Whippoorwill Cr.	C	2.3	Mouth	16,47N,5W	Montgomery			x	x			B			
Whisky Cr.	C	1.5	Mouth	18,43N,1W	Franklin			x	x			B			
Whitcomb Br.	C	2.5	Mouth	36,49N,1W	Lincoln			x	x			B			
White Br.	C	3.4	Mouth	32,36N,31W	Vernon			x	x			B			
White Cloud Cr.	P	13.2	Mouth	24,63N,36W	Andrew	Nodaway		x	x			B			
White Cloud Cr.	C	12.8	24,63N,36W	11,64N,36W	Nodaway			x	x			B			
White Cr.	C	3.5	9,24N,2W	4,24N,2W	Oregon			x	x			B			
White Oak Cr.	C	4.0	Mouth	30,42N,12W	Cole			x	x			B			
White Oak Cr.	C	3.9	Mouth	28,42N,28W	Henry			x	x			B			
White Oak Cr.	C	2.6	Mouth	33,50N,5W	Montgomery			x	x			B			
White Oak Cr.	C	18.0	Mouth	2,29N,28W	Jasper	Lawrence	x	x	x			A			
White Oak Cr.	C	9.0	Mouth	Hwy. 136	Harrison			x	x			B			
White Oak Hollow	C	2.0	Mouth	28,32N,5W	Dent			x	x			B			
Whitener Cr.	P	0.5	Mouth	28,32N,8E	Madison			x	x			B			
Whitener Cr.	C	1.5	28,32N,8E	22,32N,8E	Madison			x	x			B			
Whites Cr.	P	2.0	Mouth	26,39N,2W	Crawford			x	x			B			
Whites Cr.	C	1.0	26,39N,2W	35,39N,2W	Crawford			x	x			B			
Whites Cr.	C	3.0	Mouth	33,26N,15W	Douglas			x	x			B			
Whites Cr.	P	4.5	Mouth	9,24N,2W	Oregon			x	x			B			
Whitewater R.	P	35.0	Mouth	29,33N,11E	Cape Girardeau			x	x			A			
Whitewater R.	P	18.0	29,33N,11E	29,34N,9E	Bollinger	Perry		x	x	x		A		x	

IRR-LWWS AQL-CLF-CDF-WBC-SCR-DWS-IND

IRR-Irrigation
LWW-Livestock & Wildlife Watering
AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
CDF-Cold Water Fishery
WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
DWS-Drinking Water Supply
IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Whitewater R.	C	5.9	29,34N,9E	10,34N,8E	Perry	St. Francois		x	x						B
Whitewater R.	P	5.0	31,28N,12E	6,28N,12E	Scott		x	x	x						B
Whitewater R.	C	5.2	6,28N,12E	18,29N,12E	Scott	Cape Girardeau		x	x						B
Whittenburg Cr.	P	2.8	Mouth	35,38N,4W	Crawford			x	x		x				B
Whittenburg Cr.	C	5.0	35,38N,4W	1,37N,4W	Crawford			x	x						B
Widow Cr.	C	1.6	Mouth	36,26N,5E	Butler			x	x						B
Wiemer Cr.	P	2.3	11,40N,12W	23,40N,12W	Miller			x	x						B
Wiemer Cr.	C	4.0	23,40N,12W	2,39N,12W	Miller			x	x						B
Wieneke Br.	C	1.0	Mouth	9,44N,14W	Moniteau			x	x						B
Wilcat Cr.	C	4.0	Mouth	3,62N,39W	Holt			x	x						B
Wilcat Cr.	C	7.4	6,62N,32W	8,63N,33W	Gentry	Nodaway		x	x						B
Wilcat Cr.	P	6.2	Mouth	6,62N,32W	Gentry			x	x						B
Wildhorse Cr.	C	3.9	Mouth	29,45N,3E	St. Louis			x	x						B
Wilkerson Cr.	C	7.3	Mouth	07,52N,32W	Clay			x	x						B
Wilkerson Ditch	C	4.0	9,23N,16E	28,24N,16E	Mississippi			x	x						B
Williams Cr.	P	5.2	Mouth	11,42N,21W	Benton			x	x	x					B
Williams Cr.	P	9.8	Mouth	Sur	Cape Girardeau			x	x						B
Williams Cr.	C	2.0	Sur	202,31N,13E	Cape Girardeau			x	x						B
Williams Cr.	C	4.7	Mouth	18,27N,5E	Wayne			x	x						B
Williams Cr.	P	1.0	Mouth	28,28N,27W	Lawrence			x	x		x				A
Williams Cr.	P	8.5	28,28N,27W	34,28N,26W	Lawrence			x	x						A
Williams Cr.	C	1.5	34,28N,26W	35,28N,26W	Lawrence			x	x						B
Williams Cr.	C	3.4	11,42N,21W	05,42N,20W	Benton			x	x						B
Williams Cr.	P	1.0	Mouth	Sur 880,44N,5E	St. Louis			x	x						B
Williams Cr.	C	9.1	Mouth	21,53N,30W	Clay			x	x						B
Willow Br.	C	3.4	Mouth	28,24N,26W	Barry			x	x						B
Willow Br.	P	2.2	Mouth	2,25N,33W	Newton			x	x						B
Willow Br.	C	2.1	Mouth	05,37N,31W	Vernon			x	x						B
Willow Cr.	C	2.2	Mouth	19,23N,10W	Ozark	Howell		x	x						B
Willow Cr.	C	6.5	Mouth	7,51N,27W	Ray			x	x						B
Willow Cr.	C	1.0	Mouth	35,61N,32W	Gentry			x	x						B
Willow Cr.	C	1.5	Mouth	35,55N,26W	Caldwell			x	x						B
Willow Fk.	P	2.8	4,44N,16W	36,45N,17W	Moniteau			x	x						A
Willow Fk.	C	6.8	36,45N,17W	29,45N,17W	Moniteau			x	x						B
Wilmore Cr.	C	1.3	Mouth	8,30N,6E	Wayne			x	x						A
Wilson Br.	C	2.4	Mouth	12,35N,30W	Vernon			x	x						B
Wilson Run	C	2.5	Mouth	17,24N,23W	Stone			x	x						B
Wilsons Cr.	P	14.0	Mouth	27,29N,22W	Christian	Greene		x	x						B
Winigan Cr.	C	7.0	Mouth	5,59N,18W	Linn			x	x						B
Winn Br.	C	5.0	Mouth	21,57N,13W	Macon			x	x						B
Wolf Cr.	C	9.3	Mouth	16,28N,15W	Wright			x	x						B
Wolf Cr.	C	3.0	Mouth	14,45N,1W	Warren			x	x						B
Wolf Cr.	C	4.5	Mouth	18,49N,4W	Montgomery			x	x						B
Wolf Cr.	C	3.7	Mouth	35,33N,10E	Cape Girardeau	Bollinger		x	x						B
Wolf Cr.	C	2.0	Mouth	35,25N,5E	Butler			x	x						B
Wolf Cr.	C	8.0	Mouth	28,36N,6E	St. Francois			x	x						B
Wolf Cr.	C	4.2	Mouth	3,27N,10E	Stoddard			x	x						B
Wolf Cr.	C	5.2	Mouth	10,27N,08W	Texas	Howell		x	x						B
Wolf Cr.	C	1.8	Mouth	32,48N,15W	Cooper			x	x						B
Wolf Hole Lateral	C	9.5	Mouth	29,26N,16E	Mississippi			x	x						B
Wolf Island Chute	P	11.8	5,24N,18E	11,23N,17E	Mississippi			x	x						B

IRR-Irrigation

LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



TABLE H-STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATER BODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	SCR	DWS	IND
Woods Fk.	C	5.5	Mouth	3,25N,21W	Christian		x	x				B			
Woods Fk. Gasconade R.	P	12.4	Mouth	2,29N,16W	Wright		x	x				B			
Woods Fk. Gasconade R.	C	4.0	2,29N,16W	6,29N,16W	Wright	Webster	x	x				B			
Woolly Cr.	C	1.5	Mouth	7,23N,24W	Stone		x	x				B			
Woolsey Cr.	C	3.6	Mouth	8,36N,17W	Camden	Laclede	x	x				B			
Workman Br.	C	1.0	Mouth	15,28N,22W	Greene		x	x				B			
Workman Cr.	P	2.4	Mouth	24,45N,13W	Cole		x	x				B			
Wyaconda R.	P1	8.4	Mouth	15,61N,6W	Lewis		x	x				B	x	x	
Wyaconda R.	P	42.2	15,61N,6W	26,65N,9W	Lewis	Clark	x	x				B	x		
Wyrick Br.	C	1.3	Mouth	10,28N,09W	Texas		x	x				B			
Yadkin Cr.	C	4.0	Mouth	9,37N,4W	Crawford		x	x			x	B			
Yankee Br.	P	1.4	Mouth	10,36N,4W	Crawford		x	x			x	B			
Yankee Br.	C	1.0	10,36N,4W	10,36N,4W	Crawford		x	x				B			
Yantz Br.	C	1.2	Mouth	Sur 3236,32N,9E	Bollinger		x	x				B			
Yeater Br.	C	2.6	Mouth	30,48N,2W	Warren		x	x				B			
Yellow Cr.	C	2.0	Mouth	29,38N,26W	St. Clair		x	x				B			
Yellow Cr.	P	28.0	Mouth	20,56N,19W	Chariton		x	x				B			
Yoga Spring	P	0.8	Mouth	29,30N,07W	Texas		x	x				B			
Youngs Cr.	C	13.4	Mouth	11,52N,10W	Monroe	Audrain	x	x				B			
Youngs Cr.	C	1.9	Mouth	3,46N,9W	Callaway		x	x				B	x		
Zadie Cr.	C	5.3	Mouth	State Line	Harrison		x	x				B			
Zounds Cr.	C	3.0	Mouth	35,64N,33W	Gentry		x	x				B			

IRR-Irrigation
 LWW-Livestock & Wildlife Watering
 AQL-Protection of Warm Water Aquatic Life
 and Human Health-Fish Consumption

CLF-Cool Water Fishery
 CDF-Cold Water Fishery
 WBC-Whole Body Contact Recreation

IRR LWW AQL CLF CDF WBC SCR DWS IND
 SCR-Secondary Contact Recreation
 DWS-Drinking Water Supply
 IND-Industrial



Table I
Biocriteria Reference Location

STREAMS	COUNTIES	UPSTREAM LOCATION				DOWNSTREAM LOCATION			
Apple Creek	Cape Girardeau/Perry	W 1/2	Sec. 29	T34N	R11E	NW	Sec. 3	T33N	R11E
Big Creek	Shannon	E 1/2	Sec. 12	T30N	R04W	N 1/2	Sec. 36	T30N	R04W
Big Sugar Creek	McDonald	SE	Sec. 1	T21N	R30W	NE	Sec. 21	T22N	R30W
Blair Creek	Shannon	SE	Sec. 25	T30N	R03W	NW	Sec. 18	T29N	R02W
Boeuf Creek	Franklin	SW	Sec. 36	T44N	R04W	NW	Sec. 30	T44N	R03W
Bryant Creek	Douglas	NW	Sec. 10	T25N	R14W	E 1/2	Sec. 15	T25N	R14W
Bull Creek	Christian/Taney	SE	Sec. 25	T25N	R21W	NE	Sec. 3	T24N	R21W
Burris Fork	Moniteau	NW	Sec. 6	T43N	R15W	NW	Sec. 28	T44N	R15W
Castor River	Madison	NW	Sec. 10	T33N	R08E	S 1/2	Sec. 16	T33N	R08E
Cedar Creek	Cedar	E 1/2	Sec. 29	T34N	R27W	N 1/2	Sec. 09	T34N	R27W
Center Creek	Lawrence	SE	Sec. 18	T27N	R28W	NE	Sec. 24	T27N	R29W
Deer Creek	Benton	SE	Sec. 31	T40N	R20W	NE	Sec. 30	T40N	R20W
East Fork Black River	Reynolds	NE	Sec. 08	T33N	R02E	SW	Sec. 16	T33N	R02E
East Fork Crooked River	Ray	NE	Sec. 02	T52N	R27W	SE	Sec. 14	T52N	R27W
East Fork Grand River	Worth	N 1/2	Sec. 32	T66N	R30W	NW	Sec. 13	T65N	R31W
Grindstone Creek	DeKalb	SW	Sec. 10	T58N	R30W	NW	Sec. 02	T58N	R30W
Heaths Creek	Pettis/Saline	SW	Sec. 20	T48N	R20W	N 1/2	Sec. 23	T48N	R20W
Honey Creek	Nodaway	SW	Sec. 25	T65N	R34W	SW	Sec. 25	T65N	R34W
Horse Creek	Cedar	SW	Sec. 09	T34N	R28W	N 1/2	Sec. 02	T34N	R28W
Huzzah Creek	Crawford	SE	Sec. 29	T36N	R02W	NE	Sec. 18	T36N	R02W
Jacks Fork River	Texas/Shannon	SE	Sec. 35	T28N	R07W	NW	Sec. 04	T27N	R06W
Jones Creek	Jasper	N 1/2	Sec. 24	T27N	R31W	NW	Sec. 12	T27N	R31W
Little Black River	Ripley	E 1/2	Sec. 09	T24N	R03E	SE	Sec. 23	T24N	R03E
Little Drywood Creek	Vernon	NW	Sec. 06	T33N	R31W	SE	Sec. 30	T35N	R31W
Little Fox River	Clark	SE	Sec. 14	T66N	R09W	SE	Sec. 24	T66N	R09W
Little Maries River	Maries	SW	Sec. 34	T41N	R10W	W 1/2	Sec. 26	T41N	R10W
Little Niangua River	Hickory	NE	Sec. 26	T37N	R20W	S 1/2	Sec. 35	T38N	R20W
Little Piney Creek	Phelps	NE	Sec. 05	T35N	R08W	NE	Sec. 31	T36N	R08W
Little Whitewater River	Cape Girardeau	NW	Sec. 01	T32N	R09E	NE	Sec. 16	T32N	R10E
Locust Creek	Putnam	S 1/2	Sec. 10	T66N	R20W	NE	Sec. 34	T66N	R20W
Long Branch Platte River	Nodaway	SE	Sec. 30	T63N	R34W	NE	Sec. 29	T62N	R34W
Loutre River	Montgomery	E 1/2	Sec. 17	T48N	R06W	SE	Sec. 10	T47N	R06W
Main Ditch	Dunklin	S 1/2	Sec. 20	T20N	R10E	NE	Sec. 08	T19N	R10E
Maple Slough Ditch	Mississippi	NW	Sec. 34	T25N	R15E	Sec 3 & 4 Line	T24N	R15E	
Marble Creek	Madison	E 1/2	Sec. 24	T32N	R04E	E 1/2	Sec. 21	T32N	R05E
Marrowbone Creek	Daviess	SW	Sec. 18	T58N	R27W	NE	Sec. 08	T58N	R27W
Meramec River	Dent	SE	Sec. 13	T35N	R05W	SW	Sec. 11	T35N	R05W
Middle Fabius River	Lewis	NE	Sec. 15	T62N	R09W	E 1/2	Sec. 04	T61N	R08W
Mikes Creek	McDonald	E 1/2	Sec. 15	T22N	R30W	SE	Sec. 16	T22N	R30W
Mill Creek	Phelps	NE	Sec. 08	T36N	R09W	NW	Sec. 28	T37N	R09W
Moniteau Creek	Cooper	SW	Sec. 20	T46N	R16W	E 1/2	Sec. 23	T46N	R16W
No Creek	Livingston/Grundy	S 1/2	Sec. 31	T60N	R23W	SE	Sec. 01	T59N	R24W
North Fork River	Douglas	SE	Sec. 12	T26N	R12W	SW	Sec. 19	T26N	R11W
North River	Marion	SE	Sec. 24	T58N	R08W	SE	Sec. 32	T58N	R07W
Petite Saline Creek	Cooper	W 1/2	Sec. 15	T48N	R16W	SE	Sec. 12	T48N	R16W
Pomme De Terre River	Polk	NE	Sec. 16	T31N	R20W	SW	Sec. 01	T31N	R21W
Richland Creek	Morgan	NW	Sec. 04	T43N	R18W	SE	Sec. 28	T44N	R18W
River Aux Vases	Ste. Genevieve	E 1/2	Sec. 33	T37N	R08E	SW	Sec. 26	T37N	R08E
Saline Creek	Miller	NW	Sec. 23	T41N	R14W	NW	Sec. 25	T41N	R14W
Saline Creek	Ste. Genevieve	NE	Sec. 35	T36N	R08E	SW	Sec. 32	T36N	R09E
Sinking Creek	Reynolds	SE	Sec. 32	T31N	R04W	NE	Sec. 35	T30N	R02E
Sinking Creek	Shannon	SE	Sec. 17	T30N	R02E	SE	Sec. 08	T30N	R04W
South Fabius River	Marion	S	Sec. 18	T59N	R08W	SE	Sec. 26	T59N	R08W
South River	Marion	NW	Sec. 06	T57N	R05W	SW	Sec. 21	T58N	R05W
Spring Creek	Adair	N 1/2	Sec. 14	T63N	R17W	NE	Sec. 30	T63N	R16W
Spring Creek	Douglas	NW	Sec. 26	T25N	R11W	NW	Sec. 34	T25N	R11W



Table I
Biocriteria Reference Location

STREAMS	COUNTIES	UPSTREAM LOCATION		DOWNSTREAM LOCATION		
Spring Creek	Douglas	NW	Sec. 26 T25N R11W	NW	Sec. 34	T25N R11W
Tavern Creek	Miller	NW	Sec. 07 T38N R12W	NW	Sec. 33	T39N R12W
Turnback Creek	Lawrence		Sec. 29 T29N R25W	SE	Sec. 12	T29N R26W
West Fork Big Creek	Harrison	NE	Sec. 15 T65N R28W	SW	Sec. 22	T65N R28W
West Locust Creek	Sullivan	SW	Sec. 03 T62N R21W	N 1/2	Sec. 23	T62N R21W
West Piney Creek	Texas	NW	Sec. 20 T30N R10W	SW	Sec. 10	T30N R10W
White Cloud Creek	Nodaway	NW	Sec. 06 T62N R35W	SE	Sec. 18	T62N R35W



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Note: The losing streams' beginning and ending locations in the FROM and TO columns are expressed in conventional "Section, Township, Range" format. For example, the FROM location for the first "Clear Creek" listing below should read as follows: "The southeast quarter of the northeast quarter of the northwest quarter of Section 10 in Township 25 North, Range 27 West."															
Calton Cr.	Barry	2.5	SE	SE	SE	18	25N	26W	SE	SE	SE	25	25N	27W	
Calton Cr.	Barry	4.0	NE	NE	SE	12	25N	26W	SW	SW	NW	16	25N	26W	
Clear Cr.	Barry	4.0	SE	NE	NW	10	25N	27W	SE	SE	SW	31	26N	27W	
Trib. to Clear Cr.	Barry	0.5	SE	SW	SW	35	26N	28W	NE	SW	NE	35	26N	28W	
L. Flat Cr.	Barry	3.0	SE	SE	NE	36	25N	27W	NW	NE	NW	01	24N	27W	
L. Flat Cr.	Barry	3.0	NW	NW	NW	35	25N	27W	SE	SE	NE	36	25N	27W	
Trib. to Clear Cr.	Barry	0.5	SE	SE	NW	02	25N	28W	SE	NE	SE	35	26N	28W	
Trib. to Clear Cr.	Barry	1.0	NW	SE	SW	01	25N	28W	NE	SE	SW	36	26N	28W	
Trib. to Clear Cr.	Barry	Lawrence	1.0	SW	SE	SW	34	26N	28W	NW	NW	SE	27	26N	28W
Trib. to Clear Cr.	Barry	1.0	SE	NE	SE	09	25N	27W	SW	NW	NW	09	25N	27W	
Trib. to Clear Cr.	Barry	1.0	NW	SW	NW	08	25N	27W	NW	NW	SW	05	25N	27W	
Hudson Cr.	Barry	4.0	SW	SW	SE	13	25N	28W	SW	NW	NW	16	25N	28W	
Hudson Cr.	Barry	3.0	SW	SE	SE	29	25N	27W	SW	SW	SE	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NW	NE	SE	20	25N	27W	SE	SW	SE	19	25N	27W	
Trib. to Hudson Cr.	Barry	1.0	NW	SE	SW	30	25N	27W	NE	SW	SW	19	25N	27W	
Trib. to Hudson Cr.	Barry	1.0	SW	NE	NE	23	25N	28W	NE	NW	SW	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	SW	NW	SE	18	25N	27W	NE	SW	NW	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NE	NE	NE	12	25N	28W	NE	SE	SE	11	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NE	NW	SW	14	25N	28W	SW	NE	SE	10	25N	28W	
Flat Cr.	Barry	3.0	SW	SW	NW	23	22N	28W	SW	SE	NW	06	22N	27W	
Trib. to Flat Cr.	Barry	1.5	SE	SW	NE	09	22N	27W	SE	SE	NE	05	22N	27W	
Trib. to Flat Cr.	Barry	1.0	NE	NW	SE	22	23N	27W	NW	SE	SE	21	23N	27W	
Dry Hollow	Barry	7.0	SW	SW	SW	10	21N	28W	NE	SE	NE	33	22N	27W	
Browning Hollow	Barry	Lawrence	3.0	SE	NW	SE	36	26N	27W	NE	SW	NE	20	26N	26W
Kelly Cr.	Barry	5.0	SE	SE	SW	02	25N	27W	SW	SW	SE	31	26N	27W	
Spring R.	Barry	Lawrence	2.0	NE	SE	SE	36	26N	26W	NW	SE	NE	20	26N	26W
S. Indian Cr.	Barry	Newton	2.0	NE	SW	NE	33	24N	29W	NW	NW	SE	31	24N	29W
Trib. to L. Crane Cr.	Barry	2.0	SW	SW	SW	08	25N	25W	NW	SW	SE	04	25N	25W	
Trib. to L. Crane Cr.	Barry	1.5	NW	NE	NW	17	25N	25W	SW	SW	SE	04	25N	25W	
Trib. to L. Crane Cr.	Barry	4.0	SE	SE	NW	32	26N	25W	SW	NW	SE	35	26N	25W	
Trib. to L. Crane Cr.	Barry	2.0	NW	SE	NW	06	25N	25W	SW	NE	NE	05	25N	25W	
Dodge Hollow	Barry	3.0	SW	SE	SW	09	25N	25W	NW	SE	NE	12	25N	25W	
Trib. to Dodge Hollow	Barry	0.5	SE	NW	NW	19	25N	24W	NW	NW	NE	24	25N	25W	
Trib. to Dodge Hollow	Barry	2.0	NW	SW	NE	25	25N	25W	SW	SE	SE	12	25N	25W	
Trib. to Dodge Hollow	Barry	1.5	NW	SE	NE	22	25N	25W	NW	NW	NW	13	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SE	NE	31	26N	25W	NE	NE	NW	05	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SW	SW	05	25N	25W	SE	SW	SE	05	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SE	NE	07	25N	25W	SW	NW	SE	08	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	NW	NW	SW	08	25N	25W	NE	SE	NW	08	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	NE	SW	SE	32	26N	25W	SW	NE	NW	04	25N	25W	
Trib. to L. Crane Cr.	Barry	1.5	SE	SE	NW	09	25N	25W	NE	NW	SE	03	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SW	NW	SE	09	25N	25W	SW	SE	NE	09	25N	25W	
Stream Name	Counties	Miles	From						To						



Table J—Losing Streams

Stream Name	Counties	Miles	From					To						
Trib. to L. Crane Cr.	Barry	0.5	SE	SW	SW	10	25N	25W	NW	NW	SE	10	25N	25W
Capps Cr.	Barry	5.0	SW	SW	SW	03	24N	28W	NW	SE	NW	21	25N	28W
Trib. to Capps Cr.	Barry	1.0	NE	SE	SE	22	25N	28W	NW	SE	NE	28	25N	28W
Trib. to Capps Cr.	Barry	1.5	NW	SW	SE	23	25N	28W	NE	NE	SE	28	25N	28W
Trib. to Capps Cr.	Barry	1.5	NE	NE	SE	36	25N	28W	SE	SE	NW	35	25N	28W
Trib. to Capps Cr.	Barry	2.0	NE	NW	SE	05	24N	28W	SW	SW	SE	27	25N	28W
Trib. to Capps Cr.	Barry	4.0	NW	NE	SW	03	25N	28W	SW	SE	NW	12	25N	29W
Joyce Cr.	Barry	2.0	SW	SE	NE	10	24N	28W	NE	SW	NW	16	24N	28W
Joyce Cr.	Barry	2.0	SW	SE	SE	14	24N	28W	SW	NW	NE	16	24N	28W
Trib. to Joyce Cr.	Barry	2.5	SE	SE	NE	26	24N	28W	NW	SE	SW	15	24N	28W
Trib. to Joyce Cr.	Barry	1.0	NE	SW	NW	14	24N	28W	NW	NW	NW	15	24N	28W
Calls Hollow	Barry	2.0	NW	SE	SE	13	24N	28W	SW	NW	SW	16	24N	27W
Trib. to L. Flat Cr.	Barry	1.0	SE	SW	SE	12	24N	28W	NW	NW	NE	12	24N	28W
Trib. to L. Flat Cr.	Barry	1.5	NE	NW	SW	07	24N	27W	NW	SW	NW	06	24N	27W
Trib. to L. Flat Cr.	Barry	1.0	SW	SE	NE	06	24N	27W	SE	SW	SE	33	25N	27W
Poque Cr.	Barry	3.0	SE	SE	SE	36	24N	28W	NW	NE	SE	33	24N	28W
Trib. to Poque Cr.	Barry	1.5	NW	SW	SW	01	23N	28W	NE	SW	SW	35	24N	28W
Trib. to Poque Cr.	Barry	1.5	SW	SE	SE	02	23N	28W	SW	SE	SE	34	24N	28W
Trib. to Poque Cr.	Barry	1.0	SE	SE	SE	26	24N	28W	NE	NE	SW	35	24N	28W
Dog Hollow	Barry	3.0	NE	SW	NW	33	24N	27W	SW	SE	NE	26	24N	27W
Gunter Hollow	Barry	2.5	SW	SE	SE	01	23N	28W	SE	SE	NW	29	24N	27W
Gunter Hollow	Barry	4.0	NW	SW	SW	16	24N	27W	NW	SE	NW	12	24N	27W
Trib. to Gunter Hollow	Barry	1.0	SE	SE	SE	36	24N	28W	NE	NE	SE	31	24N	27W
Trib. to Gunter Hollow	Barry	1.5	SW	SW	SE	05	24N	27W	NW	SE	SE	09	24N	27W
Trib. to Gunter Hollow	Barry	1.0	SW	SE	SW	08	24N	27W	SE	NE	NW	16	24N	27W
Trib. to L. Flat Cr.	Barry	2.0	SE	SW	SW	21	25N	26W	NW	SW	SW	33	25N	26W
Trib. to L. Flat Cr.	Barry	1.5	SW	NE	SE	21	25N	26W	SE	NW	NE	32	25N	26W
Prairie Run Hollow	Barry	5.0	SW	NE	SW	01	25N	27W	SW	SE	SW	25	25N	27W
Trib. to Prairie Run Hollow	Barry	1.5	NE	NE	SE	07	25N	28W	NW	SW	NE	13	25N	27W
Trib. to L. Flat Cr.	Barry	2.0	NE	SW	SE	11	25N	27W	SW	SE	SW	13	25N	27W
Todd Hollow	Barry	3.0	SW	NW	NW	14	25N	27W	NW	NE	SE	26	25N	27W
Woodward Cr.	Barry	3.0	SE	NE	NE	11	23N	28W	SW	SE	SW	04	23N	28W
Trib. to Woodward Cr.	Barry	1.0	SW	NE	NW	14	23N	28W	SE	NW	NW	10	23N	28W
Trib. to Woodward Cr.	Barry	0.5	NE	NW	SW	09	23N	28W	SW	SE	SW	04	23N	28W
Zerbert Branch	Barry	4.0	SW	SE	SW	33	25N	28W	SE	NE	NW	24	25N	29W
Trib. to Zerbert Br.	Barry	2.0	NW	NE	NE	33	25N	28W	NW	SW	SE	29	25N	28W
Ledgerwood Hollow	Barry	0.5	NE	NW	SW	10	22N	25W	NE	SE	SE	09	22N	25W
Trib. to Mill Cr.	Barry	0.5	NW	SE	SE	10	22N	25W	NE	NW	NW	15	22N	25W
Trib. to Mill Cr.	Barry	0.5	NW	SW	SE	10	22N	25W	NE	NW	NW	15	22N	25W
Trib. to L. Bonne Femme Cr.	Boone	1.0	SE	SE	NW	01	47N	13W	SE	NE	NW	12	47N	13W
Trib. to Clear Cr.	Boone	1.0	SE	SW	SW	31	48N	12W	SW	SE	SW	30	48N	12W
Trib. to Gans Cr.	Boone	1.0	SE	SW	NE	06	47N	12W	NE	NE	NW	07	47N	12W
Slate Cr.	Boone	1.5	SE	SW	SE	34	46N	12W	NW	NE	SE	09	45N	12W
Trib. to Jamerson Cr.	Boone	2.0	NE	SE	SE	21	46N	12W	SW	NE	SW	29	46N	12W
Bonne Femme Cr.	Boone	4.0	NW	NE	NW	10	47N	12W	NE	NE	SW	20	47N	12W
Trib. to Bonne Femme Cr.	Boone	1.5	SW	NE	SE	29	47N	12W	SE	SE	NW	30	47N	12W
Stream Name	Counties	Miles	From					To						



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Trib. to Fowler Cr.	Boone	1.5	SW	SW	NW	13	46N	12W	SE	NE	SW	24	46N	12W	
Bass Cr.	Boone	0.5	SW	NW	NE	28	47N	12W	SE	NW	NW	28	47N	12W	
Fox Hollow Br.	Boone	1.5	NE	NW	SE	07	46N	12W	NW	SW	NW	12	46N	13W	
Cane Cr.	Butler	4.0	NW	NW	SW	23	26N	04E	SE	SE	NE	36	26N	04E	
Cane Cr.	Butler	1.0	NW	NE	SW	25	26N	04E	SE	SE	NE	36	26N	04E	
Trib. to Missouri R.	Callaway	0.5	NE	SE	NE	11	44N	11W	SW	SE	SW	12	44N	11W	
Trib. to Missouri R.	Callaway	0.5	NE	SE	NE	11	44N	11W	NE	SE	SW	12	44N	11W	
Prairie Hollow	Camden	2.0	NW	NW	NW	27	38N	18W	NW	NE	NW	14	38N	18W	
Trib. to Linn Cr.	Camden	1.0	NE	NE	SW	19	38N	16W	SE	NW	SW	17	38N	16W	
Libby Hollow	Camden	2.0	SE	SW	SE	15	38N	17W	NE	SW	SW	02	38N	17W	
Murphy Cr.	Camden	1.0	NE	SW	NW	33	37N	14W	NE	NW	NE	29	37N	14W	
Conns Cr.	Camden	3.5	SW	NW	SE	26	37N	14W	NE	SW	SE	17	37N	14W	
Deberry Cr.	Camden	2.0	SE	SW	SE	13	37N	14W	NW	SW	NW	26	37N	14W	
Forbes Br.	Camden	2.5	NW	SW	SW	09	37N	16W	NE	SE	NW	11	37N	16W	
Mill Cr.	Camden	4.5	SW	NW	NE	28	36N	15W	SW	SW	SE	35	37N	15W	
Racetrack Hollow	Camden	5.5	NE	NW	NW	09	37N	16W	SW	SW	NW	35	38N	17W	
Racetrack Hollow and trib.	Camden	1.5	SW	SE	NW	25	38N	17W	SW	SW	NW	35	38N	17W	
Trib. to Racetrack Hollow	Camden	0.3	NW	NW	NW	31	38N	16W	SW	SW	NW	31	38N	16W	
Sweezie Hollow	Carter	0.5	SW	SW	NE	31	27N	01E	SW	SE	SE	31	27N	01E	
Bear Spring Hollow	Carter	1.0	SW	NW	NE	02	27N	01E	SW	SW	NE	03	27N	01E	
Right Fk.	Carter	2.0	SE	NE	SE	02	27N	01E	NE	NE	SW	04	27N	01E	
Carter Cr.	Carter	7.0			NE	03	27N	01E	NE	NE	NW	32	27N	01E	
Trib. to S. Fk. Big Brushy Cr.	Carter	2.0	NE	NE	SW	01	27N	01E	NE	NE	NE	07	27N	02E	
Middle Fk.	Carter	3.0	SW	SW	SW	28	26N	02E	NE	NW	SE	10	25N	02E	
\Middle Brushy Cr.	Carter	Wayne	3.5	NW	SE	SW	21	27N	03E	NE	SW	NW	12	27N	03E
L. Pike Cr.	Carter	5.0	SW	NE	NW	18	26N	02W	NE	NW	NW	01	26N	02W	
Buchanan Valley	Carter	Reynolds	4.0	NW	SW	NE	20	28N	01E	NE	NE	SW	04	27N	01E
Big Brushy Cr.	Carter	Wayne	3.5	NE	NE	SE	08	27N	03E	NE	SW	NW	12	27N	03E
Big Barren Cr.	Carter	Ripley	16.0	NE	NW	SW	06	25N	02W	NW	SE	NW	28	25N	01E
Big Barren Cr.	Carter		1.5	NE	SW	NE	30	26N	02W	SE	SW	SE	32	26N	02W
Trib. to Snag Br.	Cedar	0.5	SE	SW	NE	31	34N	26W	SW	NE	SW	31	34N	26W	
Terrell Cr.	Christian	2.5	NW	SE	NW	05	27N	23W	SW	NE	NE	03	27N	23W	
Terrell Cr.	Christian	1.0	SW	NW	SE	01	27N	24W	SW	NW	SE	06	27N	23W	
Tory Cr.	Christian	3.0	SE	NW	NW	12	25N	22W	NE	NW	SE	27	26N	22W	
Finley Cr.	Christian	1.0	SE	SW	NW	13	27N	21W	SE	NW	SW	18	27N	20W	
Finley Cr.	Christian	2.5	NW	NW	SE	18	27N	19W	SE	NE	NW	14	27N	20W	
Trib. to Finley Cr.	Christian	0.7	SW	SE	SW	26	27N	21W	NW	SW	NW	26	27N	21W	
Trib. to Finley Cr.	Christian	0.5	SE	SE	NW	21	27N	21W	SW	NE	NW	28	27N	21W	
Trib. to Finley Cr.	Christian	1.5	SW	SE	NW	18	26N	21W	NE	SE	NW	01	26N	22W	
Trib. to Finley Cr.	Christian	1.5	SW	NE	NW	24	27N	22W	SE	SE	NW	30	27N	21W	
Trib. to Finley Cr.	Christian	1.0	NE	SW	SE	01	27N	21W	NW	NW	SE	12	27N	21W	
Trib. to Finley Cr.	Christian	0.5	NE	SE	NE	26	27N	22W	SE	SW	NE	35	27N	22W	
Elk Valley	Christian	0.5	NE	SE	NE	32	27N	21W	SE	NE	NW	32	27N	21W	
Trib. to McCafferty Hollow	Christian	2.0	NE	NE	SW	22	27N	22W	NE	SW	NE	33	27N	22W	
Trib. to Pickerel Cr.	Christian	1.5	NE	SW	SW	04	27N	24W	NW	SW	NE	33	28N	24W	

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Turnback Cr.	Christian	3.0	SE	NE	NE	17	27N	24W	SW	SE	NW	31	28N	24W	
Saunders Valley	Christian	1.5	NW	NW	NE	09	27N	22W	SW	SW	NW	33	28N	22W	
Trib. to Spring Cr.	Christian	3.0	NE	NW	NW	19	27N	23W	NW	SW	NW	36	27N	24W	
Carter Hollow	Christian	2.0	NE	SE	SW	26	27N	20W	NE	NE	NW	22	27N	20W	
Trib. to Hog Cr.	Christian	0.5	SE	SE	NW	09	26N	21W	SW	SW	NW	09	26N	21W	
Trib. to E. Prong Goff Cr.	Christian	2.0	SW	SE	SW	13	25N	22W	SE	SE	NW	15	25N	22W	
Trib. to E. Prong Goff Cr.	Christian	1.5	SW	SE	NE	23	25N	22W	NE	NW	SE	15	25N	22W	
Trib. to W. Prong Goff Cr.	Christian	Stone	2.0	SW	NE	NW	34	25N	22W	SE	NE	NW	29	25N	22W
Trib. to W. Prong Goff Cr.	Christian	Stone	2.0	SW	SE	NW	27	25N	22W	NE	SW	NW	20	25N	22W
Silver Lake Br.	Christian	Stone	2.0	SW	NE	SW	35	27N	23W	NE	NE	NE	14	26N	23W
Dry Crane Cr.	Christian	Stone	5.0	SW	SE	NE	32	27N	23W	NE	NW	NE	34	26N	23W
Trib. to Dry Crane Cr.	Christian	Stone	2.0	SE	NE	SE	34	27N	23W	NE	SW	NW	10	26N	23W
Wolfden Cr.	Christian		1.0	SW	NW	SE	35	27N	23W	NW	SE	SE	36	27N	23W
McCullah Hollow	Christian	Stone	7.0	NE	SW	NW	21	27N	24W	NW	NE	SE	13	26N	24W
Terrell Cr.	Christian		2.0	NW	NW	SW	14	27N	24W	SE	SW	SW	01	27N	24W
Trib. to Terrell Cr.	Christian		0.3	NW	SW	NE	04	27N	23W	SE	NW	NE	04	27N	23W
Spring Cr.	Christian	Stone	4.0	NE	NE	NE	26	27N	24W	SW	NW	NE	12	26N	24W
Trib. to Wilson Cr.	Christian		1.0	SW	NW	NW	31	28N	22W	SE	SW	SW	25	28N	23W
Green Valley Cr.	Christian		4.5	NW	SW	SW	27	27N	23W	SW	NW	SE	12	27N	23W
Trib. to Green Valley Cr.	Christian		1.5	NE	SW	SW	21	27N	23W	SE	NE	NW	27	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	SE	NE	NE	21	27N	23W	NE	SW	SE	22	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NW	SE	SE	27	27N	23W	SW	SW	SE	22	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NE	SW	NW	35	27N	23W	NW	SE	NE	26	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	NW	SE	SE	23	27N	23W	NW	NE	SE	23	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	SE	SW	SW	24	27N	23W	SW	NE	NW	24	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	SE	SE	SW	14	27N	23W	SW	SW	NW	13	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NE	NW	NW	14	27N	23W	NE	NW	NW	13	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	NW	SE	SW	11	27N	23W	NW	NE	NE	14	27N	23W
Luce Br.	Christian		1.5	NW	SW	NW	21	27N	23W	NE	SW	SW	09	27N	23W
Luce Br.	Christian		1.0	SE	NE	NW	09	27N	23W	NW	NE	SE	04	27N	23W
Trib. to Luce Br.	Christian		0.5	SW	NW	SW	16	27N	23W	SE	NW	NW	16	27N	23W
Trib. to Luce Br.	Christian		1.5	NW	NW	NE	20	27N	23W	NW	SW	SW	09	27N	23W
Trib. to Luce Br.	Christian		1.0	NW	NW	NW	15	27N	23W	SE	SW	SE	04	27N	23W
Trib. to Luce Br.	Christian		0.5	SE	NW	NE	16	27N	23W	NE	NE	SE	09	27N	23W
Trib. to Spring Cr.	Christian		1.0	NW	SW	SW	20	27N	23W	NW	NE	NW	30	27N	23W
Trib. to James R.	Christian		0.5	SW	NW	SW	31	28N	22W	NE	NW	NE	06	27N	22W
Trib. to James R.	Christian		2.5	NW	SW	SE	36	28N	21W	NW	NE	SE	04	27N	21W
Trib. to James R.	Christian		0.5	NE	NW	SW	02	27N	21W	NW	NW	NE	10	27N	21W
Trib. to James R.	Christian		0.5	SW	SW	NW	11	27N	21W	SW	NE	NE	10	27N	21W
Trib. to James R.	Christian		1.5	SW	SW	NE	10	27N	21W	NW	NE	SE	04	27N	21W
Trib. to Hunt Br.	Christian		1.0	SW	SW	NE	36	28N	21W	NW	NW	SW	24	28N	21W
Farmer Br.	Christian	Greene	2.0	SE	SE	NW	36	28N	21W	SE	SW	SW	27	28N	21W
Trib. to Farmer Br.	Christian		1.0	SE	NW	SW	35	28N	21W	NW	NW	NW	34	28N	21W
Trib. to James R.	Christian		2.0	NE	SE	NE	15	27N	22W	NE	NE	NE	03	27N	22W
Trib. to James R.	Christian		2.0	NE	SE	NW	09	27N	21W	NE	SE	NW	05	27N	21W
Stream Name	Counties	Miles	From						To						



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Trib. to James R.	Christian	1.5	SW SE SW 04 27N 22W	NE NE SE 32 28N 22W
Trib. to James R.	Christian	0.5	NW SW SW 34 28N 22W	SE NW NE 33 28N 22W
Trib. to James R.	Christian	0.5	SW NW NE 34 28N 22W	SW NW NW 34 28N 22W
Trib. to James R.	Christian	3.0	NW SE NW 15 27N 22W	NW NW SE 20 27N 22W
Trib. to James R.	Christian	1.0	NE SE NW 09 27N 22W	SE SW NW 16 27N 22W
Trib. to James R.	Christian	0.5	NE SE SE 08 27N 22W	NE SE NE 17 27N 22W
Trib. to James R.	Christian	0.5	SE NW SE 08 27N 22W	NW SE NE 17 27N 22W
Trib. to James R.	Christian	0.5	NW NW NE 21 27N 22W	NE NW SW 21 27N 22W
Trib. to James R.	Christian	1.5	NE SW SE 15 27N 22W	NW NW SW 21 27N 22W
McCafferty Hollow	Christian	1.0	NE NW SW 26 27N 22W	SW NE NE 33 27N 22W
McCafferty Hollow	Christian	0.5	SW NE NE 33 27N 22W	SW SE NW 33 27N 22W
Trib. to McCafferty Hollow	Christian	0.5	SW NW SW 22 27N 22W	SE SE NE 28 27N 22W
Trib. to McCafferty Hollow	Christian	1.0	NE NE SW 22 27N 22W	NE SW NW 27 27N 22W
Spout Spring Hollow	Christian	1.0	NE NW NW 20 27N 21W	NW NE NW 29 27N 21W
Spout Spring Hollow	Christian	0.5	NE SE SE 12 27N 22W	SW NE NW 18 27N 21W
Trib. to Spout Spring Hollow	Christian	0.5	SE SW NE 13 27N 22W	SE NE SW 18 27N 21W
Trib. to Spout Spring Hollow	Christian	0.5	SW NE SE 07 27N 21W	SE NE SW 18 27N 21W
Trib. to Spout Spring Hollow	Christian	0.5	NE NW NE 18 27N 21W	SE NE SE 18 27N 21W
Trib. to sink to James R.	Christian	2.0	SW SE NW 14 27N 22W	NE SE NW 02 27N 22W
Trib. to sink to James R.	Christian	1.0	SE SE NE 11 27N 22W	NW SW SE 02 27N 22W
Trib. to sink to James R.	Christian	0.5	NE SE SE 02 27N 22W	SW NW SE 02 27N 22W
Trib. to James R.	Christian	1.5	SE NW NW 07 27N 21W	SE NE NW 06 27N 21W
Trib. to James R.	Christian	3.0	NE SE NW 07 27N 21W	SE SE NW 31 28N 21W
Trib. to James R.	Christian	1.0	SE SW NW 08 27N 21W	NE SE NW 05 27N 21W
Trib. to James R.	Christian	0.5	SE SE NW 08 27N 21W	SW SW SE 05 27N 21W
Trib. to James R.	Christian	0.5	SE SW NE 08 27N 21W	SW SW SE 05 27N 21W
Trib. to James R.	Christian	1.0	NW SE SE 09 27N 22W	NE SW NW 16 27N 22W
Trib. to James R.	Christian	0.5	SE NW SE 09 27N 22W	SE NE NW 16 27N 22W
Trib. to James R.	Christian	0.5	NE NE SE 35 28N 22W	NW SW NE 35 28N 22W
Trib. to McCullah Hollow	Christian	0.5	SE NW SW 33 27N 24W	SE SW SE 34 27N 24W
Trib. to McCullah Hollow	Christian	1.5	SW NW SE 34 27N 24W	NE SW SE 34 27N 24W
Terrell Cr.	Christian	1.0	SE SW SE 15 27N 24W	SE SE SW 22 27N 24W
Terrell Cr.	Christian	1.0	NW NE NE 32 27N 24W	SW NW SE 28 27N 24W
Pedelo Cr.	Christian	0.5	NW NW NE 35 28N 19W	SE NW SW 26 28N 19W
Squaw Run Cr.	Christian	3.5	SW SW SW 20 27N 18W	SE SW NE 14 27N 19W
Trib. to Squaw Run Cr.	Christian	1.0	NW SE SE 19 27N 18W	NW NE NE 25 27N 19W
Trib. to Squaw Run Cr.	Christian	0.5	NW NE SW 19 27N 18W	SE SW SE 24 27N 19W
Trib. to Squaw Run Cr.	Christian	1.0	NE SE SE 13 27N 19W	SE SE SE 14 27N 19W
Trib. to James R.	Christian	1.0	SW SW SW 04 27N 22W	NE SW SE 32 28N 22W
Carter Hollow	Christian	0.5	NE NE NW 22 27N 20W	NW NW SW 15 27N 20W
Carter Hollow	Christian	0.5	NW SE SE 26 27N 20W	NE SE SW 26 27N 20W
Trib. to Mooney Hollow	Christian	0.5	SE NE NW 35 28N 20W	SE SE NE 34 28N 20W
Trib. to Big Hollow	Christian	1.5	SW NE NE 35 28N 20W	NW SW NE 02 27N 20W
Drainage to sinkhole	Christian	1.0	NW SW NE 01 27N 21W	SW NW NW 12 27N 21W
Trib. to Parched Corn Br.	Christian	1.0	NE SE NW 06 27N 20W	SE SE SW 06 27N 20W
Stream Name	Counties	Miles	From	To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to Parched Corn Br.	Christian	0.5	SE	NE	NW	07	27N	20W	SE	SE	SW	07	27N	20W
Trib. to Parched Corn Br.	Christian	0.5	NE	SW	SE	07	27N	20W	SE	SE	SW	07	27N	20W
Trib. to Parched Corn Hollow	Christian	1.0	NW	SW	SE	04	27N	20W	NW	NW	SW	08	27N	20W
Trib. to Parched Corn Hollow	Christian	0.5	NE	SW	NW	05	27N	20W	NW	NE	NW	08	27N	20W
Trib. to Parched Corn Hollow	Christian	3.0	NE	NW	NE	33	28N	20W	SW	NE	SE	05	27N	20W
Trib. to Parched Corn Hollow	Christian	1.0	NE	SW	NW	33	28N	20W	NW	NE	SE	32	28N	20W
Trib. to Parched Corn Hollow	Christian	1.5	NW	NE	SE	31	28N	20W	NE	SE	SW	32	28N	20W
Trib. to Finley Cr.	Christian	0.5	NW	NW	SE	20	27N	20W	NW	SW	SE	17	27N	20W
Trib. to Finley Cr.	Christian	0.5	NE	SE	SE	20	27N	20W	NE	NE	SE	17	27N	20W
Trib. to Finley Cr.	Christian	1.0	NW	SW	NW	30	27N	20W	SW	NE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	1.0	NW	SE	SW	19	27N	20W	NE	SE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	SW	SE	13	27N	21W	SW	NE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	NE	23	27N	21W	SW	NW	SE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	NE	NE	27	27N	21W	SE	SE	SE	22	27N	21W
Trib. to Finley Cr.	Christian	1.0	SW	SE	SE	16	27N	21W	NW	NE	NE	28	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	NE	NE	15	27N	21W	SW	SW	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NW	NW	14	27N	21W	NE	SE	NW	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	SW	11	27N	21W	SW	NE	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	SE	11	27N	21W	SW	NE	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NW	NW	SE	12	27N	21W	SE	NE	NW	13	27N	21W
Trib. to Finley Cr.	Christian	0.5	NW	SE	SE	14	27N	22W	SE	NW	NW	24	27N	22W
Drainage to sinkhole	Christian	0.5	SE	SE	NW	28	27N	20W	NW	SE	SE	29	27N	20W
Drainage to sinkhole	Christian	0.5	NW	NE	NE	30	27N	20W	SW	SW	NE	30	27N	20W
Garrison Br.	Christian	0.5	SW	SE	SW	24	27N	21W	NW	SW	SW	24	27N	21W
Garrison Br.	Christian	0.2	SE	NW	SE	23	27N	21W	NE	NE	SW	23	27N	21W
Richwood Br.	Christian	0.5	NW	SW	NW	16	27N	21W	SE	NE	SE	17	27N	21W
Trib. to Richwood Br.	Christian	1.0	SW	SW	SW	10	27N	21W	SW	SW	SW	16	27N	21W
Elk Valley	Christian	5.0	SE	NW	NE	13	26N	21W	NE	SW	NW	33	27N	21W
Trib. to Elk Valley	Christian	2.5	NW	NW	NE	29	27N	20W	SW	SW	SE	35	27N	21W
Trib. to Elk Valley	Christian	0.5	NE	NW	NW	29	27N	20W	SE	SW	NW	29	27N	20W
Trib. to Elk Valley	Christian	1.0	SE	NW	SE	25	27N	21W	NE	SW	SE	36	27N	21W
Trib. to Elk Valley	Christian	0.2	SE	NE	NW	31	27N	20W	NW	NE	NW	31	27N	20W
Trib. to Elk Valley	Christian	0.5	SE	SE	SE	32	27N	21W	SE	SW	NW	33	27N	21W
Trib. to Elk Valley	Christian	1.0	SW	SE	NW	04	26N	21W	NW	NW	SE	33	27N	21W
Trib. to Elk Valley	Christian	1.0	NE	SE	NE	34	27N	21W	SE	NW	NW	03	26N	21W
Trib. to Elk Valley	Christian	0.5	NW	NW	SW	35	27N	21W	NW	SE	SE	34	27N	21W
Trib. to Elk Valley	Christian	1.0	SW	SW	SE	35	27N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	0.5	SW	SE	NW	36	27N	21W	NE	SW	SW	36	27N	21W
Trib. to Elk Valley	Christian	1.0	NE	NW	NE	06	26N	20W	SW	NE	SE	36	27N	21W
Trib. to Elk Valley	Christian	2.0	SW	NE	NW	07	26N	20W	SW	SW	SE	35	27N	21W
Trib. to Elk Valley	Christian	0.5	SE	NW	SW	01	26N	21W	SW	NW	NW	01	26N	21W
Trib. to Elk Valley	Christian	1.5	NE	NE	SW	10	26N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	1.5	NE	NW	NE	15	26N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	0.5	NE	NE	NE	15	26N	21W	SW	SE	SE	10	26N	21W
Trib. to Elk Valley	Christian	1.0	NW	SW	NW	14	26N	21W	SW	NW	SE	11	26N	21W

Stream Name Counties Miles From To



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Trib. to Elk Valley	Christian	0.5	SE SE NW 14 26N 21W	SW SE SE 11 26N 21W
Trib. to Elk Valley	Christian	0.2	NE NW SE 14 26N 21W	NW SE NE 14 26N 21W
Trib. to Elk Valley	Christian	0.5	SW NE SE 14 26N 21W	NW NE NE 14 26N 21W
Trib. to Elk Valley	Christian	0.5	NE NW SW 13 26N 21W	NW NW NW 13 26N 21W
Trib. to Elk Valley	Christian	0.5	NE NE NW 13 26N 21W	NW NW NW 13 26N 21W
Trib. to Elk Valley	Christian	0.5	SE NE SW 12 26N 21W	NW SE SE 11 26N 21W
Trib. to Elk Valley	Christian	0.5	SW NW NW 12 26N 21W	NW SE NE 11 26N 21W
Trib. to Elk Valley	Christian	0.5	SW NE SW 35 27N 21W	SW NW NW 02 26N 21W
Hog Cr.	Christian	2.0	SE SW NW 22 26N 21W	SE SE NE 08 26N 21W
Trib. to Hog Cr.	Christian	1.0	NW NE NW 15 26N 21W	SE NE NW 16 26N 21W
Trib. to Hog Cr.	Christian	0.5	SW NE NE 22 26N 21W	NE NE NW 22 26N 21W
Trib. to Hog Cr.	Christian	0.5	NE NE SE 15 26N 21W	SE SE SW 15 26N 21W
Trib. to Hog Cr.	Christian	0.5	SE SW NE 15 26N 21W	NW NW SW 15 26N 21W
Trib. to Hog Cr.	Christian	0.5	NE NE SE 09 26N 21W	SE SW SW 09 26N 21W
Trib. to Hog Cr.	Christian	0.5	SE NE SE 09 26N 21W	NW SW SE 09 26N 21W
Trib. to Hog Cr.	Christian	0.5	NE NE NW 21 26N 21W	NW SW NE 16 26N 21W
Trib. to Hog Cr.	Christian	1.0	SE NE SE 17 26N 21W	SE SW SW 09 26N 21W
Trib. to Hog Cr.	Christian	1.0	NW NE NE 09 26N 21W	NE NE NE 08 26N 21W
Trib. to Spring Cr.	Christian	1.0	NW NE SE 31 27N 23W	SW NW SW 06 26N 23W
Turnback Cr.	Christian	7.0	NW NE SW 20 27N 24W	NW NE NE 25 28N 25W
Woods Fk.	Christian	2.0	SW NE NW 30 26N 21W	SE SE NW 32 26N 21W
Trib. to Clarks Fk.	Cooper	1.5	NW SW NW 24 47N 16W	NW NW SW 14 47N 16W
Cherry Valley	Crawford	8.0	NE SW SW 08 36N 03W	NE SE SE 03 37N 03W
Trib. to Cherry Valley	Crawford	2.0	NE NE NE 13 36N 04W	NE SW NW 05 36N 03W
Trib. to Yadkin Cr.	Crawford	4.0	SE NW SE 24 37N 05W	SW NE NW 05 37N 04W
Whittenburg Cr.	Crawford	4.0	SE SE NE 34 37N 04W	SE SE NW 11 37N 04W
Black Jack Cr.	Crawford	2.5	NW SE NW 25 37N 04W	NE NE NW 28 37N 03W
Black Jack Cr.	Crawford	2.0	NW SE SW 35 37N 04W	NE SW NE 30 37N 03W
Dry Cr.	Crawford	11.5	NW NW NW 14 35N 03W	NE NE SW 14 37N 03W
Sinking Cr.	Dade	2.5	SW NW NE 12 30N 26W	NE SW NE 10 30N 26W
Fourmile Cr.	Dallas	0.5	NE NE 05 33N 18W	NE NE SW 32 34N 18W
Rocky Pond Hollow	Dent	3.0	NE NW SE 22 34N 06W	SW SW SE 08 34N 06W
Trib. to Simmons Br.	Dent	1.0	SW NE NE 22 34N 05W	NW NE NW 14 34N 05W
Trib. to Spring Cr.	Dent	1.0	SE SW NW 23 34N 06W	SW SE NE 14 34N 06W
Hyer Br.	Dent	1.0	SE SE NW 20 35N 07W	NE NE SW 17 35N 07W
Gladden Cr.	Dent Shannon	11.0	SE NE SW 05 32N 05W	SE SW SW 13 31N 06W
Dry Valley Cr.	Dent	7.0	NE SW NW 23 33N 05W	NW SE SW 13 34N 05W
Standing Rock Cr.	Dent	5.0	SW NW NE 30 33N 04W	NE NE SW 05 32N 05W
Orchard Mill Hollow	Dent	2.0	NW NW NE 32 33N 04W	SW SW NW 09 32N 04W
Black Oak Cr.	Dent Phelps	2.0	SE SW NE 10 34N 08W	SE SE NW 04 34N 08W
Hodge Cr.	Dent	2.5	SW SW NW 09 32N 04W	SE NW NW 28 32N 04W
Pankey Br.	Dent Shannon	3.0	SW NW NW 19 32N 04W	NW SE SW 06 31N 04W
Stringer Br.	Dent	2.0	NE NE SE 06 32N 04W	SW NW NW 19 32N 04W
Finn Br.	Dent Phelps	4.5	NE NE NE 06 35N 07W	SW NW SE 04 35N 08W
Minning Haw Hollow	Dent	1.5	NE NE SW 01 32N 04W	NW SE NE 14 32N 04W



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Barren Fk.	Dent	Shannon	9.0	SW	SE	NE	13	32N	04W	SE	SE	SE	18	31N	04W
Dry Fk.	Dent		8.0	NE	NE	NE	24	33N	07W	SW	NE	NE	14	34N	07W
Trib. to Dry Fk.	Dent		2.0	SW	NE	NW	09	33N	07W	SW	NE	NW	02	33N	07W
Pigeon Cr.	Dent		9.0	SW	NE	NW	31	33N	07W	SE	SE	NE	22	32N	07W
Rocky Pond Hollow	Dent		2.0	SW	NE	NE	21	34N	06W	SW	SW	SE	08	34N	06W
Norman Cr.	Dent	Phelps	15.0	NW	SW	NE	07	35N	05W	SE	NW	SW	16	37N	06W
Dry Br.	Dent		3.0	NW	SW	SW	07	33N	03W	NW	SW	SW	09	33N	04W
Trib. to Dry Br.	Dent		3.5	SW	NE	SW	18	33N	03W	NE	NW	NE	16	33N	04W
Meramec R.	Dent		8.0	NW	NW	NW	34	33N	04W	NE	SW	SE	19	34N	04W
Stone Hill Br.	Dent		4.0	NW	NW	NW	31	34N	03W	NE	NE	NW	04	33N	04W
Horse Cr.	Dent		5.0	NW	SE	SW	32	35N	07W	NE	NE	NW	22	35N	08W
Dry Fk.	Dent	Phelps	19.0	SW	SE	SE	19	35N	06W	NE	SW	SW	13	37N	07W
Big Cr.	Dent	Reynolds	2.5	SE	SE	NE	24	32N	03W	SW	SE	SE	31	32N	02W
L. Sinking Cr.	Dent		2.0	NE	SW	NE	24	32N	03W	SW	NW	NE	26	32N	03W
Gorden Hollow	Dent		2.0	NW	SE	NE	13	32N	03W	NE	SE	SW	11	32N	03W
Roney Hollow	Dent		2.0	SE	SE	SE	13	32N	03W	SW	NE	SW	14	32N	03W
Prairie Cr.	Douglas		2.5	SW	NW	SE	16	26N	16W	SE	SW	SW	18	26N	16W
Bryant Cr.	Douglas		8.0	SE	SW	NE	23	27N	15W	SW	SW	SW	21	26N	14W
Browning Hollow	Douglas	Ozark	2.5	SW	NE	NW	27	25N	14W	NE	NE	SE	01	24N	14W
Clifty Cr.	Douglas		5.5	NW	NE	SE	28	27N	12W	SE	NE	SE	14	26N	12W
Brush Cr.	Douglas		4.0	NE	NW	SE	21	26N	12W	NW	NW	SE	36	26N	13W
Smith Hollow	Douglas	Ozark	4.0	SE	NW	NE	31	25N	14W	SE	NE	SE	02	24N	14W
Spring Cr.	Douglas	Ozark	12.0	NE	SW	SW	22	25N	15W	SE	SW	NW	05	24N	13W
Trib. to Prairie Cr.	Douglas		0.8	NE	NW	NE	21	26N	16W	NW	SE	SW	16	26N	16W
Dry Cr. and trib.	Franklin		1.0	NE	SW	NE	08	41N	01W	SW	NW	NW	05	41N	01W
Dry Cr.	Franklin		1.5	NE	NE	NW	05	41N	01W	SE	SE	SW	30	42N	01W
Trib. to Dry Cr.	Franklin		3.5	SW	NW	NW	33	42N	01W	SE	SE	SW	30	42N	01W
Trib. to Boone Cr.	Franklin		2.0	NE	NW	NW	12	40N	03W	NW	NE	NW	15	40N	03W
Lollar Br.	Franklin		1.0	SE	SW	SE	23	41N	02W	NE	NE	SE	22	41N	02W
Trib. to Bourbeuse R.	Franklin		0.8	SW	SW	SW	04	42N	01E	NW	NE	NE	09	42N	01E
Iron Hollow	Franklin		2.0	NE	NW	NW	25	41N	02W	SE	NE	NW	31	41N	01W
Trib. to Fiddle Cr.	Franklin		1.0	NE	NW	NW	25	44N	02E	NW	NW	SW	23	44N	02E
Winsel Cr.	Franklin		7.0	SW	NE	SW	08	40N	02W	SW	SE	SW	18	41N	02W
Pickereel Cr.	Greene		4.0	NE	NW	SE	28	28N	24W	NW	NW	NW	11	28N	24W
Pickereel Cr.	Greene		4.0	SW	SW	SW	02	28N	24W	NW	NW	NE	22	29N	24W
Trib. to Pickereel Cr.	Greene		2.0	NE	SE	SE	29	29N	24W	NW	NE	NW	22	29N	24W
Trib. to Pearson Cr.	Greene		0.5	SE	NW	NE	34	29N	21W	SE	NW	NE	35	29N	21W
Asher Cr.	Greene		0.5	SE	SE	SW	14	30N	23W	NE	SW	NW	14	30N	23W
Broad Cr.	Greene		2.0	NW	NW	SW	03	29N	20W	NE	NE	NW	15	29N	20W
Trib. to L. Sac R.	Greene		0.5	NW	NW	SW	30	30N	22W	NE	NW	NE	30	30N	22W
Pond Cr.	Greene		2.0	NW	SW	NE	35	29N	23W	NE	NE	NE	04	28N	23W
Pond Cr.	Greene		1.5	SE	SW	SW	30	29N	23W	NW	SW	SW	24	29N	24W
Davis Cr.	Greene		0.7	NW	SW	NE	12	29N	20W	NE	NW	NE	13	29N	20W
Wilson Cr.	Greene		3.5	NE	NW	NE	29	29N	22W	SE	SW	NE	07	28N	22W
Trib. to Wilson Cr.	Greene		3.0	SE	SE	SE	03	28N	22W	SE	NE	NE	07	28N	22W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Sugar Cr.	Greene	1.5	NE	SW	SW	26	31N	24W	SW	NW	SW	02	30N	24W
Rainer Br.	Greene	2.0			SW	02	29N	23W	NE	SE	SE	35	30N	23W
Mt. Pleasant Br.	Greene	2.0	NE	NE	NW	26	30N	23W	SW	SE	SE	21	30N	23W
S. Dry Sac R.	Greene	6.0		NE	NE	03	29N	21W	NE	NE	NE	03	29N	22W
Sac R.	Greene	5.0	SE	SW	SE	22	29N	23W	NW	SW	SW	24	29N	24W
Dry Br.	Greene	5.0	NW	NW	SE	18	28N	23W	NW	SE	SW	26	29N	24W
Trib. to Turkey Cr.	Greene	0.2	NW	NE	NE	15	31N	24W	SW	NE	SE	10	31N	24W
Trib. to Sac R.	Greene	2.0			SW	02	29N	24W	SW	NW	SE	09	29N	24W
Shuyler Cr.	Greene	2.5	NW	NE	NW	27	28N	23W	SW	NE	SW	26	28N	23W
Shuyler Cr.	Greene	1.0	SE	SE	SE	19	28N	23W	NW	SE	NW	28	28N	23W
Trib. to Shuyler Cr.	Greene	1.0	NE	NE	NE	21	28N	23W	SW	SW	SE	22	28N	23W
Trib. to Shuyler Cr.	Greene	1.0	NW	NW	SW	16	28N	23W	NW	NE	SW	22	28N	23W
Trib. to Shuyler Cr.	Greene	0.5	NE	NE	NW	22	28N	23W	SE	NE	SW	22	28N	23W
McElhane Br.	Greene	2.0	SE	SW	NW	11	28N	23W	SE	NE	SE	23	28N	23W
Trib. to Wilson Cr.	Greene	1.0	SE	NW	SW	12	28N	23W	NW	SE	NE	13	28N	23W
Trib. to Wilson Cr.	Greene	1.0	SE	SW	SW	30	28N	22W	SE	SW	SW	25	28N	23W
Trib. to Hunt Br.	Greene	0.5	NW	NW	NW	23	28N	21W	SW	SE	NE	22	28N	21W
Trib. to Hunt Br.	Greene	0.5	NW	SW	SE	13	28N	21W	NW	SE	NW	24	28N	21W
Trib. to Hunt Br.	Greene	0.5	NW	SW	SE	24	28N	21W	NW	NW	SW	24	28N	21W
Trib. to Hunt Br.	Greene	1.5	SW	NE	NW	30	28N	20W	SW	SW	NW	25	28N	21W
Trib. to Hunt Br.	Greene	1.5	SE	NW	SE	30	28N	20W	NW	SE	SW	25	28N	21W
Unnamed perched stream	Greene	0.5	NW	NW	NE	19	28N	20W	NE	NW	SE	18	28N	20W
Parched Corn Hollow	Greene	3.0	NE	SE	SW	27	28N	20W	NW	NW	SW	08	27N	20W
Pearson Cr.	Greene	1.0	SE	NW	SW	23	29N	21W	SE	SE	NW	26	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	SE	NW	24	29N	21W	NE	NE	NW	26	29N	21W
Trib. to Pearson Cr.	Greene	0.5	NW	SE	NE	23	29N	21W	SE	SW	NW	23	29N	21W
Trib. to Pearson Cr.	Greene	1.0	SE	NW	NW	04	29N	20W	NE	SE	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.2	NE	NW	NE	05	29N	20W	SW	SE	NW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.2	NE	NE	SW	05	29N	20W	SE	SW	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NW	NW	NW	05	29N	20W	NE	NW	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	1.0	NE	SE	NE	07	29N	20W	SW	SW	NW	09	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NW	SE	SE	08	29N	20W	SE	SE	NW	08	29N	20W
Trib. to Pearson Cr.	Greene	0.5	SE	SE	SW	08	29N	20W	NW	SW	NW	08	29N	20W
Trib. to Pearson Cr.	Greene	1.5	SW	NW	SE	01	29N	21W	SW	SW	NE	07	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NE	SE	NE	12	29N	21W	SE	SW	SE	12	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	NW	NW	12	29N	21W	NW	NW	NE	13	29N	21W
Trib. to Pearson Cr.	Greene	2.5	NW	SE	SE	02	29N	21W	SE	SE	SW	14	29N	21W
Trib. to Pearson Cr.	Greene	0.5	SE	NW	SE	10	29N	21W	NE	NE	NE	15	29N	21W
Trib. to Pearson Cr.	Greene	0.5	SE	NE	NW	15	29N	21W	NW	NW	NW	14	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	NE	SW	15	29N	21W	NE	NE	NE	22	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NE	SW	SW	15	29N	21W	NW	SW	NW	23	29N	21W
Turner Cr.	Greene	4.0	SE	NE	NE	14	28N	20W	NE	SE	NW	33	29N	20W
Trib. to Turner Cr.	Greene	1.0	SW	SW	NE	04	28N	20W	SW	SE	NW	33	29N	20W
Trib. to Turner Cr.	Greene	1.0	NE	NW	NW	07	28N	20W	NW	SW	NW	01	28N	21W
Big Hollow	Greene	0.5	SW	NE	NW	12	28N	21W	SW	NW	SW	12	28N	21W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to James R.	Greene	5.0	SW	SE	SW	10	28N	20W	SW	NE	SW	11	28N	21W
Trib. to James R.	Greene	0.5	NE	NE	SW	15	28N	20W	NW	NE	NE	16	28N	20W
Trib. to James R.	Greene	1.0	NE	SW	NE	19	29N	20W	NW	SE	SW	20	29N	20W
Trib. to James R.	Greene	2.0	NE	SW	NW	04	28N	20W	SE	NE	SE	31	29N	20W
Trib. to James R.	Greene	1.0	NE	NE	NW	08	28N	20W	NW	SE	SE	31	29N	20W
Trib. to James R.	Greene	1.0	SW	NE	SE	20	28N	20W	NE	NE	SW	17	28N	20W
Trib. to James R.	Greene	0.7	NE	SW	NE	21	28N	22W	SE	NE	NW	27	28N	22W
Trib. to James R.	Greene	1.0	NW	NE	SW	20	28N	22W	NE	SE	SE	29	28N	22W
Trib. to James R.	Greene	1.0	NE	NW	NW	13	28N	21W	SW	NW	SW	11	28N	21W
Trib. to James R.	Greene	0.5	NW	NE	NE	17	28N	20W	NW	NE	SW	16	28N	20W
Trib. to James R.	Greene	0.5	SE	SW	SE	09	28N	21W	NE	NE	SE	16	28N	21W
Trib. to James R.	Greene	0.5	NW	SW	NW	10	28N	21W	NW	SW	SE	10	28N	21W
Trib. to James R.	Greene	1.0	NW	NW	SW	03	28N	21W	SE	SW	NE	10	28N	21W
Trib. to James R.	Greene	0.5	SW	SW	SE	03	28N	21W	SE	SW	NE	10	28N	21W
Trib. to James R.	Greene	1.5	SW	NE	NW	03	28N	21W	NE	NE	NE	10	28N	21W
Trib. to James R.	Greene	1.5	SE	SW	SW	28	29N	21W	SE	NE	NW	09	28N	21W
Trib. to James R.	Greene	0.5	NW	SE	NE	04	28N	21W	NW	NE	SW	04	28N	21W
Trib. to James R.	Greene	0.5	NE	NW	NE	05	28N	21W	NE	SW	NW	04	28N	21W
Trib. to James R.	Greene	1.5	SW	SE	SW	16	28N	22W	NW	NE	SW	28	28N	22W
Trib. to James R.	Greene	1.5	SE	NW	SE	17	28N	22W	NW	SW	SW	21	28N	22W
Trib. to James R.	Greene	0.5	NE	SW	SW	20	28N	22W	SE	NE	NW	29	28N	22W
Trib. to James R.	Greene	0.5	SE	SE	NW	29	28N	22W	NE	NE	SE	29	28N	22W
Trib. to James R.	Greene	0.5	NW	NE	SW	29	28N	22W	NE	NE	SE	29	28N	22W
Trib. to James R.	Greene	0.2	NW	SE	SW	24	28N	22W	SW	NE	NW	25	28N	22W
Trib. to Jones Br.	Greene	0.5	NW	NW	NW	27	29N	21W	SW	NW	NE	27	29N	21W
Trib. to Jones Br.	Greene	0.5	SW	NE	SW	22	29N	21W	SW	SW	NE	27	29N	21W
Ward Br.	Greene	2.0	SE	NW	NW	08	28N	21W	NW	SW	SW	13	28N	22W
Ward Br.	Greene	2.0	SW	NE	SW	23	28N	22W	SE	NW	NW	27	28N	22W
Trib. to Ward Br.	Greene	0.5	SE	NW	NE	12	28N	22W	NW	SE	SE	12	28N	22W
Trib. to Ward Br.	Greene	1.5	NW	NE	NW	12	28N	22W	NW	SW	SW	13	28N	22W
Trib. to Ward Br.	Greene	1.5	NE	NE	NW	16	28N	22W	NE	SE	SW	22	28N	22W
Workman Br.	Greene	0.5	SW	NE	SW	11	28N	22W	SW	SW	NW	14	28N	22W
Trib. to Workman Br.	Greene	1.0	NW	NE	SE	10	28N	22W	NE	NE	SE	15	28N	22W
South Cr.	Greene	2.5		NW	SE	31	29N	21W	NE	NE	NE	03	28N	22W
Jordan Cr.	Greene	2.0	NW	SE	NW	17	29N	21W	NW	NE	NW	24	29N	22W
Trib. to Jordan Cr.	Greene	2.0	NW	SW	SE	08	29N	21W	NW	NE	NW	24	29N	22W
Fassnight Cr.	Greene	2.0		NW	SE	30	29N	21W	NE	SE	NE	26	29N	22W
Wilson Cr.	Greene	2.5	NE	SE	SW	09	29N	22W	NW	SE	SE	20	29N	22W
Wilson Cr.	Greene	1.0	SW	SE	NE	07	28N	22W	SE	NE	NW	18	28N	22W
Trib. to Wilson Cr.	Greene	1.5	SW	NE	SW	15	29N	22W	SE	NW	SW	21	29N	22W
Trib. to Wilson Cr.	Greene	1.5	SW	NW	SE	18	29N	22W	NW	NE	NE	20	29N	22W
Trib. to Wilson Cr.	Greene	1.0	SE	NW	NW	17	29N	22W	NE	NE	NW	20	29N	22W
Trib. to Wilson Cr.	Greene	1.5	NE	NW	NE	19	29N	22W	NE	NW	NW	20	29N	22W
Trib. to Wilson Cr.	Greene	0.5	NW	NW	SW	20	29N	22W	NE	NE	NW	29	29N	22W
Trib. to Wilson Cr.	Greene	0.5	SW	SW	NE	30	29N	22W	NW	SW	SW	29	29N	22W

Stream Name Counties Miles From To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to Wilson Cr.	Greene	1.0	SW	SW	SW	28	29N	22W	SW	NW	SW	29	29N	22W
Trib. to Wilson Cr.	Greene	0.5	NE	SW	NE	32	29N	22W	NE	NE	SE	31	29N	22W
Trib. to Wilson Cr.	Greene	0.5	SE	NW	NW	10	28N	22W	SE	SW	SW	03	28N	22W
Trib. to Wilson Cr.	Greene	0.5	SW	SE	NE	17	28N	22W	NW	NW	NE	17	28N	22W
Trib. to Wilson Cr.	Greene	2.0	SW	SW	SE	09	28N	22W	NE	NW	SE	07	28N	22W
Trib. to Wilson Cr.	Greene	1.0	NW	SW	SE	17	28N	22W	NE	NW	NE	18	28N	22W
Trib. to Wilson Cr.	Greene	1.0	SE	NE	NE	01	28N	23W	SW	NW	SE	06	28N	22W
Trib. to Wilson Cr.	Greene	1.0	NE	NW	SE	36	29N	23W	SE	SW	SE	31	29N	22W
Trib. to Wilson Cr.	Greene	1.5	NE	SW	SE	13	29N	23W	NW	NW	NW	30	29N	22W
Trib. to Wilson Cr.	Greene	0.3	SW	NE	SW	19	29N	22W	NE	NW	NW	30	29N	22W
Trib. to Wilson Cr.	Greene	1.9	NE	NE	NE	20	29N	22W	SW	SW	SW	21	29N	22W
Mooney Hollow	Greene	3.5	SW	SW	NE	26	28N	20W	SE	NW	NW	04	27N	20W
Drainage to sinkhole	Greene	1.0	NW	NE	NE	27	28N	20W	NW	SW	NW	27	28N	20W
Drainage to sinkhole	Greene	2.0	SW	NW	SE	23	28N	20W	SE	NW	SW	22	28N	20W
Sawyer Cr.	Greene	1.0	SE	SE	SE	01	28N	20W	NE	SW	SE	36	29N	20W
Trib. to Broad Cr.	Greene	1.0			SW	02	29N	20W	SW	NW	SE	10	29N	20W
Trib. to Broad Cr.	Greene	0.5	NW	SW	NW	11	29N	20W	SW	NW	SE	10	29N	20W
Trib. to Broad Cr.	Greene	0.5	NE	NE	NE	09	29N	20W	SW	SW	NW	10	29N	20W
Davis Cr.	Greene	0.5			NE	02	29N	20W			SE	02	29N	20W
Hunt Br. and Farmer Br.	Greene	5.0	NE	NE	SE	23	28N	21W		SW	SE	30	28N	21W
Trib. to Farmer Br.	Greene	1.0	NW	NW	SE	26	28N	21W	NW	SW	SE	27	28N	21W
Spring Cr. and trib.	Greene	2.0	NW	SW	NE	17	30N	20W	SW	NW	SE	05	30N	20W
Trib. to Little Cr.	Howell	2.0		NW	NE	04	25N	08W	SW	NE	NE	10	25N	08W
Horton Hollow	Howell	2.0	NW	SW	NE	05	25N	10W	SW	NE	SW	18	25N	10W
Moss Hollow	Howell	4.0	NE	SE	NW	34	26N	10W	SW	SE	SE	18	25N	10W
Lee Hollow	Howell	6.0	SW	SE	NW	35	27N	07W	NW	SW	NW	34	26N	07W
Kenaga Hollow	Howell	8.0	NE	SE	NW	28	27N	07W	SE	NW	NE	33	26N	07W
Middle Fk.	Howell	10.0	NW	NW	SW	35	25N	07W	NW	NW	NE	05	24N	05W
Jam Up Cr.	Howell	5.0	SW	NE	SE	22	27N	07W	NW	SE	SE	04	27N	06W
Crooked Br.	Howell	5.0	NW	SW	SE	21	24N	10W	SE	NW	SE	22	24N	11W
Spring Cr.	Howell	10.5	NW	NW	NW	06	23N	09W	SW	SW	SW	15	23N	11W
Tabor Cr.	Howell	5.0	NW	SE	SW	19	24N	09W	SE	SW	SW	34	24N	10W
Tabor Cr.	Howell	10.0	SE	NE	NW	34	25N	09W	SE	NE	SW	35	25N	11W
Trib. to Tabor Cr.	Howell	2.0	NW	SE	NE	35	25N	10W	NE	NW	SW	11	24N	10W
Davis Cr.	Howell	2.0	NE	NE	SW	19	23N	09W	NE	NW	SW	14	23N	10W
Kenyon Hollow	Howell	2.5	SW	SE	NW	02	25N	10W	NE	NE	NE	21	25N	10W
Elk Cr.	Howell	4.0	SW	SE	SE	24	24N	07W	SE	NE	NW	08	23N	06W
Big Greasy Cr.	Howell	3.0	SW	NE	SW	28	24N	07W	NW	NW	NW	02	23N	07W
Spring Cr.	Howell	5.0			NW	23	24N	09W	NW	NW	NW	06	23N	09W
Trib. to Spring Cr.	Howell	4.0	SW	SE	NW	02	23N	09W	SW	NW	SW	32	24N	09W
Mustion Cr.	Howell	3.5	NE	NE	SE	32	24N	08W	SW	NW	SE	36	24N	08W
Mustion Cr.	Howell	2.0	NW	NE	SE	36	24N	09W	NW	SE	NE	32	24N	08W
Chapin Br.	Howell	3.0	SW	NW	NW	14	23N	08W	NE	NW	SE	06	23N	07W
L. Greasy Cr.	Howell	5.0		SE	NE	13	24N	08W	NW	SW	SE	05	23N	07W
Bay Cr.	Howell	2.5	NE	SW	NE	32	22N	09W	SE	SW	NW	10	21N	09W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Myatt Cr.	Howell	13.0	SW	SE	NW	14	23N	08W	SE	SE	NW	33	22N	07W
Bennetts R.	Howell	6.0		NE	SW	01	22N	10W	NE	NW	NE	02	21N	10W
Ray Br.	Howell	2.5	NE	SW	SW	32	22N	09W	SE	SW	NE	02	21N	10W
N. Fk. Dry Cr.	Howell	3.5	NE	NE	NE	30	26N	09W	NW	NW	NW	18	25N	09W
Dry Cr.	Howell	6.0	NW	NE	SE	20	26N	09W	NW	NW	NW	18	25N	09W
Lost Camp Cr.	Howell	12.0	SW	SW	SE	08	26N	09W	SE	NW	SE	24	26N	08W
Trib. to Lost Camp Cr.	Howell	6.0	NW	NE	NW	28	26N	09W	NE	NW	SE	20	26N	08W
Eleven Point R.	Howell	32.0	NW	SE	SW	29	27N	09W	SW	SE	SE	31	25N	05W
Trib. to Eleven Point R.	Howell	2.5	SE	SW	SW	36	27N	08W	SE	NW	NW	13	26N	08W
Gunters Valley	Howell	8.0	SW	SW	NW	03	24N	08W	NE	NE	SE	34	25N	07W
Little Cr.	Howell	9.0	NW	SW	SW	16	25N	08W	SE	NW	SW	02	25N	07W
Dry Cr.	Howell	8.0	NW	NW	NW	18	25N	09W	SW	SE	SW	23	25N	11W
Trib. to Dry Cr.	Howell	7.0	NW	NE	SW	14	25N	09W	SW	NE	NW	23	25N	10W
Howell Cr.	Howell	16.0	NE	SW	NW	35	25N	09W	NE	NE	NE	12	23N	07W
Spradlin Cr.	Howell	3.0	NE	NW	NW	10	24N	08W	SE	NE	SW	26	24N	08W
Galloway Cr. and trib.	Howell	0.5		SW	SW	04	24N	08W		SW	NE	08	24N	08W
Trib. to Lost Camp Cr.	Howell	12.8	SW	SW	SE	27	26N	09W	SE	SW	SW	19	26N	07W
Trib. to Blue Br.	Jackson	0.2	SE	SE	SW	28	49N	30W	SE	SE	SW	28	49N	30W
Short Cr.	Jasper	1.5	NE	NW	NE	12	27N	34W	NE	NE	SW	02	27N	34W
Spring Br.	Jasper	3.0	NE	NE	SW	18	27N	33W	SE	SE	SW	02	27N	34W
Fidelity Br.	Jasper	1.5	NW	SE	SW	15	27N	31W	NE	NW	NE	03	27N	31W
Fidelity Br.	Jasper	2.5	NW	SE	NW	22	27N	31W	SE	NE	NE	09	27N	31W
Grove Cr.	Jasper	1.0	SW	SW	NE	11	27N	32W	NW	SE	NW	01	27N	32W
Trib. to Jenkins Cr.	Jasper	1.0	SW	SW	SW	05	27N	30W	NW	SE	SE	07	27N	30W
Trib. to Center Cr.	Jasper	2.0	SE	NW	SW	09	27N	31W	NE	NW	SW	33	28N	31W
Trib. to Center Cr.	Jasper	2.5	SE	SW	NW	23	28N	33W	SW	SW	NE	09	28N	33W
Buck Cr.	Jefferson	1.5	SE	NE	SE	27	40N	05E	NE	NE	NW	23	40N	05E
Williams Cr.	Jefferson	3.0		NW	NE	14	43N	04E	NE	NE	NE	36	44N	04E
L. Antire Cr.	Jefferson	1.0	NW	NE	NW	14	43N	04E	SE	SW	NW	11	43N	04E
Glaize Cr.	Jefferson	5.0	NE	NW	SW	32	42N	05E	NW	SW	NW	23	42N	05E
Bear Cr.	Jefferson	2.0	SE	SE	SW	25	43N	04E	NW	SE	SW	34	43N	04E
Rock Cr.	Jefferson	1.2	NE	NW	NW	32	43N	05E	NW	NW	NE	33	43N	05E
Romaine Cr.	Jefferson	2.0	SE	NW	NE	29	43N	05E	SE	NE	SE	16	43N	05E
Heads Cr.	Jefferson	5.0	SW	SW	NE	36	42N	04E	NW	NW	SW	03	42N	04E
Trib. to Heads Cr.	Jefferson	1.0	NE	NW	SW	02	42N	04E	NE	SE	SW	03	42N	04E
Trib. to Heads Cr.	Jefferson	0.5	SE	SE	SW	18	42N	05E	NE	NW	SW	18	42N	05E
Trib. to Heads Cr.	Jefferson	1.5		SW	SW	35	43N	04E	NE	NE	NE	04	42N	04E
McMullen Br.	Jefferson	1.5			SE	28	39N	05E	NW	NW	SE	21	39N	05E
Murril Br.	Jefferson	0.5	NE	NE	SW	15	40N	04E	SE	SW	SE	15	40N	04E
Moss Hollow	Jefferson	2.0	SW	NW	NE	05	41N	05E			SE	34	42N	05E
Trib. to Moss Hollow	Jefferson	0.5	NE	SE	NW	33	42N	05E	SE	NW	SE	33	42N	05E
Trib. to Moss Hollow	Jefferson	1.0	SE	NE	NE	04	41N	05E			SE	34	42N	05E
Trib. to Moss Hollow	Jefferson	0.5	SW	NE	NE	03	41N	05E			SE	34	42N	05E
Trib. to Sandy Cr.	Jefferson	1.0			NE	08	41N	05E			NE	09	41N	05E
Trib. to Sandy Cr.	Jefferson	1.0	NE	SE	SW	05	41N	05E	NW	SE	SW	04	41N	05E

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Trib. to Sandy Cr.	Jefferson	0.5	NW	NW	SE	05	41N	05E	SE	NE	SE	05	41N	05E	
Trib. to Sandy Cr.	Jefferson	1.0			NW	09	41N	05E			NW	10	41N	05E	
Trib. to Mississippi R.	Jefferson	1.5	SW	NE	NE	11	41N	05E	NE	NW	NW	07	41N	06E	
Trib. to Mississippi R.	Jefferson	0.5			NE	12	41N	05E	SE	NE	SW	07	41N	06E	
Williams Cr.	Jefferson	St. Louis	3.5	SE	NE	NE	11	43N	04E	SW	SE	SE	24	44N	04E
Prairie Hollow	Jefferson	2.5	SE	SE	SE	34	43N	05E	NW	NE	NE	13	42N	05E	
Dulin Cr.	Jefferson	1.0	NE	NW	SW	09	42N	04E	SW	NW	SW	04	42N	04E	
Bourne Cr.	Jefferson	2.0	NE	NW	SW	15	42N	04E	NE	SE	NE	04	42N	04E	
Trib. to Meramec R.	Jefferson	1.0	NE	NW	NW	27	43N	05E	SE	SE	NE	22	43N	05E	
Trib. to Hocum Hollow	Jefferson	1.5	SW	NW	NW	33	40N	06E			NE	31	40N	06E	
Isum Cr.	Jefferson	1.0		SW	NE	29	42N	04E	SE	SW	NE	30	42N	04E	
Scullbones Cr.	Jefferson	1.0	NE	NE	SW	35	42N	03E	SE	SW	SE	26	42N	03E	
Glaize Cr.	Jefferson	2.5	SW	NW	NW	28	42N	05E	NW	SW	NW	23	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	NW	SE	NW	29	42N	05E	NE	NW	NE	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	SE	NE	SE	18	42N	05E			NW	21	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.2	SE	SW	SW	17	42N	05E	SE	SE	SW	17	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.5	NE	NW	NW	20	42N	05E	NW	NW	NE	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.5	NE	NE	NE	30	42N	05E	SW	NE	SW	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	SW	NE	NE	16	42N	05E	NW	SE	NW	23	42N	05E	
Trib. to Black Cr.	Jefferson	0.5		NE	SW	07	42N	06E		NE	SE	07	42N	06E	
Hocum Hollow	Jefferson	1.0	SE	SE	SE	04	39N	06E	NW	SE	NW	04	39N	06E	
L. Antire Cr.	Jefferson	3.0	NW	NE	NW	14	43N	04E	NW	SW	SE	34	44N	04E	
Trib. to Meramec R.	Jefferson	0.5	SE	NE	SW	22	43N	05E	SE	SE	NE	22	43N	05E	
Haverstick Cr.	Jefferson	1.0		NW	SE	05	39N	05E	NW	NE	NE	05	39N	05E	
Antire Cr.	Jefferson	2.0	NW	NW	NW	23	43N	04E	NE	NW	SW	10	43N	04E	
N. Cobb Cr.	Laclede				SE	18	34N	15W	SE	SW	NE	02	33N	15W	
Bennett Spring Cr.	Laclede	Dallas	10.8	NE	NE	NE	34	34N	17W	SE	NE	NE	01	34N	18W
Woodward Hollow	Laclede		6.8	SW	SE	NW	11	34N	17W	NW	SW	NW	06	34N	17W
Dousinbury Cr.	Laclede	Dallas	3.1	SE	SW	SE	08	33N	17W	SW	NW	SE	12	33N	18W
Trib. to Dousinbury Cr.	Laclede	Dallas	2.0	NE	SE	NE	18	33N	17W	SW	NW	SE	12	33N	18W
Pig Pen Hollow	Laclede		1.0	NE	SW	SE	04	34N	15W	SW	SW	SW	03	34N	15W
Trib. to N. Cobb Cr.	Laclede		2.5	NW	NW	NE	26	34N	16W	NE	SW	SW	20	34N	15W
Mountain Cr.	Laclede		7.6	NE	NE	NW	31	35N	16W	SW	SE	SW	04	35N	17W
Mill Cr.	Laclede		3.0	SW	SW	SW	09	34N	15W	SW	NW	SE	02	34N	15W
Dog Wood Cr. and trib.	Laclede		2.5	NW	NW	SE	33	34N	17W	NE	NW	NW	21	34N	17W
Bear Cr.	Laclede		1.5	NE	SW	NW	08	35N	14W	NE	NW	NW	04	35N	14W
Gasconade R.	Laclede	Pulaski	26.0	NW	NW	NE	11	35N	14W	SE	SE	NE	15	36N	12W
Steins Cr.	Laclede		2.0	SW	NW	NW	02	32N	15W	SE	NE	SW	25	33N	15W
Osage Fork	Laclede		6.0	NE	NW	SW	07	32N	15W	NE	NW	NW	33	33N	15W
Woolsey Cr.	Laclede	Camden	10.0	SW	SE	SE	24	36N	17W	SW	NE	NE	36	37N	18W
Goodwin Hollow	Laclede		20.0	SW	SW	SW	16	34N	16W	NE	NE	SW	14	36N	16W
Dry Auglaize Cr.	Laclede	Camden	25.0	SE	SE	SE	02	34N	16W	NE	NE	NE	13	38N	16W
Trib. to Woodward Hollow	Laclede		3.8		SE	SE	01	34N	17W	SE	NW	SE	04	34N	17W
Stream Name	Counties	Miles	From						To						



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Mill Cr.	Laclede	2.5	NW	NW	NW	10	34N	15W					01	34N	15W
Trib. to Spring R.	Lawrence	0.5	SE	SE	SE	05	26N	26W	NE	SE	SW	05	26N	26W	
Trib. to Clear Cr.	Lawrence	3.0	SE	NW	SE	20	26N	27W	NW	SE	NE	35	26N	28W	
Pruitt Br.	Barry														Lawrence
Hewlett Br.	Lawrence	4.0	SW	NW	SE	18	26N	27W	SW	SW	SW	25	27N	28W	
Browning Hollow	Lawrence	4.0	SE	SW	SE	34	27N	26W	SW	SW	NW	30	27N	26W	
Honey Cr.	Lawrence	9.0	NE	NE	SE	13	27N	26W	SW	NE	SW	02	27N	27W	
Trib. to Honey Cr.	Lawrence	2.0	NW	NE	SW	03	27N	26W	SW	SE	SW	16	27N	26W	
Trib. to Honey Cr.	Lawrence	1.0	NW	NW	NE	33	27N	25W	SE	NW	NE	27	27N	25W	
Trib. to Honey Cr.	Lawrence	1.5	NW	NE	NE	12	27N	26W	NE	NW	SE	13	27N	26W	
Trib. to Honey Cr.	Lawrence	2.0	NW	NE	SW	05	27N	25W	NE	NE	SE	13	27N	26W	
Trib. to Honey Cr.	Lawrence	1.0	NW	SW	NW	09	27N	25W	SE	SW	NE	17	27N	25W	
Trib. to Honey Cr.	Lawrence	1.5	SW	NE	SW	09	27N	25W	NE	NW	SE	17	27N	25W	
Dry Hollow	Lawrence	8.0	SW	SE	NW	24	27N	28W	NE	SE	SW	15	28N	28W	
Trib. to Spring R.	Lawrence	6.0	NE	SE	SE	29	27N	27W	NW	SE	SE	29	28N	27W	
Trib. to Spring R.	Lawrence	2.0	SW	SW	SW	18	26N	26W	NE	NE	NW	08	26N	26W	
Hillhouse Br.	Lawrence	3.0	NE	NE	NE	15	26N	27W	NW	NE	NE	01	26N	27W	
Douger Br.	Lawrence	2.0	NW	NE	SW	11	26N	26W	SW	NW	SW	09	26N	26W	
Goose Cr.	Lawrence	3.0	NW	NE	NW	11	27N	25W	NE	SW	NW	26	28N	25W	
Trib. to Goose Cr.	Lawrence	2.0	SW	NW	SE	02	27N	25W	NE	SW	NW	26	28N	25W	
Trib. to Stahl Cr.	Lawrence	0.8	SE	SW	SW	24	29N	27W	SE	SW	NW	25	29N	27W	
Hickory Hollow	Lawrence	2.0	SW	SE	SW	29	26N	25W	NE	SW	NW	22	26N	25W	
Hemphill Br.	Lawrence	2.0	NW	SE	NW	09	26N	25W	SW	NW	NW	22	26N	25W	
Hemphill Br.	Lawrence	2.0	NE	SE	SW	22	26N	25W	SW	SW	NE	24	26N	25W	
Hemphill Br.	Lawrence	0.5	NE	SW	SE	09	26N	25W	NE	NE	NW	16	26N	25W	
Trib. to Hemphill Br.	Lawrence	2.0	NW	NW	SE	11	26N	25W	NE	SW	NE	23	26N	25W	
Trib. to Hemphill Br.	Lawrence	1.0	SE	NE	NW	17	26N	25W	NW	SW	SE	16	26N	25W	
Trib. to Hemphill Br.	Lawrence	1.5	NW	SW	SE	10	26N	25W	NW	NE	SE	16	26N	25W	
Hickory Hollow	Lawrence	1.0	SE	SE	SE	30	26N	25W	SE	NE	NW	29	26N	25W	
Trib. to Hickory Hollow	Lawrence	0.5	SE	SW	SE	29	26N	25W	SE	SW	NE	29	26N	25W	
Trib. to Crane Cr.	Lawrence	0.5	NE	NE	SE	12	26N	25W	NW	NW	NW	18	26N	24W	
Trib. to Crane Cr.	Stone														Lawrence
Trib. to Crane Cr.	Lawrence	0.3	NE	NW	NE	14	26N	25W	NW	SE	NE	14	26N	25W	
Trib. to L. Crane Cr.	Lawrence	0.2	NW	SE	SE	27	26N	25W	SE	NE	NE	34	26N	25W	
Dry Hollow	Barry														Lawrence
Bear Cr.	McDonald	3.0	SE	SE	SE	28	21N	30W	SW	NW	NE	35	21N	31W	
Big Sugar Cr.	McDonald	1.0	NE	SE	SW	01	21N	30W	SE	NE	NW	35	22N	30W	
Missouri Cr.	McDonald	4.0			NW	16	21N	30W	SE	NW	NW	22	21N	31W	
Yarnell Br.	McDonald	2.0	SE	SE	SW	28	21N	33W	NE	NE	SE	16	21N	33W	
Trib. to Elk R.	McDonald	1.0		NE	SW	17	21N	33W	NE	NE	NW	16	21N	33W	
Cave Spring Br.	McDonald	1.0			SW	15	21N	34W	NW	NE	NW	21	21N	34W	
Sugar Fk.	McDonald	1.5	NE	SE	SW	05	23N	32W	SE	NE	NE	01	23N	33W	
Beaver Br.	McDonald	1.0	SW	SW	SE	08	23N	32W	SW	SW	SW	17	23N	32W	
Beaver Br.	McDonald	2.5	NE	SW	SW	30	23N	32W	SE	NW	NE	12	22N	33W	
Trib. to Indian Cr.	McDonald	1.5			NW	09	23N	32W	SW	NE	SE	03	23N	32W	

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Dry Fk.	Maries	Gasconade	11.0	SE	SE	SE	25	40N	08W	SE	SW	NW	29	41N	06W
Klein Br.	Maries		0.8	SE	SE	SE	29	41N	07W	NE	NW	SW	33	41N	07W
Middle Indian Cr.	Newton		2.0	NW	NW	SW	08	24N	29W	NE	NW	SW	12	24N	30W
Spring Cr.	Newton		1.5	SE	NE	SW	04	26N	33W	NE	SW	SE	34	27N	33W
Buffalo Cr.	Newton		4.0	SW	SE	NE	16	24N	32W	NW	NW	NE	14	24N	33W
L. Lost Cr.	Newton		4.0	NE	NW	SW	31	25N	32W	SW	NE	NE	32	25N	33W
Fivemile Cr.	Newton		1.0	NW	NE	NW	34	26N	33W	NE	NE	NW	28	26N	33W
Unnamed trib.	Newton		3.0	NW	SE	SW	35	25N	33W	SE	SE	NE	32	25N	33W
Jones Cr.	Newton	Jasper	2.5	NE	SW	NE	24	27N	31W	SW	NE	SE	02	27N	31W
Unnamed trib.	Newton		3.0	NE	SE	NW	27	27N	32W	NW	NW	NE	31	27N	32W
Thurman Cr.	Newton		3.0		NW	SE	21	27N	32W	SE	SE	NW	31	27N	32W
Trib. to Hickory Cr.	Newton		2.0				03	24N	32W	SW	NW	NE	30	25N	31W
Lost Cr.	Newton		2.0	SE	NE	NW	27	25N	32W	SE	NE	SW	20	25N	32W
Rock Br.	Newton		2.0	SW	SE	NE	05	26N	33W	SE	SE	NE	12	26N	34W
Bullskin Cr.	Newton		2.0	NE	NE	NW	23	24N	32W	SW	SW	SW	35	24N	32W
Elm Spring Br.	Newton		4.0	SE	SE	NW	19	24N	31W	NE	NE	NE	33	25N	31W
Frederick Cr.	Oregon		6.5	NE	SW	SW	02	22N	03W	SW	NW	NW	15	22N	02W
Frederick Cr.	Oregon		20.0	SE	NE	SW	26	24N	05W	NE	SW	SW	02	22N	03W
Dry Cr.	Oregon		9.0	SW	SW	NW	28	24N	03W	SE	SW	SE	01	22N	03W
School House Hollow	Oregon		3.0	SW	SE	SE	36	24N	02W	SW	SW	SW	10	23N	02W
Greenbriar Hollow	Oregon		4.0	SE	NW	NE	36	24N	02W	NE	SE	SE	32	24N	02W
Freeman Hollow	Oregon		3.0	SW	NW	NE	14	24N	02W	NE	NW	NE	32	24N	02W
Unnamed trib.	Oregon		1.5	SE	NW	SE	14	24N	02W	NW	SW	SW	22	24N	02W
Spring R.	Oregon		2.0	SW	SE	SE	20	22N	05W	SE	SE	SW	29	22N	05W
Sitton Valley	Oregon	Carter	4.0	NE	SW	NE	17	25N	02W	SW	NE	SE	04	24N	02W
Dry Prong	Oregon		2.0	SE	NE	NW	02	24N	02W	SW	NE	SE	09	24N	02W
Whites Cr.	Oregon		7.0	NE	SE	NE	21	25N	02W	NE	SW	NW	20	24N	02W
Warm Fork	Oregon		6.0	NW	NW	NW	07	23N	06W	NW	NE	SW	23	23N	06W
Watered Fork	Oregon		4.0	SE	SE	NW	16	24N	06W	SW	SE	SW	35	25N	06W
Water Br.	Oregon		2.0	NW	NE	SE	19	24N	06W	SW	SW	NE	31	24N	06W
L. Hurricane Cr.	Oregon		4.5	SW	SW	NE	22	24N	04W	SE	SE	NW	07	24N	03W
Piney Cr.	Oregon		15.0	NW	SW	SW	20	24N	04W	SE	SW	NW	03	22N	03W
English Cr.	Oregon		2.5	SW	SW	SW	16	22N	06W	SE	SE	NE	33	22N	06W
Rover Br.	Oregon		4.0			NE	27	24N	06W	SE	SE	SE	31	24N	06W
Bussell Br.	Oregon	Howell	5.0		NW	SE	01	22N	07W	SW	SW	SE	20	22N	06W
Trib. to Bussell Cr.	Oregon		1.5		NW	SW	05	22N	06W	NW	SE	SW	07	22N	06W
Unnamed trib.	Osage		3.0	SW	NE	SW	01	41N	11W	NE	NW	NW	26	42N	11W
Unnamed trib.	Osage		3.0	NW	SE	NE	05	41N	10W	NW	NW	NW	30	42N	10W
Pointers Cr.	Osage		3.0	NW	SE	SW	22	43N	08W	SW	SW	SW	31	43N	07W
Owens Cr.	Osage		2.0	NW	SE	SW	28	43N	08W	NW	SW	SE	03	42N	08W
Owens Cr.	Osage		5.0	SW	NW	SE	21	43N	08W	NW	SW	SE	03	42N	08W
Elk Cr.	Osage		4.0	NW	SW	SE	17	41N	07W	NW	NW	SE	10	41N	08W
Unnamed trib.	Ozark		3.0	SW	SE	SW	01	24N	15W	NE	SE	SW	15	24N	15W
Turkey Cr.	Ozark		11.0	SE	NW	SE	02	24N	15W	SW	NE	NE	17	23N	15W
Unnamed trib.	Ozark		3.5	SE	SE	NW	13	24N	15W	NW	NE	NE	34	24N	15W

Stream Name Counties Miles From To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Unnamed trib.	Ozark	2.5	SE	NW	SE	32	24N	14W	NW	NW	NE	35	24N	15W	
South Fk.	Ozark	5.5	NE	SW	NW	28	24N	14W	SW	NW	SE	33	24N	15W	
Thompson Hollow	Ozark	3.0	SE	NE	SW	01	23N	15W	SW	NE	NE	17	23N	15W	
Smith Hollow	Ozark	2.0	NE	NW	SW	18	24N	14W	NE	NE	NE	17	24N	14W	
Gardner Hollow	Ozark	4.0	NW	SW	SW	24	24N	14W	NE	NE	SE	01	24N	14W	
Unnamed trib.	Perry	3.0	SW	NW	NW	27	34N	13E	SE	SW	NW	03	33N	13E	
Trib. to Blue Spring Br.	Perry	1.0	S	NE	NE	33	36N	10E	NW	SW	SE	26	36N	10E	
Bradford Br.	Phelps	2.0	SE	SE	SE	05	34N	09W	SE	NW	NE	06	34N	09W	
Corn Cr.	Phelps	8.0	NE	SE	SE	02	34N	09W	NE	NE	SE	35	36N	09W	
Mill Cr.	Phelps	1.5	NW	NW	NW	04	35N	09W	SE	NW	SE	29	36N	09W	
Deep Hollow	Phelps	3.0	SW	NW	SE	18	35N	09W	NE	SE	NW	32	36N	09W	
Unnamed trib.	Phelps	2.0	NW	NE	NW	27	37N	06W	NW	NW	SW	15	37N	06W	
L. Piney Cr.	Phelps	Dent	10.0	SE	SW	SE	06	34N	08W	SW	NW	SE	04	35N	08W
Hardester Hollow	Phelps	2.0	SW	NW	SE	23	36N	10W	NE	NW	NE	18	36N	09W	
Peno Cr.	Pike	1.0	SW	NW	NE	20	53N	03W	NE	NW	SW	17	53N	03W	
Burchard Hollow	Pulaski	1.5	NW	NE	NE	32	36N	11W	SW	NE	NW	31	36N	11W	
York Hollow	Pulaski	2.5	SW	NW	SE	08	35N	12W	SW	SW	SE	15	35N	12W	
Weeks Hollow	Pulaski	3.0	SW	NW	SW	23	36N	11W	SW	SW	SW	02	36N	11W	
Unnamed trib.	Pulaski	1.0	SW	NE	SW	18	36N	11W	NE	NW	SW	07	36N	11W	
Collie Hollow	Pulaski	7.0	SE	NW	NE	24	35N	13W	SE	NW	SE	17	36N	12W	
Sawmill Hollow	Pulaski	3.0	SE	NE	NE	29	36N	11W	SE	NE	SE	07	36N	11W	
Smith Br.	Pulaski	9.0	SW	SE	NE	08	34N	11W	SE	NW	SW	07	35N	11W	
Roubidoux Cr.	Pulaski	17.0	SE	NE	SW	03	34N	12W	SE	NE	SE	25	36N	12W	
Unnamed trib.	Pulaski	1.0	NE	NE	NW	13	36N	12W	NE	NE	NE	12	36N	12W	
Unnamed trib.	Pulaski	2.0	SE	SW	SW	23	35N	11W	NE	SE	NE	25	35N	11W	
Dry Br.	Pulaski	4.0			SE	11	35N	11W			C	25	36N	11W	
Weeks Hollow	Pulaski	2.0	NE	SW	SE	14	36N	11W	SW	SW	SW	02	36N	11W	
Trib. to Big Piney R.	Pulaski	2.0	NW	NE	NW	34	35N	11W	NW	NW	SW	36	35N	11W	
Round Pound Hollow	Pulaski	3.0	SW	SW	NE	33	36N	11W	SE	SE	NW	25	36N	11W	
Gillis Hollow	Pulaski	1.0	SW	SE	NE	21	36N	11W	NE	SW	NW	15	36N	11W	
Trib. to Gasconade R.	Pulaski	1.0		NE	NW	11	35N	13W	NW	SE	NE	03	35N	13W	
Jug Run	Ralls	1.5	NW	SE	SW	36	55N	06W	SW	SW	SW	06	54N	05W	
Unnamed trib.	Reynolds	1.0	NE	SW	SE	16	32N	01E	SE	SW	SE	20	32N	01E	
Logan Cr.	Reynolds	13.0	NW	SW	SE	02	30N	02W	SW	NW	NE	32	30N	01E	
Logan Cr.	Reynolds	8.0	SE	SE	NW	36	32N	02W	NE	SW	SE	02	30N	02W	
W. Fk. Huzzah Cr.	Reynolds	Dent	4.0	SW	NW	SW	04	33N	03W	NE	NW	NW	22	34N	03W
Ellington Hollow	Reynolds	2.0	NE	SW	SE	05	31N	01E	NE	SE	SE	29	32N	01E	
Harrison Valley	Reynolds	5.0	NE	SE	SW	03	31N	01E	NW	SW	SW	36	31N	01E	
Sinking Cr.	Reynolds	14.0	NE	SE	SW	02	31N	01W	SW	SE	SW	22	30N	02E	
Dry Valley	Reynolds	10.0	SE	SW	NE	17	31N	01W	NW	NW	NW	29	30N	01E	
Dickens Valley	Reynolds	10.0	SE	NE	SW	29	31N	01W	SE	NE	NW	01	29N	01W	
Tom's Cr.	Reynolds	5.5	NW	SE	SE	07	32N	02W	NW	NW	SE	01	32N	02W	
Bee Fk.	Reynolds	6.0	NE	SW	SE	21	32N	02W	SW	SE	SE	24	32N	02W	
Bee Fk.	Reynolds	2.0	NW	NE	SE	19	32N	02W	NE	SW	SE	21	32N	02W	
Big Cr.	Reynolds	3.5	NW	NW	SE	19	32N	02W	SW	NE	NE	06	31N	02W	
Stream Name	Counties	Miles	From						To						



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Toms Cr.	Reynolds	10	SW SW SW 18 32N 02W	NE SE SE 07 32N 02W
Smalls Cr.	Reynolds	1.5	NW SW SW 07 32N 02W	SE SE SW 06 32N 02W
Kitchell Cr.	Reynolds	2.0	SE SW SW 17 32N 02W	NE SW SW 15 32N 02W
L. Barren Cr.	Ripley	12.0	NW NW NW 30 25N 01W	SE SW NW 11 24N 01E
N. Fk. Buffalo Cr.	Ripley	5.0	SW SW NW 19 24N 01W	NW NE NE 23 24N 01W
Unnamed trib.	St. Charles	1.0	SE SE SW 01 45N 01E	SE NW NW 18 45N 02E
Callaway Fk.	St. Charles	3.5	NW SW NE 01 45N 01E	SE SE NW 21 45N 02E
Note: Three of the following four streams are located in areas covered by old French surveys where projections onto section/township/range are difficult to interpret and generally not useful for locational purposes. As an alternative the geographic coordinates are included. LA is latitude and LO is longitude. This method of listing would allow an easier comparison with topographic maps.				
Trib. to Kraut Run	St. Charles	0.5	LA 38 43 6 LO 90 46 30	LA 38 43 52 LO 90 46 30
Trib. to Dardenne Cr.	St. Charles	1.0	SE SW SE 27 46N 02E	46N 02E
Schote Cr.	St. Charles	1.0	LA 38 42 19 LO 90 45 0	LA 38 42 48 LO 90 43 51
Trib. to Schote Cr.	St. Charles	0.7	LA 38 41 56 LO 90 44 14	LA 38 42 29 LO 90 44 10
Trib. to Missouri R.	St. Charles	1.0	SW SW SE 31 46N 03E	SW NE NW 08 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NE NW SW 32 46N 03E	SE SE NW 05 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NE NE SW 06 45N 03E	SW NE NE 07 45N 03E
Trib. to Missouri R.	St. Charles	0.5	NE SE NW 34 46N 03E	NE NE NE 03 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NW SE NW 04 45N 03E	NW SE NE 04 45N 03E
Trib. to Missouri R.	St. Charles	0.5	NE SE SE 33 46N 03E	SW NW NW 03 45N 03E
L. Femme Osage Cr.	St. Charles	0.5	NE NE SE 03 45N 02E	NW NE SW 03 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.0	SW NE NW 01 45N 02E	SW SW SW 06 45N 03E
Trib. to L. Femme Osage Cr.	St. Charles	0.5	NW NE NW 01 45N 02E	SE SE SE 01 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	0.5	NW SW SE 01 45N 02E	SE NW NE 12 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.0	SW NE SE 34 46N 02E	NE NE SE 03 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.5	SW SE NE 09 45N 02E	SE NE NW 11 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	SE SE NW 04 45N 02E	SE NW NW 08 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	NW SW SW 32 46N 02E	SE NW NW 08 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	NW NE NE 05 45N 02E	NW SE NW 05 45N 02E
Trib. to Big R.	St. Francois	0.2	SW SW SE 24 38N 04E	SW NE NW 25 38N 04E
Keifer Cr.	St. Louis	3.0	NE NW NW 04 44N 04E	NW SE SE 14 44N 04E
Trib. to Keifer Cr.	St. Louis	1.0	SE NE NE 05 44N 04E	NW SW NE 09 44N 04E
Fishpot Cr.	St. Louis	5.0	NW NE SW 01 45N 04E	NE NE SW 13 44N 04E
Fishpot Cr.	St. Louis	5.0	NW NE SW 01 45N 04E	NE NE SW 13 44N 04E
Trib. to Fishpot Cr.	St. Louis	2.0	NW NW SE 03 44N 04E	NW NW NW 13 44N 04E
Trib. to Wildhorse Cr.	St. Louis	0.5	SE SE SE 32 45N 03E	NW SW NE 32 45N 03E
Bonhomme Cr.	St. Louis	0.7	SE NW NE 11 44N 03E	SE SW NE 02 44N 03E
Trib. to Bonhomme Cr.	St. Louis	1.0	NW SW NW 02 44N 03E	NE SW SW 35 45N 03E
Trib. to Bonhomme Cr.	St. Louis	1.0	SE NE SE 03 44N 03E	SE SW SW 35 45N 03E
Hamilton Cr.	St. Louis	0.5	SW NW SE 10 44N 03E	NE NW NW 14 44N 03E
Hamilton Cr.	St. Louis	0.5	NE SE NW 14 44N 03E	NW SE NE 14 44N 03E
Trib. to Hamilton Cr.	St. Louis	1.0	SW NE NW 12 44N 03E	SE SE NE 14 44N 03E
Caulks Cr.	St. Louis	0.5	NE SW NE 06 44N 04E	NE NE SW 31 45N 04E
Caulks Cr.	St. Louis	3.0	NW NW SW 06 44N 04E	NE SE SE 13 45N 03E
Trib. to Caulks Cr.	St. Louis	1.0	NW SW NW 32 45N 04E	NW SE SW 30 45N 04E
Trib. to Mississippi R.	St. Louis	0.2	NW NW SE 24 43N 06E	NW NW SE 24 43N 06E
Trib. to Fox Cr.	St. Louis	2.0	SW SW NW 16 44N 03E	SE NW SE 19 44N 03E
S. Fk. Saline Cr.	Ste. Genevieve Perry	5.0	SE NW SW 30 35N 09E	NE SW SE 35 35N 09E
Stream Name	Counties	Miles	From	To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Anderson Hollow	Ste. Genevieve	3.0	SE	NE	SW	34	35N	08E	SE	NW	SW	30	35N	09E	
Birch Cr.	Shannon	7.0		SE	SE	21	27N	05W	SW	NE	SW	20	26N	05W	
Unnamed trib.	Shannon	1.5	NE	SW	SW	08	29N	06W	SE	SW	NE	16	29N	06W	
Johnny Hollow	Shannon	1.0	SW	NE	SE	06	27N	05W	SW	NW	SE	36	28N	06W	
Black Valley Cr.	Shannon	6.0	SW	NW	NW	27	30N	06W	NE	SE	NW	05	29N	05W	
Birch Cr.	Shannon	6.0	NW	NE	SW	32	27N	05W	SW	NE	SW	20	26N	05W	
Unnamed trib.	Shannon	3.0	NW	SE	SE	31	27N	05W	NW	SW	NW	18	26N	05W	
Unnamed trib.	Shannon	4.0	NE	NW	NW	34	27N	06W	NE	SE	NW	12	26N	06W	
Spring Cr.	Shannon	Oregon	18.0	NE	SE	NW	08	26N	06W	NE	NW	NW	27	25N	04W
Sycamore Cr.	Shannon	6.0	SW	NW	NW	01	27N	04W	NW	SE	SE	22	27N	03W	
Pike Cr.	Shannon	Carter	24.0	SW	SE	SW	16	27N	04W	NW	NW	SW	24	27N	01W
Pine Hollow	Shannon	2.0	SW	NW	NW	30	28N	04W	NE	NW	NE	17	28N	04W	
L. Hurricane Cr.	Shannon	4.5	SE	NW	NW	21	27N	04W	SW	NW	SE	10	26N	04W	
Hurricane Cr.	Shannon	Oregon	15.0	SW	NW	SE	10	26N	04W	NE	NE	SW	34	25N	03W
Bee Fork Cr.	Shannon	Oregon	7.0	SW	SW	SW	11	26N	05W	SE	SE	NW	11	25N	05W
Young Hollow	Shannon	Carter	3.5	SW	SE	SW	10	26N	03W	SW	NE	NW	18	26N	02W
Unnamed trib.	Stone	0.8	NE	NW	SW	20	23N	22W	NW	NW	NE	30	23N	22W	
Indian Cr.	Stone	1.5	SW	NW	SW	18	23N	22W	NW	NW	NE	30	23N	22W	
Unnamed trib.	Stone	1.5	NE	SW	SW	35	24N	23W	NW	NE	SE	26	24N	23W	
Devil Den Hollow	Stone	1.5	NE	SE	NW	27	23N	23W	SE	NE	SE	20	23N	23W	
Schooner Cr.	Stone	0.5	SW	SW	NW	26	23N	23W	NW	NE	NE	34	23N	23W	
W. Prong Goff Cr.	Stone	3.5	NW	NW	SE	06	24N	22W	NW	SE	NW	29	25N	22W	
Trib. to W. Prong Goff Cr.	Stone	2.0	SE	NE	NE	06	24N	22W	SE	NE	NW	32	25N	22W	
Trib. to W. Prong Goff Cr.	Stone	2.0	NW	SW	SE	30	25N	22W	NE	SE	SE	13	25N	23W	
Cave Spring Hollow	Stone	1.5	SE	NW	NW	25	25N	24W	NW	SE	SW	19	25N	23W	
Wheeler Br.	Stone	2.0	NE	SW	SE	14	25N	24W	SW	NE	SW	19	25N	23W	
Hilton Hollow	Stone	1.5	NE	NE	NW	20	25N	24W	NW	SE	NE	17	25N	24W	
Unnamed Trib.	Stone	1.5	NE	SE	SE	15	25N	24W	SE	SW	NW	10	25N	24W	
Pine Run	Stone	3.0	NW	NE	NW	23	25N	24W	SE	NW	SW	31	25N	23W	
Unnamed trib.	Stone	2.5	NW	NE	SE	13	25N	24W	SW	SE	SW	01	25N	24W	
Rickman Spring Hollow	Stone	1.5	NW	NE	NW	26	26N	24W	NW	SE	NE	25	26N	24W	
McCord Br.	Stone	6.0	NW	SE	SW	05	26N	24W	NE	NE	SW	02	25N	24W	
Dodge Hollow	Stone	1.5	SW	NW	SE	06	25N	24W	SW	SE	NW	04	25N	24W	
L. Crane Cr.	Stone	1.5	SE	NW	SW	31	26N	24W	SW	SE	SW	29	26N	24W	
Right Hand Hollow	Stone	1.0	SW	NW	SE	29	24N	23W	NW	NW	SE	19	24N	23W	
Wilson Run	Stone	1.0	NE	SW	SE	21	24N	23W	SW	SE	SE	17	24N	23W	
Horse Cr.	Stone	2.0	SW	SE	NW	31	25N	22W	SW	NE	NE	26	25N	23W	
Trib. to Horse Cr.	Stone	0.5	SE	SE	NE	36	25N	23W	NE	NW	SE	27	25N	23W	
John Hollow	Stone	2.0	SW	NW	SE	31	25N	22W	SE	SE	SE	04	24N	23W	
L. John Hollow	Stone	1.5	NW	SW	SE	36	25N	23W	NE	SE	SW	04	24N	23W	
Smith Brown Hollow	Stone	2.0	NW	SW	SE	23	26N	23W	SE	SE	SW	36	26N	23W	
Wilson Run	Stone	1.5	SE	NE	SE	33	24N	23W	SE	SE	NE	28	24N	23W	
Trib. to Hilton Hollow	Stone	1.5	NE	SW	NW	22	25N	24W	NW	NE	NW	15	25N	24W	
Trib. to Hilton Hollow	Stone	1.5	NW	NE	SW	18	25N	24W	SW	NW	NE	17	25N	24W	
Trib. to Hilton Hollow	Stone	0.5	SW	SW	SE	18	25N	24W	NE	SW	NW	17	25N	24W	

Stream Name

Counties

Miles

From

To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Trib. to McCullah Hollow	Stone	0.5	NE	SE	NW	03	26N	24W	SW	NE	NE	03	26N	24W	
Trib. to McCullah Hollow	Stone	1.5	SW	NE	NW	05	26N	24W	NW	NW	SE	04	26N	24W	
Trib. to McCullah Hollow	Stone	0.5	NE	SE	NW	05	26N	24W	NW	SW	NW	04	26N	24W	
Trib. to Railey Cr.	Stone	1.0	SW	NE	NE	02	23N	23W	SW	NW	SW	25	24N	23W	
Trib. to Railey Cr.	Stone	1.0	N	SE	SE	35	24N	23W	SW	NW	SW	25	24N	23W	
Trib. to Railey Cr.	Stone	1.5	NW	NW	NE	07	24N	22W	NE	SW	SW	12	24N	23W	
Trib. to Railey Cr.	Stone	2.5	NW	NE	NE	19	24N	22W	NE	SW	SW	12	24N	23W	
Trib. to Railey Cr.	Stone	1.5	NE	NW	SE	19	24N	22W	NE	SE	NE	26	24N	23W	
Trib. to Railey Cr.	Stone	1.5	NW	SE	NW	19	24N	22W	NW	SE	NE	23	24N	23W	
Trib. to Railey Cr.	Stone	0.3	NW	SW	NE	23	24N	23W	NW	SE	NW	23	24N	23W	
Trib. to McCord Cr.	Stone	0.3	NW	SE	SE	08	26N	24W	SE	NW	NW	16	26N	24W	
Trib. to McCord Cr.	Stone	1.0	NW	NE	NW	17	26N	24W	NE	SW	NE	16	26N	24W	
Trib. to McCord Cr.	Stone	1.0	NE	NE	NW	15	26N	24W	NW	SW	SW	15	26N	24W	
Trib. to Spring Cr.	Stone	0.5	SE	SW	NE	26	26N	24W	SE	NW	NW	25	26N	24W	
Trib. to Spring Cr.	Stone	0.5	SW	SE	NE	26	26N	24W	SE	SE	NW	25	26N	24W	
Trib. to Spring Cr.	Stone	1.0	SE	NE	SE	26	26N	24W	NW	SW	NE	25	26N	24W	
Trib. to Spring Cr.	Stone	1.0	NE	NW	NW	05	26N	23W	SW	SW	SE	31	27N	23W	
Trib. to Spring Cr.	Stone	1.0	SW	NE	NW	05	26N	23W	SW	SE	NW	06	26N	23W	
Trib. to Spring Cr.	Stone	1.5	NE	SE	NW	05	26N	23W	NW	SE	SW	07	26N	23W	
Trib. to Spring Cr.	Stone	1.5	NW	NE	NE	08	26N	23W	NW	SE	SW	07	26N	23W	
Trib. to Spring Cr.	Stone	1.0	NE	NE	SE	08	26N	23W	SE	NE	SE	07	26N	23W	
Trib. to Spring Cr.	Stone	1.0	NW	SE	NW	17	26N	23W	NW	SW	SE	07	26N	23W	
Trib. to Crane Cr.	Stone	0.5	SW	NE	SW	09	26N	23W	SE	NE	NW	15	26N	23W	
Crane Cr.	Stone	0.5	SE	NE	NW	32	26N	24W	SW	NE	SE	32	26N	24W	
Trib. to Crane Cr.	Stone	2.0	NW	NW	SE	06	26N	24W	SE	SW	NW	18	26N	24W	
Trib. to Crane Cr.	Stone	1.0	NE	NE	NW	16	26N	23W	SE	SE	NW	15	26N	23W	
Trib. to Crane Cr.	Stone	1.5	NE	SW	NW	16	26N	23W	SE	NW	NE	22	26N	23W	
Trib. to Crane Cr.	Stone	1.0	NE	SW	SW	21	26N	23W	NE	NW	SW	27	26N	23W	
Trib. to Crane Cr.	Stone	1.0	NE	SE	NW	32	26N	23W	SE	NE	SW	33	26N	23W	
Trib. to Crane Cr.	Stone	0.5	SE	SW	NW	07	25N	23W	NW	NW	NE	07	25N	23W	
Old Stillhouse Hollow	Stone	1.0	NE	NE	NW	35	26N	23W	SW	NE	SE	35	26N	23W	
Trib. to Old Stillhouse Hollow	Stone	0.5	NW	SW	SW	35	26N	23W	NW	NW	SE	35	26N	23W	
Trib. to Wheeler Br.	Stone	1.0	NE	NE	SE	13	25N	24W	SW	SW	NW	19	25N	23W	
Trib. to Swan Cr.	Taney	0.5	SE	NE	NE	13	24N	20W	NE	NW	NE	13	24N	20W	
Trib. to Swan Cr.	Taney	0.5	NW	NW	NW	27	24N	19W	SW	NE	SE	21	24N	19W	
Trib. to Silver Cr.	Taney	0.5	NW	SE	SE	16	23N	20W	SW	NE	SW	16	23N	20W	
Brushy Cr.	Texas	2.5	SW	NW	SW	07	32N	08W	SW	NW	SE	10	32N	09W	
Spring Cr.	Texas	2.0	NE	NE	NW	32	33N	08W	NW	SW	SE	36	33N	09W	
Musgrave Hollow	Texas	1.0	SE	SE	SE	09	33N	11W	NW	SE	SE	04	33N	11W	
Spring Cr.	Texas	17.0	NE	NE	SE	01	32N	09W	SE	NW	SE	36	35N	10W	
Big Cr.	Texas	Shannon	13.0	SE	NE	SE	17	30N	07W	NE	NW	SW	04	31N	06W
Kelly Hollow	Texas	3.0	NW	SW	SE	32	31N	08W	SE	SW	NW	25	31N	09W	
L. Paddy Cr.	Texas	1.5	NW	NE	NW	03	32N	11W	NW	SE	SE	35	33N	11W	
B. Paddy Cr.	Texas	3.0	SW	NW	SW	24	32N	11W	NE	NE	NE	18	32N	10W	
Bald Ridge Cr.	Texas	Pulaski	5.5	SW	SE	NW	22	33N	11W	NW	SW	NE	36	34N	11W

Stream Name Counties Miles From To



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Castro Valley	Texas	Shannon	8.0	NE	SE	NW	01	29N	07W	NW	SE	NW	06	29N	05W
Mooney Br.	Texas		2.0	NE	NE	NE	19	33N	09W	NE	SW	NW	12	33N	10W
Van Zant Cr.	Texas		2.5	SW	NE	SW	19	29N	11W	NE	SW	NE	14	29N	12W
Spring Valley	Texas	Shannon	29.0	SW	SW	SE	13	29N	08W	SE	SE	NW	20	30N	04W
Dry Bone Cr.	Texas		1.0	NW	SW	SW	21	30N	07W	SE	NE	SE	17	30N	07W
S. Ashley Cr.	Texas	Dent	6.0	NE	SE	NW	18	31N	07W	SW	SE	NE	34	32N	07W
Trib. to Piney Cr.	Texas		1.5	SE	SE	SW	04	29N	10W	NE	NE	NE	03	29N	10W
Trib. to N.Fk. Charrette Cr.	Warren		0.5			S2	33	47N	02W	SE	SE	NE	04	46N	02W
Unnamed Trib. to Smoot Hollow	Wayne		2.0	NE	SE	SE	34	28N	05E	NW	SW	SE	07	27N	06E
Pleasant Valley	Wayne		2.5	SW	SW	SW	34	28N	05E	SE	SE	NW	23	28N	05E
Barren Fk.	Wayne		3.0	NW	SE	NW	03	28N	04E	SW	NE	SE	21	28N	04E
Smoot Hollow	Wayne		4.0	SE	SW	SE	33	28N	05E	NE	NE	SW	07	27N	06E
Otter Cr.	Wayne		16.0	NE	NE	NW	05	28N	04E	SW	NW	NW	18	27N	06E
Unnamed Trib.	Wayne		1.0	SW	SW	SW	32	29N	04E	SW	SW	SW	31	29N	04E
Terrel Br.	Webster		2.0	NE	SW	NE	08	28N	18W	NW	SW	NE	20	28N	18W
Burks Hollow	Webster		2.5	SE	SE	SE	36	29N	19W	NW	NE	SE	23	29N	19W
White Oak Cr.	Webster		1.0	NW	NW	NW	16	28N	19W	NW	NE	NE	18	28N	19W
Davis Br.	Webster		0.5	SW	SE	NE	21	28N	18W	SE	NW	SE	21	28N	18W
Pedelo Cr.	Webster	Christian	4.5	NE	SW	SW	22	28N	19W	NW	NW	SE	06	27N	19W
Pedelo Cr.	Webster		3.0	SW	SE	NW	24	28N	19W	NE	SW	SW	22	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	NW	NW	SE	14	28N	19W	NW	SW	NE	23	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	SE	NW	SW	14	28N	19W	SE	NE	NE	22	28N	19W
Trib. to Pedelo Cr.	Webster		1.5	SW	NE	SW	23	28N	19W	NW	SE	NW	27	28N	19W
Trib. to Pedelo Cr.	Webster		2.0	NW	NW	NE	25	28N	19W	SE	SE	SW	27	28N	19W
Trib. to Pedelo Cr.	Webster		1.0	SW	NW	SW	24	28N	19W	SE	SW	NE	26	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	NW	SW	SW	25	28N	19W	SE	SE	NW	26	28N	19W
Greasy Cr.	Webster		0.5	SE	NW	SE	13	28N	19W	SE	SE	SE	13	28N	19W
Peck Hollow	Webster		0.5	NW	NW	NE	21	28N	19W	SW	SW	NW	21	28N	19W
Peck Hollow	Webster	Christian	2.0	SW	SW	NW	21	28N	19W	NW	NE	SE	32	28N	19W
Trib. to Peck Hollow	Webster		1.0	SE	SW	NE	21	28N	19W	SW	SW	SW	21	28N	19W
Sawyer Cr.	Webster		2.0	NW	SW	SW	17	28N	19W	NW	SE	SW	07	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	NE	SW	NW	20	28N	19W	NE	SW	SW	17	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	SW	SW	SE	18	28N	19W	SW	SE	NE	18	28N	19W
Trib. to Sawyer Cr.	Webster		1.5	NE	NE	NW	32	29N	19W	SE	NW	SE	36	29N	20W
Trib. to Sawyer Cr.	Webster		0.5	NE	NE	NW	31	29N	19W	NE	NE	SW	31	29N	19W
Trib. to Sawyer Cr.	Webster		0.5	SW	SE	NE	08	28N	19W	NE	NE	SE	07	28N	19W
Trib. to Sawyer Cr.	Webster		1.0	NW	NE	NW	08	28N	19W	SW	SE	NW	07	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	NW	NE	NE	07	28N	19W	NE	SW	NW	07	28N	19W
Panther Cr.	Webster		1.0	NE	NE	NW	35	29N	18W	NE	NE	NE	34	29N	18W
Trib. to Panther Cr.	Webster		0.5	SW	NE	SW	26	29N	18W	NE	NE	NE	34	29N	18W
Trib. to Panther Cr.	Webster		1.5	NE	NE	SW	15	29N	19W	SW	SW	SW	22	29N	19W
Dry Fk. Panther Cr.	Webster		1.5	NW	NE	SE	12	28N	19W	NW	NE	SW	11	28N	19W
Dry Fk. Panther Cr.	Webster		1.0	NW	NE	SW	03	28N	19W	SE	SE	NE	33	29N	19W
Trib. to Dry Fk. Panther Cr.	Webster		0.5	SW	SE	NE	09	28N	19W	NW	NW	NW	10	28N	19W
Trib. to Dry Fk. Panther Cr.	Webster		3.0	NW	SW	NW	06	28N	18W	SE	SE	SE	28	29N	19W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to Dry Fk. Panther Cr.	Webster	1.5	NE	SW	SW	01	28N	19W	NE	NE	SW	11	28N	19W
Trib. to Dry Fk. Panther Cr.	Webster	0.5	SE	NE	NW	14	28N	19W	NW	NE	SW	11	28N	19W
Trib. to Cry Fk. Panther Cr.	Webster	0.5	SE	NE	SE	11	28N	19W	SE	NE	SW	11	28N	19W
Compton Br.	Webster	1.5	NE	NE	NW	15	29N	19W	SW	NW	SW	09	29N	19W
Trib. to Compton Br.	Webster	0.5	NE	SE	SW	10	29N	19W	SW	SE	SE	09	29N	19W
Trib. to James R.	Webster	0.5	NE	SE	SW	34	29N	17W	NW	SE	NE	34	29N	17W
Trib. to James R.	Webster	1.0	SE	SW	SE	34	29N	17W	NW	SE	SE	27	29N	17W
Norman Br.	Webster	2.0	SW	NW	NE	09	28N	19W	NW	SW	NE	06	28N	19W
Trib. to Norman Br.	Webster	0.5				04	28N	19W				05	28N	19W
Trib. to Norman Br.	Webster	1.0	SW	SW	SW	33	29N	19W	NW	SW	NE	06	28N	19W
Trib. to Norman Br.	Webster	0.5	NW	NW	NW	09	28N	19W	NW	NE	SE	05	28N	19W
White Oak Hollow	Webster	1.0	SW	SW	SE	10	28N	19W	SW	NE	NW	16	28N	19W
Trib. to White Oak Hollow	Webster	1.0	SE	NE	SE	16	28N	19W	SE	SE	NE	17	28N	19W
Trib. to White Oak Hollow	Webster	0.5	NE	SW	SE	09	28N	19W	NE	NW	NW	16	28N	19W
Trib. to White Oak Hollow	Webster	1.0	SE	NW	SE	08	28N	19W	NE	NE	NE	18	28N	19W
Trib. to N. Carolina Cr.	Webster	2.0	SE	NW	SE	07	29N	18W	SE	NW	SE	11	29N	19W
Trib. to N. Carolina Cr.	Webster	0.5	NW	NW	NE	07	29N	18W	NE	SW	NW	07	29N	18W
Trib. to N. Carolina Cr.	Webster	1.0	NE	SW	SW	07	29N	18W	NE	NW	SE	11	29N	19W
Trib. to N. Carolina Cr.	Webster	1.0	NW	NW	NE	13	29N	19W	NW	NE	SE	11	29N	19W
Trib. to N. Carolina Cr.	Webster	0.5	SW	NW	NE	13	29N	19W	NE	SW	SW	12	29N	19W
Trib. to N. Carolina Cr.	Webster	0.5	SW	SW	NW	13	29N	19W	SE	NE	SE	11	29N	19W
Trib. to N. Carolina Cr.	Webster	0.5	NE	NW	NE	14	29N	19W	SE	SW	NE	11	29N	19W
Dry Cr.	Webster	0.5			SE	05	29N	18W			NW	05	29N	18W
Trib. to Dry Cr.	Webster	1.0	NW	SE	NW	24	29N	18W	NW	NW	NE	23	29N	18W
Trib. to Dry Cr.	Webster	0.5	SW	NW	SW	24	29N	18W	NW	NW	NE	23	29N	18W
Trib. to Dry Cr.	Webster	1.0	SE	SW	SE	23	29N	18W	NW	NW	NE	23	29N	18W
L. Finley Cr.	Webster	0.5	SE	SE	SE	03	28N	17W	SE	NW	SE	04	28N	17W
Trib. to Dry Cr.	Webster	1.0	SE	NW	NW	26	29N	18W	SW	SE	SW	14	29N	18W
Trib. to L. Finley Cr.	Webster	0.5	SW	SE	NE	09	28N	17W	SE	SW	NW	09	28N	17W
Trib. to L. Finley Cr.	Webster	0.5	NE	SE	NE	09	28N	17W	NW	SE	SE	04	28N	17W
Trib. to L. Finley Cr.	Webster	0.5	SE	SE	NW	10	28N	17W	NE	NE	NW	10	28N	17W
Trib. to Finley Cr.	Webster	0.3	SW	SW	SE	02	28N	17W	NE	SE	NE	11	28N	17W
Unnamed Trib.	Webster	3.0	SW	NW	SW	25	29N	18W	NE	NE	NW	18	29N	17W
Davis Br.	Webster	4.5	NW	NE	NE	36	29N	18W	SE	NW	SW	11	28N	18W
Trib. to Davis Cr.	Webster	1.0	NE	NE	NE	09	28N	18W	SW	NW	NE	16	28N	18W
Trib. to Davis Br.	Webster	1.0	NW	NE	NW	36	29N	18W	SE	NW	NW	01	28N	18W
Trib. to Davis Br.	Webster	0.5	SW	NW	NW	36	29N	18W	NE	NW	SW	36	29N	18W
Trib. to James R.	Webster	0.5	NE	NE	SE	26	29N	17W	SW	SW	SE	23	29N	17W
Trib. to Davis Br.	Webster	0.5	NE	NE	SW	01	28N	18W	NW	NE	NE	02	28N	18W
Trib. to Davis Br.	Webster	0.5	NW	NE	NW	12	28N	18W	SE	SW	SE	02	28N	18W
Trib. to James R.	Webster	0.5	NW	SE	NW	26	29N	17W	SE	SE	SW	23	29N	17W
W. Wildcat Cr.	Webster	1.0	SW	SE	SW	29	29N	17W	NW	SW	SW	20	29N	17W
W. Wildcat Cr.	Webster	3.0	NE	SE	SE	25	29N	18W	NW	SE	SW	17	29N	17W
Trib. to W. Wildcat Cr.	Webster	0.5	NE	SW	SE	29	29N	17W	SE	SE	NE	30	29N	17W
Trib. to W. Wildcat Cr.	Webster	0.5	SW	SE	NE	25	29N	18W	NW	NW	NE	30	29N	17W
Stream Name	Counties	Miles	From						To					



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to James R.	Webster	0.3	NW	SE	NW	34	29N	17W	SE	SE	SW	27	29N	17W
Trib. to Osage Fk.	Webster	0.5	SW	NE	SW	12	30N	18W	NE	NW	SW	07	30N	17W
Trib. to Osage Fk.	Webster	0.5	NE	NW	NE	13	30N	18W	NE	NW	SW	07	30N	17W
W. Fk. Niangua R.	Webster	0.4	NW	NW	SE	28	31N	18W	NW	SE	NW	28	31N	18W
W. Fk. Niangua R.	Webster	0.9	NE	SW	NW	04	31N	18W	SE	NE	SW	33	32N	18W
Trib. to W. Fk. Niangua R.	Webster	0.5	NE	SE	NE	28	31N	18W	SW	SW	NE	28	31N	18W
E. Fk. Niangua R.	Webster	1.0	NW	NE	NW	03	31N	18W	SE	NE	SW	33	32N	18W
Niangua R.	Webster	0.4	SE	NE	SW	33	32N	18W	SE	SW	NW	33	32N	18W
Givins Br.	Webster	3.6	SW	SW	NW	01	31N	19W	SW	SW	NW	29	32N	18W
Hawk Pond Br.	Webster	2.1	NW	NE	NE	35	32N	19W	NW	SW	SW	19	32N	18W
Unnnamed Trib.	Wright	3.0	SE	SW	SE	18	28N	13W	NW	NW	NE	05	28N	13W
Fox Cr.	Wright	4.0	NW	NE	NE	30	28N	13W	SW	NE	NE	09	27N	13W
Fox Cr.	Wright	20.0	NE	NE	SW	20	28N	13W	SE	NE	NE	29	25N	13W
Steins Cr.	Wright	8.0	SW	SW	SW	22	31N	15W	NW	NE	NE	22	32N	15W
Elk Cr.	Wright	4.5	NW	NE	NW	08	31N	14W	SW	NE	NE	26	32N	14W
Dry Cr.	Wright	7.5	SW	NE	NW	24	28N	14W	SE	SW	SW	17	27N	14W
Prairie Hollow Cr.	Wright	3.0	SE	SW	SW	28	28N	15W	SW	SW	SE	03	27N	15W
Prairie Hollow Cr.	Wright	2.0	SW	NW	SW	28	28N	15W	NE	SE	SW	03	27N	15W
Fry Cr. and Wolf Cr.	Wright	3.0	NW	SW	SW	11	28N	15W	SW	NW	SE	25	29N	15W

Stream Name Counties Miles From To

**Table K: Site-Specific Criteria**

Parameter:	Dissolved Oxygen	Daily Average Criterion	3.6 mg/L
Waterbody:	East Fork Locust Creek	Daily average dissolved oxygen concentrations shall not fall below 3.6 mg/L between July 1 and September 30 as measured by a minimum of four samples collected within a 24-hour period. All measurements shall be spaced a minimum of 5 hours apart.	
Season:	July – September		
Hydrology:	Baseflow Conditions		
County:	Sullivan	Daily Minimum Criterion	0.9 mg/L
Miles:	29.6	Daily minimum dissolved oxygen concentration shall not fall below 0.9 mg/L between July 1 and September 30 as measured by the average of three samples collected over any consecutive 6-hour period. All measurements shall be spaced a minimum of 1.5 hours apart.	
From:	Mouth		
To:	Section 12, T64N, R20W		

Parameter:	Dissolved Oxygen	Daily Average Criterion	3.6 mg/L
Waterbody:	Little East Fork Locust Creek	Daily average dissolved oxygen concentrations shall not fall below 3.6 mg/L between July 1 and September 30 as measured by a minimum of four samples collected within a 24-hour period. All measurements shall be spaced a minimum of 5 hours apart.	
Season:	July – September		
Hydrology:	Baseflow Conditions		
County:	Sullivan	Daily Minimum Criterion	0.9 mg/L
Miles:	9.0	Daily minimum dissolved oxygen concentration shall not fall below 0.9 mg/L between July 1 and September 30 as measured by the average of three samples collected over any consecutive 6-hour period. All measurements shall be spaced a minimum of 1.5 hours apart.	
From:	Mouth		
To:	Section 12, T64N, R20W		

Parameter:	Dissolved Oxygen	Daily Average Criterion*	4.4 mg/L
Waterbody:	Sni-a-Bar Creek	Daily average dissolved oxygen concentrations shall not fall below 4.4 mg/L between July 1 and September 30 as measured by a minimum of four samples collected within a 24-hour period. All measurements shall be spaced a minimum of 5 hours apart.	
Season:	July – September		
Hydrology:	Baseflow Conditions		
County:	Jackson	Daily Minimum Criterion*	4.0 mg/L
Miles:	5.0	Daily minimum dissolved oxygen concentration shall not fall below 4.0 mg/L between July 1 and September 30.	
From:	Confluence with Horseshoe Creek, Section 21, T49N, R29W		
To:	Entry of tributary carrying discharge from Blue Springs Sni-a-Bar wastewater treatment plant, Section 35, T49N, R30W		

*These criteria shall expire on October 31, 2014. After October 31, 2014, the criteria shall be as stated in Table A.

Parameter:	Dissolved Oxygen	Daily Average Criterion	4.7 mg/L
Waterbody:	Pike Creek	Daily average dissolved oxygen concentration shall not fall below 4.7 mg/L during summer baseflow conditions as measured by a minimum of four samples collected within a 24-hour period. All measurements shall be spaced a minimum of 5 hours apart.	
Season:	July – September		
Hydrology:	Baseflow Conditions		
County:	Butler	Daily Minimum Criterion	2.6 mg/L
Miles:	0.1	Daily minimum dissolved oxygen concentrations shall not fall below 2.6 mg/L during summer baseflow conditions.	
From:	Confluence with Main Ditch / Sec. 15, T24N, R6E		
To:	Poplar Bluff Wastewater Treatment Plant / Sec. 15, T24N, R6E		



Table K: Site-Specific Criteria—continued

Parameter:	Dissolved Oxygen	Daily Average Criterion	4.7 mg/L
Waterbody:	Main Ditch	Daily average dissolved oxygen concentration shall not fall below 4.7 mg/L during summer baseflow conditions as measured by a minimum of four samples collected within a 24-hour period. All measurements shall be spaced a minimum of 5 hours apart.	
Season:	July – September		
Hydrology:	Baseflow Conditions		
County:	Butler	Daily Minimum Criterion	2.6 mg/L
Miles:	14	Daily minimum dissolved oxygen concentrations shall not fall below 2.6 mg/L during summer baseflow conditions.	
From:	Confluence with Pike Creek / Sec. 15, T24N, R6E		
To:	Confluence with Pike Ditch / Sec. 18, T22N, R6E		

Table L: Total Phosphorus (TP) Criteria for Classified Lakes

Lake Ecoregion	TP Reference Value (µg/L)	TP Prediction Value (µg/L) (1)	TP 10th Percentile Reference Value for Site Specific Criteria (µg/L)
Plains	58	$a/4 + 16/b + 570/c$	20
Ozark Border	41	$15 + 740/c$	16
Ozark Highland	26	$5 + 740/c$	9

- (1) Coefficients: a = percentage of watershed originally in prairie (0 to 100);
 b = hydraulic residence time in years; c = dam height in feet

**Table M: Lakes with Site-Specific Criteria**

Lake Ecoregion	Lake	County	Site-Specific Criteria (µg/L)		
			TP	TN	Chl
Plains	Bowling Green Lake	Pike	21	502	6.5
	Bowling Green Lake (old)	Pike	31	506	5.0
	Forest Lake	Adair	21	412	4.3
	Fox Valley Lake	Clark	17	581	6.3
	Hazel Creek Lake	Adair	27	616	6.9
	Lincoln Lake – Cuivre River State Park	Lincoln	16	413	4.3
	Marie, Lake	Mercer	14	444	3.6
	Nehai Tonkaia Lake	Chariton	15	418	2.7
	Viking, Lake	Daviess	25	509	7.8
	Waukomis Lake	Platte	25	553	11.0
	Weatherby Lake	Platte	16	363	5.1
Ozark Border	Goose Creek Lake	St Francois	12	383	3.2
	Wauwanoka, Lake	Jefferson	12	384	6.1
Ozark Highlands	Clearwater Lake	Wayne-Reynolds	13	220	2.6
	Council Bluff Lake	Iron	7	229	2.1
	Crane Lake	Iron	9	240	2.6
	Fourche Lake	Ripley	9	236	2.1
	Loggers Lake	Shannon	9	200	2.6
	Lower Taum Sauk Lake	Reynolds	9	203	2.6
	Noblett Lake	Douglas	9	211	2.0
	St. Joe State Park Lakes	St Francois	9	253	2.0
	Sunnen Lake	Washington	9	274	2.6
	Table Rock Lake	Stone	9	253	2.6
Terre du Lac Lakes	St Francois	9	284	1.7	
Timberline Lakes	St Francois	8	276	1.5	



Table N: Total Phosphorus Criteria in Tributary Arms of Major Reservoirs

Reservoir	Tributary Arm	Sample Site (dec. deg.)		TP (µg/L)
		Latitude	Longitude	
Ozarks, Lake of the	Grand Glaize	38.11	-92.664	26
	Gravois	38.245	-92.745	26
	Niangua	38.071	-92.822	26
Table Rock Lake	James River	36.678	-93.535	16
	Kings River	36.576	-93.596	18
	Long Creek	36.557	-93.294	12



AUTHORITY: section 644.021, RSMo Supp. 2011, and section 644.026, RSMo 2000. Original rule filed May 13, 1977, effective Dec. 11, 1977. Amended: Filed Oct. 15, 1980, effective April 11, 1981. Amended: Filed July 12, 1984, effective Dec. 13, 1984. Rescinded and readopted: Filed Aug. 4, 1987, effective Dec. 12, 1987. Amended: Filed Nov. 14, 1988, effective April 15, 1989. Rescinded and readopted: Filed Sept. 5, 1990, effective March 14, 1991. Amended: Filed Sept. 2, 1993, effective May 9, 1994. Amended: Filed Nov. 14, 1995, effective July 30, 1996. Amended: Filed March 1, 1996, effective Nov. 30, 1996. Amended: Filed March 31, 2005, effective Dec. 31, 2005. Amended: Filed Dec. 13, 2007, effective Aug. 30, 2008. Emergency amendment filed Nov. 12, 2008, effective Nov. 22, 2008, expired May 20, 2009. Amended: Filed Feb. 3, 2009, effective Oct. 30, 2009. Amended: Filed Oct. 31, 2011, effective June 30, 2012.*

**Original authority: 644.021, RSMo 1972, amended 1973, 2000, 2002, 2007 and 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995, 2000.*

10 CSR 20-7.050 Methodology for Development of Impaired Waters List

PURPOSE: This rule describes the process used to develop the list of impaired waters as required by the Federal Water Pollution Control Act, Section 303(d), for the purpose of identifying those waters that do not fulfill their designated uses and require the development of total maximum daily loads.

(1) Definitions.

(A) Aquatic assemblage—Any major group of aquatic organisms, such as fish, aquatic macroinvertebrate animals, algae, or aquatic macrophytes.

(B) Pollutant—Dredged spoil, solid waste, incinerator residue, sewage, garbage, sewer sludge, munitions, chemical waste, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, filter backwash, or industrial, municipal, or agricultural waste discharged into water.

(C) Qualitative biological monitoring—Monitoring that identifies the different taxa but not the relative abundance of the organisms being sampled.

(D) Quantitative biological monitoring—Monitoring that determines the density per unit area or relative abundance of living organisms.

(E) Section 303(d) list—A list of certain impaired waters, required by Section 303(d) of the Federal Water Pollution Control Act.

(F) Total maximum daily load (TMDL) studies. The objective of these studies is to determine the allowable amounts of a Section 303(d) listed pollutant that can be discharged to a Section 303(d) listed water and still be protective of all applicable water quality standards.

(2) Acceptable Water Quality Data for Use in Compiling the 303(d) List.

(A) The Missouri Department of Natural Resources (the department) will receive and review all data submitted, and will use scientifically defensible data. Scientifically defensible data will include data meeting the following requirements:

1. All environmental data generated directly by the department or through contracts funded by the department or the United States Environmental Protection Agency (USEPA) that are governed by a Quality Assurance Project Plan (QAPP) as required by the Total Quality Management Plan completed by the department and USEPA. The organization responsible for collection or collection and analysis of the environmental sampling must write and adhere to a QAPP approved by the quality assurance manager of the department; or

2. All environmental data collected by any other agencies, organizations, or individuals that are governed by an internal quality assurance program that has been reviewed and approved by the department.

(B) Only data collected subsequent to events with potential to cause permanent change in water quality in a given water shall be used to assess the present condition of that water.

(C) The department shall recognize four (4) levels of assurance for water quality data. Only data of Level 2 or higher shall be used to support additions, deletions, or changes to the proposed 303(d) list, unless the problem can be accurately characterized by Level 1 data. These four (4) levels are:

1. Level 1: All data not constituting Levels 2, 3, or 4.

2. Level 2:

A. Chemical data, collected quarterly to bimonthly for at least three (3) years, or intensive studies that monitor several nearby sites repeatedly over short periods of time; or

B. At least three (3) fish tissue samples.

3. Level 3:

A. Chemical data collected at least monthly for more than three (3) years and providing data on a variety of water quality constituents, including heavy metals and pesticides; or

B. Quantitative biological monitoring of at least one (1) aquatic assemblage at multiple sites.

4. Level 4:

A. Chemical data collected at least monthly for more than three (3) years and providing data on a variety of water quality constituents, including heavy metals and pesticides, and including chemical sampling of sediments and fish tissue; or

B. Quantitative biological monitoring of at least two (2) aquatic assemblages at multiple sites.

(3) How Water Quality Data is Evaluated for the Development of the 303(d) List.

(A) The department shall evaluate physical, chemical, biological, and toxicological data and determine whether any designated beneficial uses of waters are not being fully met. If any designated beneficial uses of a water are determined to not be fully met, that water will be considered impaired.

(B) The following means may also be used to determine whether waters are impaired. This list is not all-inclusive.

1. Missouri's narrative water quality criteria as described in 10 CSR 20-7.031, section (3) may be used to evaluate waters when a quantitative value can be applied to the pollutant.

2. The analysis of aquatic invertebrate data may be supported by habitat assessment protocols.

3. The department shall review the proposed 303(d) lists of all states with which Missouri shares border waters (Des Moines River, Mississippi River, Missouri River, and St. Francis River). When another state lists one of those waters differently than it is listed by Missouri, the department will request the data justifying that listing in the other state. Those data will be reviewed according to established data evaluation guidelines, and Missouri's listing of that water may be changed, according to the result of that evaluation. In the case of a water that crosses into or out of Missouri, if that water's proposed 303(d) listing status changes at the state line, the department shall, upon the request of the bordering state, EPA, or another interested party, review and evaluate the data justifying that water's listing in the other state. The review will take place according to established data evaluation guidelines, and Missouri's listing of that water may be changed, according to the result of that evaluation.

(4) Creation of the Proposed 303(d) List.

(A) The department shall develop a detailed methodology for identifying waters that are impaired and shall submit the methodology to



public review prior to the development of an impaired waters list. The methodology shall include an explanation of how data are used, how the data are evaluated to determine impairment, and how a list of impaired waters is developed. The development of the methodology shall involve at least one (1) stakeholder meeting inviting all persons expressing an interest in the methodology and a sixty (60)-day comment period on the final draft. Following the review of public comments on the draft methodology, the department will provide written responses to the comments and obtain approval of the methodology from the Missouri Clean Water Commission before beginning water quality assessments for the purpose of completing the 303(d) list.

(B) The 303(d) list shall be developed in accordance with section 644.036.5, RSMo.

(C) The department shall establish priority ratings or schedules for the creation of total maximum daily loads (TMDLs) for waters on the proposed 303(d) list in accordance with the Federal Water Pollution Control Act, Section 303(d).

AUTHORITY: section 644.026, RSMo 2000. Original rule filed Nov. 5, 2003, effective July 30, 2004. Emergency amendment filed Oct. 16, 2006, effective Oct. 26, 2006, expired April 23, 2007. Amended: Filed Nov. 14, 2006, effective Aug. 30, 2007. Emergency amendment filed Sept. 15, 2008, effective Jan. 2, 2009, expired June 30, 2009. Amended: Filed Sept. 15, 2008, effective June 30, 2009.*

**Original authority: 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995, 2000.*