

## Environments and Contaminants

### Criteria Air Pollutants

**Table E1: Percentage of children ages 0 to 17 years living in counties with pollutant concentrations above the levels of the current air quality standards, 1999-2013\***

1999--2003					
Pollutant	1999	2000	2001	2002	2003
Any standard	75.3	76.7	77.0	76.2	77.9
Ozone (8-hour)	65.2	64.9	66.2	66.0	67.7
PM <sub>2.5</sub> (24-hour)	55.0	62.5	60.7	60.8	56.6
Sulfur dioxide (1-hour)	31.1	28.8	26.6	25.5	21.5
PM <sub>2.5</sub> (annual)	37.3	52.4	47.8	47.3	44.4
Nitrogen dioxide (1-hour)	23.2	19.4	17.3	18.8	17.3
PM <sub>10</sub> (24-hour)	12.3	10.4	6.8	10.2	8.8
Carbon monoxide (8-hour)	5.7	4.4	0.7	4.1	0.0
Lead (3-month)	2.3	1.6	2.1	1.2	1.6
2004-2008					
Pollutant	2004	2005	2006	2007	2008
Any standard	74.7	76.1	74.3	75.5	70.1
Ozone (8-hour)	61.4	66.0	65.0	63.8	58.8
PM <sub>2.5</sub> (24-hour)	55.8	59.9	45.4	53.3	36.8
Sulfur dioxide (1-hour)	20.4	20.7	16.5	15.2	16.8
PM <sub>2.5</sub> (annual)	38.6	47.3	36.8	39.7	26.6
Nitrogen dioxide (1-hour)	16.0	13.7	12.3	10.7	12.3
PM <sub>10</sub> (24-hour)	7.5	6.7	8.8	15.5	8.1
Carbon monoxide (8-hour)	0.1	0.2	0.3	0.1	0.1
Lead (3-month)	1.2	1.6	1.2	5.0	5.0
2009-2013					
Pollutant	2009	2010	2011	2012	2013
Any standard	58.9	68.0	67.0	67.7	50.3
Ozone (8-hour)	48.4	59.1	60.7	62.7	41.7
PM <sub>2.5</sub> (24-hour)	31.6	35.3	26.7	24.2	22.5
Sulfur dioxide (1-hour)	11.2	8.6	8.0	6.9	8.3
PM <sub>2.5</sub> (annual)	14.6	16.2	14.2	8.3	10.0
Nitrogen dioxide (1-hour)	8.5	7.1	3.3	3.0	5.4
PM <sub>10</sub> (24-hour)	9.3	5.2	5.8	8.7	10.5
Carbon monoxide (8-hour)	0.0	0.0	0.0	0.0	0.0
Lead (3-month)	4.2	6.6	6.7	2.6	0.9

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

\* EPA periodically reviews air quality standards and may change them based on updated scientific findings. Measuring concentrations above the level of a standard is not equivalent to violating the standard. The level of a standard may be exceeded on multiple days before the exceedance is considered a violation of the standard. See the indicator text for additional discussion. The indicator is calculated with reference to the current levels of the air quality standards for all years shown (with the exception of the new ozone standard issued by EPA on October 1, 2015).

**Table E1a: Percentage of children ages 0 to 17 years living in counties with pollutant concentrations above the levels of the current air quality standards, by race/ethnicity, 2013\***

Pollutant	All Races/ Ethnicities	White non- Hispanic	Black non- Hispanic	American Indian/Alaska Native non-Hispanic	Asian or Pacific Islander non- Hispanic	Hispanic
<b>Any standard</b>	50.3	41.9	48.6	34.9	65.3	67.8
<b>Ozone (8-hour)</b>	41.7	32.6	41.0	23.4	53.5	61.1
<b>PM<sub>2.5</sub> (24-hour)</b>	22.4	17.2	14.5	16.1	38.4	36.1
<b>Sulfur dioxide (1-hour)</b>	8.2	7.3	11.1	5.3	6.9	9.1
<b>PM<sub>2.5</sub> (annual)</b>	10.0	6.0	5.3	4.7	20.2	20.2
<b>Nitrogen dioxide (1-hour)</b>	5.5	2.5	4.9	1.6	9.0	12.0
<b>PM<sub>10</sub> (24-hour)</b>	10.5	5.9	5.1	13.2	13.8	23.8
<b>Carbon monoxide (8-hour)</b>	0.0	0.0	0.0	0.0	0.0	0.0
<b>Lead (3-month)</b>	0.9	0.9	0.7	0.2	1.5	1.1

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

\* EPA periodically reviews air quality standards and may change them based on updated scientific findings. Measuring concentrations above the level of a standard is not equivalent to violating the standard. The level of a standard may be exceeded on multiple days before the exceedance is considered a violation of the standard. See the indicator text for additional discussion. The indicator is calculated with reference to the current levels of the air quality standards (with the exception of the new ozone standard issued by EPA on October 1, 2015).

**Table E1b: Percentage of children ages 0 to 17 years living in counties with pollutant concentrations above the levels of the current air quality standards, by family income, 2013\***

Pollutant	All Incomes	< Poverty Level	≥ Poverty Level
<b>Any standard</b>	50.3	49.7	50.5
<b>Ozone (8-hour)</b>	41.7	42.1	41.6
<b>PM<sub>2.5</sub> (24-hour)</b>	22.4	22.4	22.4
<b>Sulfur dioxide (1-hour)</b>	8.2	8.8	8.1
<b>PM<sub>2.5</sub> (annual)</b>	10.0	11.1	9.7
<b>Nitrogen dioxide (1-hour)</b>	5.5	6.8	5.1
<b>PM<sub>10</sub> (24-hour)</b>	10.5	12.1	10.1
<b>Carbon monoxide (8-hour)</b>	0.0	0.0	0.0
<b>Lead (3-month)</b>	0.9	0.8	0.9

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

\* EPA periodically reviews air quality standards and may change them based on updated scientific findings. Measuring concentrations above the level of a standard is not equivalent to violating the standard. The level of a standard may be exceeded on multiple days before the exceedance is considered a violation of the standard. See the indicator text for additional discussion. The indicator is calculated with reference to the current levels of the air quality standards (with the exception of the new ozone standard issued by EPA on October 1, 2015).

**Table E2: Percentage of children ages 0 to 17 years living in counties with 8-hour ozone and 24-hour PM<sub>2.5</sub> concentrations above the levels of air quality standards, by frequency of occurrence, 2013\***

<b>Ozone (8-hour)</b>								
<b>1999-2006</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
<b>No days with concentrations above standard</b>	2.9	4.4	4.2	4.7	3.7	9.7	5.1	6.4
<b>1-3 days</b>	4.6	9.6	6.9	6.7	8.7	22.8	9.3	10.6
<b>4-10 days</b>	10.8	22.9	16.2	9.6	28.6	21.0	17.7	24.7
<b>11-25 days</b>	26.7	16.2	29.4	21.4	18.1	9.9	28.0	19.4
<b>26 or more days</b>	23.2	16.2	13.7	28.3	12.4	7.8	11.1	10.3
<b>No monitoring data</b>	31.8	30.7	29.6	29.3	28.6	28.9	28.9	28.6
<b>2007-2013</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	
<b>No days with concentrations above standard</b>	8.0	13.6	24.8	14.4	13.5	11.3	32.2	
<b>1-3 days</b>	11.2	18.6	27.5	23.1	19.9	18.1	23.0	
<b>4-10 days</b>	19.7	23.7	11.5	21.7	24.3	19.9	10.8	
<b>11-25 days</b>	25.8	8.4	3.0	8.4	9.2	18.1	2.2	
<b>26 or more days</b>	7.1	8.1	6.4	5.9	7.3	6.5	5.7	
<b>No monitoring data</b>	28.3	27.6	26.8	26.5	25.9	26.1	26.1	
<b>PM<sub>2.5</sub> (24-hour)</b>								
<b>1999-2006</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
<b>No days with concentrations above standard</b>	13.4	10.5	12.5	12.6	16.0	14.6	10.7	23.8
<b>1-7 days</b>	36.3	41.4	39.1	37.7	37.7	40.0	42.1	36.2
<b>8-10 days</b>	3.3	2.7	1.6	3.5	3.8	5.2	4.7	6.4
<b>11-25 days</b>	9.2	11.2	12.5	11.8	9.8	8.3	10.7	1.0
<b>26 or more days</b>	6.2	7.2	7.4	7.8	5.4	2.2	2.4	1.8
<b>No monitoring data</b>	31.6	27.0	26.9	26.6	27.4	29.9	29.4	30.8
<b>2007-2013</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>	
<b>No days with concentrations above standard</b>	16.0	33.0	38.3	34.8	42.8	44.5	43.0	
<b>1-7 days</b>	39.5	29.5	27.9	32.4	22.7	22.6	17.9	
<b>8-10 days</b>	1.8	4.5	0.9	1.0	2.5	0.5	1.2	
<b>11-25 days</b>	9.9	1.8	1.9	1.6	0.5	0.8	1.4	
<b>26 or more days</b>	2.1	1.0	0.9	0.3	1.0	0.4	2.0	
<b>No monitoring data</b>	30.7	30.2	30.1	29.9	30.6	31.3	34.5	

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

\* EPA periodically reviews air quality standards and may change them based on updated scientific findings. Measuring concentrations above the level of a standard is not equivalent to violating the standard. The level of a standard may be exceeded on multiple days before the exceedance is considered a violation of the standard. See the indicator text for additional discussion. The indicator is calculated with reference to the current levels of the air quality standards (with the exception of the new ozone standard issued by EPA on October 1, 2015, which replaced the 2008 standard of 0.075 ppm) for all years shown.

**Table E3: Percentage of days with good, moderate, or unhealthy air quality for children ages 0 to 17 years, 1999-2013**

Pollution Level								
1999-2006	1999	2000	2001	2002	2003	2004	2005	2006
Good	38.5	38.7	39.3	40.2	41.9	43.7	42.0	43.4
Moderate	24.4	27.2	27.5	26.5	26.6	26.4	27.4	27.0
Unhealthy	9.2	7.9	7.7	8.2	6.6	5.4	6.4	5.5
No monitoring data	27.9	26.2	25.5	25.1	25.0	24.5	24.2	24.1
2007-2013	2007	2008	2009	2010	2011	2012	2013	
Good	42.2	44.5	49.1	48.1	46.7	48.4	51.5	
Moderate	28.6	27.8	24.9	26.3	27.1	25.4	23.6	
Unhealthy	5.5	4.2	3.2	3.1	3.8	3.9	2.6	
No monitoring data	23.7	23.6	22.7	22.5	22.3	22.3	22.3	

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

NOTE: Good, moderate, and unhealthy air quality are defined using EPA's Air Quality Index (AQI). The health information that supports EPA's periodic reviews of the air quality standards informs decisions on the AQI breakpoints and may change based on updated scientific findings. See text for additional discussion.

**Table E3a: Percentage of days with good, moderate, or unhealthy air quality for children ages 0 to 17 years, by race/ethnicity, 2013**

Pollution Level	All Races/ Ethnicities	White non- Hispanic	Black non- Hispanic	American Indian/ Alaska Native	Asian or Pacific Islander	Hispanic
Good	51.5	50.7	55.0	46.8	57.0	50.0
Moderate	23.6	18.3	24.8	16.5	30.6	33.5
Unhealthy	2.6	1.5	1.5	1.7	3.9	5.3
No monitoring data	22.4	29.4	18.7	35.0	8.5	11.2

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

NOTE: Good, moderate, and unhealthy air quality are defined using EPA's Air Quality Index (AQI). The health information that supports EPA's periodic reviews of the air quality standards informs decisions on the AQI breakpoints and may change based on updated scientific findings. See text for additional discussion.

**Table E3b: Percentage of days with good, moderate, or unhealthy air quality for children ages 0 to 17 years, by family income, 2013**

Pollution Level	All Incomes	< Poverty Level	≥ Poverty Level
Good	51.5	48.9	52.2
Moderate	23.6	24.9	23.2
Unhealthy	2.6	3.0	2.4
No monitoring data	22.4	23.3	22.2

DATA: U.S. Environmental Protection Agency, Office of Air and Radiation, Air Quality System

NOTE: Good, moderate, and unhealthy air quality are defined using EPA's Air Quality Index (AQI). The health information that supports EPA's periodic reviews of the air quality standards informs decisions on the AQI breakpoints and may change based on updated scientific findings. See text for additional discussion.