DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility	Name:	First Energy Corporation		
Facility	Address:	2 nd and Maury Streets, Richmond, VA		
Facility	EPA ID #: _	VAD086293719		
1.	groundwater	able relevant/significant information on known and reasonably suspected releases to the media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units gulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?		
	v If yes - check here and continue with #2 below.			
	If no	o - re-evaluate existing data, or		
	If da	ata are not available, skip to #8 and enter"IN" (more information needed) status code.		

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2.	Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility				
	1	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.			
	<u>v</u>	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."			
		If unknown - skip to #8 and enter "IN" status code.			

Rationale and Reference(s):

The former First Energy Corporation (FEC) wastewater treatment facility (Facility) is located on a fenced approximately 1-acre parcel at the intersection of 2nd and Maury Streets in Richmond, Virginia. Wastewater is no longer treated at the Facility. A large building occupies the central portion of the site. The remainder of the site contains a trailer, two concrete containment areas and gravel covered areas. All hazardous waste containers, tanks, vessels, and equipment were removed from the Facility in 1999 and the facility initiated closure activities. On June 28, 2006, EPA, VDEQ and facility representatives conducted a RCRA site visit to identify hazardous waste management units (HWMUs), solid waste management units (SWMUs) and areas of concern (AOCs) at the Facility. Three (3) Hazardous Waste Management Units (HWMU 1, Wastewater Treatment Building; HWMU 2, Truck Unloading and Containment Area; and HWMU 3, Southeast Containment Area), one solid waste management unit (SWMU, Storage Trailer), and one (1) Area of Concern (AOC, Former Roll-off Storage Area) were identified during the visit.

As part of a combined closure/RCRA Facility Investigation (RFI), FEC conducted an assessment of the cracks in the concrete containment surfaces and an assessment of soil beneath any cracks that breach the concrete containment surfaces. Additionally, the identified SWMU and AOC were investigated as well. Soil and subsoil sampling was conducted and evaluated in accordance with the Facility's approved Closure Plan, Sampling and Analysis Plan (SAP), and RFI Work Plan (RFI WP). The results indicated that there have been no releases from the SWMU and AOC identified during the RCRA site visit; however, the three HWMUs needed further evaluation for arsenic as the clean closure performance standards for these units had not been met. The Wastewater Treatment Building and the Truck Unloading and Containment Area were clean closed following additional background soil sampling in January 2011; after limited soil removal in the Southeast Containment Area, clean closure at the Site has been achieved and no further action is required.

Reference(s):

- RCRA Site Visit Report, dated November 27, 2006
- Sampling and Analysis Plan, dated June 2007
- ♦ Closure Plan & Phase I RFI Work Plan, dated July 2008
- Closure Plan, dated July 2009
- ♦ Closure/RFI Report, dated October 2010
- REAMS Model Assessment, dated June 2011
- ♦ Supplemental Memorandum, dated October 2011

Footnotes:

roomotes.

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

•	Request for	Closure P	lan Minor A	Amendment lette	r dated	December	19,	2011
---	-------------	-----------	-------------	-----------------	---------	----------	-----	------

♦ Cle	ure Report	t Addendum –	Closure	and Phase	IRFI	letter dat	ed May	<i>,</i> 29.	2012
-------	------------	--------------	---------	-----------	------	------------	--------	--------------	------

3.	Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?		
		If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination"2).	
	,	If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" ²) – skip to #8 and enter "NO" status code, after providing an explanation.	
	c 	If unknown - skip to #8 and enter "IN" status code.	
Rational	e and Re	ference(s):	

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4. I	Does "c	ontaminated" groundwater discharge into surface water bodies?			
_		If yes - continue after identifying potentially affected surface water bodies.			
-		If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.			
If unknown - skip to #8 and enter "IN" status code.					
Rationale	and Re	ference(s):			

5.	maximu appropr discharg	ischarge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the am concentration ³ of each contaminant discharging into surface water is less than 10 times their integroundwater "level," and there are no other conditions (e.g., the nature, and number, of ging contaminants, or environmental setting), which significantly increase the potential for otable impacts to surface water, sediments, or eco-systems at these concentrations)?
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentrations of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
		If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentrations of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
		If unknown - enter "IN" status code in #8.
Rationa	le and Re	ference(s):

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6.	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)?					
	s s c c 22 s s tt s b id ff	f yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, rediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR (2) providing or referencing an interim-assessment, appropriate to the potential for impact, that hows the discharge of groundwater contaminants into the surface water is (in the opinion of a rained specialists, including ecologist) adequately protective of receiving surface water, ediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help dentify the impact associated with discharging groundwater) include: surface water body size, llow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to vailable and appropriate surface water and sediment "levels," as well as any other factors, such as affects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the El determination.				
	а	f no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently anacceptable impacts to the surface water body, sediments, and/or eco-systems.				
	I	f unknown - skip to 8 and enter "IN" status code.				
Rational	e and Refe	rence(s):				

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"					
		If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."				
		If no - enter "NO" status code in #8.				
		If unknown - enter "IN" status code in #8.				
iona	le and Re	ference(s):				

Rati

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Cont EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).		
review of the information contained in a "Migration of Contaminated Groundwa facility, EPA ID # VAD086293719, loc Specifically, this determination indicate	Groundwater Under Control" has been verified. Based on a this EI determination, it has been determined that the ter" is "Under Control" at the First Energy Corporation sated at 2 nd and Maury Street in Richmond, Virginia. It is that there is no reason to assume that the groundwater at contaminated. This determination will be re-evaluated if at changes at the facility.	
NO - Unacceptable migration of contan	ninated groundwater is observed or expected.	
IN - More information is needed to make	e a determination.	
Completed by: (signature). (print) Laura Galli (title) CA Project Manager	Date <u>June 21, 2012</u>	
Supervisor: (signature) (print) (title) (EPA Region or State) CA Project Manager Jutta Schneider Program Manager VA DEO	Date _ <u>June 21, 2012</u> _	
Locations where References may be found: VA Department of Environmental Quality 629 East Main Street Richmond, VA 23219		
Contact telephone and e-mail numbers (name) Laura Galli (phone #) (804) 698-4218 (e-mail) laura.galli@deq.virginia.gov		