

Final Rule

Wednesday
December 8, 1999

Part II

**Environmental
Protection Agency**

40 CFR Parts 9, 122, 123, and 124
National Pollutant Discharge Elimination
System—Regulations for Revision of the
Water Pollution Control Program
Addressing Storm Water Discharges;
Final Rule

Report to Congress on the Phase II
Storm Water Regulations; Notice

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Parts 9, 122, 123, and 124

[FRL—6470—8]

RIN 2040—AC82

National Pollutant Discharge Elimination System—Regulations for Revision of the Water Pollution Control Program Addressing Storm Water Discharges

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule.

SUMMARY: Today's regulations (Phase II) expand the existing National Pollutant Discharge Elimination System (NPDES) storm water program (Phase I) to address storm water discharges from small municipal separate storm sewer systems (MS4s) (those serving less than 100,000 persons) and construction sites that disturb one to five acres. Although these sources are automatically designated by today's rule, the rule allows for the exclusion of certain sources from the national program based on a demonstration of the lack of impact on water quality, as well as the inclusion of others based on a higher likelihood of localized adverse impact on water quality. Today's regulations also exclude from the NPDES program storm water discharges from industrial facilities that have "no exposure" of industrial activities or materials to storm water. Finally, today's rule extends from August 7, 2001 until March 10, 2003 the deadline by which certain industrial facilities owned by small MS4s must obtain coverage under an NPDES permit. This rule establishes a cost-effective, flexible approach for reducing environmental harm by storm water discharges from many point sources of storm water that are currently unregulated.

EPA believes that the implementation of the six minimum measures identified for small MS4s should significantly reduce pollutants in urban storm water compared to existing levels in a cost-effective manner. Similarly, EPA believes that implementation of Best Management Practices (BMP) controls at small construction sites will also result in a significant reduction in pollutant discharges and an improvement in surface water quality. EPA believes this rule will result in monetized financial, recreational and health benefits, as well as benefits that EPA has been unable to monetize. Expected benefits include reduced scouring and erosion of streambeds, improved aesthetic quality

of waters, reduced eutrophication of aquatic systems, benefit to wildlife and endangered and threatened species, tourism benefits, biodiversity benefits and reduced costs for siting reservoirs. In addition, the costs of industrial storm water controls will decrease due to the exclusion of storm water discharges from facilities where there is "no exposure" of storm water to industrial activities and materials.

DATES: This regulation is effective on February 7, 2000. The incorporation by reference of the rainfall erosivity factor publication listed in the rule is approved by the Director of the Federal Register as of February 7, 2000. For judicial review purposes, this final rule is promulgated as of 1:00 p.m. Eastern Standard Time, on December 22, 1999 as provided in 40 CFR 23.2.

ADDRESSES: The complete administrative record for the final rule and the ICR have been established under docket numbers W-97-12 (rule) and W-97-15 (ICR), and includes supporting documentation as well as printed, paper versions of electronic comments. Copies of information in the record are available upon request. A reasonable fee may be charged for copying. The record is available for inspection and copying from 9 a.m. to 4 p.m., Monday through Friday, excluding legal holidays, at the Water Docket, EPA, East Tower Basement, 401 M Street, SW, Washington, DC. For access to docket materials, please call 202/260-3027 to schedule an appointment.

FOR FURTHER INFORMATION CONTACT: George Utting, Office of Wastewater Management, Environmental Protection Agency, Mail Code 4203, 401 M Street, SW, Washington, DC 20460; (202) 260-5816; sw2@epa.gov.

SUPPLEMENTARY INFORMATION: Entities potentially regulated by this action include:

Category	Examples of regulated entities
Federal, State, Tribal, and Local Governments.	Operators of small separate storm sewer systems, industrial facilities that discharge storm water associated with industrial activity or construction activity disturbing 1 to 5 acres.
Industry	Operators of industrial facilities that discharge storm water associated with industrial activity.
Construction Activity.	Operators of construction activity disturbing 1 to 5 acres.

This table is not intended to be exhaustive, but rather provides a guide

for readers regarding entities likely to be regulated by this action. This table lists the types of entities that EPA is now aware could potentially be regulated by this action. Other types of entities not listed in the table could also be regulated. To determine whether your facility or company is regulated by this action, you should carefully examine the applicability criteria in §§ 122.26(b), 122.31, 122.32, and 123.35 of the final rule. If you have questions regarding the applicability of this action to a particular entity, consult the person listed in the preceding **FOR FURTHER INFORMATION CONTACT** section.

Table of Contents:

- I. Background
 - A. Proposed Rule and Pre-proposal Outreach
 - B. Water Quality Concerns/Environmental Impact Studies and Assessments
 - 1. Urban Development
 - a. Large-Scale Studies and Assessments
 - b. Local and Watershed-Based Studies
 - c. Beach Closings/Advisories
 - 2. Non-storm Water Discharges Through Municipal Storm Sewers
 - 3. Construction Site Runoff
 - C. Statutory Background
 - D. EPA's Reports to Congress
 - E. Industrial Facilities Owned or Operated by Small Municipalities
 - F. Related Nonpoint Source Programs
 - II. Description of Program
 - A. Overview
 - 1. Objectives EPA Seeks to Achieve in Today's Rule
 - 2. General Requirements for Regulated Entities Under Today's Rule
 - 3. Integration of Today's Rule With the Existing Storm Water Program
 - 4. General Permits
 - 5. Tool Box
 - 6. Deadlines Established in Today's Action
 - B. Readable Regulations
 - C. Program Framework: NPDES Approach
 - D. Federal Role
 - 1. Develop Overall Framework of the Program
 - 2. Encourage Consideration of "Smart Growth" Approaches
 - 3. Provide Financial Assistance
 - 4. Implement the Program in Jurisdictions not Authorized to Administer the NPDES Program
 - 5. Oversee State and Tribal Programs
 - 6. Comply with Applicable Requirements as a Discharger
 - E. State Role
 - 1. Develop the Program
 - 2. Comply With Applicable Requirements as a Discharger
 - 3. Communicate with EPA
 - F. Tribal Role
 - G. NPDES Permitting Authority's Role for the NPDES Storm Water Small MS4 Program
 - 1. Comply With Implementation Requirements
 - 2. Designate Sources
 - a. Develop Designation Criteria
 - b. Apply Designation Criteria

- c. Designate Physically Interconnected Small MS4s
- d. Respond to Public Petitions for Designation
- 3. Provide Waivers
- 4. Issue Permits
- 5. Support and Oversee the Local Programs
- H. Municipal Role
 - 1. Scope of Today's Rule
 - 2. Municipal Definitions
 - a. Municipal Separate Storm Sewer Systems (MS4s)
 - b. Small Municipal Separate Storm Sewer Systems
 - i. Combined Sewer Systems (CSS)
 - ii. Owners/Operators
 - c. Regulated Small MS4s
 - i. Urbanized Area Description
 - ii. Rationale for Using Urbanized Areas
 - d. Municipal Designation by the Permitting Authority
 - e. Waiving the Requirements for Small MS4s
 - 3. Municipal Permit Requirements
 - a. Overview
 - i. Summary of Permitting Options
 - ii. Water Quality-Based Requirements
 - iii. Maximum Extent Practicable
 - b. Program Requirements—Minimum Control Measures
 - i. Public Education and Outreach on Storm Water Impacts
 - ii. Public Involvement/Participation
 - iii. Illicit Discharge Detection and Elimination
 - iv. Construction Site Storm Water Runoff Control
 - v. Post-Construction Storm Water Management in New Development and Redevelopment
 - vi. Pollution Prevention/Good Housekeeping for Municipal Operations
 - c. Application Requirements
 - i. Best Management Practices and Measurable Goals
 - ii. Individual Permit Application for a § 122.34(b) Program
 - iii. Alternative Permit Option/ Tenth Amendment
 - iv. Satisfaction of Minimum Measure Obligations by Another Entity
 - v. Joint Permit Programs
 - d. Evaluation and Assessment
 - i. Recordkeeping
 - ii. Reporting
 - iii. Permit-As-A-Shield
 - e. Other Applicable NPDES Requirements
 - f. Enforceability
 - g. Deadlines
 - h. Reevaluation of Rule
 - I. Other Designated Storm Water Discharges
 - 1. Discharges Associated with Small Construction Activity
 - a. Scope
 - b. Waivers
 - i. Rainfall-Erosivity Waiver
 - ii. Water Quality Waiver
 - c. Permit Process and Administration
 - d. Cross-Referencing State, Tribal, or Local Erosion and Sediment Control Programs
 - e. Alternative Approaches
 - 2. Other Sources
 - 3. ISTEA Sources
 - 4. Residual Designation Authority

- J. Conditional Exclusion for "No Exposure" of Industrial Activities and Materials to Storm Water
 - 1. Background
 - 2. Today's Rule
 - 3. Definition of "No Exposure"
- K. Public Involvement/Public Role
- L. Water Quality Issues
 - 1. Water Quality Based Effluent Limits
 - 2. Total Maximum Daily Loads and Analysis to Determine the Need for Water Quality-Based Limitations
 - 3. Anti-Backsliding
 - 4. Water Quality-Based Waivers and Designations
- III. Cost-Benefit Analysis
 - A. Costs
 - 1. Municipal Costs
 - 2. Construction Costs
 - B. Quantitative Benefits
 - 1. National Water Quality Model
 - 2. National Water Quality Assessment
 - a. Municipal Measures
 - i. Fresh Waters Benefits
 - ii. Marine Waters Benefits
 - b. Construction Benefits
 - c. Summary of Benefits From the National Water Quality Assessment
 - C. Qualitative Benefits
 - D. National Economic Impact
 - IV. Regulatory Requirements
 - A. Paperwork Reduction Act
 - B. Executive Order 12866
 - C. Unfunded Mandates Reform Act
 - 1. Summary of UMRA Section 202 Written Statement
 - 2. Selection of the Least Costly, Most Cost-Effective or Least Burdensome Alternative That Achieves the Objectives of the Statute
 - 3. Effects on Small Governments
 - D. Executive Order 13132
 - E. Regulatory Flexibility Act
 - F. National Technology Transfer And Advancement Act
 - G. Executive Order 13045
 - H. Executive Order 13084
 - I. Congressional Review Act

I. Background

A. Proposed Rule and Pre-Proposal Outreach

On January 9, 1998 (63 FR 1536), EPA proposed to expand the National Pollutant Discharge Elimination System (NPDES) storm water program to include storm water discharges from municipal separate storm sewer systems (MS4s) and construction sites that were smaller than those previously included in the program. The proposal also addressed industrial sources that have "no exposure" of industrial activities and materials to storm water. Today, EPA is promulgating a final rule to implement most of the proposed revisions with minor changes based on public comments received on the proposal. Today's final rule also extends the deadline by which certain industrial facilities operated by municipalities of less than 100,000 population must be covered by a NPDES permit; the

deadline is changed from August 7, 2001 until March 10, 2003.

In 1972, Congress amended the Federal Water Pollution Control Act (commonly referred to as the Clean Water Act (CWA)) to prohibit the discharge of any pollutant to waters of the United States from a point source unless the discharge is authorized by an NPDES permit. The NPDES program is a program designed to track point sources and require the implementation of the controls necessary to minimize the discharge of pollutants. Initial efforts to improve water quality under the NPDES program primarily focused on reducing pollutants in industrial process wastewater and municipal sewage. These discharge sources were easily identified as responsible for poor, often drastically degraded, water quality conditions.

As pollution control measures for industrial process wastewater and municipal sewage were implemented and refined, it became increasingly evident that more diffuse sources of water pollution were also significant causes of water quality impairment. Specifically, storm water runoff draining large surface areas, such as agricultural and urban land, was found to be a major cause of water quality impairment, including the nonattainment of designated beneficial uses.

In 1987, Congress amended the CWA to require implementation, in two phases, of a comprehensive national program for addressing storm water discharges. The first phase of the program, commonly referred to as "Phase I," was promulgated on November 16, 1990 (55 FR 47990). Phase I requires NPDES permits for storm water discharge from a large number of priority sources including municipal separate storm sewer systems ("MS4s") generally serving populations of 100,000 or more and several categories of industrial activity, including construction sites that disturb five or more acres of land.

Today's rule, which is the second phase of the storm water program, expands the existing program to include discharges of storm water from smaller municipalities in urbanized areas and from construction sites that disturb between one and five acres of land. Today's rule allows certain sources to be excluded from the national program based on a demonstrable lack of impact on water quality. The rule also allows other sources not automatically regulated on a national basis to be designated for inclusion based on increased likelihood for localized adverse impact on water quality.

Today's rule also conditionally excludes storm water discharges from industrial facilities that have "no exposure" of industrial activities or materials to storm water. Today's rule and the effort that led to its development are commonly referred to as "Phase II." On August 7, 1995, EPA promulgated a final rule that required facilities to be regulated under Phase II to apply for a NPDES permit by August 7, 2001, unless the NPDES permitting authority designates them as requiring a permit by an earlier date. (60 FR 40230). That rule is referred to as "the Interim Phase II Rule." Today's rule replaces the Interim Phase II rule.

EPA performed extensive outreach and worked with a variety of stakeholders prior to proposing today's rule. On September 9, 1992, EPA published a notice requesting information and public comment on how to prepare regulations under CWA section 402(p)(6) (see 57 FR 41344). The notice identified three sets of issues associated with developing new NPDES storm water regulations: (1) How should EPA identify unregulated sources of storm water to protect water quality, (2) what types of control strategies should EPA develop for these sources, and (3) what are appropriate deadlines for implementing new requirements. The notice recognized that potential sources for coverage under the section 402(p)(6) regulations would fall into two main categories: municipal separate storm sewer systems and individual (commercial and residential) sources. EPA received more than 130 comments on the September 9, 1992, notice. For further discussion of the comments received, see *Storm Water Discharges Potentially Addressed by Phase II of the National Pollutant Discharge Elimination System: Report to Congress* (EPA, 1995a), pp. 1–21 to 1–22, and Appendix J (which provides a detailed summary of the comments received as they relate to the specific issues raised in the notice).

In early 1993, the Rensselaerville Institute and EPA held public and expert meetings to assist in developing and analyzing options for identifying unregulated sources and possible controls. The report on the 1993 meetings identified two options that were favored by the various groups that participated. One option was a program that allowed States to select sources to be controlled in a manner consistent with criteria developed by EPA. A second option was a tiered approach under which EPA would select high priority sources for control by NPDES permits and States would select other sources for control under a State water

quality program other than the NPDES program. For additional details see the "Report on the EPA Storm Water Management Program (Rensselaerville Study)," Appendix I of *Storm Water Discharges Potentially Addressed by Phase II of the National Pollutant Discharge Elimination System: Report to Congress* (EPA, 1995a).

EPA also conducted outreach with representatives of small entities in conjunction with the convening of a Small Business Advocacy Review Panel under the Small Business Regulatory Enforcement Fairness Act (SBREFA). This process is discussed in section IV.E of today's preamble. For additional background see the discussion in the preamble to the proposal for today's rule.

To assist EPA by providing advice and recommendations regarding the urban municipal wet weather water pollution control program, EPA established the Urban Wet Weather Flows Federal Advisory Committee (hereinafter, "FACA Committee") under the Federal Advisory Committee Act (FACA). The Office of Management and Budget approved the charter for the FACA Committee on March 10, 1995. The FACA Committee provided a forum for identifying and addressing issues associated with water quality impacts from storm water sources.

The FACA Committee established two subcommittees: the Storm Water Phase II FACA Subcommittee and the Sanitary Sewer Overflows (SSOs) FACA Subcommittee. Consistent with the requirements of FACA, the membership of both the FACA Committee and the subcommittees was balanced among EPA's various outside stakeholder interests, including representatives from municipalities, States, Indian Tribes, EPA, industrial and commercial sectors, agriculture, and environmental and public interest groups.

The Storm Water Phase II FACA Subcommittee ("Subcommittee") met fourteen times between September 1995 and June 1998. The 32 Subcommittee members discussed possible regulatory frameworks at these meetings as well as during numerous other meetings and conference calls. Members of the FACA Committee provided views regarding the development of the "no exposure" provision and other provisions in drafts of the Phase II rule. EPA provided Subcommittee members with four successive drafts of the proposed rule and preamble, outlines of the rule, summaries of the written comments received on each draft, and documents identifying the changes made to each draft. In the course of providing input to the Committee, individual

Subcommittee members provided significant input and advice that EPA considered in the context of public comments received. Ultimately, the Subcommittee did not provide a written report back to the FACA Committee, and the FACA Committee did not provide written advice and recommendations to EPA. The Agency, therefore, did not rely on group recommendations in developing today's rule, but does consider the process to have resulted in important public outreach.

B. Water Quality Concerns/ Environmental Impact Studies and Assessments

Storm water runoff from lands modified by human activities can harm surface water resources and, in turn, cause or contribute to an exceedance of water quality standards by changing natural hydrologic patterns, accelerating stream flows, destroying aquatic habitat, and elevating pollutant concentrations and loadings. Such runoff may contain or mobilize high levels of contaminants, such as sediment, suspended solids, nutrients (phosphorous and nitrogen), heavy metals and other toxic pollutants, pathogens, toxins, oxygen-demanding substances (organic material), and floatables (U.S. EPA. 1992).

Environmental Impacts of Storm Water Discharges: A National Profile. EPA 841-R-92-001. Office of Water. Washington, DC). After a rain, storm water runoff carries these pollutants into nearby streams, rivers, lakes, estuaries, wetlands, and oceans. The highest concentrations of these contaminants often are contained in "first flush" discharges, which occur during the first major storm after an extended dry period (Schueler, T.R. 1994. "First Flush of Stormwater Pollutants Investigated in Texas." Note 28. *Watershed Protection Techniques* 1(2)). Individually and combined, these pollutants impair water quality, threatening designated beneficial uses and causing habitat alteration or destruction.

Uncontrolled storm water discharges from areas of urban development and construction activity negatively impact receiving waters by changing the physical, biological, and chemical composition of the water, resulting in an unhealthy environment for aquatic organisms, wildlife, and humans. The following sections discuss the studies and data that address and support this finding.

Although water quality problems also can occur from agricultural storm water discharges and return flows from irrigated agriculture, this area of

concern is statutorily exempted from regulation as a point source under the Clean Water Act and is not discussed here. (See CWA section 502(14)). Other storm water sources not specifically identified in the regulations may be of concern in certain areas and can be addressed on a case-by-case (or category-by-category) basis through the NPDES designation authority preserved by CWA section 402(p)(2)(6), as well as today's rule.

1. Urban Development

Urbanization alters the natural infiltration capability of the land and generates a host of pollutants that are associated with the activities of dense populations, thus causing an increase in storm water runoff volumes and pollutant loadings in storm water discharged to receiving waterbodies (U.S. EPA, 1992). Urban development increases the amount of impervious surface in a watershed as farmland, forests, and meadowlands with natural infiltration characteristics are converted into buildings with rooftops, driveways, sidewalks, roads, and parking lots with virtually no ability to absorb storm water. Storm water and snow-melt runoff wash over these impervious areas, picking up pollutants along the way while gaining speed and volume because of their inability to disperse and filter into the ground. What results are storm water flows that are higher in volume, pollutants, and temperature than the flows in less impervious areas, which have more natural vegetation and soil to filter the runoff (U.S. EPA, 1997. *Urbanization and Streams: Studies of Hydrologic Impacts*. EPA 841-R-97-009. Office of Water. Washington, DC).

Studies reveal that the level of imperviousness in an area strongly correlates with the quality of the nearby receiving waters. For example, a study in the Puget Sound lowland ecoregion found that when the level of basin development exceeded 5 percent of the total impervious area, the biological integrity and physical habitat conditions that are necessary to support natural biological diversity and complexity declined precipitously (May, C.W., E.B. Welch, R.R. Horner, J.R. Karr, and B.W. May. 1997. *Quality Indices for Urbanization Effects in Puget Sound Lowland Streams*, Technical Report No. 154. University of Washington Water Resources Series). Research conducted in numerous geographical areas, concentrating on various variables and employing widely different methods, has revealed a similar conclusion: stream degradation occurs at relatively low levels of imperviousness, such as 10 to 20 percent (even as low as 5 to 10

percent according to the findings of the Washington study referenced above) (Schueler, T.R. 1994. "The Importance of Imperviousness." *Watershed Protection Techniques* 1(3); May, C., R.R. Horner, J.R. Karr, B.W. Mar, and E.B. Welch. 1997. "Effects Of Urbanization On Small Streams In The Puget Sound Lowland Ecoregion." *Watershed Protection Techniques* 2(4); Yoder, C.O., R.J. Miltner, and D. White. 1999. "Assessing the Status of Aquatic Life Designated Uses in Urban and Suburban Watersheds." In *Proceedings: National Conference on Retrofits Opportunities in Urban Environments*. EPA 625-R-99-002, Washington, DC; Yoder, C.O and R.J. Miltner. 1999. "Assessing Biological Quality and Limitations to Biological Potential in Urban and Suburban Watersheds in Ohio." In *Comprehensive Stormwater & Aquatic Ecosystem Management Conference Papers*, Auckland, New Zealand). Furthermore, research has indicated that few, if any, urban streams can support diverse benthic communities at imperviousness levels of 25 percent or more. An area of medium density single family homes can be anywhere from 25 percent to nearly 60 percent impervious, depending on the design of the streets and parking (Schueler, 1994).

In addition to impervious areas, urban development creates new pollution sources as population density increases and brings with it proportionately higher levels of car emissions, car maintenance wastes, pet waste, litter, pesticides, and household hazardous wastes, which may be washed into receiving waters by storm water or dumped directly into storm drains designed to discharge to receiving waters. More people in less space results in a greater concentration of pollutants that can be mobilized by, or disposed into, storm water discharges from municipal separate storm sewer systems. A modeling system developed for the Chesapeake Bay indicated that contamination of the Bay and its tributaries from runoff is comparable to, if not greater than, contamination from industrial and sewage sources (Cohn-Lee, R. and D. Cameron. 1992. "Urban Stormwater Runoff Contamination of the Chesapeake Bay: Sources and Mitigation." *The Environmental Professional*, Vol. 14).

a. Large-Scale Studies and Assessments

In support of today's regulatory designation of MS4s in urbanized areas, the Agency relied on broad-based assessments of urban storm water runoff and related water quality impacts, as well as more site-specific studies. The

first national assessment of urban runoff characteristics was completed for the *Nationwide Urban Runoff Program (NURP)* study (U.S. EPA. 1983. *Results of the Nationwide Urban Runoff Program, Volume 1—Final Report*. Office of Water. Washington, D.C.). The NURP study is the largest nationwide evaluation of storm water discharges, which includes adverse impacts and sources, undertaken to date.

EPA conducted the NURP study to facilitate understanding of the nature of urban runoff from residential, commercial, and industrial areas. One objective of the study was to characterize the water quality of discharges from separate storm sewer systems that drain residential, commercial, and light industrial (industrial parks) sites. Storm water samples from 81 residential and commercial properties in 22 urban/suburban areas nationwide were collected and analyzed during the 5-year period between 1978 and 1983. The majority of samples collected in the study were analyzed for eight conventional pollutants and three heavy metals.

Data collected under the NURP study indicated that discharges from separate storm sewer systems draining runoff from residential, commercial, and light industrial areas carried more than 10 times the annual loadings of total suspended solids (TSS) than discharges from municipal sewage treatment plants that provide secondary treatment. The NURP study also indicated that runoff from residential and commercial areas carried somewhat higher annual loadings of chemical oxygen demand (COD), total lead, and total copper than effluent from secondary treatment plants. Study findings showed that fecal coliform counts in urban runoff typically range from tens to hundreds of thousands per hundred milliliters of runoff during warm weather conditions, with the median for all sites being around 21,000/100 ml. This is generally consistent with studies that found that fecal coliform mean values range from 1,600 coliform fecal units (CFU)/100 ml to 250,000 cfu/100 ml (Makepeace, D.K., D.W. Smith, and S.J. Stanley. 1995. "Urban Storm Water Quality: Summary of Contaminant Data." *Critical Reviews in Environmental Science and Technology* 25(2):93-139). Makepeace, et al., summarized ranges of contaminants from storm water, including physical contaminants such as total solids (76—36,200 mg/L) and copper (up to 1.41 mg/L); organic chemicals; organic compounds, such as oil and grease (up to 110 mg/L); and microorganisms.

Monitoring data summarized in the NURP study provided important information about urban runoff from residential, commercial, and light industrial areas. The study concluded that the quality of urban runoff can be affected adversely by several sources of pollution that were not directly evaluated in the study, including illicit discharges, construction site runoff, and illegal dumping. Data from the NURP study were analyzed further in the U.S. Geological Survey (USGS) Urban Storm Water Data Base for 22 Metropolitan Areas Throughout the United States study (Driver, N.E., M.H. Mustard, R.B. Rhinesmith, and R.F. Middleburg. 1985. *U.S. Geological Survey Urban Storm Water Data Base for 22 Metropolitan Areas Throughout the United States*. Report No. 85-337 USGS, Lakewood, CO). The USGS report summarized additional monitoring data compiled during the mid-1980s, covering 717 storm events at 99 sites in 22 metropolitan areas and documented problems associated with metals and sediment concentrations in urban storm water runoff. More recent reports have confirmed the pollutant concentration data collected in the NURP study (Marsalek, J. 1990. "Evaluation of Pollutant Loads from Urban Nonpoint Sources." *Wat. Sci. Tech.* 22(10/11):23-30; Makepeace, et al., 1995).

Commenters argued that the NURP study does not support EPA's contention that urban activities significantly jeopardize attainment of water quality standards. One commenter argued that the NURP study and the 1985 USGS study are seriously out of date. Because they were issued 10 years or more before the implementation of the current storm water permit program, the data in those reports do not reflect conditions that exist after implementation of permits issued by authorized States and EPA for storm water from construction sites, large municipalities, and industrial activities.

In response, EPA notes that it is not relying solely on the NURP study to describe current water quality impairment. Rather, EPA is citing NURP as a source of data on typical pollutant concentrations in urban runoff. Recent studies have not found significantly different pollutant concentrations in urban runoff when compared to the original NURP data (see Makepeace, et al., 1995; Marsalek, 1990; and Pitt, et al., 1995).

America's Clean Water—the States' Nonpoint Source Assessment (Association of State and Interstate Water Pollution Control Administrators (ASIWPCA). 1985. *America's Clean Water—The States' Nonpoint Source*

Assessment. Prepared in cooperation with the U.S. EPA, Office of Water, Washington, DC), a comprehensive study of diffuse pollution sources conducted under the sponsorship of the Association of State and Interstate Water Pollution Control Administrators (ASIWPCA) and EPA revealed that 38 States reported urban runoff as a major cause of designated beneficial use impairment and 21 States reported storm water runoff from construction sites as a major cause of beneficial use impairment. In addition, the 1996 305(b) Report (U.S. EPA. 1998. *The National Water Quality Inventory, 1996 Report to Congress*. EPA 841-R-97-008. Office of Water, Washington, DC), provides a national assessment of water quality based on biennial reports submitted by the States as required under CWA section 305(b) of the CWA. In the CWA 305(b) reports, States, Tribes, and Territories assess their individual water quality control programs by examining the attainment or nonattainment of the designated uses assigned to their rivers, lakes, estuaries, wetlands, and ocean shores. A designated use is the legally applicable use specified in a water quality standard for a watershed, waterbody, or segment of a waterbody. The designated use is the desirable use that the water quality should support. Examples of designated uses include drinking water supply, primary contact recreation (swimming), and aquatic life support. Each CWA 305(b) report indicates the assessed fraction of a State's waters that are fully supporting, partially supporting, or not supporting designated beneficial uses.

In their reports, States, Tribes, and Territories first identified and then assigned the sources of water quality impairment for each impaired waterbody using the following categories: industrial, municipal sewage, combined sewer overflows, urban runoff/storm sewers, agricultural, silvicultural, construction, resource extraction, land disposal, hydrologic modification, and habitat modification. The 1996 Inventory, based on a compilation of 60 individual 305(b) reports submitted by States, Tribes, and Territories, assessed the following percentages of total waters nationwide: 19 percent of river and stream miles; 40 percent of lake, pond, and reservoir acres; 72 percent of estuary square miles; and 6 percent of ocean shoreline waters. The 1996 Inventory indicated that approximately 40 percent of the Nation's assessed rivers, lakes, and estuaries are impaired. Waterbodies deemed as "impaired" are either

partially supporting designated uses or not supporting designated uses.

The 1996 Inventory also found urban runoff/discharges from storm sewers to be a major source of water quality impairment nationwide. Urban runoff/storm sewers were found to be a source of pollution in 13 percent of impaired rivers; 21 percent of impaired lakes, ponds, and reservoirs; and 45 percent of impaired estuaries (second only to industrial discharges). In addition, urban runoff was found to be the leading cause of ocean impairment for those ocean miles surveyed.

In addition, a recent USGS study of urban watersheds across the United States has revealed a link between urban development and contamination of local waterbodies. The study found the highest levels of organic contaminants, known as polycyclic aromatic hydrocarbons (PAHs) (products of combustion of wood, grass, and fossil fuels), in the reservoirs of urbanized watersheds (U.S. Geological Survey (USGS). 1998. *Research Reveals Link Between Development and Contamination in Urban Watersheds*. USGS news release. USGS National Water-Quality Assessment Program).

Urban storm water also can contribute significant amounts of toxicants to receiving waters. Pitt, et. al. (1993), found heavy metal concentrations in the majority of samples analyzed. Industrial or commercial areas were likely to be the most significant pollutant source areas (Pitt, R., R. Field, M. Lalor, M. Brown 1993. "Urban stormwater toxic pollutants: assessment, sources, and treatability" *Water Environment Research*, 67(3):260-75).

b. Local and Watershed-Based Studies

In addition to the large-scale nationwide studies and assessments, a number of local and watershed-based studies from across the country have documented the detrimental effects of urban storm water runoff on water quality. A study of urban streams in Milwaukee County, Wisconsin, found local streams to be highly degraded due primarily to urban runoff, while three studies in the Atlanta, Georgia, region were characterized as being "the first documentation in the Southeast of the strong negative relationship between urbanization and stream quality that has been observed in other ecoregions" (Masterson, J. and R. Bannerman. 1994. "Impacts of Storm Water Runoff on Urban Streams in Milwaukee County, Wisconsin." Paper presented at National Symposium on Water Quality: American Water Resources Association; Schueler, T.R. 1997. "Fish Dynamics in Urban Streams Near Atlanta, Georgia."

Technical Note 94. *Watershed Protection Techniques* 2(4)). Several other studies, including those performed in Arizona (Maricopa County), California (San Jose's Coyote Creek), Massachusetts (Green River), Virginia (Tuckahoe Creek), and Washington (Puget Sound lowland ecoregion), all had the same finding: runoff from urban areas greatly impair stream ecology and the health of aquatic life; the more heavily developed the area, the more detrimental the effects (Lopes, T. and K. Fossum. 1995. "Selected Chemical Characteristics and Acute Toxicity of Urban Stormwater, Streamflow, and Bed Material, Maricopa County, Arizona." *Water Resources Investigations Report* 95-4074. USGS; Pitt, R. 1995. "Effects of Urban Runoff on Aquatic Biota." In *Handbook of Ecotoxicology*; Pratt, J. and R. Coler. 1979. "Ecological Effects of Urban Stormwater Runoff on Benthic Macroinvertebrates Inhabiting the Green River, Massachusetts." Completion Report Project No. A-094. Water Resources Research Center. University of Massachusetts at Amherst.; Schueler, T.R. 1997. "Historical Change in a Warmwater Fish Community in an Urbanizing Watershed." Technical Note 93. *Watershed Protection Techniques* 2(4); May, C., R. Horner, J. Karr, B. Mar, and E. Welch. 1997. "Effects Of Urbanization On Small Streams In The Puget Sound Lowland Ecoregion." *Watershed Protection Techniques* 2(4)).

Pitt and others also described the receiving water effects on aquatic organisms associated with urban runoff (Pitt, R.E. 1995. "Biological Effects of Urban Runoff Discharges" In *Stormwater Runoff and Receiving Systems: Impact, Monitoring, and Assessment*, ed. E.E Herricks, Lewis Publishers; Crunkilton, R., J. Kleist, D. Bierman, J. Ramcheck, and W. DeVita. 1999. "Importance of Toxicity as a Factor Controlling the Distribution of Aquatic Organisms in an Urban Stream." In *Comprehensive Stormwater & Aquatic Ecosystem Management Conference Papers*. Auckland, New Zealand).

In Wisconsin, runoff samples were collected from streets, parking lots, roofs, driveways, and lawns. Source areas were broken up into residential, commercial, and industrial. Geometric mean concentration data for residential areas included total solids of about 500-800 mg/L from streets and 600 mg/L from lawns. Fecal coliform data from residential areas ranged from 34,000 to 92,000 cfu/100 mL for streets and driveways. Contaminant concentration data from commercial and industrial source areas were lower for total solids

and fecal coliform, but higher for total zinc (Bannerman, R.T., D.W. Owens, R.B. Dods, and N.J. Hornewer. 1993. "Sources of Pollutants in Wisconsin Stormwater." *Wat. Sci. Tech.* 28(3-5):241-59).

Bannerman, et al. also found that streets contribute higher loads of pollutants to urban storm water than any other residential development source. Two small urban residential watersheds were evaluated to determine that lawns and streets are the largest sources of total and dissolved phosphorus in the basins (Waschbusch, R.J., W.R. Selbig, and R.T. Bannerman. 1999. "Sources of Phosphorus in Stormwater and Street Dirt from Two Urban Residential Basins in Madison, Wisconsin, 1994-95." *Water Resources Investigations Report* 99-4021. U.S. Geological Survey). A number of other studies have indicated that urban roadways often contain significant quantities of metal elements and solids (Sansalone, J.J. and S.G. Buchberger. 1997. "Partitioning and First Flush of Metals in Urban Roadway Storm Water." *ASCE Journal of Environmental Engineering* 123(2); Sansalone, J.J., J.M. Koran, J.A. Smithson, and S.G. Buchberger. 1998. "Physical Characteristics of Urban Roadway Solids Transported During Rain Events" *ASCE Journal of Environmental Engineering* 124(5); Klein, L.A., M. Lang, N. Nash, and S.L. Kirschner. 1974. "Sources of Metals in New York City Wastewater" *J. Water Pollution Control Federation* 46(12):2653-62; Barrett, M.E, R.D. Zuber, E.R. Collins, J.F. Malina, R.J. Charbeneau, and G.H. Ward., 1993. "A Review and Evaluation of Literature Pertaining to the Quantity and Control of Pollution from Highway Runoff and Construction." Research Report 1943-1. Center for Transportation Research, University of Texas, Austin).

c. Beach Closings/Advisories

Urban wet weather flows have been recognized as the primary sources of estuarine pollution in coastal communities. Urban storm water runoff, sanitary sewer overflows, and combined sewer overflows have become the largest causes of beach closings in the United States in the past three years. Storm water discharges from urban areas not only pose a threat to the ecological environment, they also can substantially affect human health. A survey of coastal and Great Lakes communities reports that in 1998, more than 1,500 beach closings and advisories were associated with storm water runoff (Natural Resources Defense Council. 1999. "A Guide to Water Quality at Vacation Beaches" New York, NY). Other reports

also document public health, shellfish bed, and habitat impacts from storm water runoff, including more than 823 beach closings/advisories issued in 1995 and more than 407 beach closing/advisories issued in 1996 due to urban runoff (Natural Resources Defense Council. 1996. *Testing the Waters Volume VI: Who Knows What You're Getting Into*. New York, NY; NRDC. 1997. *Testing the Waters Volume VII: How Does Your Vacation Beach Rate*. New York, NY; Morton, T. 1997. *Draining to the Ocean: The Effects of Stormwater Pollution on Coastal Waters*. American Oceans Campaign, Santa Monica, CA). The Epidemiological Study of Possible Adverse Health Effects of Swimming in Santa Monica Bay (Haile, R.W., et. al. 1996. "An Epidemiological Study of Possible Adverse Health Effects of Swimming in Santa Monica Bay." *Final Report prepared for the Santa Monica Bay Restoration Project*) concluded that there is a 57 percent higher rate of illness in swimmers who swim adjacent to storm drains than in swimmers who swim more than 400 yards away from storm drains. This and other studies document a relationship between gastrointestinal illness in swimmers and water quality, the latter of which can be heavily compromised by polluted storm water discharges.

2. Non-Storm Water Discharges Through Municipal Storm Sewers

Studies have shown that discharges from MS4s often include wastes and wastewater from non-storm water sources. Federal regulations (§ 122.26(b)(2)) define an illicit discharge as "* * * any discharge to an MS4 that is not composed entirely of storm water * * *," with some exceptions. These discharges are "illicit" because municipal storm sewer systems are not designed to accept, process, or discharge such wastes. Sources of illicit discharges include, but are not limited to: sanitary wastewater; effluent from septic tanks; car wash, laundry, and other industrial wastewaters; improper disposal of auto and household toxics, such as used motor oil and pesticides; and spills from roadway and other accidents.

Illicit discharges enter the system through either direct connections (e.g., wastewater piping either mistakenly or deliberately connected to the storm drains) or indirect connections (e.g., infiltration into the MS4 from cracked sanitary systems, spills collected by drain outlets, and paint or used oil dumped directly into a drain). The result is untreated discharges that contribute high levels of pollutants,

including heavy metals, toxics, oil and grease, solvents, nutrients, viruses and bacteria into receiving waterbodies. The NURP study, discussed earlier, found that pollutant levels from illicit discharges were high enough to significantly degrade receiving water quality and threaten aquatic, wildlife, and human health. The study noted particular problems with illicit discharges of sanitary wastes, which can be directly linked to high bacterial counts in receiving waters and can be dangerous to public health.

Because illicit discharges to MS4s can create severe widespread contamination and water quality problems, several municipalities and urban counties performed studies to identify and eliminate such discharges. In Michigan, the Ann Arbor and Ypsilanti water quality projects inspected 660 businesses, homes, and other buildings and identified 14 percent of the buildings as having improper storm sewer drain connections. The program assessment revealed that, on average, 60 percent of automobile-related businesses, including service stations, automobile dealerships, car washes, body shops, and light industrial facilities, had illicit connections to storm sewer drains. The program assessment also showed that a majority of the illicit discharges to the storm sewer system resulted from improper plumbing and connections, which had been approved by the municipality when installed (Washtenaw County Statutory Drainage Board, 1987. Huron River Pollution Abatement Program).

In addition, an inspection of urban storm water outfalls draining into Inner Grays, Washington, indicated that 32 percent of these outfalls had dry weather flows. Of these flows, 21 percent were determined to have pollutant levels higher than the pollutant levels expected in typical urban storm water runoff characterized in the NURP study (U.S. EPA, 1993. *Investigation of Inappropriate Pollutant Entries Into Storm Drainage Systems—A User's Guide*. EPA 600/R-92/238. Office of Research and Development, Washington, DC). That same document reports a study in Toronto, Canada, that found that 59 percent of outfalls from the MS4 had dry-weather flows. Chemical tests revealed that 14 percent of these dry-weather flows were determined to be grossly polluted.

Inflows from aging sanitary sewer collection systems are one of the most serious illicit discharge-related problems. Sanitary sewer systems frequently develop leaks and cracks, resulting in discharges of pollutants to receiving waters through separate storm

sewers. These pollutants include sanitary waste and materials from sewer main construction (e.g., asbestos cement, brick, cast iron, vitrified clay). Municipalities have long recognized the reverse problem of storm water infiltration into sanitary sewer collection systems; this type of infiltration often disrupts the operation of the municipal sewage treatment plant.

The improper disposal of materials is another illicit discharge-related problem that can result in contaminated discharges from separate storm sewer systems in two ways. First, materials may be disposed of directly in a catch basin or other storm water conveyance. Second, materials disposed of on the ground may either drain directly to a storm sewer or be washed into a storm sewer during a storm event. Improper disposal of materials to street catch basins and other storm sewer inlets often occurs when people mistakenly believe that disposal to such areas is an environmentally sound practice. Part of the confusion may occur because some areas are served by combined sewer systems, which are part of the sanitary sewer collection system, and people assume that materials discharged to a catch basin will reach a municipal sewage treatment plant. Materials that are commonly disposed of improperly include used motor oil; household toxic materials; radiator fluids; and litter, such as disposable cups, cans, and fast-food packages. EPA believes that there has been increasing success in addressing these problems through initiatives such as storm drain stenciling and recycling programs, including household hazardous waste special collection days.

Programs that reduce illicit discharges to separate storm sewers have improved water quality in several municipalities. For example, Michigan's Huron River Pollution Abatement Program found the elimination of illicit connections caused a measurable improvement in the water quality of the Washtenaw County storm sewers and the Huron River (Washtenaw County Statutory Drainage Board, 1987). In addition, an illicit detection and remediation program in Houston, Texas, has significantly improved the water quality of Buffalo Bayou. Houston estimated that illicit flows from 132 sources had a flow rate as high as 500 gal/min. Sources of the illicit discharges included broken and plugged sanitary sewer lines, illicit connections from sanitary lines to storm sewer lines, and floor drain connections (Glanton, T., M.T. Garrett, and B. Goloby. 1992. *The Illicit Connection: Is*

It the Problem? *Wat. Env. Tech.* 4(9):63-8).

3. Construction Site Runoff

Storm water discharges generated during construction activities can cause an array of physical, chemical, and biological water quality impacts. Specifically, the biological, chemical, and physical integrity of the waters may become severely compromised. Water quality impairment results, in part, because a number of pollutants are preferentially absorbed onto mineral or organic particles found in fine sediment. The interconnected process of erosion (detachment of the soil particles), sediment transport, and delivery is the primary pathway for introducing key pollutants, such as nutrients (particularly phosphorus), metals, and organic compounds into aquatic systems (Novotny, V. and G. Chesters. 1989. "Delivery of Sediment and Pollutants from Nonpoint Sources: A Water Quality Perspective." *Journal of Soil and Water Conservation*, 44(6):568-76). Estimates indicate that 80 percent of the phosphorus and 73 percent of the Kjeldahl nitrogen in streams is associated with eroded sediment (U.S. Department of Agriculture. 1989. "The Second RCA Appraisal, Soil, Water and Related Resources on Nonfederal Land in the United States, Analysis of Condition and Trends." Cited in Fennessey, L.A.J., and A.R. Jarrett. 1994. "The Dirt in a Hole: A Review of Sedimentation Basins for Urban Areas and Construction Sites." *Journal of Soil and Water Conservation*, 49(4):317-23).

In watersheds experiencing intensive construction activity, the localized impacts of water quality may be severe because of high pollutant loads, primarily sediments. Siltation is the largest cause of impaired water quality in rivers and the third largest cause of impaired water quality in lakes (U.S. EPA, 1998). The 1996 305(b) report also found that construction site discharges were a source of pollution in: 6 percent of impaired rivers; 11 percent of impaired lakes, ponds, and reservoirs; and 11 percent of impaired estuaries. Introduction of coarse sediment (coarse sand or larger) or a large amount of fine sediment is also a concern because of the potential of filling lakes and reservoirs (along with the associated remediation costs for dredging), as well as clogging stream channels (e.g., Paterson, R.G., M.I. Luger, E.J. Burby, E.J. Kaiser, H.R. Malcolm, and A.C. Beard. 1993. "Costs and Benefits of Urban Erosion and Sediment Control: North Carolina Experience." *Environmental Management* 17(2):167-78). Large inputs of coarse sediment into

stream channels initially will reduce stream depth and minimize habitat complexity by filling in pools (U.S. EPA. 1991. *Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska*. EPA 910/9-91-001. Seattle, WA). In addition, studies have shown that stream reaches affected by construction activities often extend well downstream of the construction site. For example, between 4.8 and 5.6 kilometers of stream below construction sites in the Patuxent River watershed were observed to be impacted by sediment inputs (Fox, H.L. 1974. "Effects of Urbanization on the Patuxent River, with Special Emphasis on Sediment Transport, Storage, and Migration." Ph.D. dissertation. Johns Hopkins University, Baltimore, MD. As Cited in Klein, R.D. 1979. "Urbanization and Stream Quality Impairment." *Water Resources Bulletin* 15(4): 948-63).

A primary concern at most construction sites is the erosion and transport process related to fine sediment because rain splash, rills (i.e., a channel small enough to be removed by normal agricultural practices and typically less than 1-foot deep), and sheetwash encourage the detachment and transport of this material to waterbodies (Storm Water Quality Task Force. 1993. *California Storm Water Best Management Practice Handbooks—Construction Activity*. Oakland, CA: Blue Print Service). Construction sites also can generate other pollutants associated with onsite wastes, such as sanitary wastes or concrete truck washout.

Although streams and rivers naturally carry sediment loads, erosion from construction sites and runoff from developed areas can elevate these loads to levels well above those in undisturbed watersheds. It is generally acknowledged that erosion rates from construction sites are much greater than from almost any other land use (Novotny, V. and H. Olem. 1994. *Water Quality: Prevention, Identification, and Management of Diffuse Pollution*. New York: Van Nostrand Reinhold). Results from both field studies and erosion models indicate that erosion rates from construction sites are typically an order of magnitude larger than row crops and several orders of magnitude greater than rates from well-vegetated areas, such as forests or pastures (USDA. 1970. "Controlling Erosion on Construction Sites." *Agriculture Information Bulletin*, Washington, DC; Meyer, L.D., W.H. Wischmeier, and W.H. Daniel. 1971. "Erosion, Runoff and Revegetation of Denuded Construction Sites." *Transactions of the ASAE* 14(1):138-41;

Owen, O.S. 1975. *Natural Resource Conservation*. New York: MacMillan. As cited in Paterson, et al., 1993).

A recent review of the efficiency of sediment basins indicated that inflows from 12 construction sites had a mean TSS concentration of about 4,500 mg/L (Brown, W.E. 1997. "The Limits of Settling." Technical Note No. 83. *Watershed Protection Techniques* 2(3)). In Virginia, suspended sediment concentrations from housing construction sites were measured at 500-3,000 mg/L, or about 40 times larger than the concentrations from already-developed urban areas (Kuo, C.Y. 1976. "Evaluation of Sediment Yields Due to Urban Development." Bulletin No. 98. Virginia Water Resources Research Center, Virginia Polytechnic Institute and State University, Blacksburg, VA).

Similar impacts from storm water runoff have been reported in a number of other studies. For example, Daniel, et al., monitored three residential construction sites in southeastern Wisconsin and determined that annual sediment yields were more than 19 times the yields from agricultural areas (Daniel, T.C., D. McGuire, D. Stoffel, and B. Miller. 1979. "Sediment and Nutrient Yield from Residential Construction Sites" *Journal of Environmental Quality* 8(3):304-08). Daniel, et al., identified total storm runoff, followed by peak storm runoff, as the most influential factors controlling the sediment loadings from residential construction sites. Daniel, et al., also found that suspended sediment concentrations were 15,000-20,000 mg/L in moderate events and up to 60,000 mg/L in larger events.

Wolman and Schick (Wolman, M.G. and A.P. Schick. 1967. "Effects of Construction on Fluvial Sediment, Urban and Suburban Areas of Maryland." *Water Resources Research* 3(2): 451-64) studied the impacts of development on fluvial systems in Maryland and determined that sediment yields in areas undergoing construction were 1.5 to 75 times greater than detected in natural or agricultural catchments. The authors summarize the potential impacts of construction on sediment yields by stating that "the equivalent of many decades of natural or even agricultural erosion may take place during a single year from areas cleared for construction" (Wolman and Schick, 1967).

A number of studies have examined the effects of road construction on erosion rates and sediment yields. A highway construction project in West Virginia disturbed only 4.2 percent of a 4.72-square-mile basin, but resulted in a

three-fold increase in suspended sediment yields (Downs, S.C. and D.H. Appel. 1986. *Progress Report on the Effects of Highway Construction on Suspended-Sediment Discharge in the Coal River and Trace Fork, West Virginia, 1975-81*. USGS Water Resources Investigations Report 84-4275. Charlestown, WV). During the largest storm event, it was estimated that 80 percent of the sediment in the stream originated from the construction site. As is often the case, the increase in suspended sediment load could not be detected further downstream, where the drainage area was more than 50 times larger (269 square miles).

Another study evaluated the effect of 290 acres of highway construction on watersheds ranging in size from 5 to 38 square miles. Suspended sediment loads in the smallest watershed increased by 250 percent, and the estimated sediment yield from the construction area was 37 tons/acre during a 2-year period (Hainly, R.A. 1980. *The Effects of Highway Construction on Sediment Discharge into Blockhouse Creek and Stream Valley Run, Pennsylvania*. USGS Water Resources Investigations Report 80-68. Harrisburg, PA). A more recent study in Hawaii showed that highway construction increased suspended sediment loads by 56 to 76 percent in three small (1 to 4 square mile) basins (Hill, B.R. 1996. *Streamflow and Suspended-Sediment Loads Before and During Highway Construction, North Halawa, Haiku, and Kamooalii Drainage Basins, Oahu, Hawaii, 1983-91*. USGS Water Resources Investigations Report 96-4259. Honolulu, HI). A 1970 study determined that sediment yields from construction areas can be as much as 500 times the levels detected in rural areas (National Association of Counties Research Foundation. 1970. *Urban Soil Erosion and Sediment Control*. Water Pollution Control Research Series, Program #15030 DTL. Federal Water Quality Administration, U.S. Department of Interior. Washington, DC)

Yorke and Herb (Yorke, T.H., and W.J. Herb. 1978. *Effects of Urbanization on Streamflow and Sediment Transport in the Rock Creek and Anacostia River Basins, Montgomery County, Maryland, 1962-74*. USGS Professional Paper 1003, Washington, DC) evaluated nine subbasins in the Maryland portion of the Anacostia watershed for more than a decade in an effort to define the impacts of changing land use/land cover on sediment in runoff. Average annual suspended sediment yields for construction sites ranged from 7 to 100 tons/acre. Storm water discharges from construction sites that occur when the land area is disturbed (and prior to

surface stabilization) can significantly impact designated uses. Examples of designated uses include public water supply, recreation, and propagation of fish and wildlife. The siltation process described previously can threaten all three designated uses by (1) depositing high concentrations of pollutants in public water supplies; (2) decreasing the depth of a waterbody, which can reduce the volume of a reservoir or result in limited use of a water body by boaters, swimmers, and other recreational enthusiasts; and (3) directly impairing the habitat of fish and other aquatic species, which can limit their ability to reproduce.

Excess sediment can cause a number of other problems for waterbodies. It is associated with increased turbidity and reduced light penetration in the water column, as well as more long-term effects associated with habitat destruction and increased difficulty in filtering drinking water. Numerous studies have examined the effect that excess sediment has on aquatic ecosystems. For example, sediment from road construction activity in Northern Virginia reduced aquatic insect and fish communities by up to 85 percent and 40 percent, respectively (Reed, J.R. 1997. "Stream Community Responses to Road Construction Sediments." Bulletin No. 97. Virginia Water Resources Research Center, Virginia Polytechnic Institute, Blacksburg, VA. As cited in Klein, R.D. 1990. *A Survey of Quality of Erosion and Sediment Control and Storm Water Management in the Chesapeake Bay Watershed*. Annapolis, MD: Chesapeake Bay Foundation). Other studies have shown that fine sediment (fine sand or smaller) adversely affects aquatic ecosystems by reducing light penetration, impeding sight-feeding, smothering benthic organisms, abrading gills and other sensitive structures, reducing habitat by clogging interstitial spaces within a streambed, and reducing the intergravel dissolved oxygen by reducing the permeability of the bed material (Everest, F.H., J.C. Beschta, K.V. Scrivener, J.R. Koski, J.R. Sedell, and C.J. Cederholm. 1987. "Fine Sediment and Salmonid Production: A Paradox." *Streamside Management: Forestry and Fishery Interactions*, Contract No. 57, Institute of Forest Resources, University of Washington, Seattle, WA). For example, 4.8 and 5.6 kilometers of stream below construction sites in the Patuxent River watershed in Maryland were found to have fine sediment amounts 15 times greater than normal (Fox, 1974. As cited in Klein, 1979). Benthic organisms in the streambed can be smothered by

sediment deposits, causing changes in aquatic flora and fauna, such as fish species composition (Wolman and Schick, 1967). In addition, the primary cause of coral reef degradation in coastal areas is attributed to land disturbances and dredging activities due to urban development (Rogers, C.S. 1990. "Responses of Coral Reefs and Reef Organizations to Sedimentation." *Marine Ecology Progress Series*, 62:185-202).

EPA believes that the water quality impact from small construction sites is as high as or higher than the impact from larger sites on a per acre basis. The concentration of pollutants in the runoff from smaller sites is similar to the concentrations in the runoff from larger sites. The proportion of sediment that makes it from the construction site to surface waters is likely the same for larger and smaller construction sites in urban areas because the runoff from either site is usually delivered directly to the storm drain network where there is no opportunity for the sediment to be filtered out.

The expected contribution of total sediment yields from small sites depends, in part, on the extent to which erosion and sedimentation controls are being applied. Because current storm water regulations are more likely to require erosion and sedimentation controls on larger sites in urban areas, smaller construction sites that lack such programs are likely to contribute a disproportionate amount of the total sediment from construction activities (MacDonald, L.H. 1997. *Technical Justification for Regulating Construction Sites 1-5 Acres in Size*. Unpublished report submitted to U.S. EPA, Washington, DC). Smaller construction sites are less likely to have an effective plan to control erosion and sedimentation, are less likely to properly implement and maintain their plans, and are less likely to be inspected (Brown, W. and D. Caraco. 1997. *Controlling Storm Water Runoff Discharges from Small Construction Sites: A National Review*. Submitted to Office of Wastewater Management, U.S. EPA, Washington, DC., by the Center for Watershed Protection, Silver Spring, MD). The proportion of sediment that makes it from the construction site to surface waters is likely the same for larger and smaller construction sites in urban areas because the runoff from either site is usually delivered directly to the storm drain network, where there is no opportunity for the sediment to be filtered out.

To confirm its belief that sediment yields from small sites are as high as or higher than the 20 to 150 tons/acre/year

measured from larger sites, EPA gave a grant to the Dane County, Wisconsin Land Conservation Department, in cooperation with the USGS, to evaluate sediment runoff from two small construction sites. The first was a 0.34 acre residential lot and the second was a 1.72 acre commercial office development. Runoff from the sites was channeled to a single discharge point for monitoring. Each site was monitored before, during, and after construction.

The Dane County study found that total solids concentrations from these small sites are similar to total solids concentrations from larger construction sites. Results show that for both of the study sites, total solids and suspended solids concentrations were significantly higher during construction than either before or after construction. For example, preconstruction total solids concentrations averaged 642 mg/L during the period when ryegrass was established, active construction total solids concentrations averaged 2,788 mg/L, and post-construction total solids concentrations averaged 132 mg/L (on a pollutant load basis, this equaled 7.4 lbs preconstruction, 35 lbs during construction, and 0.6 lbs post-construction for total solids). While this site was not properly stabilized before construction, after construction was complete and the site was stabilized, post-construction concentrations were more than 20 times less than during construction. The results were even more dramatic for the commercial site. The commercial site had one preconstruction event, which resulted in total solids concentrations of 138 mg/L, while active construction averaged more than 15,000 mg/L and post-construction averaged only 200 mg/L (on a pollutant load basis, this equaled 0.3 lbs preconstruction, 490 lbs during construction, and 13.4 lbs post-construction for total solids). The active construction period resulted in more than 75 times more sediment than either before or after construction (Owens, D.W., P. Jopke, D.W. Hall, J. Balousek and A. Roa. 1999. "Soil Erosion from Small Construction Sites." Draft USGS Fact Sheet. USGS and Dane County Land Conservation Department, WI). The total solids concentrations from these small sites in Wisconsin are similar to total solids concentrations from larger construction sites. For example, a study evaluating the effects of highway construction in West Virginia found that a small storm produced a sediment concentration of 7,520 mg/L (Downs and Appel, 1986).

One important aspect of small construction sites is the number of small sites relative to larger construction sites

and total land area within the watershed. Brown and Caraco surveyed 219 local jurisdictions to assess erosion and sediment control (ESC) programs. Seventy respondents provided data on the number of ESC permits for construction sites smaller than 5 acres. In 27 cases (38 percent of the respondents), more than three-quarters of the permits were for sites smaller than 5 acres; in another 18 cases (26 percent), more than half of the permits were for sites smaller than 5 acres.

In addition, data on the total acreage disturbed by smaller construction sites have been collected recently in two States (MacDonald, 1997). The most recent and complete data set is the listing of the disturbed area for each of the 3,831 construction sites permitted in North Carolina for 1994–1995 and 1995–1996. Nearly 61 percent of the sites that were 1 acre or larger were between 1.0 and 4.9 acres in size. This proportion was consistent between years. Data showed that this range of sites accounted for 18 percent of the total area disturbed by construction. The values showed very little variation between the 2 years of data. The total disturbed area for all sites over this 2-year period was nearly 33,000 acres, or about 0.1 percent of the total area of North Carolina.

EPA estimates that construction sites disturbing greater than 5 acres disturb 2.1-million acres of land (78.1 percent of the total) while sites disturbing between 1 and 5 acres of land disturb 0.5-million acres of land (19.4 percent). The remaining sites on less than 1 acres of land disturb 0.07-million acres of land (only 2.5 percent of the total). Given the high erosion rates associated with most construction sites, small construction sites can be a significant source of water quality impairment, particularly in small watersheds that are undergoing rapid development. Exempting sites under 1 acre will exclude only about 2.5 percent of acreage from program coverage, but will exclude a far higher number of sites, approximately 25 percent.

Several studies have determined that the most effective construction runoff control programs rely on local plan review and field enforcement (Paterson, R. G. 1994. "Construction Practices: the Good, the Bad, and the Ugly." *Watershed Protection Techniques* 1(3)). In his review, Paterson suggests that, given the critical importance of field implementation of erosion and sediment control programs and the apparent shortcomings that exist, much more focus should be given to plan implementation.

Several commenters disputed the data presented in the proposed rule for storm water discharges from smaller construction sites. One commenter stated that EPA has not adequately explained the basis for permitting construction activity down to 1 disturbed acre. Another commenter stated that EPA did not present sufficient data on water quality impacts from construction sites disturbing less than 5 acres.

EPA believes that the data presented above sufficiently support nationwide designation of storm water discharges from construction activity disturbing more than 1 acre. Based on total disturbed land area within a watershed, the cumulative effects of numerous small construction sites can have impacts similar to those of larger sites in a particular area. In addition, waivers for storm water discharges from smaller construction activity will exclude sites not expected to impair water quality. EPA will continue to collect water quality data on construction site storm water runoff.

C. Statutory Background

In 1972, Congress enacted the CWA to prohibit the discharge of any pollutant to waters of the United States from a point source unless the discharge is authorized by an NPDES permit. Congress added CWA section 402(p) in 1987 to require implementation of a comprehensive program for addressing storm water discharges. Section 402(p)(1) required EPA or NPDES-authorized States or Tribes to issue NPDES permits for the following five classes of storm water discharges composed entirely of storm water ("storm water discharges") specifically listed under section 402(p)(2):

(A) a discharge subject to an NPDES permit before February 4, 1987

(B) a discharge associated with industrial activity

(C) a discharge from a municipal separate storm sewer system serving a population of 250,000 or more

(D) a discharge from a municipal separate storm sewer system serving a population of 100,000 or more but less than 250,000

(E) a discharge that an NPDES permitting authority determines to be contributing to a violation of a water quality standard or a significant contributor of pollutants to the waters of the United States.

Section 402(p)(3)(A) requires storm water discharges associated with industrial activity to meet all applicable provisions of section 402 and section 301 of the CWA, including technology-based requirements and any more

stringent requirements necessary to meet water quality standards. Section 402(p)(3)(B) establishes NPDES permit standards for discharges from municipal separate storm sewer systems, or MS4s. NPDES permits for discharges from MS4s (1) may be issued on a system or jurisdiction-wide basis, (2) must include a requirement to effectively prohibit non-storm water discharges into the storm sewers, and (3) must require controls to reduce pollutant discharges to the maximum extent practicable, including best management practices, and other provisions as the Administrator or the States determine to be appropriate for the control of such pollutants. At this time, EPA determines that water quality-based controls, implemented through the iterative processes described today are appropriate for the control of such pollutants and will result in reasonable further progress towards attainment of water quality standards. See sections II.L and II.H.3 of the preamble.

In CWA section 402(p)(4), Congress established statutory deadlines for the initial steps in implementing the NPDES program for storm water discharges. This section required development of NPDES permit application regulations, submission of NPDES permit applications, issuance of NPDES permits for sources identified in section 402(p)(2), and compliance with NPDES permit conditions. In addition, this section required industrial facilities and large MS4s to submit NPDES permit applications for storm water discharges by February 4, 1990. Medium MS4s were to submit NPDES permit applications by February 4, 1992. EPA and authorized NPDES States were prohibited from requiring an NPDES permit for any other storm water discharges until October 1, 1994.

Section 402(p)(5) required EPA to conduct certain studies and submit a report to Congress. This requirement is discussed in the following section.

Section 402(p)(6) requires EPA, in consultation with States and local officials, to issue regulations for the designation of additional storm water discharges to be regulated to protect water quality. It also requires EPA to extend the existing storm water program to regulate newly designated sources. At a minimum, the extension must establish (1) priorities, (2) requirements for State storm water management programs, and (3) expeditious deadlines. Section 402(p)(6) specifies that the program may include performance standards, guidelines, guidance, and management practices and treatment requirements, as

appropriate. Today's rule implements this section.

D. EPA's Reports to Congress

Under CWA section 402(p)(5), EPA, in consultation with the States, was required to conduct a study. The study was to identify unregulated sources of storm water discharges, determine the nature and extent of pollutants in such discharges, and establish procedures and methods to mitigate the impacts of such discharges on water quality. Section 402(p)(5) also required EPA to report the results of the first two components of that study to Congress by October 1, 1988, and the final report by October 1, 1989.

In March 1995, EPA submitted to Congress a report that reviewed and analyzed the nature of storm water discharges from municipal and industrial facilities that were not already regulated under the initial NPDES regulations for storm water (U.S. Environmental Protection Agency, Office of Water. 1995. *Storm Water Discharges Potentially Addressed by Phase II of the National Pollutant Discharge Elimination System Storm Water Program: Report to Congress*. Washington, D.C. EPA 833-K-94-002) ("Report"). The Report also analyzed associated pollutant loadings and water quality impacts from these unregulated sources. Based on identification of unregulated municipal sources and analysis of information on impacts of storm water discharges from municipal sources, the Report recommended that the NPDES program for storm water focus on the 405 "urbanized areas" identified by the Bureau of the Census. The Report further found that a number of discharges from unregulated industrial facilities warranted further investigation to determine the need for regulation. It classified these unregulated industrial discharges in two groups: Group A and Group B. Group A comprised sources that may be considered a high priority for inclusion in the NPDES program for storm water because discharges from these sources are similar or identical to already regulated sources. These "look alike" storm water discharge sources were not covered in the initial NPDES regulations for storm water due to the language used to define "associated with industrial activity." In the initial regulations for storm water, "industrial activity" is identified using Standard Industrial Classification (SIC) codes. The use of SIC codes led to incomplete categorization of industrial activities with discharges that needed to be regulated to protect water quality. Group B consisted of 18 industrial

sectors, which included sources that EPA expected to contribute to storm water contamination due to the activities conducted and pollutants anticipated onsite (e.g., vehicle maintenance, machinery and electrical repair, and intensive agricultural activities).

EPA reported on the latter component of the section 402(p)(5) study via President Clinton's Clean Water Initiative, which was released on February 1, 1994 (U.S. Environmental Protection Agency, Office of Water. 1994. *President Clinton's Clean Water Initiative*. Washington, D.C. EPA 800-R-94-001) ("Initiative"). The Initiative addressed a number of issues associated with NPDES requirements for storm water discharges and proposed (1) establishing a phased compliance with a water quality standards approach for discharges from municipal separate storm sewer systems with priority on controlling discharges from municipal growth and development areas, (2) clarifying that the maximum extent practicable standard should be applied in a site-specific, flexible manner, taking into account cost considerations as well as water quality effects, (3) providing an exemption from the NPDES program for storm water discharges from industrial facilities with no activities or significant materials exposed to storm water, (4) providing extensions to the statutory deadlines to complete implementation of the NPDES program for the storm water program, (5) targeting urbanized areas for the requirements in the NPDES program for storm water, and (6) providing control of discharges from inactive and abandoned mines located on Federal lands in a more targeted, flexible manner. Additionally, prior to promulgation of today's rule, section 431 of the Agency's Appropriation Act for FY 2000 (Departments of Veterans Affairs and Housing and Urban Development and Independent Agencies Appropriations Act of 2000, Public Law 106-74, section 432 (1999)) directed EPA to report on certain matters to be covered in today's rule. That report supplements the study required by CWA Section 402(p)(5). EPA is publishing the availability of that report elsewhere in this issue of the **Federal Register**.

Several commenters asserted that the Report to Congress is an inadequate basis for the designation and regulation of sources covered under today's final rule, specifically the nationwide designation of small municipal separate storm sewer systems within urbanized areas and construction activities disturbing between one and five acres.

EPA believes that it has developed an adequate record for today's regulation both through the Report to Congress and the Clean Water Initiative and through more recent activities, including the FACA Subcommittee process, regulatory notices and evaluation of comments, and recent research and analysis. EPA does not interpret the congressional reporting requirements of CWA section 402(p)(5) to be the sole basis for determining sources to be regulated under today's final rule.

EPA's decision to designate on a national basis small MS4s in urbanized areas is supported by studies that clearly show a direct correlation between urbanization and adverse water quality impacts from storm water discharges. (Schueler, T. 1987. *Controlling Urban Runoff: A Practical Manual for Planning & Designing Urban BMPs*. Metropolitan Washington Council of Governments). "Urbanized areas"—within which all small MS4s would be covered—represent the most intensely developed and dense areas of the Nation. They constitute only two percent of the land area but 63 percent of the total population. See section I.B.1, Urban Development, above, for studies and assessments of the link between urban development and storm water impacts on water resources.

Commenters argued that the Report to Congress does not address storm water discharges from construction sites. They further argued that the designation of small construction sites per today's final rule goes beyond the President's 1994 Initiative because the Initiative only recommends requiring municipalities to implement a storm water management program to control unregulated storm water sources, "including discharges from construction of less than 5 acres, which are part of growth, development and significant redevelopment activities." They point out that the Initiative provides that unregulated storm water discharges not addressed through a municipal program would not be covered by the NPDES program. Commenters assert that EPA has not developed a record independent of its section 402(p)(5) studies that demonstrates the necessity of regulating under a separate NPDES permit storm water discharges from smaller construction sites "to protect water quality." EPA disagrees.

EPA evaluated the nature and extent of pollutants from construction site sources in a process that was separate and distinct from the development of the Report to Congress. Today's decision to regulate certain storm water discharges from construction sites disturbing less than 5 acres arose in part

out of the 9th Circuit remand in *NRDC v. EPA*, 966 F.2d 1292 (9th Cir. 1992). In that case, the court remanded portions of the Phase I storm water regulations related to discharges from construction sites. Those regulations define "storm water discharges associated with industrial activity" to include only those storm water discharges from construction sites disturbing 5 acres or more of total land area (see 40 CFR 122.26(b)(14)(x)). In its decision, the court concluded that the 5-acre threshold was improper because the Agency had failed to identify information "to support its perception that construction activities on less than 5 acres are non-industrial in nature" (966 F.2d at 1306). The court remanded the below 5 acre exemption to EPA for further proceedings (966 F.2d at 1310).

In a **Federal Register** notice issued on December 18, 1992, EPA noted that it did not believe that the Court's decision had the effect of automatically subjecting small construction sites to the existing application requirements and deadlines. EPA believed that additional notice and comment were necessary to clarify the status of these sites. The information received during the notice and comment process and additional research, as discussed in section I.B.3 Construction Site Runoff, formed the basis for the designation of construction activity disturbing between one and five acres on a nationwide basis. EPA's objectives in today's proposal include an effort to (1) address the 9th Circuit remand, (2) address water quality concerns associated with construction activities that disturb less than 5 acres of land, and (3) balance conflicting recommendations and concerns of stakeholders.

One commenter noted that EPA's proposal would fail to regulate industrial facilities identified as Group A and Group B in the March 1995 *Report to Congress*. EPA is relying on the analysis in the Report, which provided that the recommendation for coverage was meant as guidance and was not intended to be an identification of specific categories that must be regulated under Section 402(p)(6). *Report to Congress*, p. 4-1. The Report recognized the existence of limited data on which to base loadings estimates to support the nationwide designation of individual or categories of sources. *Report to Congress*, p. 4-44. Furthermore, during FACA Subcommittee discussion, EPA continued to urge stakeholders to provide further data relating to industrial and commercial storm water sources, which EPA did not receive. EPA concluded that, due to insufficient

data, these sources were not appropriate for nationwide designation at this time.

E. Industrial Facilities Owned or Operated by Small Municipalities

Congress granted extensions to the NPDES permit application process for selected classes of storm water discharges associated with industrial activity. On December 18, 1991, Congress enacted the Intermodal Surface Transportation Efficiency Act (ISTEA), which postponed NPDES permit application deadlines for most storm water discharges associated with industrial activity at facilities that are owned or operated by small municipalities. EPA and States authorized to administer the NPDES program could not require any municipality with a population of less than 100,000 to apply for or obtain an NPDES permit for any storm water discharge associated with industrial activity prior to October 1, 1992, except for storm water discharges from airports, power plants, or uncontrolled sanitary landfills. See 40 CFR 122.26(e)(1); 57 FR 11524, April 2, 1992 (reservation of NPDES application deadlines for ISTEA facilities).

The facilities exempted by ISTEA discharge storm water in the same manner (and are expected to use identical processes and materials) as the industrial facilities regulated under the 1990 Phase I regulations. Accordingly, these facilities pose similar water quality problems. The extended moratorium for these facilities was necessary to allow municipalities additional time to comply with NPDES requirements. The proposal for today's rule would have maintained the existing deadline for seeking coverage under an NPDES permit (August 7, 2001).

Today's rule changes the permit application deadline for such municipally owned or operated facilities discharging industrial storm water to make it consistent with the application date for small regulated MS4s. Because EPA missed its March 1999 deadline for promulgating today's rule, and the deadline for MS4s to submit permit applications has been extended to three years and 90 days from the date of this notice, the deadline for permitting ISTEA sources has been similarly extended. The permitting of these sources is discussed below in section "II.I.3. ISTEA Sources."

F. Related Nonpoint Source Programs

Today's rule addresses point source discharges of storm water runoff and non-storm water discharges into MS4s. Many of these sources have been addressed by nonpoint source control

programs, which are described briefly below.

In 1987, section 319 was added to the CWA to provide a framework for funding State and local efforts to address pollutants from nonpoint sources not addressed by the NPDES program. To obtain funding, States are required to submit Nonpoint Source Assessment Reports identifying State waters that, without additional control of nonpoint sources of pollution, could not reasonably be expected to attain or maintain applicable water quality standards or other goals and requirements of the CWA. States are also required to prepare and submit for EPA approval a statewide Nonpoint Source Management Program for controlling nonpoint source water pollution to navigable waters within the State and improving the quality of such waters. State program submittals must identify specific best management practices (BMPs) and measures that the State proposes to implement in the first four years after program submission to reduce pollutant loadings from identified nonpoint sources to levels required to achieve the stated water quality objectives.

State nonpoint source programs funded under section 319 can include both regulatory and nonregulatory State and local approaches. Section 319(b)(2)(B) specifies that a combination of "nonregulatory or regulatory programs for enforcement, technical assistance, financial assistance, education, training, technology transfer, and demonstration projects" may be used, as necessary, to achieve implementation of the BMPs or measures identified in the section 319 submittals.

Section 6217 of the Coastal Zone Act Reauthorization Amendments (CZARA) of 1990 provides that States with approved coastal zone management programs must develop coastal nonpoint pollution control programs and submit them to EPA and the National Oceanic and Atmospheric Administration (NOAA) for approval. Failure to submit an approvable program will result in a reduction of Federal grants under both the Coastal Zone Management Act and section 319 of the CWA.

State coastal nonpoint pollution control programs under CZARA must include enforceable policies and mechanisms that ensure implementation of the management measures throughout the coastal management area. *EPA issued Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters* under section 6217(g) in

January 1993. The guidance identifies management measures for five major categories of nonpoint source pollution. The management measures reflect the greatest degree of pollutant reduction that is economically achievable for each of the listed sources. These management measures provide reference standards for the States to use in developing or refining their coastal nonpoint programs. A few management measures, however, contain quantitative standards that specify pollutant loading reductions. For example, the New Development Management Measure, which is applicable to construction in urban areas, requires (1) that by design or performance the average annual total suspended solid loadings be reduced by 80 percent and (2) to the extent practicable, that the pre-development peak runoff rate and average volume be maintained.

EPA and NOAA published *Coastal Nonpoint Pollution Control Program: Program Development and Approval Guidance* (1993). The document clarifies that States generally must implement management measures for each source category identified in the EPA guidance developed under section 6217(g). Coastal Nonpoint Pollution Control Programs are not required to address sources that are clearly regulated under the NPDES program as point source discharges. Specifically, such programs would not need to address small MS4s and construction sites covered under NPDES storm water permits (both general and individual).

II. Description of Program

A. Overview

1. Objectives EPA Seeks To Achieve in Today's Rule

EPA seeks to achieve several objectives in today's final rule. First,


EPA is implementing the requirement under CWA section 402(p)(6) to provide a comprehensive storm water program that designates and controls additional sources of storm water discharges to protect water quality. Second, EPA is addressing storm water discharges from the activities exempted under the 1990 storm water permit application regulations that were remanded by the Ninth Circuit Court of Appeals in *NRDC v. EPA*, 966 F.2d 1292 (9th Circuit, 1992). These are construction activities disturbing less than 5 acres and so-called "light" industrial activities not exposed to storm water (see discussion of "no exposure" below). Third, EPA is providing coverage for the so-called "donut holes" created by the existing NPDES storm water program. Donut holes are geographic gaps in the NPDES storm water program's regulatory scheme. They are MS4s located within areas covered by the existing NPDES storm water program, but not currently addressed by the storm water program because it is based on political jurisdictions. Finally, EPA also is trying to promote watershed planning as a framework for implementing water quality programs where possible.

Although EPA had options for different approaches (see alternatives discussed in the January 9, 1998, proposed regulation), EPA believes it can best achieve its objectives through flexible innovations within the framework of the NPDES program. Unlike the interim section 402(p)(6) storm water regulations EPA promulgated in 1995, EPA no longer designates all of the unregulated storm water discharges for nationwide coverage under the NPDES program for storm water. The framework for today's final rule is one that balances automatic designation on a nationwide basis and

locally-based designation and waivers. Nationwide designation applies to those classes or categories of storm water discharges that EPA believes present a high likelihood of having adverse water quality impacts, regardless of location. Specifically, today's rule designates discharges from small MS4s located in urbanized areas and storm water discharges from construction activities that result in land disturbance equal to or greater than one and less than five acres. As noted under Section I.B., Water Quality Concerns/Environmental Impact Studies and Assessments, these two categories of storm water sources, when unregulated, tend to cause significant adverse water quality impacts. Additional sources are not covered on a nationwide basis either because EPA currently lacks information indicating a consistent potential for adverse water quality impact or because EPA believes that the likelihood of adverse impacts on water quality is low, with some localized exceptions. Additional individual sources or categories of storm water discharges could, however, be covered under the program through a local designation process. A permitting authority may designate additional small MS4s after developing designation criteria and applying those criteria to small MS4s located outside of an urbanized area, in particular those with a population of 10,000 or more and a population density of at least 1,000. Exhibit 1 illustrates the designation framework for today's final rule.

BILLING CODE 6560-50-P

EXHIBIT 1.—PHASE II SOURCE DECISIONS



*EPA will continue to require States to comply with their Total Maximum Daily Load (TMDL) implementation schedules.

The designation framework for today's final rule provides a significant degree of flexibility. The proposed provisions for nationwide designation of storm water discharges from construction and from small MS4s in urbanized areas allowed for a waiver of applicable requirements based on appropriate water quality conditions. Today's final rule expands and simplifies those waivers.

The permitting authority may waive the requirement for a permit for any small MS4 serving a jurisdiction with a population of less than 1,000 unless storm water controls are needed because the MS4 is contributing to a water quality impairment. The permitting authority may also waive permit coverage for MS4s serving a jurisdiction with a population of less than 10,000 if all waters that receive a discharge from the MS4 have been evaluated and discharges from the MS4 do not significantly contribute to a water quality impairment or have the potential to cause an impairment. Today's rule also allows States with a watershed permitting approach to phase in coverage for MS4s in jurisdictions with populations under 10,000.

Water quality conditions are also the basis for a waiver of requirements for storm water discharges from construction activities disturbing between one and five acres. For these small construction sources, the rule provides significant flexibility for waiving otherwise applicable regulatory requirements where a permitting authority determines, based on water quality and watershed considerations, that storm water discharge controls are not needed.

Coverage can be extended to municipal and construction sources outside the nationwide designated classes or categories based on watershed and case-by-case assessments. For the municipal storm water program, today's rule provides broad discretion to NPDES permitting authorities to develop and implement criteria for designating storm water discharges from small MS4s outside of urbanized areas. Other storm water discharges from unregulated industrial, commercial, and residential sources will not be subject to the NPDES permit requirements unless a permitting authority determines on a case-by-case basis (or on a categorical basis within identified geographic areas such as a State or watershed) that regulatory controls are needed to protect water quality. EPA believes that the flexibility provided in today's rule facilitates watershed planning.

2. General Requirements for Regulated Entities Under Today's Rule

As previously noted, today's final rule defines additional classes and categories of storm water discharges for coverage under the NPDES program. These designated dischargers are required to seek coverage under an NPDES permit. Furthermore, all NPDES-authorized States and Tribes are required to implement these provisions and make any necessary amendments to current State and Tribal NPDES regulations to ensure consistency with today's final rule. EPA remains the NPDES permitting authority for jurisdictions without NPDES authorization.

Today's final rule includes some new requirements for NPDES permitting authorities implementing the CWA section 402(p)(6) program. EPA has made a significant effort to build flexibility into the program while attempting to maintain an appropriate level of national consistency. Permitting authorities must ensure that NPDES permits issued to MS4s include the minimum control measures established under the program. Permitting authorities also have the ability to make numerous decisions including who is regulated under the program, i.e., case-by-case designations and waivers, and how responsibilities should be allocated between regulated entities.

Today's final rule extends the NPDES program to include discharges from the following: small MS4s within urbanized areas (with the exception of systems waived from the requirements by the NPDES permitting authority); other small MS4s meeting designation criteria to be established by the permitting authority; and any remaining MS4 that contributes substantially to the storm water pollutant loadings of a physically interconnected MS4 already subject to regulation under the NPDES program. Small MS4s include urban storm sewer systems owned by Tribes, States, political subdivisions of States, as well as the United States, and other systems located within an urbanized area that fall within the definition of an MS4. These include, for example, State departments of transportation (DOTs), public universities, and federal military bases.

Today's final rule requires all regulated small MS4s to develop and implement a storm water management program. Program components include, at a minimum, 6 minimum measures to address: public education and outreach; public involvement; illicit discharge detection and elimination; construction site runoff control; post-construction storm water management in new

development and redevelopment; and pollution prevention and good housekeeping of municipal operations. These program components will be implemented through NPDES permits. A regulated small MS4 is required to submit to the NPDES permitting authority, either in its notice of intent (NOI) or individual permit application, the BMPs to be implemented and the measurable goals for each of the minimum control measures listed above.

The rule addresses all storm water discharges from construction site activities involving clearing, grading and excavating land equal to or greater than 1 acre and less than 5 acres, unless requirements are otherwise waived by the NPDES permitting authority. Discharges from such sites, as well as construction sites disturbing less than 1 acre of land that are designated by the permitting authority, are required to implement requirements set forth in the NPDES permit, which may reference the requirements of a qualifying local program issued to cover such discharges.

The rule also addresses certain other sources regulated under the existing NPDES program for storm water. For municipally-owned industrial sources required to be regulated under the existing NPDES storm water program but exempted from immediate compliance by the Intermodal Surface Transportation Act of 1991 (ISTEA), the rule revises the existing deadline for seeking coverage under an NPDES permit (August 7, 2001) to make it consistent with the application date for small regulated MS4s. (See section I.3. below.) The rule also provides relief from NPDES storm water permitting requirements for industrial sources with no exposure of industrial materials and activities to storm water.

3. Integration of Today's Rule With the Existing Storm Water Program

In developing an approach for today's final rule, numerous early interested stakeholders encouraged EPA to seek opportunities to integrate, where possible, the proposed Phase II requirements with existing Phase I requirements, thus facilitating a unified storm water discharge control program. EPA believes that this objective is met by using the NPDES framework. This framework is already applied to regulated storm water discharge sources and is extended to those sources designated under today's rule. This approach facilitates program consistency, public access to information, and program oversight.

EPA believes that today's final rule provides consistency in terms of program coverage and requirements for existing and newly designated sources. For example, the rule includes most of the municipal donut holes, those MS4s located in incorporated places, townships or towns with a population under 100,000 that are within Phase I counties. These MS4s are not addressed by the existing NPDES storm water program while MS4s in the surrounding county are currently addressed. In addition, the minimum control measures required in today's rule for regulated small MS4s are very similar to a number of the permit requirements for medium and large MS4s under the existing storm water program. Following today's rule, permit requirements for all regulated MS4s (both those under the existing program and those under today's rule) will require implementation of BMPs. Furthermore, with regard to the development of NPDES permits to protect water quality, EPA intends to apply the August 1, 1996, *Interim Permitting Approach for Water Quality-Based Effluent Limitations in Storm Water Permits* (hereinafter, "Interim Permitting Approach") (see Section I.L.1. for further description) to all MS4s covered by the NPDES program.

EPA is applying NPDES permit requirements to construction sites below 5 acres that are similar to the existing requirements for those above 5 acres and above. In addition, today's rule allows compliance with qualifying local, Tribal, or State erosion and sediment controls to meet the erosion and sediment control requirements of the general permits for storm water discharges associated with construction, both above and below 5 acres.

4. General Permits

EPA recommends using general permits for all newly regulated storm water sources under today's rule. The use of general permits, instead of individual permits, reduces the administrative burden on permitting authorities, while also limiting the paperwork burden on regulated parties seeking permit authorization. Permitting authorities may, of course, require individual permits in some cases to address specific concerns, including permit non-compliance.

EPA recommends that general permits for MS4s, in particular, be issued on a watershed basis, but recognizes that each permitting authority must decide how to develop its general permit(s). Permit conditions developed to address concerns and conditions of a specific watershed could reflect a watershed

plan; such permit conditions must provide for attainment of applicable water quality standards (including designated uses), allocations of pollutant loads established by a TMDL, and timing requirements for implementation of a TMDL. If the permitting authority issues a State-wide general permit, the permitting authority may include separate conditions tailored to individual watersheds or urbanized areas. Of course, for a newly regulated MS4, modification of an existing individual MS4 permit to include the newly regulated MS4 as a "limited co-permittee" also remains an option.

5. Tool Box

During the FACA process, many Storm Water Phase II FACA Subcommittee representatives expressed an interest, which was endorsed by the full Committee, in having EPA develop a "tool box" to assist States, Tribes, municipalities, and other parties involved in the Phase II program. EPA made a commitment to work with Storm Water Phase II FACA Subcommittee representatives in developing such a tool box, with the expectation that a tool box would facilitate implementation of the storm water program in an effective and cost-efficient manner. EPA has developed a preliminary working tool box (available on EPA's web page at www.epa.gov/owm/sw/toolbox). EPA intends to have the tool box fully developed by the time of the first general permits. EPA also intends to update the tool box as resources and data become available. The tool box will include the following eight main components: fact sheets; guidances; a menu of BMPs for the six MS4 minimum measures; an information clearinghouse; training and outreach efforts; technical research; support for demonstration projects; and compliance monitoring/assistance tools. EPA intends to issue the menu of BMPs, both structural and non-structural, by October 2000. In addition, EPA will issue by October 2000 a "model" permit and will issue by October 2001 guidance materials on the development of measurable goals for municipal programs.

In an attempt to avoid duplication, the Agency has undertaken an effort to identify and coordinate sources of information that relate to the storm water discharge control program from both inside and outside the Agency. Such information includes research and demonstration projects, grants, storm water management-related programs, and compendiums of available documents, including guidances, related

directly or indirectly to the comprehensive NPDES storm water program. Based on this effort, EPA is developing a tool box containing fact sheets and guidance documents pertaining to the overall program and rule requirements (e.g., guidance on municipal and construction programs, and permitting authority guidance on designation and waiver criteria); models of current programs aimed at assisting States, Tribes, municipalities, and others in establishing programs; a comprehensive list of reference documents organized according to subject area (e.g., illicit discharges, watersheds, water quality standards attainment, funding sources, and similar types of references); educational materials; technical research data; and demonstration project results. The information collected by EPA will not only provide the background for tool box materials, but will also be made available through an information clearinghouse on the world wide web.

With assistance from EPA, the American Public Works Association (APWA) developed a workbook and series of workshops on the proposed Phase II rule. Ten workshops were held from September 1998 through May 1999. Depending on available funding, these workshops may continue after publication of today's final rule. EPA also intends to provide training to enable regional offices to educate States, Tribes, and municipalities about the storm water program and the availability of the tool box materials.

The CWA currently provides funding mechanisms to support activities related to storm water. These mechanisms will be described in the tool box. Activities funded under grant and loan programs, which could be used to assist in storm water program development, include programs in the nonpoint source area, storm water demonstration projects, source water protection and wastewater construction projects. EPA has already provided funding for numerous research efforts in these areas, including a database of BMP effectiveness studies (described below), an assessment of technologies for storm water management, a study of the effectiveness of storm water BMPs for controlling the impacts of watershed imperviousness, protocols for wet weather monitoring, development of a dynamic model for wet weather flows, and numerous outreach projects.

EPA has entered into a cooperative agreement with the Urban Water Resources Research Council of the American Society of Civil Engineers (ASCE) to develop a scientifically-based management tool for the information

needed to evaluate the effectiveness of urban storm water runoff BMPs nationwide. The long-term goal of the National Stormwater BMP Database project is to promote technical design improvements for BMPs and to better match their selection and design to the local storm water problems being addressed. The project team has collected and evaluated hundreds of existing published BMP performance studies and created a database covering about 75 test sites. The database includes detailed information on the design of each BMP and its watershed characteristics, as well as its performance. Eventually the database will include the nationwide collection of information on the characteristics of structural and non-structural BMPs, data collection efforts (e.g., sampling and flow gaging equipment), climatological characteristics, watershed characteristics, hydrologic data, and constituent data. The database will continue to grow as new BMP data become available. The initial release of

the database, which includes data entry and retrieval software, is available on CD-ROM and operates on Windows®-compatible personal computers. The ASCE project team envisions that periodic updates to the database will be distributed through the Internet. The team is currently developing a system for Internet retrieval of selected database records, and this system is expected to be available in early 2000.

EPA and ASCE invite BMP designers, owners and operators to participate in the continuing database development effort. To make this effort successful, a large database is essential. Interested persons are encouraged to submit their BMP performance evaluation data and associated BMP watershed characteristics for potential entry into the database. The software included in the CD-ROM allows data providers to enter their BMP data locally, retain and edit the data as needed, and submit them to the ASCE Database Clearinghouse when ready.

To obtain a copy of the database, please contact Jane Clary, Database Clearinghouse Manager, Wright Water Engineers, Inc., 2490 W. 26th Ave., Suite 100A, Denver, CO 80211; Phone 303-480-1700; E-mail clary@wrightwater.com.

In addition, EPA requests that researchers planning to conduct BMP performance evaluations compile and collect BMP reporting information according to the standard format developed by ASCE. The format is provided with the database software and is also available on the ASCE website at www.asce.org/peta/tech/nsbd01.html.

6. Deadlines Established in Today's Action

Exhibit 2 outlines the various deadlines established under today's final rule. EPA believes that the dates allow sufficient time for completion of both the NPDES permitting authority's and the permittee's program responsibilities.

EXHIBIT 2—STORM WATER PHASE II ACTIONS DEADLINES

Activity	Deadline date
NPDES-authorized States modify NPDES program if no statutory change is required.	1 year from date of publication of today's rule in the Federal Register .
NPDES-authorized States modify NPDES program if statutory change is required.	2 years from date of publication of today's rule in the Federal Register .
EPA issues a menu of BMPs for regulated small MS4s	October 27, 2000
ISTEA sources submit permit application	3 years and 90 days from date of publication of today's rule in the Federal Register .
Permitting authority issues general permit(s) (if this type of permit coverage is selected).	3 years from date of publication of today's rule in the Federal Register .
Regulated small MS4s submit permit application:	
a. If designated under § 122.32(a)(1) unless the permitting authority has established a phasing schedule under § 123.35(d)(3).	a. 3 years and 90 days from date of publication of today's rule in the Federal Register .
b. If designated under § 122.32(a)(2) or §§ 122.26(a)(9)(i) (C) or (D).	b. Within 180 days of notice.
Storm water discharges associated with small construction activity submit permit application:	
a. If designated under § 122.26(b)(15)(i)	a. 3 years and 90 days from date of publication of today's rule in the Federal Register
b. If designated under § 122.26(b)(15)(ii)	b. Within 180 days of notice.
Permitting authority designates small MS4s under § 123.35(b)(2)	3 years from date of publication of today's rule in the Federal Register or 5 years from date of publication of today's rule in the Federal Register if a watershed plan is in place
Regulated small MS4s' program fully developed and implemented	Up to 5 years from date of permit issuance.
Reevaluation of the municipal storm water rules by EPA	13 years from date of publication of today's rule in the Federal Register
Permitting authority determination on a petition	Within 180 days of receipt.
Non-municipal sources designated under § 122.26(a)(9)(i) (C) or (D) submit permit application.	Within 180 days of notice.
Submission of No Exposure Certification	Every 5 years.

B. Readable Regulations

Today, EPA is finalizing new regulations in a "readable regulation" format. This reader-friendly, plain language approach is a departure from traditional regulatory language and should enhance the rule's readability. These plain language regulations use

questions and answers, "you" to identify the person who must comply, and terms like "must" rather than "shall" to identify a mandate. This new format, which minimizes layers of subparagraphs, should also allow the reader to easily locate specific provisions of the regulation.

Some sections of today's final rule are presented in the traditional language and format because these sections amend existing regulations. The readable regulation format was not used in these existing provisions in an attempt to avoid confusion or disruption

of the readability of the existing regulations.

Most commenters supported EPA's use of plain language and agreed with EPA that the question and answer format makes the rule easier to understand. Three commenters thought that EPA should retain the traditional rule format. The June 1, 1998, Presidential memorandum directs all government agencies to write documents in plain language. Based on the majority of the comments, EPA has retained the plain language format used in the January 9, 1998, proposal in today's final rule.

The proposal to today's final rule included guidance as well as legal requirements. The word "must" indicates a requirement. Words like "should," "could," or "encourage" indicate a recommendation or guidance. In addition, the guidance was set off in parentheses to distinguish it from requirements.

EPA received numerous comments supporting the inclusion of guidance in the text of the Code of Federal Regulations (CFR), as well as comments opposing inclusion of guidance. Supporters stated that preambles and guidance documents are often not accessible when rules are implemented. Any language not included in the CFR is therefore not available when it may be most needed. Commenters that opposed including guidance in the CFR expressed the concern that any language in the rule might be interpreted as a requirement, in spite of any clarifying language. They suggested that guidance be presented in the preamble and additional guidance documents.

The majority of commenters on this issue thought that the guidance should be retained but the distinction between requirements and guidance should be better clarified. Suggestions included clarifying text, symbols, and a change from use of the word "should" to "EPA recommends" or "EPA suggests". EPA believes that it is important to include the guidance in the rule and agrees that the distinction between requirements and EPA recommendations must be very clear. In today's final rule, EPA has put the guidance in paragraphs entitled "Guidance" and replaced the word "should" with "EPA recommends." This is intended to clarify that the recommendations contained in the guidance paragraphs are not legally binding.

C. Program Framework: NPDES Approach

Today's rule regulates Phase II sources using the NPDES permit program. EPA interprets Clean Water

Act section 402(p)(6) as authorizing the Agency to develop a storm water program for Phase II sources either as part of the existing NPDES permit program or as a stand alone non-NPDES program such as a self-implementing rule. Under either approach, EPA interprets section 402(p)(6) as directing EPA to publish regulations that "regulate" the remaining unregulated sources, specifically to establish requirements that are federally enforceable under the CWA. Although EPA believes that it has the discretion to not require sources regulated under CWA section 402(p)(6) to be covered by NPDES permits, the Agency has determined, for the reasons discussed below, that it is most appropriate to use NPDES permits in implementing the program to address the sources designated for regulation in today's rule.

As discussed in Section II.A, Overview, EPA sought to achieve certain goals in today's final rule. EPA believes that the NPDES program best achieves EPA's goals for today's final rule for the reasons discussed below.

Requiring Phase II sources to be covered by NPDES permits helps address the consistency problems currently caused by municipal "donut holes." Donut holes are gaps in program coverage where a small unregulated MS4 is located next to or within a regulated larger MS4 that is subject to an NPDES permit under the Phase I NPDES storm water program. The existence of such "donut holes" creates an equity problem because similar discharges may remain unregulated even though they cause or contribute to the same adverse water quality impacts. Using NPDES permits to regulate the unregulated discharges in these areas is intended to facilitate the development of a seamless regulatory program for the mitigation and control of contaminated storm water discharges in an urbanized area. For example, today's rule allows a newly regulated MS4 to join as a "limited" co-permittee with a regulated MS4 by referencing a common storm water management program. Such cooperation should be further encouraged by the fact that the minimum control measures required in today's rule for regulated small MS4s are very similar to a number of the permit requirements for medium and large MS4s under the Phase I storm water program. The minimum control measures applicable to discharges from smaller MS4s are described with slightly more generality than under the Phase I permit application regulations for larger MS4s, thus enabling maximum flexibility for operators of

smaller MS4s to optimize efforts to protect water quality.

Today's rule also applies NPDES permit requirements to construction sites below 5 acres that are similar to the existing requirements for those 5 acres and above. In addition, the rule would allow compliance with qualifying local, Tribal, or State erosion and sediment controls to meet the erosion and sediment control requirements of the general permits for storm water discharges associated with construction, both above and below 5 acres.

Incorporating the CWA section 402(p)(6) program into the NPDES program capitalizes upon the existing governmental infrastructure for administration of the NPDES program. Moreover, much of the regulated community already understands the NPDES program and the way it works.

Another goal of the NPDES program approach is to provide flexibility in order to facilitate and promote watershed planning and sensitivity to local conditions. NPDES permits promote those goals in several ways. NPDES general permits may be used to cover a category of regulated sources on a watershed basis or within political boundaries. The NPDES permitting process provides a mechanism for storm water controls tailored on a case-by-case basis, where necessary. In addition, the NPDES permit requirements of a permittee may be satisfied by another cooperating entity. Finally, NPDES permits may incorporate the requirements of existing State, Tribal and local programs, thereby accommodating State and Tribes seeking to coordinate the storm water program with other programs, including those that focus on watershed-based nonpoint source regulation.

In promoting the watershed approach to program administration, EPA believes NPDES general permits can cover a category of dischargers within a defined geographic area. Areas can be defined very broadly to include political boundaries (e.g., county), watershed boundaries, or State or Tribal land.

NPDES permits generally require an application or a notice of intent (NOI) to trigger coverage. This information exchange assures communication between the permitting authority and the regulated community. This communication is critical in ensuring that the regulated community is aware of the requirements and the permitting authority is aware of the potential for adverse impacts to water quality from identifiable locations. The NPDES permitting process includes the public as a valuable stakeholder and ensures

that the public is included and information is made publicly available.

Another concern for EPA and several stakeholders was that the program ensure citizen participation. The NPDES approach ensures opportunities for citizen participation throughout the permit issuance process, as well as in enforcement actions. NPDES permits are also federally enforceable under the CWA.

EPA believes that the use of NPDES permits makes a significant difference in the degree of compliance with regulations in the storm water program. The NPDES program provides for public participation in the development, enforcement and revision of storm water management programs. Citizen suit enforcement has assisted in focusing attention on adverse water quality impacts on a localized, public priority basis. Citizens frequently rely on the NPDES permitting process and the availability of NOIs to track program implementation and help them enforce regulatory requirements.

NPDES permits are also advantageous to the permittee. The NPDES permit informs the permittee about the scope of what it is expected to do in compliance with the Clean Water Act. As explained more fully in EPA's April 1995 guidance, *Policy Statement on Scope of Discharge Authorization and Shield Associated with NPDES Permits*, compliance with an NPDES permit constitutes compliance with the Clean Water Act (see CWA section 402(k)). In addition, NPDES permittees are excluded from duplicative regulatory regimes under the Resource Conservation and Recovery Act and the Comprehensive Emergency Response, Compensation and Liability Act under RCRA's exclusions to the definition of "solid waste" and CERCLA's exemption for "federally permitted releases."

EPA considered suggestions that the Agency authorize today's rule to be implemented as a self-implementing rule. This would be a regulation promulgated at the Federal, State, or Tribal level to control some or all of the storm water dischargers regulated under today's rule. Under this approach, a rule would spell out the specific requirements for dischargers and impose the restrictions and conditions that would otherwise be contained in an NPDES permit. It would be effective until modified by EPA, a State, or a Tribe, unlike an NPDES permit which cannot exceed a duration of five years. Some stakeholders believed that this approach would reduce the burden on the regulated community (e.g., by not requiring permit applications), and considerably reduce the amount of

additional paperwork, staff time and accounting required to administer the proposed permit requirements.

EPA is sensitive to the interest of some stakeholders in having a streamlined program that minimizes the burden associated with permit administration and maximizes opportunities for field time spent by regulatory authorities. Key provisions in today's rule address some of these concerns by promoting a streamlined approach to permit issuance by, for example, using general permits and allowing the incorporation of existing programs. By adopting the NPDES approach rather than a self-implementing rule, today's rule also allows for consistent regulation between larger MS4s and construction sites regulated under the existing storm water management rule and smaller sources regulated under today's rule.

EPA believes that it is most appropriate to use NPDES permits to implement a program to address the sources regulated by today's rule. In addition to the reasons discussed above, NPDES permits provide a better mechanism than would a self-implementing rule for tailoring storm water controls on a case-by-case basis, where necessary. One commenter reasoned this concern could be addressed by including provisions in the regulation that allow site-specific BMPs (*i.e.*, case-by-case permits), suggesting storm water discharges that might require site-specific BMPs can be identified during the designation process of the regulatory authority. EPA believes that, in addition to its complexity, the commenter's approach lacks the other advantages of the NPDES permitting process.

A self-implementing rule would not ensure the degree of public participation that the NPDES permit process provides for the development, enforcement and revision of the storm water management program. A self-implementing rule also might not have provided the regulated community the "permit shield" under CWA section 402(k) that is provided by an NPDES permit. Based on all these considerations, EPA declined to adopt a self-implementing rule approach and adopted the NPDES approach.

Some State representatives sought alternative approaches for State implementation of the storm water program for Phase II sources. These State representatives asserted that a non-NPDES alternative approach best facilitated watershed management and avoided duplication and overlapping regulations. These representatives believed the NPDES approach would undercut State programs that had

developed storm water controls tailored to local watershed concerns. Finally, a number of commenters expressed the view that States implement a variety of programs not based on the CWA that are effective in controlling storm water, and that EPA should provide incentives for their implementation and improvement in performance.

Throughout the development of the rule, State representatives sought alternatives to the NPDES approach for State implementation of the storm water program for Phase II sources. Discussions focused on an approach whereby States could develop an alternative program that EPA would approve or disapprove based on identified criteria, including that the alternative non-NPDES program would result in "equivalent or better protection of water quality." The State representatives, however, were unable to propose or recommend criteria for gauging whether a program would provide equivalent protection. EPA also did not receive any suggestions for objective, workable criteria in response to the Agency's explicit request for specific criteria (by which EPA could objectively judge such programs) in the preamble to the proposed rule.

EPA evaluated several existing State initiatives to address storm water and found many cases where standards under State programs may be coordinated with the Federal storm water program. Where the NPDES permit is developed in coordination with State standards, there are opportunities to avoid duplication and overlapping requirements. Under today's rule, an NPDES permitting authority may include conditions in the NPDES permit that direct an MS4 to follow the requirements imposed under State standards, rather than the requirements of § 122.34(b). This is allowed as long as the State program at a minimum imposes the relevant requirements of § 122.34(b). Additional opportunities follow from other provisions in today's rule.

Seeking to further explore the feasibility of a non-NPDES approach, the Agency, after the proposal, had extensive discussions with representatives of a number of States. Discussions related specifically to possible alternatives for regulations of urban storm water discharges and MS4s specifically. The Agency also sought input on these issues from other stakeholders.

As a result of these discussions, many of the commenters provided input on issues such as: whether or not the Agency should require NPDES permits; whether location of MS4s in urbanized

areas should be the basis for designation or whether designation should be based on other determinations relating to water quality; whether States should be allowed to satisfy the conditions of the rule through the use of existing State programs; and issues concerning timing and resources for program implementation.

In response, today's rule still follows the regulatory scheme of the proposed rule, but incorporates additional flexibility to address some of the concerns raised by commenters.

In order to facilitate implementation by States that utilize a watershed permitting approach or similar approach (*i.e.*, based on a State's unified watershed assessments), today's rule allows States to phase in coverage for MS4s in jurisdictions with a population less than 10,000. Under such an approach, States could focus their resources on a rolling basis to assist smaller MS4s in developing storm water programs.

In addition, in response to concerns that the rule should not require permit coverage for MS4s that do not significantly contribute to water quality impairments, today's rule provides options for two waivers for small MS4s. The rule allows permitting authorities to exempt from the requirement for a permit any MS4 serving a jurisdiction with a population less than 1,000, unless the State determines that the MS4 must implement storm water controls because it is significantly contributing to a water quality impairment. A second waiver option applies to MS4s serving a jurisdiction with a population less than 10,000. For those MS4s, the State must determine that discharges from the MS4 do not significantly contribute to a water quality impairment, or have the potential for such an impairment, in order to provide the exemption. The State must review this waiver on a periodic basis no less frequently than once every five years.

Throughout the development of today's rule, commenters questioned whether the Clean Water Act authorized the use of the NPDES permit program, pointing out that the text of CWA 402(p)(6) does not use the word "permit." Based on the absence of the word "permit" and the express mention of State storm water management programs, the commenters asserted that Congress did not intend for Phase II sources to be regulated using NPDES permits.

EPA disagrees with the commenters' interpretation of section 402(p)(6). Section 402(p)(6) does not preclude use of permits as part of the

"comprehensive program" to regulate designated sources. The language provides EPA with broad discretion in the establishment of the "comprehensive program." Absence of the word "permit" (a term that the statute does not otherwise define) does not preclude use of a permit, which is a familiar and reasonably well understood regulatory implementation vehicle. First, section 402(p)(6) says that EPA must establish a comprehensive program that "shall, at a minimum, establish priorities, establish requirements for State stormwater management programs, and establish expeditious deadlines." The "at a minimum" language suggests that the Agency may, and perhaps should, develop a comprehensive program that does more than merely attend to these minimum criteria. Use of the term "at a minimum" preserves for the Agency broad discretion to establish a comprehensive program that includes use of NPDES permits.

Further, in the final sentence of the section, Congress included additional language to affirm the Agency's discretion. The final sentence clarifies that the Phase II program "may include performance standards, guidelines, guidance, and management practices and treatment requirements, as appropriate." Under existing CWA programs, performance standards, (effluent limitations) guidelines, management practices, and treatment requirements are typically implemented through NPDES or dredge and fill permits.

Although EPA believes that it had the discretion to not require permits, the Agency has determined that it is reasonable to interpret section 402(p)(6) to authorize permits. Moreover, for the reasons discussed above, the Agency believes that it is appropriate to use NPDES permits in implementing today's rule.

D. Federal Role

Today's final rule describes EPA's approach to expand the existing storm water program under CWA section 402(p)(6). As in all other Federal programs, the Federal government plays an integral role in complying with, developing, implementing, overseeing, and enforcing the program. This section describes EPA's role in the revised storm water program.

1. Develop Overall Framework of the Program

The storm water discharge control program under CWA section 402(p)(6) consists of the rule, tool box, and permits. EPA's primary role is to ensure

timely development and implementation of all components. Today's rule is a refinement of the first step in developing the program. EPA is fully committed to continuing to work with involved stakeholders on developing the tool box and issuing permits. As noted in today's rule, EPA will assess the municipal storm water program based on (1) evaluations of data from the NPDES municipal storm water program, (2) research concerning water quality impacts on receiving waters from storm water, and (3) research on BMP effectiveness. (Section II.H, Municipal Role, provides a more detailed discussion of this provision.)

EPA is planning to standardize minimum requirements for construction and post-construction BMPs in a new rulemaking under Title III of the CWA. While larger construction sites are already subject to NPDES permits (and smaller sites will be subject to permits pursuant to today's rule), the permits generally do not contain specific requirements for BMP design or performance. The permits require the preparation of storm water pollution prevention plans, but actual BMP selection and design is at the discretion of permittees, in conformance with applicable State and local requirements. Where there are existing State and local requirements specific to BMPs, they vary widely, and many jurisdictions do not have such requirements.

In developing these regulations, EPA intends to evaluate the inclusion of design and maintenance criteria as minimum requirements for a variety of BMPs used for erosion and sediment control at construction sites, as well as for permanent BMPs used to manage post-construction storm water discharges. The Agency plans to consider the merits and performance of all appropriate management practices (both structural and non-structural) that can be used to reduce adverse water quality impacts. EPA does not intend to require the use of particular BMPs at specific sites, but plans to assist builders and developers in BMP selection by publishing data on the performance to be expected by various BMP types. EPA would like to build upon the successes of some of the effective State and local storm water programs currently in place around the country, and to establish nation-wide criteria to support builders and local jurisdictions in appropriate BMP selection.

2. Encourage Consideration of Smart Growth Approaches

In the proposal, EPA invited comment on possible approaches for providing

incentives for local decision making that would limit the adverse impacts of growth and development on water quality. EPA asked for comments on this "smart growth" approach.

EPA received comments on all sides of this issue. A number of commenters supported the idea of "smart growth" incentives but did not present concrete ideas. Several commenters suggested "smart growth" criteria. States that have adopted "smart growth" laws were worried that EPA's focus on urbanized areas for municipal requirements could encourage development outside of designated growth areas. Today's final rule clearly allows States to expand coverage of their municipal storm water program outside of urbanized areas. In addition, the flexibility of the six municipal minimum measures should avoid encouragement of development into rural rather than urban areas. For example, as part of the post-construction minimum measure, EPA recommends that municipalities consider policies and ordinances that encourage infill development in higher density urban areas, and areas with existing infrastructure, in order to meet the measure's intent.

EPA also received several comments expressing concern that incorporating "smart growth" incentives threatened the autonomy of local governments. One commenter was worried that "incentives" could become more onerous than the minimum measures. EPA is very aware of municipal concerns about possible federal interference with local land use planning. EPA is also cognizant of the difficulty surrounding incentives for "smart growth" activities due to these concerns. However, the Agency believes it has addressed these concerns by proposing a flexible approach and will continue to support the concept of "smart growth" by encouraging policies that limit the adverse impacts of growth and development on water quality.

3. Provide Financial Assistance

Although Congress has not established a fund to fully finance implementation of the proposed extension of the existing NPDES storm water program under CWA section 402(p)(6), numerous federal financing programs (administered by EPA and other federal agencies) can provide some financial assistance. The primary funding mechanism is the Clean Water State Revolving Fund (SRF) program, which provides sources of low-cost financing for a range of water quality infrastructure projects, including storm water. In addition to the SRF, federal financial assistance programs include

the Water Quality Cooperative Agreements under CWA section 104(b)(3), Water Pollution Control Program grants to States under CWA section 106, and the Transportation Equity Act for the 21st Century (TEA-21) among others. In addition, Section 319 funds may be used to fund any urban storm water activities that are not specifically required by a draft or final NPDES permit. EPA will develop a list of potential funding sources as part of the tool box implementation effort. EPA anticipates that some of these programs will provide funds to help develop and, in limited circumstances, implement the CWA section 402(p)(6) storm water discharge control program.

EPA received numerous comments that requested additional funding. Congress provided one substantial new source of potential funding for transportation related storm water projects—TEA-21. The Department of Transportation has included a number of water-related provisions in its TEA-21 planning. These include Transportation Enhancements, Environmental Restoration and Pollution Abatement, and Environmental Streamlining. More information on TEA-21 is available at the following internet sites: www.fhwa.dot.gov/tea21/outreach.htm and www.tea21.org.

4. Implement the Program in Jurisdictions Not Authorized To Administer the NPDES Program

Because today's final rule uses the NPDES framework, EPA will be the NPDES permitting authority in several States, Tribal jurisdictions, and Territories. As such, EPA will have the same responsibilities as any other NPDES permitting authority—issuing permits, designating additional sources, and taking appropriate enforcement actions—and will seek to tailor the storm water discharge control program to the specific needs in that State, Tribal jurisdiction, or Territory. EPA also plans to provide support and oversight, including outreach, training, and technical assistance to the regulated communities. Section II.G. of today's preamble provides a separate discussion related to the NPDES permitting authority's responsibilities for today's final rule.

5. Oversee State and Tribal Programs

Under the NPDES program, EPA plays an oversight role for NPDES-approved States and Tribes. In this role, EPA and the State or Tribe work together to implement, enforce, and improve the NPDES program. Part of this oversight role includes working with States and

Tribes to modify their programs where programmatic or implementation concerns impede program effectiveness. This role will be vitally important when States and Tribes make adjustments to develop, implement, and enforce today's extension of the existing NPDES storm water discharge control program. In addition, States maintain a continuing planning process (CPP) under CWA section 303(e), which EPA periodically reviews to assess the program's achievements.

In its oversight role, EPA takes action to address States and Tribes who have obtained NPDES authorization but are not fulfilling their obligations under the NPDES program. If an NPDES-authorized State or Tribe fails to implement an adequate NPDES storm water program, for example, EPA typically enters into extensive discussions to resolve outstanding issues. EPA has the authority to withdraw the entire NPDES program when resolution cannot be reached. Partial program withdrawal is not provided for under the CWA except for partial approvals.

EPA is also working with the States and Tribes to improve nonpoint source management programs and assessments to incorporate key program elements. Key nonpoint source program elements include setting short and long term goals and objectives; establishing public and private partnerships; using a balanced approach incorporating Statewide and watershed-wide abatement of existing impairments; preventing future impairments; developing processes to address both impaired and threatened waters; reviewing and upgrading all program components, including program revisions on a 5-year cycle; addressing federal land management and activities inconsistent with State programs; and managing State nonpoint source management programs effectively.

In particular, EPA works with the States and Tribes to strengthen their nonpoint source pollution programs to address all significant nonpoint sources, including agricultural sources, through the CWA section 319 program. EPA is working with other government agencies, as well as with community groups, to effect voluntary changes regarding watershed protection and reduced nonpoint source pollution.

In addition, EPA and NOAA have published programmatic and technical guidance to address coastal nonpoint source pollution. Under Section 6217 of the CZARA, States are developing and implementing coastal nonpoint pollution control programs approved by EPA and NOAA.

6. Comply With Applicable Requirements as a Discharger

Today's final rule covers federally operated facilities in a variety of ways. These facilities are generally areas where people reside, such as a federal prison, hospital, or military base. It also includes federal parkways and road systems with separate storm sewer systems. Today's rule requires federal MS4s to comply with the same application deadlines that apply to regulated small MS4s generally. EPA believes that all federal MS4s serve populations of less than 100,000.

EPA received several comments that asked if individual buildings like post offices are considered to be small MS4s and thereby regulated in today's rule if they are in an urbanized area. Most of these buildings have at most a parking lot with runoff or a storm sewer that connects with a municipality's MS4. EPA does not intend that individual federal buildings be considered to be small MS4s. This is discussed in section II.H.2.b. of today's preamble.

Federal facilities can also be included under requirements addressing storm water discharges associated with small construction activities. In any case, discharges from these facilities will need to comply with all applicable NPDES requirements and any additional water quality-related requirements imposed by a State, Tribal, or local government. Failure to comply can result in enforcement actions. Federal facilities can act as models for municipal and private sector facilities and implement or test state-of-the-art management practices and control measures.

E. State Role

Today's final rule sets forth an NPDES approach for implementing the extension of the existing storm water discharge control program under CWA section 402(p)(6). State assumption of the NPDES program is voluntary, consistent with the principles of federalism. Because most States are approved to implement the NPDES program, they will tailor their storm water discharge control programs to address their water quality needs and objectives. While today's rule establishes the basic framework for the section 402(p)(6) program, States as well as Tribes (see discussion in section II.F) have an important role in fine-tuning the program to address the water quality issues within their jurisdictions. The basic framework allows for adjustments based on factors that vary geographically, including climate patterns and terrain.

Where States do not have NPDES authority, they are not required to implement the storm water discharge control program, but they may still participate in water quality protection through participation in the CWA section 401 certification process (for any permits) and through development of water quality standards and TMDLs.

1. Develop the Program

In expanding the existing NPDES program for storm water discharges, States must evaluate whether revisions to their NPDES programs are necessary. If so, modifications must be made in accordance with § 123.62. Under § 123.62, States must revise their NPDES programs within 1 year, or within 2 years if statutory changes are necessary.

Some States and departments of transportation (DOTs) commented that this timeframe is too short, anticipating that the State legislative process and the modification of regulations combined would take beyond 2 years. The deadline language in § 123.62 is not new language for the storm water discharge control program; it applies to all NPDES programs. EPA believes the vast majority of States will meet the deadline and will work with States in those cases where there may be difficulty meeting this deadline due to the timing of legislative sessions and the regulatory development process.

An authorized State NPDES program must meet the requirements of CWA section 402(b) and conform to the guidelines issued under CWA section 304(i)(2). Today's final rule under § 123.25 adds specific cross references to the storm water discharge control program components to ensure that States adequately address these requirements.

2. Comply With Applicable Requirements as a Discharger

Today's final rule covers State operated separate storm sewer systems in a variety of ways. These systems generally drain areas where people reside, such as a prison, hospital, or other populated facility. These systems are included under the definition of a regulated small MS4, which specifically identifies systems operated by State departments of transportation. Alternatively, storm water discharges from State activities may be regulated under the section addressing storm water discharges associated with small construction activities. In any case, discharges from these facilities must comply with all applicable NPDES requirements. Failure to comply can result in enforcement actions. State facilities can act as models for

municipal and private sector facilities and implement or test state-of-the-art management practices and control measures.

3. Communicate With EPA

Under approved NPDES programs, States have an ongoing obligation to share information with EPA. This dialogue is particularly important in the CWA section 402(p)(6) storm water program where these governments continue to develop a great deal of the guidance and outreach related to water quality.

F. Tribal Role

The proposal to today's final rule provides background information on EPA's 1984 Indian Policy and the criteria for treatment of an Indian Tribe in the same manner as a State. Today's final rule extends the existing NPDES program for storm water discharges to two types of dischargers located in Indian country. First, the final rule designates storm water discharges from any regulated small MS4, including Tribal systems. Second, the final rule regulates discharges associated with construction activity disturbing between one and five acres of land, including sites located in Indian country. Operators in each of these categories of regulated activity must apply for coverage under an NPDES permit by 3 years and 90 days from the date of publication of today's final rule. Under existing regulations, however, EPA or an authorized NPDES Tribe may require a specified storm water discharger to apply for NPDES permit coverage before this deadline based on a determination that the discharge is contributing to a violation of a water quality standard (including designated uses) or is a significant contributor of pollutants.

Under today's rule, a Tribal governmental entity may regulate storm water discharges on its reservation in two ways—as either an NPDES-authorized Tribe or as a regulated MS4. If a Tribe is authorized to operate the NPDES program, the Tribe must implement today's final rule for the NPDES program for storm water for covered dischargers located within the EPA recognized boundaries. Otherwise, EPA is generally the permitting/program authority within Indian country. Discussions about the State Role in the preceding section also apply to NPDES authorized Tribes. For additional information on the role and responsibilities of the permitting authority in the NPDES storm water program, see § 123.35 (and Section II.G. of today's preamble) and § 123.25(a).

Under today's final rule, if the Indian reservation is located entirely or partially within an "urbanized area," as defined in § 122.32(a)(1), the Tribe must obtain an NPDES permit if it operates a small MS4 within the urbanized area portion. Tribal MS4s located outside an urbanized area are not automatically covered, but may be designated by EPA pursuant to § 122.32(a)(2) of today's rule or may request designation as a regulated small MS4 from EPA. A Tribe that is a regulated MS4 for NPDES program purposes is required to implement the six minimum control measures to the extent allowable under Federal law.

The Tribal representative on the Storm Water Phase II FACA Subcommittee asked EPA to provide a list of the Tribes located in urbanized areas that would fall within the NPDES storm water program under today's final rule. In December 1996, EPA developed a list of federally recognized American Indian Areas located wholly or partially in Bureau of the Census-designated urbanized areas (see Appendix 1). Appendix 1 not only provides a listing of reservations and individual Tribes, but also the name of the particular urbanized area in which the reservation is located and an indication of whether the urbanized area contains a medium or large MS4 that is already covered by the existing Phase I regulations.

Some of the Tribes listed in Appendix 1 are only partially located in an urbanized area. If the Tribe's MS4 serves less than 1,000 people within an urbanized area, the permitting authority may waive the Tribe's MS4 storm water requirements if it meets the conditions of § 122.32(c). EPA does not have information on the Tribal populations within the urbanized areas, so it can not identify the Tribes that are eligible for a waiver. Therefore, a Tribe that believes it qualifies for a waiver should contact its permitting authority.

G. NPDES Permitting Authority's Role for the NPDES Storm Water Small MS4 Program

As noted previously, the NPDES permitting authority can be EPA or an authorized State or an authorized Tribe. The following discussion describes the role of the NPDES permitting authority under today's final rule.

1. Comply With Implementation Requirements

NPDES permitting authorities must perform certain duties to implement the NPDES storm water municipal program. Section 123.35(a) of today's final rule emphasizes that permitting authorities have existing obligations under the

NPDES program. Section 123.35 focuses on specific issues related to the role of the NPDES authority to support administration and implementation of the municipal storm water program under CWA section 402(p)(6).

2. Designate Sources

Section 123.35(b) of today's final rule addresses the requirements for the NPDES permitting authority to designate sources of storm water discharges to be regulated under §§ 122.32 through 122.36. NPDES permitting authorities must develop a process, as well as criteria, to designate small MS4s. They must also have the authority to designate a small MS4 if and when circumstances that support a waiver under § 122.32(c) change. EPA may make designations if an NPDES-approved State or Tribe fails to do so.

NPDES permitting authorities must examine geographic jurisdictions that they believe should be included in the storm water discharge control program but are not located in an "urbanized area". Small MS4s in these areas are not designated automatically. Discharges from such areas should be brought into the program if found to have actual or potential exceedances of water quality standards, including impairment of designated uses, or other adverse impacts on water quality, as determined by local conditions or watershed and TMDL assessments. EPA's aim is to address discharges to impaired waters and to protect waters with the potential for problems. EPA encourages NPDES permitting authorities, local governments, and the interested public to work together in the context of a watershed plan to address water quality issues, including those associated with municipal storm water runoff.

EPA received comments stating that the process of developing criteria and applying it to all MS4s outside an urbanized area serving a population of 10,000 or greater and with a density of 1,000 people per square mile is too time-consuming and resource-intensive. These commenters believe that the permitting authority should decide which MS4s must be brought into the storm water discharge control program and that population and density should not be an overriding criteria. One suggested way of doing so was to only designate MS4s with demonstrated contributions to the impairment of water quality uses as shown by a TMDL. EPA disagrees with this suggestion. The TMDL process is time-consuming. MS4s outside of urbanized areas may cause water quality problems long before a TMDL is completed.

EPA believes that permitting authorities should consider the potential water quality impacts of storm water from all jurisdictions with a population of 10,000 or greater and a density of 1,000 people per square mile. EPA is using data summarized in the NURP study and in the CWA section 305(b) reports to support this approach for targeted designation outside of urbanized areas. EPA is not mandating which criteria are to be used, but has provided examples of criteria that may be useful in evaluating potential water quality impacts. EPA believes that the flexibility provided in this section of today's final rule allows the permitting authority to develop criteria and a designation process that is easy to use and protects water quality. Therefore, the provisions of § 123.35(b) remain as proposed.

a. Develop Designation Criteria

Under § 123.35(b), the NPDES permitting authority must establish designation criteria to evaluate whether a storm water discharge results in or has the potential to result in exceedances of water quality standards, including impairment of designated uses, or other significant water quality impacts, including adverse habitat and biological impacts.

EPA recommends that NPDES permitting authorities consider, in a balanced manner, certain locally-focused criteria for designating any MS4 located outside of an urbanized area on the basis of significant water quality impacts. EPA recommends consideration of criteria such as discharge to sensitive waters, high growth or growth potential, high population density, contiguity to an urbanized area, significant contribution of pollutants to waters of the United States, and ineffective control of water quality concerns by other programs. These suggested designation criteria are intended to help encourage the permitting authority to use an objective method for identifying and designating, on a local basis, sources that adversely impact water quality. More information about these criteria and the reasons why they are suggested by EPA is included in the January 9, 1998, proposal (63 FR 1561) for today's final rule.

The suggested criteria are meant to be taken in the aggregate, with a great deal of flexibility as to how each should be weighed in order to best account for watershed and other local conditions and to allow for a more tailored case-by-case analysis. The application of criteria is meant to be geographically specific. Furthermore, each criterion does not have to be met in order for a small MS4

to qualify for designation, nor should an MS4 necessarily be designated on the basis of one or two criteria alone.

EPA believes that the application of the recommended designation criteria provides an objective indicator of real and potential water quality impacts from urban runoff on both the local and watershed levels. EPA encourages the application of the recommended criteria in a watershed context, thereby allowing for the evaluation of the water quality impacts of the portions of a watershed outside of an urbanized area. For example, situations exist where the urbanized area represents a small portion of a degraded watershed, and the adjacent nonurbanized areas of the watershed have significant cumulative effects on the quality of the receiving waters.

EPA received numerous suggestions of additional criteria that should be added and reasons why some of the criteria in the proposal to today's final rule were not appropriate. EPA developed its suggested designation criteria based on findings of the NURP study and other studies that indicate pollutants of concern, including total suspended solids, chemical oxygen demand, and temperature. These criteria were the subject of considerable discussion by the Storm Water Phase II FACA Subcommittee. EPA developed them in response to recommendations from the subcommittee during development of the proposed rule. The listed criteria are only suggestions. Permitting authorities are required to develop their own criteria. EPA has not found any reason to change its suggested list of criteria and the suggestions remain as proposed.

b. Apply Designation Criteria

After customizing the designation criteria for local conditions, the permitting authority must apply such criteria, at a minimum, to any MS4 located outside of an urbanized area serving a jurisdiction with a population of at least 10,000 and a population density of 1,000 people per square mile or greater (see § 123.35(b)(2)). If the NPDES permitting authority determines that an MS4 meets the criteria, the permitting authority must designate it as a regulated small MS4. This designation must occur within 3 years of publication of today's final rule. Alternatively, the NPDES authority can designate within 5 years from the date of final regulation if the designation criteria are applied on a watershed basis where a comprehensive watershed plan exists (a comprehensive watershed plan is one that includes the equivalents of TMDLs) (see § 123.35(b)(3)). The extended 5 year

deadline is intended to provide incentives for watershed-based designations. If an NPDES-authorized State or Tribe does not develop and apply designation criteria within this timeframe, then EPA has the opportunity to do so in lieu of the authorized State or Tribe.

NPDES permitting authorities can designate any small MS4, including one below 10,000 in population and 1,000 in density. EPA established the 10,000/1,000 threshold based on the likelihood of adverse water quality impacts at these population and density levels. In addition, the 1,000 persons per square mile threshold is consistent with both the Bureau of the Census definition of an "urbanized area" (see Section II.H.2. below) and stakeholder discussions concerning the definition of a regulated small MS4.

One commenter requested that EPA develop interim deadlines for development of designation criteria. EPA believes that the designation deadline identified in today's final rule at § 123.35(b)(3) provides States and Tribes with a flexibility that allows them to develop and apply the criteria locally in a timely fashion, while at the same time establishing an expeditious deadline.

c. Designate Physically Interconnected Small MS4s

In addition to applying criteria on a local basis for potential designation, the NPDES permitting authority must designate any MS4 that contributes substantially to the pollutant loadings of a physically interconnected municipal separate storm sewer that is regulated by the NPDES program for storm water discharges (see § 123.35(b)(4)). To be "physically interconnected," the MS4 of one entity, including roads with drainage systems and municipal streets, is physically connected directly to the municipal separate storm sewer of another entity. This provision applies to all MS4s located outside of an urbanized area. EPA added this section in recognition of the concerns of local government stakeholders that a local government should not have to shoulder total responsibility for a storm water program when storm water discharges from another MS4 are also contributing pollutants or adversely affecting water quality. This provision also helps to provide some consistency among MS4 programs and to facilitate watershed planning in the implementation of the NPDES storm water program. EPA recommended physical interconnectedness in the existing NPDES storm water regulations as a

factor for consideration in the designation of additional sources.

Today's final rule does not include interim deadlines for identifying physically interconnected MS4s. However, consistent with the deadlines identified in § 123.35(b)(3) of today's final rule, EPA encourages the permitting authority to make these determinations within 3 years from the date of publication of the final rule or within 5 years if the permitting authority is implementing a comprehensive watershed plan. Alternatively, the affected jurisdiction could use the petition process under 40 CFR 122.26(f) in seeking to have the permitting authority designate the contributing jurisdiction.

Several commenters expressed concerns about who could be designated under this provision (§ 123.35(b)(4)). One commenter requested that the word "substantially" be deleted from the rule because they believe any MS4 that contributes at all to a physically interconnected municipal separate storm sewer should be regulated. EPA believes that the word "substantially" provides necessary flexibility to the permitting authorities. The permitting authority can decide if an MS4 is contributing discharges to another municipal separate storm sewer in a manner that requires regulation. If the operator of a regulated municipal separate storm sewer believes that some of its pollutant loadings are coming from an unregulated MS4, it can petition the permitting authority to designate the unregulated MS4 for regulation.

d. Respond to Public Petitions for Designation

Today's final rule reiterates the existing opportunity for the public to petition the permitting authority for designation of a point source to be regulated to protect water quality. The petition opportunity also appears in existing NPDES regulations at 40 CFR 122.26(f). Any person may petition the permitting authority to require an NPDES permit for a discharge composed entirely of storm water that contributes to a violation of a water quality standard or is a significant contributor of pollutants to the waters of the United States (see § 123.32(b)). The NPDES permitting authority must make a final determination on any petition within 180 days after receiving the petition (see § 123.35(c)). EPA believes that a 180 day limit balances the public's need for a timely final determination with the NPDES permitting authority's need to prioritize its workload. If an NPDES-approved State or Tribe fails to act

within the 180-day timeframe, EPA may make a determination on the petition. EPA believes that public involvement is an important component of the NPDES program for storm water and feels that this provision encourages public participation. Section II.K, Public Involvement/Public Role, further discusses this topic.

3. Provide Waivers

Today's rule provides two opportunities for the NPDES permitting authority to exempt certain small MS4s from the need for a permit based on water quality considerations. See §§ 122.32(d) and (e). The two waiver opportunities have different size thresholds and take different approaches to considering the water quality impacts of discharges from the MS4.

In the proposal, EPA requested comment on the option of waiving coverage for all MS4s with less than 1,000 people unless the permitting authority determined that the small MS4 should be regulated based on significant adverse water quality impacts. A number of commenters supported this option. They expressed concern that compliance with the rule requirements and certification of one of the waiver provisions were both costly for very small communities. They stated that the permitting authority should identify a water quality problem before requiring compliance. Today's rule essentially adopts this alternative approach for MS4s serving a population under 1,000.

The final rule has expanded the waiver provision that EPA proposed for small MS4s with a population less than 1,000. The proposed rule would have required a small MS4 operator to certify that storm water controls are not needed based on either wasteload allocations that are part of TMDLs that address the pollutants of concern, or a comprehensive watershed plan implemented for the waterbody that includes the equivalents of TMDLs and addresses the pollutant(s) of concern. Commenters noted that the proposed waivers would be unattainable if a TMDL or equivalent analysis was required for every pollutant that could possibly be present in any amount in discharges from an MS4 regardless of whether the pollutant is causing water quality impairment. Commenters asked that EPA identify what constitutes the "pollutant(s) of concern" for which a TMDL or its equivalent must be developed. For example, § 122.30(c) indicates that the MS4 program is intended to control "sediment, suspended solids, nutrients, heavy

metals, pathogens, toxins, oxygen-demanding substances, and floatables." Commenters asked whether TMDLs or equivalent analyses have to address all of these.

EPA has revised the proposed waiver in response to these concerns. Under today's rule, NPDES permitting authorities may waive the requirements of today's rule for any small MS4 with a population less than 1,000 that does not contribute substantially to the pollutant loadings of a physically interconnected MS4, unless the small MS4 discharges pollutants that have been identified as a cause of impairment of the waters to which the small MS4 discharges. If the small MS4 does discharge pollutants that have been identified as impairing the water body into which the small MS4 discharges, the NPDES permitting authority may grant a waiver only if it determines that storm water controls are not needed based on an EPA approved or established TMDL that addresses the pollutant(s) of concern.

Unlike the proposed rule, § 122.32(d) does not allow the waiver for MS4s serving a population under 1,000 to be based on "the equivalent of a TMDL." Because § 122.32(d) requires a pollutant specific analysis only for a pollutant that has been identified as a cause of impairment, a TMDL is required for such pollutant before the waiver may be granted. Once a pollutant has been identified as the cause of impairment of a water body, the State should develop a TMDL for that pollutant for that water body. Thus, § 122.32(d) takes a different approach than that taken for the waiver in § 122.32(e) for MS4s serving a population under 10,000, which can be based upon an analysis that is "the equivalent of a TMDL." This is because § 122.32(d) requires an analysis to support the waiver for MS4s under 1,000 only if a waterbody to which the MS4 discharges has been identified as impaired. The § 122.32(e) waiver, on the other hand, would be available for larger MS4s but only after the State affirmatively establishes lack of impairment based upon a comprehensive analysis of smaller urban waters that might not otherwise be evaluated for the purposes of CWA section 303. Since § 122.32(e) requires the analysis of waters that have not been identified as impaired, an actual TMDL is not required and an analysis that is the equivalent of a TMDL can suffice to support the waiver.

Where a State is the NPDES permitting authority, the permitting authority is responsible for the development of the TMDLs as well as the assessment of the extent to which a

small MS4's discharge contributes pollutants to a neighboring regulated system. In States where EPA is the permitting authority, EPA will use a State's TMDLs to determine whether storm water controls are required for the small MS4s.

The proposed rule would have required the operator of the small MS4 serving a population under 1,000 to certify that its discharge was covered under a TMDL that indicated that discharges from its particular system were not having an adverse impact on water quality (*i.e.*, it was either not assigned wasteload allocations under TMDLs or its discharge is within an assigned allocation). Many commenters expressed concerns that MS4 operators serving less than 1,000 persons may lack the technical capacity to certify that their discharges are not contributing to adverse water quality impacts. These commenters thought that the permitting authority should make such a certification. Today's rule provides flexibility as to how the waiver is administered. Permitting authorities are ultimately responsible for granting the waiver, but are free to determine whether or not to require small MS4 operators that are seeking waivers to submit information or a written certification.

Under § 122.32(e) a State may grant a waiver to an MS4 serving a population between 1,000 and 10,000 only if the State has made a comprehensive effort to ensure that the MS4 will not cause or contribute to water quality impairment. To grant a § 122.32(e) waiver, the NPDES permitting authority must evaluate all waters of the U.S. that receive a discharge from the MS4 and determine that storm water controls are not needed. The permitting authority's evaluation must be based on wasteload allocations that are part of an EPA approved or established TMDL or, if a TMDL has not been developed or approved, an equivalent analysis that determines sources and allocations for the pollutant(s) of concern. The pollutants of concern that the permitting authority must evaluate include biochemical oxygen demand (BOD), sediment or a parameter that addresses sediment (such as total suspended solids, turbidity or siltation), pathogens, oil and grease, and any other pollutant that has been identified as a cause of impairment of any water body that will receive a discharge from the MS4. Finally, the permitting authority must have determined that future discharges from the MS4 do not have the potential to result in exceedances of water quality standards, including impairment of designated uses, or other significant

water quality impacts, including habitat and biological impacts.

Although EPA did not propose this specific approach, the Agency did request comment on whether to increase the proposed 1,000 population threshold for a waiver. The § 122.32(e) waiver was developed in response to comments, including States' concerns that they needed greater flexibility to focus their efforts on MS4s that were causing water quality impairment. Several commenters thought that the threshold should be increased from 1,000 to 5,000 or 10,000. Others suggested additional ways of qualifying for a waiver for MS4s that discharge to waters that are not covered by a TMDL or watershed plan. EPA carefully considered all the options for expanding the waiver provisions and has decided to expand the waiver only in the very narrow circumstances described above where a comprehensive analysis has been undertaken to demonstrate that the MS4 is not causing water quality impairment.

The NPDES permitting authority can, at any time, mandate compliance with program requirements from a previously waived small MS4 if circumstances change. For example, a waiver can be withdrawn in circumstances where the permitting authority later determines that a waived small MS4's storm water discharge to a small stream will cause adverse impacts to water quality or significantly interfere with attainment of water quality standards. A "change in circumstances" could involve receipt of new information. Changed circumstances can also allow a regulated small MS4 operator to request a waiver at any time.

Some commenters expressed concerns about allowing any small MS4 waivers. One commenter stated that storm water pollution prevention plans are necessary to control storm water pollution and should be required from all regulated small MS4s. For the reasons stated in the Background section above, EPA agrees that the discharges from most MS4s in urbanized areas should be addressed by a storm water management program outlined in today's rule. For MS4s serving very small areas, however, the TMDL development process provides an opportunity to determine whether an MS4 serving a population less than 1,000 is having a negative impact on any receiving water that is impaired by a pollutant that the MS4 discharges. MS4s serving populations up to 10,000 may receive a waiver only if a comprehensive analysis of its impact on receiving water has been performed.

Other commenters said that waivers should not be allowed for small MS4s that discharge into another regulated MS4. These commenters stated that the word "substantially" should be removed from § 122.32(d)(i) so that a waiver would not be allowed for any system "contributing to the storm water pollutant loadings of a physically interconnected regulated MS4." As previously mentioned under the designation discussion of section II.G.2.c, EPA believes that the word "substantially" provides needed flexibility to the permitting authorities. It is important to note that this is only one aspect that the permitting authority must consider when deciding on the appropriateness of a waiver.

4. Issue Permits

NPDES permitting authorities have a number of responsibilities regarding the permit process. Sections 123.35(d) through (g) ensure a certain level of consistency for permits, yet provide numerous opportunities for flexibility. NPDES permitting authorities must issue NPDES permits to cover municipal sources to be regulated under § 122.32, unless waived under § 122.32(c). EPA encourages permitting authorities to use general permits as the vehicle for permitting and regulating small MS4s. The Agency notes, however, that some operators may wish to take advantage of the option to join as a co-permittee with an MS4 regulated under the existing NPDES storm water program.

Today's final rule includes a provision, § 123.35(f), that requires NPDES permitting authorities to either include the requirements in § 122.34 for NPDES permits issued for regulated small MS4s or to develop permit limits based on a permit application submitted by a small MS4. See Section II.H.3.a, Minimum Control Measures, for more details on the actual § 122.34 requirements. See Section II.H.3.c for alternative and joint permitting options.

In an attempt to avoid duplication of effort, § 122.34(c) allows NPDES permitting authorities to include permit conditions that direct an MS4 to meet the requirements of a qualifying local, Tribal, or State municipal storm water management program. For a local, Tribal, or State program to "qualify," it must impose, at a minimum, the relevant requirements of § 122.34(b). A regulated small MS4 must still follow the procedural requirements for an NPDES permit (*i.e.*, submit an application, either an individual application or an NOI under a general permit) but will instead follow the substantive pollutant control

requirements of the qualifying local, Tribal, or State program.

Under § 122.35(b), NPDES permitting authorities may also recognize existing responsibilities among governmental entities for the minimum control measures in an NPDES small MS4 storm water permit. For example, the permit might acknowledge the existence of a State administered program that addresses construction site runoff and require that the municipalities only develop substantive controls for the remaining minimum control measures. By acknowledging existing programs, this provision is meant to reduce the duplication of efforts and to increase the flexibility of the NPDES storm water program.

Section 123.35(e) of today's final rule requires permitting authorities to specify a time period of up to 5 years from the issuance date of an NPDES permit for regulated small MS4 operators to fully develop and implement their storm water programs. As discussed more fully below, permitting authorities should be providing extensive support to the local governments to assist them in developing and implementing their programs.

In the proposed rule, EPA stated that the permitting authority would develop the menu of BMPs and if they failed to do so, EPA would develop the menu. Commenters felt that EPA should develop a menu of BMPs, rather than just providing guidance. In the settlement agreement for seeking an extension to the deadline for issuing today's rule, EPA committed to developing a menu of BMPs by October 27, 2000. Permitting authorities can adopt EPA's menu or develop their own. The menu itself is not intended to replace more comprehensive BMP guidance materials. As part of the tool box efforts, EPA will provide separate guidance documents that discuss the results from EPA-sponsored nationwide studies on the design, operation and maintenance of BMPs. Additionally, EPA expects that the new rulemaking on construction BMPs may provide more specific design, operation and maintenance criteria.

5. Support and Oversee the Local Programs

NPDES permitting authorities are responsible for supporting and overseeing the local municipal programs. Section 123.35(h) of today's final rule highlights issues associated with these responsibilities.

To the extent possible, NPDES permitting authorities should provide financial assistance to MS4s, which

often have limited resources, for the development and implementation of local programs. EPA recognizes that funding for programs at the State and Tribal levels may also be limited, but strongly encourages States and Tribes to provide whatever assistance is possible. In lieu of actual dollars, NPDES permitting authorities can provide cost-cutting assistance in a number of ways. For example, NPDES permitting authorities can develop outreach materials for MS4s to distribute or the NPDES permitting authority can actually distribute the materials. Another option is to implement an erosion and sediment control program across an entire State (or Tribal land), thus alleviating the need for the MS4 to implement its own program. The NPDES permitting authority must balance the need for site-specific controls, which are best handled by a local MS4, with its ability to offer financial assistance. EPA, States, Tribes, and MS4s should work as a team in making these kinds of decisions.

NPDES permitting authorities are responsible for overseeing the local programs. Permitting authorities should work with the regulated community and other stakeholders to assist in local program development and implementation. This might include sharing information, analyzing reports, and taking enforcement actions, as necessary. NPDES permitting authorities play a vital role in supporting local programs by providing technical and programmatic assistance, conducting research projects, and monitoring watersheds. The NPDES permitting authority can also assist the MS4 permittee in obtaining adequate legal authority at the local level in order to implement the local component of the CWA section 402(p)(6) program.

NPDES permitting authorities are encouraged to coordinate and utilize the data collected under several programs. States and Tribes address point and nonpoint source storm water discharges through a variety of programs. In developing programs to carry out CWA section 402(p)(6), EPA recommends that States and Tribes coordinate all of their water pollution evaluation and control programs, including the continuing planning process under CWA section 303(e), the existing NPDES program, the CZARA program, and nonpoint source pollution control programs.

In addition, NPDES permitting authorities are encouraged to provide a brief (e.g., two-page) reporting format to facilitate compilation and analysis of data from reports submitted under § 122.34(g)(3). EPA intends to develop a model form for this purpose.

H. Municipal Role

1. Scope of Today's Rule

Today's final rule attempts to establish an equitable and comprehensive four-pronged approach for the designation of municipal sources. First, the approach defines for automatic coverage the municipal systems believed to be of highest threat to water quality. Second, the approach designates municipal systems that meet a set of objective criteria used to measure the potential for water quality impacts. Third, the approach designates on a case-by-case basis municipal systems that "contribute substantially to the pollutant loadings of a physically-interconnected [regulated] MS4." Finally, the approach designates on a case-by-case basis, upon petition, municipal systems that "contribute to a violation of a water quality standard or are a significant contributor of pollutants."

Today's final rule automatically designates for regulation small MS4s located in urbanized areas, and requires that NPDES permitting authorities examine for potential designation, at a minimum, a particular subset of small MS4s located outside of urbanized areas. Today's rule also includes provisions that allow for waivers from the otherwise applicable requirements for the smallest MS4s that are not causing impairment of a receiving water body. Qualifications for the waivers vary depending on whether the MS4 serves a population under 1,000 or a population under 10,000. See §§ 122.32(d) and (e). These waivers are discussed further in section II.G.3. Any small MS4 automatically designated by the final rule or designated by the permitting authority under today's final rule is defined as a "regulated" small MS4 unless it receives a waiver.

In today's final rule, all regulated small MS4s must establish a storm water discharge control program that meets the requirements of six minimum control measures. These minimum control measures are public education and outreach on storm water impacts, public involvement participation, illicit discharge detection and elimination, construction site storm water runoff control, post-construction storm water management in new development and redevelopment, and pollution prevention/good housekeeping for municipal operations.

Today's rule allows for a great deal of flexibility in how an operator of a regulated small MS4 is authorized to discharge under an NPDES permit, by providing various options for obtaining permit coverage and satisfying the

required minimum control measures. For example, the NPDES permitting authority can incorporate by reference qualifying State, Tribal, or local programs in an NPDES general permit and can recognize existing responsibilities among different governmental entities for the implementation of minimum control measures. In addition, a regulated small MS4 can participate in the storm water management program of an adjoining regulated MS4 and can arrange to have another governmental entity implement a minimum control measure on their behalf.

2. Municipal Definitions

a. Municipal Separate Storm Sewer Systems (MS4s)

The CWA does not define the term "municipal separate storm sewer." EPA defined municipal separate storm sewer in the existing storm water permit application regulations to mean, in part, a conveyance or system of conveyances (including roads with drainage systems and municipal streets) that is "owned or operated by a State, city, town borough, county, parish, district, association, or other public body * * * designed or used for collecting or conveying storm water which is not a combined sewer and which is not part of a Publicly Owned Treatment Works as defined at 40 CFR 122.2" (see § 122.26(b)(8)(i)). Section 122.26 contains definitions of medium and large municipal separate storm sewer systems but no definition of a municipal separate storm sewer system, even though the term MS4 is commonly used. In today's rule, EPA is adding a definition of municipal separate storm sewer system and small municipal separate storm sewer system along with the abbreviations MS4 and small MS4.

The existing municipal permit application regulations define "medium" and "large" MS4s as those located in an incorporated place or county with a population of at least 100,000 (medium) or 250,000 (large) as determined by the latest Decennial Census (see §§ 122.26(b)(4) and 122.26(b)(7)). In today's final rule, these regulations have been revised to define all medium and large MS4s as those meeting the above population thresholds according to the 1990 Decennial Census.

Today's rule also corrects the titles and contents of Appendices F, G, H, & I to Part 122. EPA is adding those incorporated places and counties whose 1990 population caused them to be defined as a "medium" or "large" MS4. All of these MS4s have applied for

permit coverage so the effect of this change to the appendices is simply to make them more accurate. They will not need to be revised again because today's rule "freezes" the definition of "medium" and "large" MS4s at those that qualify based on the 1990 census.

EPA received several comments supporting and opposing the proposal to "freeze" the definitions based on the 1990 census. Commenters who disagreed with EPA's position cited the unfairness of municipalities that reach the medium or large threshold at a later date having fewer permitting requirements compared to those that were already at the population thresholds when the existing storm water regulations took effect. EPA recognizes this disparity but does not believe it is unfair, as explained in the proposed rule. The decision was based on the fact that the deadlines from the existing regulations have lapsed, and because the permitting authority can always require more from operators of MS4s serving "newly over 100,000" populations.

b. Small Municipal Separate Storm Sewer Systems

The proposal to today's final rule added "the United States" as a potential owner or operator of a municipal separate storm sewer. This addition was intended to address an omission from existing regulations and to clarify that federal facilities are, in fact, covered by the NPDES program for municipal storm water discharges when the federal facility is like other regulated MS4s. EPA received a comment that this change would cause federal facilities located in Phase 1 areas to be considered Phase 1 dischargers due to the definition of medium and large MS4s. All MS4s located in Phase 1 cities or counties are defined as Phase 1 medium or large MS4s. EPA believes that all federal facilities serve a population of under 100,000 and should be regulated as small MS4s. Therefore, in § 122.26(a)(16) of today's final rule, EPA is adding federal facilities to the NPDES storm water discharge control program by changing the proposed definition of small municipal separate storm sewer system. Paragraph (i) of this section restates the definition of municipal separate storm sewer with the addition of "the United States" as a owner or operator of a small municipal separate storm sewer. Paragraph (ii) repeats the proposed language that states that a small MS4 is a municipal separate storm sewer that is not medium or large.

Most commenters agreed that federal facilities should be covered in the same

way as other similar MS4s. However, EPA received several comments asking whether individual federal buildings such as post offices or urban offices of the U.S. Park Service must apply for coverage as regulated small MS4s. Most of these buildings have, at most, a parking lot with runoff or a storm sewer that connects with a municipality's MS4. In § 122.26(a)(16)(iii), EPA clarifies that the definition of small MS4 does not include individual buildings. These buildings may have a municipal separate storm sewer but they do not have a "system" of conveyances. The minimum measures for small MS4s were written to apply to storm sewer "systems" providing storm water drainage service to human populations and not to individual buildings. This is true of municipal separate storm sewers from State buildings as well as from federal buildings.

There will likely be situations where the permitting authority must decide if a federal or State complex should be regulated as a small MS4. A federal complex of two or three buildings could be treated as a single building and not be required to apply for coverage. In these situations, permitting authorities will have to use their best judgment as to the nature of the complex and its storm water conveyance system. Permitting authorities should also consider whether the federal or State complex cooperates with its municipality's efforts to implement their storm water management program.

Along with the questions about individual buildings, EPA received many questions about how various provisions of the rule should be interpreted for federal and State facilities. EPA acknowledges that federal and State facilities are different from municipalities. EPA believes, however, that the minimum measures are flexible enough that they can be implemented by these facilities. As an example, DOD commenters asked about how to interpret the term "public" for military installations when implementing the public education measure. EPA agrees with the suggested interpretation of "public" for DOD facilities as "the resident and employee population within the fence line of the facility."

EPA also received many comments from State departments of transportation (DOTs) that suggested the ways in which they are different from municipalities and should therefore be regulated differently. Storm water discharges from State DOTs in Phase 1 areas should already be regulated under Phase I. The preamble to Phase 1 clearly states that "all systems within a

geographical area including highways and flood control districts will be covered." Many permitting authorities regulated State DOTs as co-permittees with the Phase 1 municipality in which the highway is located. State DOTs that are already regulated under Phase I are not required to comply with Phase II. State DOTs that are not already regulated have various options for meeting the requirements of today's rule. These options are discussed in Section II.H.3.c.iv below. Several DOTs commented that some of the minimum measures are outside the scope of their mission or that they do not have the legal authority required for implementation. EPA believes that the flexibility of the minimum measures allows them to be implemented by most MS4s, including DOTs. When a DOT does not have the necessary legal authority, EPA encourages the DOT to coordinate their storm water management efforts with the surrounding municipalities and other State agencies. Under today's rule, DOTs can use any of the options of § 122.35 to share their storm water management responsibilities. DOTs may also want to work with their permitting authority to develop a State-wide DOT storm water permit.

There are many storm water discharges from State DOTs and other State MS4s located in Phase 1 areas that were not regulated under Phase 1. Today's rule adds many more State facilities as well as all federal facilities located in urbanized areas. All of these State and federal facilities that fit the definition of a small MS4 must be covered by a storm water management program. The individual permitting authorities must decide what type of permit is most applicable.

The existing NPDES storm water program already regulates storm water from federally or State-operated industrial sources. Federal or State facilities that are currently regulated due to their industrial discharges may already be implementing some of today's rule requirements.

EPA received comments that questioned the apparent inconsistency between regulating a federal facility such as a hospital and not regulating a similar private facility. Normally, this type of private facility is regulated by the MS4. EPA believes that federal facilities are subject to local water quality regulations, including storm water requirements, by virtue of the waiver of sovereign immunity in CWA section 313. However, there are special problems faced by MS4s in their efforts to regulate federal facilities that have not been encountered in regulating

similar private facilities. To ensure comprehensive coverage, today's rule merely clarifies the need for permit coverage for these federal facilities.

i. Combined Sewer Systems (CSS).

The definition of small MS4s does not include combined sewer systems. A combined sewer system is a wastewater collection system that conveys sanitary wastewater and storm water through a single set of pipes to a publicly-owned treatment works (POTW) for treatment before discharging to a receiving waterbody. During wet weather events when the capacity of the combined sewer system is exceeded, the system is designed to discharge prior to the POTW treatment plant directly into a receiving waterbody. Such an overflow is a combined sewer overflow or CSO. Combined sewer systems are not subject to existing regulations for municipal storm water discharges, nor will they be subject to today's regulations. EPA addresses combined sewer systems and CSOs in the National Combined Sewer Overflow (CSO) Control Policy issued on April 19, 1994 (59 FR 18688). The CSO Control Policy contains provisions for developing appropriate, site-specific NPDES permit requirements for combined sewer systems. CSO discharges are subject to limitations based on the best available technology economically achievable for toxic pollutants and based on the best conventional pollutant control technology for conventional pollutants. MS4s are subject to a different technology standard for all pollutants, specifically to reduce pollutants to the maximum extent practicable.

Some municipalities are served by both separate storm sewer systems and combined sewer systems. If such a municipality is located within an urbanized area, only the separate storm sewer systems within that municipality is included in the NPDES storm water program and subject to today's final rule. If the municipality is not located in an urbanized area, then the NPDES permitting authority has discretion as to whether the discharges from the separate storm sewer system is subject to today's final rule. The NPDES permitting authority will use the same process to designate discharges from portions of an MS4 for permit coverage where the municipality is also served by a combined sewer system.

EPA recognizes that municipalities that have both combined and separate storm sewer systems may wish to find ways to develop a unified program to meet all wet weather water pollution control requirements more efficiently. In the proposal to today's final rule, EPA sought comment on ways to achieve

such a unified program. Many municipalities that are served by CSSs and MS4s commented that it is inequitable to force them to comply with Phase II at this time because implementation of the CSO Control Policy through their NPDES permits already imposes a significant financial burden. They requested an extension of the implementation time frame. They did not provide ideas on how to unify the two programs. EPA encourages permitting authorities to work with these municipalities as they develop and begin implementation of their CSO and storm water management programs. If both sets of requirements are carefully coordinated early, a cost-effective wet weather program can be developed that will address both CSO and storm water requirements.

ii. Owners/Operators. Several commenters mentioned the difference between the existing storm water application requirement for municipal operators and the proposed municipal requirement for owners or operators to apply. They felt that this inconsistency is confusing. The preamble to the existing regulations makes numerous references to owner/operator so there was no intent to make a clear distinction between Phase I and Phase II. Section 122.21(b) states that when the owner and operator are different, the operator must obtain the permit. MS4s often have several operators. The owner may be responsible for one part of the system and a regional authority may be responsible for other aspects. EPA proposed the "owner or operator" language to convey this dual responsibility. However, when the owner is responsible for some part of a storm water management plan, it is also an operator.

EPA has revised the regulation language to clarify that "an operator" must apply for a permit. When responsibilities for the MS4 are shared, all operators must apply.

c. Regulated Small MS4s

In today's final rule, all small MS4s located in an urbanized area are automatically designated as "regulated" small MS4s provided that they were not previously designated into the existing storm water program. Unlike medium and large MS4s under the existing storm water regulations, not all small MS4s are designated under today's final rule. Therefore, today's rule distinguishes between "small" MS4s and "regulated small" MS4s.

EPA's definition of "regulated small MS4s" in the proposal to today's rule included mention of incorporated places and counties. Along with the

definition, EPA included Appendices 6 and 7 to assist in the identification of areas that would probably require coverage as "automatically designated" (Appendix 6) or "potentially designated" (Appendix 7). The definition and the appendices raised many questions about exactly who was required to comply with the proposed requirements. Commenters raised issues about the definition of "incorporated place" and the status of towns, townships, and other places that are not considered incorporated by the Census Bureau. They also asked about special districts, regional authorities, MS4s already regulated, and other questions in order to clarify the rule's coverage.

EPA has revised § 122.32(a) to clarify that discharges are regulated under today's rule if they are from a small MS4 that is in an urbanized area and has not received a waiver or they are designated by the permitting authority. Today's rule does not regulate the county, city, or town. Today's rule regulates the MS4. Therefore, even though a county may be listed in Appendix 6, if that county does not own or operate the municipal storm sewer systems, the county does not have to submit an application or develop a storm water management program. If another entity does own or operate an MS4 within the county, for example, a regional utility district, that other entity needs to submit the application and develop the program.

Some commenters suggested that EPA should change the rule language to specifically allow regional authorities to be the permitted entity and to allow small MS4s to apply as co-permittees. EPA believes that the best way to clarify that regional authorities can be the primary permitted entity is the change to § 122.32(a) and the explanation above. Because EPA assumes that today's regulation will be implemented through general permits, MS4s will not be co-permittees under a general permit in the same manner as under individual permits. EPA has added § 122.33(a)(4) and made a minor change to § 122.35(a) to clarify that small MS4s can work together to share the responsibilities of a storm water management program. This is discussed further in Section II.H.3.c.iv below.

The proposed rule stated that when a county or Federal Indian reservation is only partially included in an urbanized area, only MS4s in the urbanized portion of the county or Federal Indian reservation would be regulated. In the rare cases when an incorporated place is only partially included in the urbanized area, the entire incorporated place would be regulated. EPA received comments asking about towns and

townships, because they were not considered to be incorporated areas according to the Census Bureau's definition. Would the whole town/township be covered or only the part of the town/township in the urbanized area? States use many different types of systems in their geographical divisions. Some towns are similar to incorporated cities and others are large areas that are more similar to counties. Some commenters thought that the urbanized area boundary was arbitrary, and if part of a town or county was covered, it all should be covered. Other commenters noted that some townships and counties encompass very large areas of which only a small portion is urbanized. Due to the great variety of situations, EPA has decided that for all geographical entities, only MS4s in the urbanized area are automatically designated. The population densities associated with the Census Bureau's designation of urbanized areas provide the basis for designation of these areas to protect water quality. This focused designation provides for consistency and allows for flexibility on the part of the MS4 and the permitting authority. In those situations where an incorporated place or a town is not all in an "urbanized area", there is a good possibility that it is served by more than one MS4. In those cases where the area is served by the same MS4, it makes sense to develop a storm water program for the whole area. Permitting authorities may also decide to designate all MS4s within a county or township, if they believe it is necessary to protect water quality.

Most operators of MS4s will not need to independently determine the status of coverage under today's rule. EPA has revised the proposed Appendices 6 and 7 to include towns and townships. Therefore, these appendices will alert most MS4s as to whether they are likely to be covered under today's rule. However, each permitting authority must make the decision as to who requires coverage. Most likely, an illustrative list of the regulated areas will be published with the general permit. If not, the operator can contact its permitting authority or the Bureau of the Census to find out if their separate storm sewer systems are within an urbanized area.

i. Urbanized Area Description. Under the Bureau of the Census definition of "urbanized area," adopted by EPA for the purposes of today's final rule, "an urbanized area (UA) comprises a place and the adjacent densely settled surrounding territory that together have a minimum population of 50,000 people." The proposal to today's rule provided the full definition and case

studies to help explain the census category of "urbanized area." Appendix 2 is a simplified urbanized area illustration to help demonstrate the concept of urbanized areas in relation to today's final rule. The "urbanized area" is the shaded area that includes within its boundaries incorporated places, a portion of a Federal Indian reservation, portions of two counties, an entire town, and portions of another town. All small MS4s located in the shaded area are covered by the rule, unless and until waived by the permitting authority. Any small MS4s located outside of the shaded area are subject to potential designation by the permitting authority.

There are 405 urbanized areas in the United States that cover 2 percent of total U.S. land area and contain approximately 63 percent of the nation's population (see Appendix 3 for a listing of urbanized areas of the United States and Puerto Rico). These numbers include U.S. Territories, although Puerto Rico is the only territory to have Census-designated urbanized areas. Urbanized areas constitute the largest and most dense areas of settlement. The purpose of determining an "urbanized area" is to delineate the boundaries of development and map the actual built-up urban area. The Bureau of the Census geographers liken it to flying over an urban area and drawing a line around the boundary of the built-up area as seen from the air.

Using data from the latest decennial census, the Census Bureau applies the urbanized area definition nationwide (including U.S. Tribes and Territories) and determines which places and counties are included within each urbanized area. For each urbanized area, the Bureau provides full listings of who is included, as well as detailed maps and special CD-ROM files for use with computerized mapping systems (such as GIS). Each State's data center receives a copy of the list, and some maps, automatically. The States also have the CD-ROM files and a variety of publications available to them for reference from the Bureau of the Census. In addition, local or regional planning agencies may have urbanized area files already. New listings for urbanized areas based on the 2000 Census will be available by July/August 2001, but the more comprehensive computer files will not be available until late 2001/early 2002.

Additional designations based on subsequent census years will be governed by the Bureau of the Census' definition of an urbanized area in effect for that year. Based on historical trends, EPA expects that any area determined by the Bureau of the Census to be

included within an urbanized area as of the 1990 Census will not later be excluded from the urbanized area as of the 2000 Census. However, it is important to note that even if this situation were to occur, for example, due to a possible change in the Bureau of the Census' urbanized area definition, a small MS4 that is automatically designated into the NPDES program for storm water under an urbanized area calculation for any given Census year will remain regulated regardless of the results of subsequent urbanized area calculations.

ii. Rationale for Using Urbanized Areas. EPA is using urbanized areas to automatically designate regulated small MS4s on a nationwide basis for several reasons: (1) studies and data show a high correlation between degree of development/urbanization and adverse impacts on receiving waters due to storm water (U.S. EPA, 1983; Driver et al., 1985; Pitt, R.E. 1991. "Biological Effects of Urban Runoff Discharges." Presented at the Engineering Foundation Conference: *Urban Runoff and Receiving Systems; An Interdisciplinary Analysis of Impact, Monitoring and Management*, August 1991. Mt. Crested Butte, CO. American Society of Civil Engineers, New York. 1992.; Pitt, R.E. 1995. "Biological Effects of Urban Runoff Discharges," in *Storm water Runoff and Receiving Systems: Impact, Monitoring, and Assessment*. Lewis Publishers, New York.; Galli, J. 1990. *Thermal Impacts Associated with Urbanization and Storm water Management Best Management Practices*. Prepared for the Sediment and Storm water Administration of the Maryland Department of the Environment.; Klein, 1979), (2) the blanket coverage within the urbanized area encourages the watershed approach and addresses the problem of "donut-holes," where unregulated areas are surrounded by areas currently regulated (storm water discharges from donut hole areas present a problem due to their contributing uncontrolled adverse impacts on local waters, as well as by frustrating the attainment of water quality goals of neighboring regulated communities), (3) this approach targets present and future growth areas as a preventative measure to help ensure water quality protection, and (4) the determination of urbanized areas by the Bureau of the Census allows operators of small MS4s to quickly determine whether they are included in the NPDES storm water program as a regulated small MS4.

Urbanized areas have experienced significant growth over the past 50 years. According to EPA calculations

based on Census data from 1980 to 1990, the national average rate of growth in the United States during that 10-year period was more than 4 percent. For the same period, the average growth within urbanized areas was 15.7 percent and the average for outside of urbanized areas was just more than 1 percent. The new development occurring in these growing areas can provide some of the best opportunities for implementing cost-effective storm water management controls.

EPA received many comments on the proposal to designate discharges based on location within urbanized areas. EPA considered numerous other approaches, several of which are discussed in the proposal to today's final rule. Several commenters wanted designation to be based on proven water quality problems rather than inclusion in an urbanized area. One commenter proposed an approach based on the CWA 303(d) listing of impaired waters and the wasteload allocation conducted under the TMDL process. (See section II.L. on the section 303(d) and TMDL process). The commenter's proposal would designate small MS4s on a case-by-case basis, covering only those discharges where receiving streams are shown to have water quality problems, particularly a failure to meet water quality standards, including designated uses. The commenter further described a non-NPDES approach where a State would require cost-effective measures based on a proportionate share under a waste load allocation, equitably allocated among all pollutant contributors. These waste load allocations would be developed with input from all stakeholders, and remedial measures would be implemented in a phased manner based on the probability of results and/or economic feasibility. The States would then periodically reassess the receiving streams to determine whether the remedial measures are working, and if not, require additional control measures using the same procedure used to establish the initial measures. What the commenter describes is almost a TMDL.

EPA considered a remedial approach based on water quality impairment and rejected it for failure to prevent almost certain degradation caused by urban storm water. EPA's main concern in opting not to take a case-by-case approach to designation was that this approach would not provide controls for storm water discharges in receiving streams until after a site-specific demonstration of adverse water quality impact. The commenter's suggestion would do nothing to prevent pollution in waters that may be meeting water

quality standards, including supporting designated uses. The approach would also rely on identifying storm water management programs following comprehensive watershed plans and TMDL development. In most States, water quality assessments have traditionally been conducted for principal mainstream rivers and their major tributaries, not all surface waters. The establishment of TMDLs nationwide will take many years, and many States will conduct additional monitoring to determine water quality conditions prior to establishing TMDLs. In addition, a case-by-case approach would not address the problem of "donut holes" within urbanized areas and a lack of consistency among similarly situated municipal systems would remain commonplace. After careful consideration of all comments, EPA still believes that the approach in today's rule is the most appropriate to protect water quality. Protection includes prevention as well as remediation.

d. Municipal Designation by the Permitting Authority

Today's final rule also allows NPDES permitting authorities to designate MS4s that should be included in the storm water program as regulated small MS4s but are not located within urbanized areas. The final rule requires, at a minimum, that a set of designation criteria be applied to all small MS4s within a jurisdiction that serves a population of at least 10,000 and has a population density of at least 1,000. Appendix 7 to this preamble provides an illustrative list of places that the Agency anticipates meet this criteria. In addition, any small MS4 may be the subject of a petition to the NPDES permitting authority for designation. See Section II.G, NPDES Permitting Authority's Role for more details on the designation and petition processes. EPA believes that the approach of combining nationwide and local designation to determine municipal coverage balances the potential for significant adverse impacts on water quality with local watershed protection and planning efforts.

e. Waiving the Requirements for Small MS4s

Today's final rule includes some flexibility in the nationwide coverage of all small MS4s located in urbanized areas by providing the NPDES permitting authority with the discretion to waive the otherwise applicable requirements of the smallest MS4s that are not causing the impairment of a receiving water body. Qualifications for

the waiver vary depending on whether the MS4 serves a population under 1,000 or a population between 1,000 and 10,000. Note that even if a small MS4 has requirements waived, it can subsequently be brought back into the program if circumstances change. See Section II.G, NPDES Permitting Authority's Role, for more details on this process.

3. Municipal Permit Requirements

a. Overview

i. Summary of Permitting Options. Today's rule outlines six minimum control measures that constitute the framework for a storm water discharge control program for regulated small MS4s that, when properly implemented, will reduce pollutants to the maximum extent practicable (MEP). These six minimum control measures are specified in § 122.34(b) and are discussed below in section "II.H.3.b, Program Requirements-Minimum Control Measures." All operators of regulated small MS4s are required to obtain coverage under an NPDES permit, unless the requirement is waived by the permitting authority in accordance with today's rule. Implementation of § 122.34(b) may be required either through an individual permit or, if the State or EPA makes one available to the facility, through a general permit. The process for issuing and obtaining these permits is discussed below in section "II.H.3.c, Application Requirements."

As an alternative to implementing a program that complies with the requirements of § 122.34, today's rule provides operators of regulated small MS4s with the option of applying for an individual permit under § 122.26(d). The permit application requirements in § 122.26 were originally drafted to apply to medium and large MS4s. Although EPA believes that the requirements of § 122.34 provide a regulatory option that is appropriate for most small MS4s, the operators of some small MS4s may prefer more individualized requirements. This alternative permitting option for regulated small MS4s that wish to develop their own program is discussed below in section "II.H.3.c.iii. Alternative Permit Option." The second alternative permitting option for regulated small MS4s is to become co-permittees with a medium or large MS4 regulated under § 122.26(d), as discussed below in section "II.H.3.c.v. Joint Permit Programs."

ii. Water Quality-Based Requirements. Any NPDES permit issued under today's rule must, at a minimum, require the operator to develop, implement, and

enforce a storm water management program designed to reduce the discharge of pollutants from a regulated system to the MEP, to protect water quality, and satisfy the appropriate water quality requirements of the Clean Water Act (see MEP discussion in the following section). Absent evidence to the contrary, EPA presumes that a small MS4 program that implements the six minimum measures in today's rule does not require more stringent limitations to meet water quality standards. Proper implementation of the measures will significantly improve water quality. As discussed further below, however, small MS4 permittees should modify their programs if and when available information indicates that water quality considerations warrant greater attention or prescriptiveness in specific components of the municipal program. If the program is inadequate to protect water quality, including water quality standards, then the permit will need to be modified to include any more stringent limitations necessary to protect water quality.

Regardless of the basis for the development of the effluent limitations (whether designed to implement the six minimum measures or more stringent or prescriptive limitations to protect water quality), EPA considers narrative effluent limitations requiring implementation of BMPs to be the most appropriate form of effluent limitations for MS4s. CWA section 402(p)(3)(b)(iii) expresses a preference for narrative rather than numeric effluent limits, for example, by reference to "management practices, control techniques and system, design and engineering methods, and such other provisions as the Administrator or the State determines appropriate for the control of such pollutants." 33 U.S.C. 1342(p)(3)(B)(iii). EPA determines that pollutants from wet weather discharges are most appropriately controlled through management measures rather than end-of-pipe numeric effluent limitations. As explained in the Interim Permitting Policy for Water Quality-Based Effluent Limitations in Storm Water Permits, issued on August 1, 1996 [61 FR 43761 (November 26, 1996)], EPA believes that the currently available methodology for derivation of numeric water quality-based effluent limitations is significantly complicated when applied to wet weather discharges from MS4s (compared to continuous or periodic batch discharges from most other types of discharge). Wet weather discharges from MS4s introduce a high degree of variability in the inputs to the models currently available for

derivation of water quality based effluent limitations, including assumptions about instream and discharge flow rates, as well as effluent characterization. In addition, EPA anticipates that determining compliance with any such numeric limitations may be confounded by practical limitations in sample collection.

In the first two to three rounds of permit issuance, EPA envisions that a BMP-based storm water management program that implements the six minimum measures will be the extent of the NPDES permit requirements for the large majority of regulated small MS4s. Because the six measures represent a significant level of control if properly implemented, EPA anticipates that a permit for a regulated small MS4 operator implementing BMPs to satisfy the six minimum control measures will be sufficiently stringent to protect water quality, including water quality standards, so that additional, more stringent and/or more prescriptive water quality based effluent limitations will be unnecessary.

If a small MS4 operator implements the six minimum control measures in § 122.34(b) and the discharges are determined to cause or contribute to non-attainment of an applicable water quality standard, the operator needs to expand or better tailor its BMPs within the scope of the six minimum control measures. EPA envisions that this process will occur during the first two to three permit terms. After that period, EPA will revisit today's regulations for the municipal separate storm sewer program.

If the permitting authority (rather than the regulated small MS4 operator) needs to impose additional or more specific measures to protect water quality, then that action will most likely be the result of an assessment based on a TMDL or equivalent analysis that determines sources and allocations of pollutant(s) of concern. EPA believes that the small MS4's additional requirements, if any, should be guided by its equitable share based on a variety of considerations, such as cost effectiveness, proportionate contribution of pollutants, and ability to reasonably achieve wasteload reductions. Narrative effluent limitations in the form of BMPs may still be the best means of achieving those reductions.

See Section II.L, Water Quality Issues, for further discussion of this approach to permitting, consistent with EPA's interim permitting guidance. Pursuant to CWA section 510, States implementing their own NPDES programs may develop more stringent or

more prescriptive requirements than those in today's rule.

EPA's interpretation of CWA section 402(p)(3)(B)(iii) was recently reviewed by the Ninth Circuit in *Defenders of Wildlife, et al v. Browner*, No. 98-71080 (September 15, 1999). The Court upheld the Agency's action in issuing five MS4 permits that included water quality-based effluent limitations. The Court did, however, disagree with EPA's interpretation of the relationship between CWA sections 301 and 402(p). The Court reasoned that MS4s are not compelled by section 301(b)(1)(C) to meet all State water quality standards, but rather that the Administrator or the State may rely on section 402(p)(3)(B)(iii) to require such controls. Accordingly, the *Defenders of Wildlife* decision is consistent with the Agency's 1996 "Interim Permitting Policy for Water Quality-Based Effluent Limitations in Storm Water Permits."

As noted, the 1996 Policy describes how permits would implement an iterative process using BMPs, assessment, and refocused BMPs, leading toward attainment of water quality standards. The ultimate goal of the iteration would be for water bodies to support their designated uses. EPA believes this iterative approach is consistent with and implements section 301(b)(1)(C), notwithstanding the Ninth Circuit's interpretation. As an alternative to basing these water quality-based requirements on section 301(b)(1)(C), however, EPA also believes the iterative approach toward attainment of water quality standards represents a reasonable interpretation of CWA section 402(p)(3)(B)(iii). For this reason, today's rule specifies that the "compliance target" for the design and implementation of municipal storm water control programs is "to reduce pollutants to the maximum extent practicable (MEP), to protect water quality, and to satisfy the appropriate water quality requirements of the CWA." The first component, reductions to the MEP, would be realized through implementation of the six minimum measures. The second component, to protect water quality, reflects the overall design objective for municipal programs based on CWA section 402(p)(6). The third component, to implement other applicable water quality requirements of the CWA, recognizes the Agency's specific determination under CWA section 402(p)(3)(B)(iii) of the need to achieve reasonable further progress toward attainment of water quality standards according to the iterative BMP process, as well as the determination that State or EPA officials who establish TMDLs could allocate waste loads to

MS4s, as they would to other point sources.

EPA does not presume that water quality will be protected if a small MS4 elects not to implement all of the six minimum measures and instead applies for alternative permit limits under § 122.26(d). Operators of such small MS4s that apply for alternative permit limits under § 122.26(d) must supply additional information through individual permit applications so that the permit writer can determine whether the proposed program reduces pollutants to the MEP and whether any other provisions are appropriate to protect water quality and satisfy the appropriate water quality requirements of the Clean Water Act.

iii. *Maximum Extent Practicable.* Maximum extent practicable (MEP) is the statutory standard that establishes the level of pollutant reductions that operators of regulated MS4s must achieve. The CWA requires that NPDES permits for discharges from MS4s "shall require controls to reduce the discharge of pollutants to the maximum extent practicable, including management practices, control techniques and system, design and engineering methods." CWA Section 402(p)(3)(B)(iii). This section also calls for "such other provisions as the [EPA] Administrator or the State determines appropriate for the control of such pollutants." EPA interprets this standard to apply to all MS4s, including both existing regulated (large and medium) MS4s, as well as the small MS4s regulated under today's rule.

For regulated small MS4s under today's rule, authorization to discharge may be under either a general permit or individual permit, but EPA anticipates and expects that general permits will be the most common permit mechanism. The general permit will explain the steps necessary to obtain permit authorization. Compliance with the conditions of the general permit and the series of steps associated with identification and implementation of the minimum control measures will satisfy the MEP standard. Implementation of the MEP standard under today's rule will typically require the permittee to develop and implement appropriate BMPs to satisfy each of the required six minimum control measures.

In issuing the general permit, the NPDES permitting authority will establish requirements for each of the minimum control measures. Permits typically will require small MS4 permittees to identify in their NOI the BMPs to be performed and to develop the measurable goals by which

implementation of the BMPs can be assessed. Upon receipt of the NOI from a small MS4 operator, the NPDES permitting authority will have the opportunity to review the NOI to verify that the identified BMPs and measurable goals are consistent with the requirement to reduce pollutants under the MEP standard, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act. If necessary, the NPDES permitting authority may ask the permittee to revise their mix of BMPs, for example, to better reflect the MEP pollution reduction requirement. Where the NPDES permit is not written to implement the minimum control measures specified under § 122.34(b), for example in the case of an individual permit under § 122.33(b)(2)(ii), the MEP standard will be applied based on the best professional judgment of the permit writer.

Commenters argued that MEP is, as yet, an undefined term and that EPA needs to further clarify the MEP standards by providing a regulatory definition that includes recognition of cost considerations and technical feasibility. Commenters argued that, without a definition, the regulatory community is not adequately on notice regarding the standard with which they need to comply. EPA disagrees that affected MS4 permittees will lack notice of the applicable standard. The framework for the small MS4 permits described in this notice provides EPA's interpretation of the standard and how it should be applied.

EPA has intentionally not provided a precise definition of MEP to allow maximum flexibility in MS4 permitting. MS4s need the flexibility to optimize reductions in storm water pollutants on a location-by-location basis. EPA envisions that this evaluative process will consider such factors as conditions of receiving waters, specific local concerns, and other aspects included in a comprehensive watershed plan. Other factors may include MS4 size, climate, implementation schedules, current ability to finance the program, beneficial uses of receiving water, hydrology, geology, and capacity to perform operation and maintenance.

The pollutant reductions that represent MEP may be different for each small MS4, given the unique local hydrologic and geologic concerns that may exist and the differing possible pollutant control strategies. Therefore, each permittee will determine appropriate BMPs to satisfy each of the six minimum control measures through an evaluative process. Permit writers may evaluate small MS4 operator's

proposed storm water management controls to determine whether reduction of pollutants to the MEP can be achieved with the identified BMPs.

EPA envisions application of the MEP standard as an iterative process. MEP should continually adapt to current conditions and BMP effectiveness and should strive to attain water quality standards. Successive iterations of the mix of BMPs and measurable goals will be driven by the objective of assuring maintenance of water quality standards. If, after implementing the six minimum control measures there is still water quality impairment associated with discharges from the MS4, after successive permit terms the permittee will need to expand or better tailor its BMPs within the scope of the six minimum control measures for each subsequent permit. EPA envisions that this process may take two to three permit terms.

One commenter observed that MEP is not static and that if the six minimum control measures are not achieving the necessary water quality improvements, then an MS4 should be expected to revise and, if necessary, expand its program. This concept, it is argued, must be clearly part of the definition of MEP and thus incorporated into the binding and operative aspects of the rule. As is explained above, EPA believes that it is. The iterative process described above is intended to be sensitive to water quality concerns. EPA believes that today's rule contains provisions to implement an approach that is consistent with this comment.

b. Program Requirements' Minimum Control Measures

A regulated small MS4 operator must develop and implement a storm water management program designed to reduce the discharge of pollutants from their MS4 to protect water quality. The storm water management program must include the following six minimum measures.

i. *Public Education and Outreach on Storm Water Impacts.* Under today's final rule, operators of small MS4s must implement a public education program to distribute educational materials to the community or conduct equivalent outreach activities about the impacts of storm water discharges on water bodies and the steps to reduce storm water pollution. The public education program should inform individuals and households about the problem and the steps they can take to reduce or prevent storm water pollution.

EPA believes that as the public gains a greater understanding of the storm water program, the MS4 is likely to gain

more support for the program (including funding initiatives). In addition, compliance with the program will probably be greater if the public understands the personal responsibilities expected of them. Well-informed citizens can act as formal or informal educators to further disseminate information and gather support for the program, thus easing the burden on the municipalities to perform all educational activities.

MS4s are encouraged to enter into partnerships with their States in fulfilling the public education requirement. It may be more cost-effective to utilize a State education program instead of numerous MS4s developing their own programs. MS4 operators are also encouraged to work with other organizations (e.g., environmental, nonprofit and industry organizations) that might be able to assist in fulfilling this requirement.

The public education program should be tailored, using a mix of locally appropriate strategies, to target specific audiences and communities (particularly minority and disadvantaged communities). Examples of strategies include distributing brochures or fact sheets, sponsoring speaking engagements before community groups, providing public service announcements, implementing educational programs targeted at school age children, and conducting community-based projects such as storm drain stenciling, and watershed and beach cleanups. Operators of MS4s may use storm water educational information provided by the State, Tribe, EPA, or environmental, public interest, trade organizations, or other MS4s. Examples of successful public education efforts concerning polluted runoff can be found in many State nonpoint source pollution control programs under CWA section 319.

The public education program should inform individuals and households about steps they can take to reduce storm water pollution, such as ensuring proper septic system maintenance, ensuring the use and disposal of landscape and garden chemicals including fertilizers and pesticides, protecting and restoring riparian vegetation, and properly disposing of used motor oil or household hazardous wastes. Additionally, the program could inform individuals and groups on how to become involved in local stream and beach restoration activities as well as activities coordinated by youth service and conservation corps and other citizen groups. Finally, materials or outreach programs should be directed toward targeted groups of commercial,

industrial, and institutional entities likely to have significant storm water impacts. For example, MS4 operators should provide information to restaurants on the impact of grease clogging storm drains and to auto garages on the impacts of used oil discharges.

EPA received comments from representatives of State DOTs and U.S. Department of Defense (DOD) installations seeking exemption from the public education requirement. While today's rule does not exempt DOTs and military bases from the user education requirement, the Agency believes the flexibility inherent in the Rule addresses many of the concerns expressed by these commenters.

Certain DOT representatives commented that if their agencies were not exempt from the user education measure's requirements, they should at least be allowed to count DOT employee education as an adequate substitute. EPA supports the use of existing materials and programs, granted such materials and programs meet the rule's requirement that the MS4 user community (*i.e.*, the public) is also educated concerning the impacts of storm water discharges on water bodies and the steps to reduce storm water pollution.

Finally, certain DOD representatives requested that "public," as applied to their installations, be defined as the resident and employee populations within the fence line of the facility. EPA agrees that the education effort should be directed toward those individuals who frequent the federally owned land (*i.e.*, residents and individuals who come there to work and use the MS4 facilities).

EPA also received a number of comments from municipalities stating that education would be more thorough and cost effective if accomplished by EPA on the national level. EPA believes that a collaborative State and local approach, in conjunction with significant EPA technical support, will best meet the goal of targeting, and reaching, specific local audiences. EPA technical support will include a tool box which will contain fact sheets, guidance documents, an information clearinghouse, and training and outreach efforts.

Finally, EPA received comments expressing concern that the public education program simply encourages the distribution of printed material. EPA is sensitive to this concern. Upon evaluation, the Agency made changes to the proposal's language for today's rule. The language has been changed to reflect EPA's belief that a successful

program is one that includes a variety of strategies locally designed to reach specific audiences.

ii. Public Involvement/Participation. Public involvement is an integral part of the small MS4 storm water program. Accordingly, today's final rule requires that the municipal storm water management program must comply with applicable State and local public notice requirements. Section 122.34(b)(2) recommends a public participation process with efforts to reach out and engage all economic and ethnic groups. EPA believes there are two important reasons why the public should be allowed and encouraged to provide valuable input and assistance to the MS4's program.

First, early and frequent public involvement can shorten implementation schedules and broaden public support for a program. Opportunities for members of the public to participate in program development and implementation could include serving as citizen representatives on a local storm water management panel, attending public hearings, working as citizen volunteers to educate other individuals about the program, assisting in program coordination with other pre-existing programs, or participating in volunteer monitoring efforts. Moreover, members of the public may be less likely to raise legal challenges to a MS4's storm water program if they have been involved in the decision making process and program development and, therefore, internalize personal responsibility for the program themselves.

Second, public participation is likely to ensure a more successful storm water program by providing valuable expertise and a conduit to other programs and governments. This is particularly important if the MS4's storm water program is to be implemented on a watershed basis. Interested stakeholders may offer to volunteer in the implementation of all aspects of the program, thus conserving limited municipal resources.

EPA recognizes that there are a number of challenges associated with public involvement. One challenge is in engaging people in the public meeting and program design process. Another challenge is addressing conflicting viewpoints. Nevertheless, EPA strongly believes that these challenges can be addressed by use of an aggressive and inclusive program. Section II.K. provides further discussion on public involvement.

A number of municipalities sought clarification from EPA concerning what the public participation program must

actually include. In response, the actual requirements are minimal, but the Agency's recommendations are more comprehensive. The public participation program must only comply with applicable State and local public notice requirements. The remainder of the preamble, as well as the Explanatory Note accompanying the regulatory text, provide guidance to the MS4s concerning what elements a successful and inclusive program should include. EPA will provide technical support as part of the tool box (*i.e.*, providing model public involvement programs, conducting public workshops, *etc.*) to assist MS4 operators meet the intent of this measure.

Finally, the Agency encourages MS4s to seek public participation prior to submitting an NOI. For example, public participation at this stage will allow the MS4 to involve the public in developing the BMPs and measurable goals for their NOI.

iii. Illicit Discharge Detection and Elimination. Discharges from small MS4s often include wastes and wastewater from non-storm water "illicit" discharges. Illicit discharge is defined at 40 CFR 122.26(b)(2) as any discharge to a municipal separate storm sewer that is not composed entirely of storm water, except discharges pursuant to an NPDES permit and discharges resulting from fire fighting activities. As detailed below, other sources of non-storm water, that would otherwise be considered illicit discharges, do not need to be addressed unless the operator of the MS4 identifies one or more of them as a significant source of pollutants into the system. EPA's Nationwide Urban Runoff Program (NURP) indicated that many storm water outfalls still discharge during substantial dry periods. Pollutant levels in these dry weather flows were shown to be high enough to significantly degrade receiving water quality. Results from a 1987 study conducted in Sacramento, California, revealed that slightly less than one-half of the water discharged from a municipal separate storm sewer system was not directly attributable to precipitation runoff (U.S. Environmental Protection Agency, Office of Research and Development, 1993. *Investigation of Inappropriate Pollutant Entries Into Storm Drainage Systems—A User's Guide*. Washington, DC EPA 600/R-92/238.) A significant portion of these dry weather flows results from illicit and/or inappropriate discharges and connections to the municipal separate storm sewer system. Illicit discharges enter the system through either direct connections (*e.g.*, wastewater piping either mistakenly or

deliberately connected to the storm drains) or indirect connections (*e.g.*, infiltration into the storm drain system or spills collected by drain inlets).

Under the existing NPDES program for storm water, permit applications for large and medium MS4s are to include a program description for effective prohibition against non-storm water discharges into their storm sewers (see 40 CFR 122.26 (d)(1)(v)(B) and (d)(1)(iv)(B)). Further, EPA believes that in implementing municipal storm water management plans under these permits, large and medium MS4 operators generally found their illicit discharge detection and elimination programs to be cost-effective. Properly implemented programs also significantly improved water quality.

In today's rule, any NPDES permit issued to an operator of a regulated small MS4 must, at a minimum, require the operator to develop, implement and enforce an illicit discharge detection and elimination program. Inclusion of this measure for regulated small MS4s is consistent with the "effective prohibition" requirement for large and medium MS4s. Under today's rule, the NPDES permit will require the operator of a regulated small MS4 to: (1) Develop (if not already completed) a storm sewer system map showing the location of all outfalls, and names and location of all waters of the United States that receive discharges from those outfalls; (2) to the extent allowable under State, Tribal, or local law, effectively prohibit through ordinance, or other regulatory mechanism, illicit discharges into the separate storm sewer system and implement appropriate enforcement procedures and actions as needed; (3) develop and implement a plan to detect and address illicit discharges, including illegal dumping, to the system; and (4) inform public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.

The illicit discharge and elimination program need only address the following categories of non-storm water discharges if the operator of the small MS4 identifies them as significant contributors of pollutants to its small MS4: water line flushing, landscape irrigation, diverted stream flows, rising ground waters, uncontaminated ground water infiltration (as defined at 40 CFR 35.2005(20)), uncontaminated pumped ground water, discharges from potable water sources, foundation drains, air conditioning condensation, irrigation water, springs, water from crawl space pumps, footing drains, lawn watering, individual residential car washing, flows from riparian habitats and

wetlands, dechlorinated swimming pool discharges, and street wash water (discharges or flows from fire fighting activities are excluded from the definition of illicit discharge and only need to be addressed where they are identified as significant sources of pollutants to waters of the United States). If the operator of the MS4 identifies one or more of these categories of sources to be a significant contributor of pollutants to the system, it could require specific controls for that category of discharge or prohibit the discharges completely.

Several comments were received on the mapping requirements of the proposal. Most comments said that more flexibility should be given to the MS4s to determine their mapping needs, and that resources could be better spent in addressing problems once the illicit discharges are detected. EPA reviewed the mapping requirements in the proposed rule and agrees that some of the information is not necessary in order to begin an illicit discharge detection and elimination program. Today's rule requires a map or set of maps that show the locations of all outfalls and names and locations of receiving waters. Knowing the locations of outfalls and receiving waters are necessary to be able to conduct dry weather field screening for non-storm water flows and to respond to illicit discharge reports from the public. EPA recommends that the operator collect any existing information on outfall locations (*e.g.*, review city records, drainage maps, storm drain maps), and then conduct field surveys to verify the locations. It will probably be necessary to "walk" (*i.e.* wade small receiving waters or use a boat for larger receiving waters) the streambanks and shorelines, and it may take more than one trip to locate all outfalls. A coding system should be used to mark and identify each outfall. MS4 operators have the flexibility to determine the type (*e.g.* topographic, GIS, hand or computer drafted) and size of maps which best meet their needs. The map scale should be such that the outfalls can be accurately located. Once an illicit discharge is detected at an outfall, it may be necessary to map that portion of the storm sewer system leading to the outfall in order to locate the source of the discharge.

Several comments requested clarification of the requirement to develop and implement a plan to detect and eliminate illicit discharges. EPA recommends that plans include procedures for the following: locating priority areas; tracing the source of an illicit discharge; removing the source of the discharge; and program evaluation

and assessment. EPA recommends that MS4 operators identify priority areas (*i.e.*, problem areas) for more detailed screening of their system based on higher likelihood of illicit connections (*e.g.*, areas with older sanitary sewer lines), or by conducting ambient sampling to locate impacted reaches. Once priority areas are identified, EPA recommends visually screening outfalls during dry weather and conducting field tests, where flow is occurring, of selected chemical parameters as indicators of the discharge source. EPA's manual for investigation of inappropriate pollutant entries into the storm drainage system (EPA, 1993) suggests the following parameter list: specific conductivity, fluoride and/or hardness concentration, ammonia and/or potassium concentration, surfactant and/or fluorescence concentration, chlorine concentration, pH and other chemicals indicative of industrial sources. The manual explains why each parameter is a good indicator and how the information can be used to determine the type of source flow. The Agency is not recommending that fluoride and chlorine, generally used to locate potable water discharges, be addressed under this program, therefore a short list of parameters may include conductivity, ammonia, surfactant and pH. Some MS4s have found it useful to measure for fecal coliform or *E. coli* in their testing program. Observations of physical characteristics of the discharge are also helpful such as flow rate, temperature, odor, color, turbidity, floatable matter, deposits and stains, and vegetation.

The implementation plan should also include procedures for tracing the source of an illicit discharge. Once an illicit discharge is detected and field tests provide source characteristics, the next step is to determine the actual location of the source. Techniques for tracing the discharge to its place of origin may include: following the flow up the storm drainage system via observations and/or chemical testing in manholes or in open channels; televising storm sewers; using infrared and thermal photography; conducting smoke or dye tests.

The implementation plan should also include procedures for removing the source of the illicit discharge. The first step may be to notify the property owner and specify a length of time for eliminating the discharge. Additional notifications and escalating legal actions should also be described in this part of the plan.

Finally, the implementation plan should include procedures for program evaluation and assessment. Procedures

could include documentation of actions taken to locate and eliminate illicit discharges such as: number of outfalls screened, complaints received and corrected, feet of storm sewers televised, numbers of discharges and quantities of flow eliminated, number of dye or smoke tests conducted. Appropriate records of such actions should be kept and should be submitted as part of the annual reports for the first permit term, as specified by the permitting authority (reports only need to be submitted in years 2 and 4 in later permits). For more on reporting requirements, see § 122.34(g).

EPA received comments regarding an MS4's legal authority beyond its jurisdictional boundaries to inspect or take enforcement against illicit discharges. EPA recognizes that illicit flows may originate in one jurisdiction and cross into one or more jurisdictions before being discharged at an outfall. In such instances, EPA expects the MS4 that detects the illicit flow to trace it to the point where it leaves their jurisdiction and notify the adjoining MS4 of the flow, and any other physical or chemical information. The adjoining MS4 should then trace it to the source or to the location where it enters their jurisdiction. The process of notifying the adjoining MS4 should continue until the source is located and eliminated. In addition, because any non-storm water discharge to waters of the U.S. through an MS4 is subject to the prohibition against unpermitted discharges pursuant to CWA section 301 (a), remedies are available under the federal enforcement provisions of CWA sections 309 and 505.

EPA requested and received comments regarding the prohibition and enforcement provision for this minimum measure. Commenters specifically questioned the proposal that the operator only has to implement the appropriate prohibition and enforcement procedures "to the extent allowable under State or Tribal law." They raised concerns that by qualifying prohibition and enforcement procedures in this manner, the operator could altogether ignore this minimum measure where affirmative legal authority did not exist. Comments suggested that EPA require States to grant authority to those municipalities where it did not exist. Other comments, however, stated that municipalities cannot exercise legal authority not granted to them under State law, which varies considerably from one State to another. EPA has no intention of directing State legislatures on how to allocate authority and responsibility under State law. As noted above, there is at least one remedy (the

federal CWA) to control non-storm water discharges through MS4s. If State law prevents political subdivisions from controlling discharges through storm sewers, EPA anticipates common sense will prevail to provide those MS4 operators with the ability to meet the requirements applicable for their discharges.

One comment reinforced the importance of public information and education to the success of this measure. EPA agrees and suggests that MS4 operators consider a variety of ways to inform and educate the public which could include storm drain stenciling; a program to promote, publicize, and facilitate public reporting of illicit connections or discharges; and distribution of visual and/or printed outreach materials. Recycling and other public outreach programs could be developed to address potential sources of illicit discharges, including used motor oil, antifreeze, pesticides, herbicides, and fertilizers.

EPA received comments that State DOT's lack authority to implement this measure. EPA believes that most DOTs can implement most parts of this measure. If a DOT does not have the necessary legal authority to implement any part of this measure, EPA encourages them to coordinate their storm water management efforts with the surrounding MS4s and other State agencies. Many DOTs that are regulated under Phase I of this program are co-permittees with the local regulated MS4. Under today's rule, DOTs can use any of the options of § 122.35 to share their storm water management responsibilities.

EPA received comments requesting clarification of various terms such as "outfall" and "illicit discharge." One comment asked EPA to reinforce the point that a "ditch" could be considered an outfall. The term "outfall" is defined at 40 CFR 122.26(b)(9) as "a point source at the point where a municipal separate storm sewer discharges to waters of the United States * * *". The term municipal separate storm sewer is defined at 40 CFR § 122.26(b)(8) as "a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) * * *". Following the logic of these definitions, a "ditch" may be part of the municipal separate storm sewer, and at the point where the ditch discharges to waters of the United States, it would be an outfall. As with any determination about jurisdictional provisions of the CWA, however, final decisions require case specific evaluations of fact.

One commenter specifically requested clarification on the relationship between the term "illicit discharge" and non-storm water discharges from fire fighting. The comment suggested that it would be impractical to attempt to determine whether the flow from a specific fire (*i.e.*, during a fire) is a significant source of pollution. EPA intends that MS4s will address all allowable non-storm water flows categorically rather than individually. If an MS4 is concerned that flows from fire fighting are, as a category, contributing substantial amounts of pollutants to their system, they could develop a program to address those flows prospectively. The program may include an analysis of the flow from several sources, steps to minimize the pollutant contribution, and a plan to work with the sources of the discharge to minimize any adverse impact on water quality. During the development of such a program, the MS4 may determine that only certain types of flows within a particular category are a concern, for example, fire fighting flows at industrial sites where large quantities of chemicals are present. In this example, a review of existing procedures with the fire department and/or hazardous materials team may reveal weaknesses or strengths previously unknown to the MS4 operator.

EPA received comments requesting modifications to the rule to include on-site sewage disposal systems (*i.e.*, septic systems) in the scope of the illicit discharge program. On-site sewage disposal systems that flow into storm drainage systems are within the definition of illicit discharge as defined by the regulations. Where they are found to be the source of an illicit discharge, they need to be eliminated similar to any other illicit discharge source. Today's rule was not modified to include discharges from on-site sewage disposal systems specifically because those sources are already within the scope of the existing definition of illicit discharge.

iv. Construction Site Storm Water Runoff Control. Over a short period of time, storm water runoff from construction site activity can contribute more pollutants, including sediment, to a receiving stream than had been deposited over several decades (see section I.B.3). Storm water runoff from construction sites can include pollutants other than sediment, such as phosphorus and nitrogen, pesticides, petroleum derivatives, construction chemicals, and solid wastes that may become mobilized when land surfaces are disturbed. Generally, properly

implemented and enforced construction site ordinances effectively reduce these pollutants. In many areas, however, the effectiveness of ordinances in reducing pollutants is limited due to inadequate enforcement or incomplete compliance with such local ordinances by construction site operators (Paterson, R.G. 1994. "Construction Practices: The Good, the Bad, and the Ugly." *Watershed Protection Techniques* 1(2)).

Today's rule requires operators of regulated small MS4s to develop, implement, and enforce a pollutant control program to reduce pollutants in any storm water runoff from construction activities that result in land disturbance of 1 or more acres (see § 122.34(b)(4)). Construction activity on sites disturbing less than one acre must be included in the program if the construction activity is part of a larger common plan of development or sale that would disturb one acre or more.

The construction runoff control program of the regulated small MS4 must include an ordinance or other regulatory mechanism to require erosion and sediment controls to the extent practicable and allowable under State, Tribal or local law. The program also must include sanctions to ensure compliance (for example, non-monetary penalties, fines, bonding requirements, and/or permit denials for non-compliance). The program must also include, at a minimum: requirements for construction site operators to implement appropriate erosion and sediment control BMPs, such as silt fences, temporary detention ponds and diversions; procedures for site plan review by the small MS4 which incorporate consideration of potential water quality impacts; requirements to control other waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that may adversely impact water quality; procedures for receipt and consideration of information submitted by the public to the MS4; and procedures for site inspection and enforcement of control measures by the small MS4.

Today's rule provides flexibility for regulated small MS4s by allowing them to exclude from their construction pollutant control program runoff from those construction sites for which the NPDES permitting authority has waived NPDES storm water small construction permit requirements. For example, if the NPDES permitting authority waives permit coverage for storm water discharges from construction sites less than 5 acres in areas where the rainfall erosivity factor is less than 5, then the regulated small MS4 does not have to

include these sites in its storm water management program. Even if requirements for a discharge from a given construction site are waived by the NPDES permitting authority, however, the regulated small MS4 may still choose to control those discharges under the MS4's construction pollutant control program, particularly where such discharges may cause siltation problems in storm sewers. See Section II.I.1.b for more information on construction waivers by the permitting authority.

Some commenters suggested that the proposed construction minimum measure requirements went beyond the permit application requirements concerning construction for medium and large MS4s. In response, EPA has made changes to the proposed measure so that it more closely resembles the MS4 permit application requirements in existing regulations. For example, as described below, the Agency revised the proposed requirements for "pre-construction review of site management plans" to require "procedures for site plan review."

One commenter expressed concerns that addressing runoff from construction sites within urbanized areas (through the small MS4 program) differently from construction sites outside urbanized areas (which will not be covered by the small MS4 program) will encourage urban sprawl. Today's rule, together with the existing requirements, requires all construction greater than or equal to 1 acre, unless waived, to be covered by an NPDES permit whether it is located inside or outside of an urbanized area (see § 122.26(b)(15)). Today's rule does not require small MS4s to control runoff from construction sites more stringently or prescriptively than is required for construction site runoff outside urbanized areas. Therefore, today's rule imposes no substantively different onsite controls on runoff of storm water from construction sites in urbanized areas than from construction sites outside of urbanized areas.

One commenter recommended that the small MS4 construction site storm water runoff control program address all storm water runoff from construction sites, not just the runoff into the MS4. The commenter also believed that MS4s should provide clear, objective standards for all construction sites. EPA agrees. Because today's rule only regulates discharges from the MS4, the construction pollutant control measure only requires small MS4 operators to control runoff into its system. As a practical matter, however, EPA anticipates that MS4 operators will find that regulation of all construction site

runoff, whether they runoff into the MS4 or not, will prove to be the most simple and efficient program. The Agency may provide more specific criteria for construction site BMPs in the forthcoming rule being developed under CWA section 402(m). See section II.D.1 of today's rule.

One commenter stated that there is no need for penalties at the local level by the small MS4 because the CWA already imposes sufficient penalties to ensure compliance. EPA disagrees and believes that enforcement and compliance at the local level is both necessary and preferable. Examples of sanctions, some not available under the CWA, include non-monetary penalties, monetary fines, bonding requirements, and denial of future or other local permits.

One commenter recommended that EPA should not include the requirement to control pollutants other than sediment from construction sites in this measure. EPA disagrees with this comment. The requirement is to control waste that "may cause adverse impacts on water quality." Such wastes may include discarded building materials, concrete truck washout, chemicals, pesticides, herbicides, litter, and sanitary waste. These wastes, when exposed to and mobilized by storm water, can contribute to water quality impairment.

The proposed rule required "procedures for pre-construction review of site management plans." EPA requested comment on expanding this provision to require both review and approval of construction site storm water plans. Many commenters expressed the concern that review and approval of site plans is not only costly and time intensive, but may unnecessarily delay construction projects and unduly burden staff who administer the local program. In addition, some commenters expressed confusion whether EPA proposed pre-construction review for all site management plans or only higher priority sites. To address these comments, and be consistent with the permit application requirements for larger MS4s, EPA changed "procedures for pre-construction review of site management plans" to "procedures for site plan review." Today's rule requires the small MS4 to develop procedures for site plan review so as to incorporate consideration of adverse potential water quality impacts. Procedures should include review of site erosion and sediment control plans, preferably before construction activity begins on a site. The objective is for the small MS4 operator and the construction site operator to address storm water runoff

from construction activity early in the project design process so that potential consequences to the aquatic environment can be assessed and adverse water quality impacts can be minimized or eliminated.

One commenter requested that EPA delete the requirement for "procedures for receipt and consideration of information submitted by the public" because it went beyond existing storm water requirements. Another commenter stated that establishing a separate process to respond to public inquiries on a project is a burden to small communities, especially if the project has gone through an environmental review. One commenter requested clarification of this provision. EPA has retained this requirement in today's final rule to require some formality in the process for addressing public inquiries regarding storm water runoff from construction activities. EPA does not intend that small MS4s develop a separate, burdensome process to respond to every public inquiry. A small MS4 could, for example, simply log public complaints on existing storm water runoff problems from construction sites and pass that information on to local inspectors. The inspectors could then investigate complaints based on the severity of the violation and/or priority area.

One commenter believed that the proposed requirement of "regular inspections during construction" would require every construction project to be inspected more than once by the small MS4 during the term of a construction project. EPA has deleted the reference to "regular inspections." Instead, the small MS4 will be required to "develop procedures for site inspection and enforcement of control measures." Procedures could include steps to identify priority sites for inspection and enforcement based on the nature and extent of the construction activity, topography, and the characteristics of soils and receiving water quality.

In order to avoid duplication of small MS4 construction requirements with NPDES construction permit requirements, today's rule adds § 122.44(s) to recognize that the NPDES permitting authority can incorporate qualifying State, Tribal, or local erosion and sediment control requirements in NPDES permits for construction site discharges. For example, a construction site operator who complies with MS4 construction pollutant control programs that are referenced in the NPDES construction permit would satisfy the requirements of the NPDES permit. See section II.I.1.d for more information on incorporating qualifying programs by

reference into NPDES construction permits. This provision has no impact on, or direct relation to, the small MS4 operator's responsibilities under the construction site storm water runoff control minimum measure. Conversely, under § 122.35(b), the permitting authority may recognize in the MS4's permit that another governmental entity, or the permitting authority itself, is responsible for implementing one or more of the minimum measures (including construction site storm water runoff control), and not include this measure in the small MS4's permit. In this case, the other governmental entity's program must satisfy all of the requirements of the omitted measure.

v. Post-Construction Storm Water Management in New Development and Redevelopment. The NURP study and more recent investigations indicate that prior planning and designing for the minimization of pollutants in storm water discharges is the most cost-effective approach to storm water quality management. Reducing pollutant concentrations in storm water after the discharge enters a storm sewer system is often more expensive and less efficient than preventing or reducing pollutants at the source. Increased human activity associated with development often results in increased pollutant loading from storm water discharges. If potential adverse water quality impacts are considered from the beginning stages of a project, new development and redevelopment provides more opportunities for water quality protection. For example, minimization of impervious areas, maintenance or restoration of natural infiltration, wetland protection, use of vegetated drainage ways, and use of riparian buffers have been shown to reduce pollutant loadings in storm water runoff from developed areas. EPA encourages operators of regulated small MS4s to identify specific problem areas within their jurisdictions and initiate innovative solutions and designs to focus attention on those areas through local planning.

In today's rule at § 122.34(b)(5), NPDES permits issued to an operator of a regulated small MS4 will require the operator to develop, implement, and enforce a program to address storm water runoff from new development and redevelopment projects that result in land disturbance of greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the MS4. Specifically, the NPDES permit will require the operator of a regulated small MS4 to: (1) Develop and implement

strategies which include a combination of structural and/or non-structural best management practices (BMPs) appropriate for the community; (2) use an ordinance, or other regulatory mechanism to address post-construction runoff from new development and redevelopment projects to the extent allowable under State, Tribal or local law; (3) ensure adequate long-term operation and maintenance of BMPs; and (4) ensure that controls are in place that would minimize water quality impacts. EPA intends the term "redevelopment" to refer to alterations of a property that change the "footprint" of a site or building in such a way that results in the disturbance of equal to or greater than 1 acre of land. The term is not intended to include such activities as exterior remodeling, which would not be expected to cause adverse storm water quality impacts and offer no new opportunity for storm water controls.

EPA received comments requesting guidance and clarification of the rule requirements. The scope of the comments ranged from general requests for more details on how MS4 operators should accomplish the four requirements listed above, to specific requests for information regarding transfer of ownership for structural controls, as well as ongoing responsibility for operation and maintenance. By the term "combination" of BMPs, EPA intends a combination of structural and/or non-structural BMPs. For this requirement, the term "combination" is meant to emphasize that multiple BMPs should be considered and adopted for use in the community. A single BMP generally cannot significantly reduce pollutant loads because pollutants come from many sources within a community. The BMPs chosen should: (1) Be appropriate for the local community; (2) minimize water quality impacts; and (3) attempt to maintain pre-development runoff conditions. In choosing appropriate BMPs, EPA encourages small MS4 operators to participate in locally-based watershed planning efforts which attempt to involve a diverse group of stakeholders. Each new development and redevelopment project should have a BMP component. If an approach is chosen that primarily focuses on regional or non-structural BMPs, however, then the BMPs may be located away from the actual development site (e.g., a regional water quality pond).

Non-structural BMPs are preventative actions that involve management and source controls such as: (1) Policies and ordinances that provide requirements and standards to direct growth to identified areas, protect sensitive areas

such as wetlands and riparian areas, maintain and/or increase open space (including a dedicated funding source for open space acquisition), provide buffers along sensitive water bodies, minimize impervious surfaces, and minimize disturbance of soils and vegetation; (2) policies or ordinances that encourage infill development in higher density urban areas, and areas with existing storm sewer infrastructure; (3) education programs for developers and the public about project designs that minimize water quality impacts; and (4) other measures such as minimization of the percentage of impervious area after development, use of measures to minimize directly connected impervious areas, and source control measures often thought of as good housekeeping, preventive maintenance and spill prevention. Detailed examples of non-structural BMPs follow.

Preserving open space may help to protect water quality as well as provide other benefits such as recharging groundwater supplies, detaining storm water, supporting wildlife and providing recreational opportunities. Although securing funding for open space acquisition may be difficult, various funding mechanisms have been used. New Jersey uses a portion of their State sales tax (voter approved for a ten year period) as a stable source of funding to finance the preservation of historic sites, open space and farmland. Colorado uses part of the proceeds from the State lottery to acquire and manage open space. Some local municipalities use a percentage of the local sales tax revenue to pay for open space acquisition (e.g., Jefferson County, CO has had an open space program in place since 1977 funded by a 0.50 percent sales tax). Open space can be acquired in the form of: fee simple purchase; easements; development rights; purchase and sellback or leaseback arrangements; purchase options; private land trusts; impact fees; and land dedication requirements. Generally, fee simple purchases provide the highest level of development control and certainty of preservation, whereas the other forms of acquisition may provide less control, though they would also generally be less costly.

Cluster development, while allowing housing densities comparable to conventional zoning practice, concentrates housing units in a portion of the total site area which provides for greater open space, recreation, stream protection and storm water control. This type of development, by reducing lot sizes, can protect sensitive areas and result in less impervious surface, as well

as reduce the cost for roads and other infrastructure.

Minimizing directly connected impervious areas (DCIAs) is a drainage strategy that seeks to reduce paved areas and directs storm water runoff to landscaped areas or to structural controls such as grass swales or buffer strips. This strategy can slow the rate of runoff, reduce runoff volumes, attenuate peak flows, and encourage filtering and infiltration of storm water. It can be made an integral part of drainage planning for any development (Urban Drainage and Flood Control District, Denver, CO. 1992. *Urban Storm Drainage Criteria Manual, Volume 3—Best Management Practices*). The Urban Drainage and Flood Control District manual describes three levels for minimizing DCIAs. At Level 1 all impervious surfaces are made to drain over grass-covered areas before reaching a storm water conveyance system. Level 2 adds to Level 1 and replaces street curb and gutter systems with low-velocity grass-lined swales and pervious street shoulders. In addition to Levels 1 and 2, Level 3 over-sizes swales and configures driveway and street crossing culverts to use grass-lined swales as elongated detention basins.

Structural BMPs include: (1) Storage practices such as wet ponds and extended-detention outlet structures; (2) filtration practices such as grassed swales, sand filters and filter strips; and (3) infiltration practices such as infiltration basins and infiltration trenches.

EPA recommends that small MS4 operators ensure the appropriate implementation of the structural BMPs by considering some or all of the following: (1) Pre-construction review of BMP designs; (2) inspections during construction to verify BMPs are built as designed; (3) post-construction inspection and maintenance of BMPs; and (4) sanctions to ensure compliance with design, construction or operation and maintenance (O&M) requirements of the program.

EPA cautions that certain infiltration systems such as dry wells, bored wells or tile drainage fields may be subject to Underground Injection Control (UIC) program requirements (see 40 CFR Part 144.12.). To find out more about these requirements, contact your state UIC Program, or call EPA's Safe Drinking Water Hotline at 1-800-426-4791.

In order to meet the third post-construction requirement (ensuring adequate long-term O&M of BMPs), EPA recommends that small MS4 operators evaluate various O&M management agreement options. The most common options are agreements between the

MS4 operator and another party such as post-development landowners (e.g., homeowners' associations, office park owners, other government departments or entities), or regional authorities (e.g., flood control districts, councils of government). These agreements typically require the post-construction property owner to be responsible for the O&M and may include conditions which: allow the MS4 operator to be reimbursed for O&M performed by the MS4 operator that is the responsibility of the property owner but is not performed; allow the MS4 operator to enter the property for inspection purposes; and in some cases specify that the property owner submit periodic reports.

In providing the guidance above, EPA intends the requirements in today's rule to be consistent with the permit application requirements for large MS4s for post-construction controls for new development and redevelopment. MS4 operators have significant flexibility both to develop this measure as appropriate to address local concerns, and to apply new control technologies as they become available. Storm water pollution control technologies are constantly being improved. EPA recommends that MS4s be responsive to these changes, developments or improvements in control technologies. EPA will provide more detailed guidance addressing the responsibility for long-term O&M of storm water controls in guidance materials. The guidance will also provide information on appropriate planning considerations, structural controls and non-structural controls. EPA also intends to develop a broad menu of BMPs as guidance to ensure flexibility to accommodate local conditions.

EPA received comments suggesting that requirements for new development be treated separately from redevelopment in the rule. The comment stressed that new development on raw land presents fewer obstacles and more opportunities to incorporate elements for preventing water quality impacts, whereas redevelopment projects are constrained by space limitations and existing infrastructure. Another comment suggested allowing waivers from the redevelopment requirements if the redevelopment does not result in additional adverse water quality impacts, and where BMPs are not technologically or economically feasible. EPA recognizes that redevelopment projects may have more site constraints which narrow the range of appropriate BMPs. Today's rule provides small MS4 operators with the

flexibility to develop requirements that may be different for redevelopment projects, and may also include allowances for alternate or off-site BMPs at certain redevelopment projects. Non-structural BMPs may be the most appropriate approach for smaller redevelopment projects.

EPA received comments requesting clarification on what is meant by "pre-development" conditions within the context of redevelopment. Pre-development refers to runoff conditions that exist onsite immediately before the planned development activities occur. Pre-development is not intended to be interpreted as that period before any human-induced land disturbance activity has occurred.

EPA received comments on the guidance language in the proposed rule and preamble which suggest that implementation of this measure should "attempt to maintain pre-development runoff conditions" and that "post-development conditions should not be different than pre-development conditions in a way that adversely affects water quality." Many comments expressed concern that maintaining pre-development runoff conditions is impossible and cost-prohibitive, and objected to any reference to "flow" or increase in volume of runoff. Other comments support the inclusion of this language in the final rule. Similar references in today's rule relating to pre-development runoff conditions are intended as *recommendations to attempt to maintain pre-development runoff conditions*. With these recommendations, EPA intends to prevent water quality impacts resulting from increased discharges of pollutants, which may result from increased volume of runoff. In many cases, consideration of the increased flow rate, velocity and energy of storm water discharges following development unavoidably must be taken into consideration in order to reduce the discharge of pollutants, to meet water quality standards and to prevent degradation of receiving streams. EPA recommends that municipalities consider these factors when developing their post-construction storm water management program.

Some comments said that the quoted phrases in the paragraph above are directives that imply federal land use control, which they argue is beyond the authority of the CWA. EPA recognizes that land use planning is within the authority of local governments.

EPA disagrees, however, with the implication that today's rule dictates any such land use decisions. The requirement for small MS4 operators to

develop a program to address discharges resulting from new development and redevelopment is essentially a pollution prevention measure. The Rule provides the MS4 operator with flexibility to determine the appropriate BMPs to address local water quality concerns. EPA recognizes that these program goals may not be applied to every site, and expects that MS4s will develop an appropriate combination of BMPs to be applied on a site-by-site, regional or watershed basis.

vi. Pollution Prevention/Good Housekeeping for Municipal Operations. Under today's final rule, operators of MS4s must develop and implement an operation and maintenance program ("program") that includes a training component and has the ultimate goal of preventing or reducing storm water from municipal operations (in addition to those that constitute storm water discharges associated with industrial activity). This measure's emphasis on proper O&M of MS4s and employee training, as opposed to requiring the MS4 to undertake major new activities, is meant to ensure that municipal activities are performed in the most efficient way to minimize contamination of storm water discharges.

The program must include government employee training that addresses prevention measures pertaining to municipal operations such as: parks, golf courses and open space maintenance; fleet maintenance; new construction or land disturbance; building oversight; planning; and storm water system maintenance. The program can use existing storm water pollution prevention training materials provided by the State, Tribe, EPA, or environmental, public interest, or trade organizations.

EPA also encourages operators of MS4s to consider the following in developing a program: (1) Implement maintenance activities, maintenance schedules, and long-term inspection procedures for structural and non-structural storm water controls to reduce floatables and other pollutants discharged from the separate storm sewers; (2) implement controls for reducing or eliminating the discharge of pollutants from streets, roads, highways, municipal parking lots, maintenance and storage yards, waste transfer stations, fleet or maintenance shops with outdoor storage areas, and salt/sand storage locations and snow disposal areas operated by the MS4; (3) adopt procedures for the proper disposal of waste removed from the separate storm sewer systems and areas listed above in (2), including dredge

spoil, accumulated sediments, floatables, and other debris; and (4) adopt procedures to ensure that new flood management projects are assessed for impacts on water quality and existing projects are assessed for incorporation of additional water quality protection devices or practices. Ultimately, the effective performance of the program measure depends on the proper maintenance of the BMPs, both structural and non-structural. Without proper maintenance, BMP performance declines significantly over time. Additionally, BMP neglect may produce health and safety threats, such as structural failure leading to flooding, undesirable animal and insect breeding, and odors. Maintenance of structural BMPs could include: replacing upper levels of gravel; dredging of detention ponds; and repairing of retention basin outlet structure integrity. Maintenance of non-structural BMPs could include updating educational materials periodically.

EPA emphasizes that programs should identify and incorporate existing storm water practices and training, as well as non-storm water practices or programs that have storm water pollution prevention benefits, as a means to avoid duplication of efforts and reduce overall costs. EPA recommends that MS4s incorporate these new obligations into their existing programs to the greatest extent feasible and urges States to evaluate MS4 programs with programmatic efficiency in mind. EPA designed this minimum control measure as a modified version of the permit application requirements for medium and large MS4s described at 40 CFR 122.26(d)(2)(iv), in order to provide more flexibility for these smaller MS4s. Today's requirements provide for a consistent approach to control pollutants from O&M among medium, large, and regulated small MS4s.

By properly implementing a program, operators of MS4s serve as a model for the rest of the regulated community. Furthermore, the establishment of a long-term program could result in cost savings by minimizing possible damage to the system from floatables and other debris and, consequently, reducing the need for repairs.

EPA received comments requesting clarification of what this measure requires. Certain municipalities expressed concern that the measure has the potential to impose significant costs associated with EPA's requirement that operators of MS4s consider implementing controls for reducing or eliminating the discharge of pollutants from streets, roads, highways, municipal parking lots, and salt/sand storage

locations and snow disposal areas operated by the municipality. EPA disagrees that a requirement to *consider* such controls will impose considerable costs.

One commenter objected to the preamble language from the proposal suggesting that EPA does not expect the MS4 to undertake new activity. While it remains the Agency's expectation that major new activity will not be required, the MEP process should drive MS4s to incorporate the measure's obligations into their existing programs to achieve the pollutant reductions to the maximum extent practicable.

Certain commenters requested a definition for "municipal operations." EPA has revised the language to more clearly define municipal operations. Questions may remain concerning whether discharges from specific municipal activities constitute discharges associated with industrial activities (requiring NPDES permit authorization according to the requirements for industrial storm water that apply in that State) or from municipal operations (subject only to the controls developed in the MS4 control program). Even though there may be different substantive requirements that apply depending on the source of the discharge, EPA has modified the deadlines for permit coverage so that all the regulated municipally owned and operated sources become subject to permit requirements on the same date. The deadline is the same for permit coverage for this minimum measure as for permit coverage for municipally owned/operated industrial sources.

c. Application Requirements

An NPDES permit that authorizes the discharge from a regulated small MS4 may take the form of either an individual permit issued to one or more facilities as co-permittees or a general permit that applies to a group of MS4s. For reasons of administrative efficiency and to reduce the paperwork burden on permittees, EPA expects that most discharges from regulated small MS4s will be authorized under general permits. These NPDES general permits will provide specific instructions on how to obtain coverage, including application requirements. Typically, such application requirements will be satisfied by the submission of a Notice of Intent (NOI) to be covered by the general permit. In this section, EPA explains the small MS4 operator's application requirements for obtaining coverage under a NPDES permit for storm water.

i. Best Management Practices and Measurable Goals, Section 122.34(d) of today's rule requires the operator of a regulated small MS4 that wishes to implement a program under § 122.34 to identify and submit to the NPDES permitting authority a list of the best management practices ("BMPs") that will be implemented for each minimum control measure in their storm water management program. They also must submit measurable goals for the development and implementation of each BMP. The BMPs and the measurable goals must be included either in an NOI to be covered under a general permit or in an individual permit application.

The operator's submission must identify, as appropriate, the months and years in which the operator will undertake actions required to implement each of the minimum control measures, including interim milestones and the frequency of periodic actions. The Agency revised references to "starting and completing" actions from the proposed rule because many actions will be repetitive or ongoing. The submission also must identify the person or persons responsible for implementing or coordinating the small MS4 storm water program. See § 122.34(d). The submitted BMPs and measurable goals become enforceable according to the terms of the permit. The first permit can allow the permittee up to five years to fully implement the storm water management program.

Several commenters opposed making the measurable goals enforceable permit conditions. Some suggested that a permittee should be able to change its goals so that BMPs that are not functioning as intended can be replaced. EPA agrees that a permittee should be free to switch its BMPs and corresponding goals to others that accomplish the minimum measure or measures. The permittee is required to implement BMPs that address the minimum measures in § 122.34(b). If the permittee determines that its original combination of BMPs are not adequate to achieve the objectives of the municipal program, the MS4 should revise its program to implement BMPs that are adequate and submit to the permitting authority a revised list of BMPs and measurable goals. EPA suggests that permits describe the process for revising BMPs and measurable goals, such as whether the permittee should follow the same procedures as were required for the submission of the original NOI and whether the permitting authority's approval is necessary prior to the permittee implementing the revised

BMPs. The permittee should indicate on its periodic report whether any BMPs and measurable goals have been revised since the last periodic report.

Some commenters expressed concern that making the measurable goals enforceable would encourage the development of easily attained goals and, conversely, discourage the setting of ambitious goals. Others noted that it is often difficult to determine the pollutant reduction that can be achieved by BMPs until several years after implementation. Much of the opposition to the enforceability of measurable goals appears to have been based on a mistaken understanding that measurable goals must consist of pollutant reduction targets to be achieved by the corresponding BMPs.

Today's rule requires the operator to submit either measurable goals that serve as BMP design objectives or goals that quantify the progress of implementation of the actions or performance of the permittee's BMPs. At a minimum, the required measurable goals should describe specific actions taken by the permittee to implement each BMP and the frequency and the dates for such actions. Although the operator may choose to do so, it is not required to submit goals that measure whether a BMP or combination of BMPs is effective in achieving a specific result in terms of storm water discharge quality. For example, a measurable goal might involve a commitment to inspect a given number of drainage areas of the collection system for illicit connections by a certain date. The measurable goal need not commit to achieving a specific amount of pollutant reduction through the elimination of illicit connections. Other measurable goals could include the date by which public education materials would be developed, a certain percentage of the community participating in a clean-up campaign, the development of a mechanism to address construction site runoff, and a reduction in the percentage of imperviousness associated with new development projects.

To reduce the risk that permittees will develop inadequate BMPs, EPA intends to develop a menu of BMPs to assist the operators of regulated small MS4s with the development of municipal programs. States may also develop a menu of BMPs. Today's rule provides that the measurable goals that demonstrate compliance with the minimum control measures in §§ 122.34(b)(3) through (b)(6) do not have to be met if the State or EPA has not issued a menu of BMPs at the time the MS4 submits its NOI. Commenters pointed out that the proposed rule would have

made the measurable goals unenforceable if the menu of BMPs was not available, but the proposal was silent as to the enforceability of the implementation of BMPs. Today's rule clarifies that the operators are not free to do nothing prior to the issuance of a menu of BMPs; they still must make a good faith effort to implement the BMPs designed to comply with each measure. See § 122.34(d)(2). The operators would not, however, be liable for failure to meet its measurable goals if a menu of BMPs was not available at the time they submit their NOI.

The proposed rule provision in § 123.35 stated that the "[f]ailure to issue the menu of BMPs would not affect the legal status of the general permit." This concept is included in the final rule in § 122.34(d)(2)'s clarification that the permittee still must comply with other requirements of the general permit.

Unlike the proposed rule, today's rule does not require that each BMP in the menu developed by the State or EPA be regionally appropriate, cost-effective and field-tested. Various commenters criticized those criteria as unworkable, and one described them as "ripe for ambiguity and abuse." Other commenters feared that the operators of regulated small MS4s would never be required to achieve their goals until menus were developed that were cost-effective, field-tested and appropriate for every conceivable subregion.

While some municipal commenters supported the requirement that a menu of BMPs be made available that included BMPs that had been determined to be regionally appropriate, field-tested and cost-effective, others raised concerns that they would be restricted to a limited menu. Some commenters supported such a detailed menu because they thought they would only be able to select BMPs that were on the menu, while others thought that it was the permitting authority's responsibility to develop BMPs narrowly tailored to their situation. In response, EPA notes that the operators will not be restricted to implementing only, or all of, the BMPs included on the menu. Since the menu does not require permittees to implement the BMPs included on the menu, it is also not necessary to apply the public notice and other procedures that some commenters thought should be applied to the development of the menu of BMPs.

The purpose of the BMP menu is to provide guidance to assist the operators of regulated small MS4s with the development and refinement of their local program, not to limit their options. Permittees may implement BMPs other

than those on the menu unless a State restricts its permittees to specific BMPs. To the extent possible, EPA will develop a menu of BMPs that describes the appropriateness of BMPs to specific regions, whether the BMPs have been field-tested, and their approximate costs. The menu, however, is not intended to relieve permittees of the need to implement BMPs that are appropriate for their specific circumstances.

If there are no known relevant BMPs for a specific circumstance, a permittee has the option of developing and implementing pilot BMPs that may be better suited to their circumstances. Where BMPs are experimental, the permittee should consider committing to measurable goals that address its schedule for implementing its selected BMPs rather than goals of achieving specific pollutant reductions. If the BMPs implemented by the permittee do not achieve the desired objective, the permittee may be required to commit to different or revised BMPs.

As stated in § 123.35(g), EPA is committed to issuing a menu of BMPs prior to the deadline for the issuance of permits. This menu would serve as guidance for all operators of regulated small MS4s nationwide. After developing the initial menu of BMPs, EPA intends to periodically modify, update, and supplement the menu of BMPs based on the assessments of the MS4 storm water program and research. States may rely on EPA's menu of BMPs or issue their own. If States develop their own menus, they would constitute additional guidance (or perhaps requirements in some States) for the operators to follow. Several commenters were confused by the proposed rule language that stated that States must provide or issue a menu of BMPs and, if they fail to do so, EPA "may" do so. Some read this language as not requiring either EPA or the State to develop the menu. EPA had intended that it would develop a menu and that States could either provide the EPA developed menu or one developed by the State.

EPA has dropped the proposed language that States "must" develop the menu of BMPs. Some commenters thought that it was inappropriate to require States to issue guidance. A menu of BMPs issued by either EPA or a permittee's State will satisfy the condition in § 122.34(d) that a regulatory authority provide a menu of BMPs. A State could require its permittees to follow its menu of BMPs provided that they are adequate to implement § 122.34(b).

Several commenters raised concerns that operators of small MS4s could be

required to submit their BMPs and measurable goals before EPA or the State has issued a menu of BMPs. EPA has assumed primary responsibility for developing a menu of BMPs to minimize the possibility of this occurring. Should a general permit be issued before a menu of BMPs is available, the permit writer would have the option of delaying the date by which the identification of the BMPs and measurable goals must be submitted to the permitting authority until some time after a menu of BMPs is available.

Several municipal commenters raised concerns that they would begin to develop a program only to be later told by the permitting authority or challenged in a citizen suit that their BMPs were inadequate. They expressed a need for certainty regarding what their permit required. Several commenters suggested that EPA require permitting authorities to approve or disapprove the submitted BMPs and measurable goals. EPA disagrees that formal approval or disapproval by the permitting authority is needed.

EPA acknowledges that the lack of a formal approval process does place on the permittee some responsibility for designing and determining the adequacy of its BMPs. Once the permittee has submitted its BMPs to the permitting authority as part of its NOI, it must implement them in order to achieve the corresponding measurable goals. EPA does not believe that this results in the uncertainty to the extent expressed by some commenters or unduly expose the permittee to the risk of citizen suit. If the permit is very specific regarding what the permittee must do, then the uncertainty is eliminated. If the permit is less prescriptive, the permittee has greater latitude in determining for itself what constitutes an adequate program. A citizen suit could impose liability on the permittee only if the program that it develops and implements clearly does not satisfy the requirements of the general permit. EPA believes today's approach strikes a balance between the competing goals of providing certainty as to what constitutes an adequate program and providing flexibility to the permittees.

Commenters were divided on whether five years was a reasonable and expeditious schedule for a MS4 to implement its program. Some thought that it was an appropriate amount of time to allow for the development and implementation of adequate programs. One questioned whether the permittee had to be implementing all of its program within that time, and suggested that there may be cases where a permitting authority would need

flexibility to allow more time. One commenter suggested that five years is too long and would amount to a relaxation of implementation in their area. EPA believes it will take considerable time to complete the tasks of initially developing a program, commencing to implement it, and achieving results. EPA notes, however, that full implementation of an appropriate program must occur as expeditiously as possible, and not later than five years.

EPA solicited comment on how an NOI form might best be formatted to allow for measurable goal information (e.g., through the use of check boxes or narrative descriptions) while taking into account the Agency's intention to facilitate computer tracking. All commenters supported the development of a checklist NOI, but most noted that there would need to be room for additional information to cover unusual situations. One noted that, while a summary of measurable goals might be reduced to one sheet, attachments that more fully described the program and the planned BMPs would be necessary. EPA agrees that in most cases a "checklist" will not be able to capture the information on what BMPs a permittee intends to implement and its measurable goals for their implementation. EPA will continue to consider whether to develop a model NOI form and make it available for permitting authorities that choose to use it. What will be required on an MS4's NOI, however, is more extensive than what is usually required on an NOI, so a "form" NOI for MS4s may be impractical.

ii. Individual Permit Application for a § 122.34(b) program. In some cases, an operator of a regulated small MS4s may seek coverage under an individual NPDES permit, either because it chooses to do so or because the NPDES permitting authority has not made the general permit option available to that source. For small MS4s that are to implement a § 122.34(b) program in today's rule, EPA is promulgating simplified individual permit application requirements at § 122.33(b)(2)(i). Under the simplified individual permit application requirements, the operator submits an application to the NPDES permitting authority that includes the information required under § 122.21(f) and an estimate of square mileage served by the small MS4. They are also required to supply the BMP and measurable goal information required under § 122.34(d). Consistent with CWA section 308 and analogous State law, the permitting authority could request any additional information to gain a better

understanding of the system and the areas draining into the system.

Commenters suggested that the requirements of § 122.21(f) are not necessarily applicable to a small MS4. One suggested that it was not appropriate to require the following information: a description of the activities conducted by the applicant which require it to obtain an NPDES permit; the name, mailing address, and location of the facility; and up to four Standard Industrial Classification ("SIC") codes which best reflect the principal products or services provided by the facility. In response, EPA notes that the requirements in § 122.21(f) are generic application requirements applicable to NPDES applicants. With the exception of the SIC code requirement, EPA believes that they are applicable to MS4s. In the SIC code portion of the standard application, the applicant may simply put "not applicable."

One commenter asked that EPA clarify whether § 122.21(f)(5)'s requirement to indicate "whether the facility is located on Indian lands," referred to tribal lands, Indian country, or Indian reservations. For some local governments this is a complex issue with no easy "yes" or "no" answer. See the discussion in the Section II.F in the proposal to today's rule regarding what tribal lands are subject to the federal trust responsibility for purposes of the NPDES program.

One commenter suggested that the application should not have to list the permits and approvals required under § 122.21(f)(6). EPA notes that the applicant must only list the environmental permits that the applicant has received that cover the small MS4. The applicant is not required to list permits for other operations conducted by the small MS4 operator (e.g., for an operation of an airport or landfill). Again, in most cases the applicant could respond "not applicable" to this portion of the application.

One commenter suggested that the topographic map requirement of § 122.21(f)(7) was completely different from, and significantly more onerous than, the mapping requirement outlined in the proposed rule at § 122.34(b)(3)(i). EPA agrees and has modified the final rule to clarify that a map that satisfies the requirements of § 122.34(b)(3)(i) also satisfies the map requirements for MS4 applicants seeking individual permits under § 122.33(b)(2)(i).

EPA is adding a new paragraph to § 122.44(k) to clarify that requirements to implement BMPs developed pursuant to CWA 402(p) are appropriate permit

conditions. While such conditions could be included under the existing provision in § 122.44(k)(3) for “practices reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA,” EPA believes it is clearer to specifically list in § 122.44(k) BMPs that implement storm water programs in light of the frequency with which they are used as effluent limitations.

iii. Alternative Permit Options/Tenth Amendment. As an alternative to implementing a program that addresses each of the six minimum measures according to the requirements of § 122.34(b), today’s rule provides the operators of regulated small MS4s with the option of applying for an individual permit under existing § 122.26(d). See § 122.33(b)(2)(ii). If a system operator does not want to be held accountable for implementation of each of the minimum measures, an individual permit option under § 122.33(b)(2)(ii) remains available. (As explained in the next section of this preamble, § 122.35(b) also provides an opportunity for relief from permit obligations for some of the minimum measures, but that relief exists within the framework of the minimum measures.)

EPA originally drafted the individual permit application requirements in § 122.26(d) to apply to medium and large MS4s. Today’s rule abbreviates the individual permit application requirements for small MS4s. Although EPA believes that the storm water management program requirements of § 122.34, including the minimum measures, provide the most appropriate means to control pollutants from most small MS4s, the Agency does recognize that the operators of some small MS4s may prefer more individualized permit requirements. Among other possible reasons, an operator may seek to avoid having to “regulate” third parties discharging into the separate storm sewer system. Alternatively, an operator may determine that structural controls, such as constructed wetlands, are more appropriate or effective to address the discharges that would otherwise be addressed under the construction and/or development/redevelopment measures.

Some MS4s commenters alleged that an absolute requirement to implement the minimum measures violates the Tenth Amendment to the U.S. Constitution. While EPA disagrees that requiring MS4s to implement the minimum measures would violate the Constitution, today’s rule does provide small MS4s with the option of developing more individualized measures to reduce the pollutants and

pollution associated with urban storm water that will be regulated under today’s rule.

Some commenters specifically objected that § 122.34’s minimum measures for small MS4s violate the Tenth Amendment insofar as they require the operators of MS4s to regulate third parties. The minimum measures include requirements for small MS4 operators to prohibit certain non-storm water discharges, control storm water discharges from construction greater than one acre, and take other actions to control third party sources of storm water discharges into their MS4s. Commenters also argued that it was inappropriate for EPA to require local governments to enact ordinances that will consume local revenues and put local governments in the position of bearing the political responsibility for implementing the program. One commenter argued that EPA was prohibited from conditioning the issuance of an NPDES permit upon the small MS4 operators waiving their constitutional right to be free from such requirements to regulate third parties. The Agency replies to each comment in turn.

Because the rule does rely on local governments—who operate municipal separate storm sewer systems—to regulate discharges from third parties into storm sewers, EPA acknowledges that the rule implicates the Tenth Amendment and constitutional principles of federalism. EPA disagrees, however, that today’s rule is inconsistent with federalism principles. [As political subdivisions of States, municipalities enjoy the same protections as States under the Tenth Amendment.]

The Supreme Court has interpreted the Tenth Amendment to preclude federal actions that compel States or their political subdivisions to enact or administer a federal regulatory program. See *New York v. United States*, 505 U.S. 144 (1992); *Printz v. United States*, 117 S.Ct. 2365 (1997). The *Printz* case, however, did acknowledge that the restriction does not apply when federal requirements of general applicability—requirements that regulate all parties engaging in a particular activity—do not excessively interfere with the functioning of State governments when those requirements are applied to States (or their political subdivisions). See *Printz*, 117 S.Ct. at 2383.

Today’s rule imposes a federal requirement of general applicability, namely, the requirement to obtain and comply with an NPDES permit, on municipalities that operate a municipal separate storm sewer system. By virtue

of this rule, the permit will require the municipality/storm sewer operator to develop a storm water control program. The rule specifies the components of the control program, which are primarily “management”-type controls, for example, municipal regulation of third party storm water discharges associated with construction, as well as development and redevelopment, when those discharges would enter the municipal system.

Unlike the circumstances reviewed in the *New York* and *Printz* cases, today’s rule merely applies a generally applicable requirement (the CWA permit requirement) to municipal point sources. The CWA establishes a generally applicable requirement to obtain an NPDES permit to authorize point source discharge to waters of the United States. Because municipalities own and operate separate storm sewers, including storm sewers into which third parties may discharge pollutants, NPDES permits may require municipalities to control the discharge of pollutants into the storm sewers in the first instance. Because NPDES permits can impose end-of-pipe numeric effluent limits, narrative effluent limits in the form of “management” program requirements are also within the scope of Clean Water Act authority. As noted above, however, EPA believes that such narrative limitations are the most appropriate form of effluent limitation for these types of permits. For municipal separate storm sewer permits, CWA section 402(p)(3)(B)(iii) specifically authorizes “controls to reduce pollutants to the maximum extent practicable, including management practices, control techniques and system, design and engineering methods, and such other provisions as the Administrator or the State determines appropriate for the control of such pollutants.”

The Agency did not design the minimum measures in § 122.34 to “commandeer” state regulatory mechanisms, but rather to reduce pollutant discharges from small MS4s. The permit requirement in CWA section 402 is a requirement of general applicability. The operator of a small MS4 that does not prohibit and/or control discharges into its system essentially accepts “title” for those discharges. At a minimum, by providing free and open access to the MS4s that convey discharges to the waters of the United States, the municipal storm sewer system enables water quality impairment by third parties. Section 122.34 requires the operator of a regulated small MS4 to control a third

party only to the extent that the MS4 collection system receives pollutants from that third party and discharges it to the waters of the United States. The operators of regulated small MS4s cannot passively receive and discharge pollutants from third parties. The Agency concedes that administration of a municipal program will consume limited local revenues for implementation; but those consequences stem from the municipal operator's identity as a permitted sewer system operator. The Tenth Amendment does not create a blanket municipal immunity from generally applicable requirements. Development of a program based on the minimum measures and implementation of that program should not "excessively interfere" with the functioning of municipal government, especially given the "practicability" threshold under CWA section 402(p)(3)(B)(iii).

As noted above, today's rule also allows regulated small MS4s to opt out of the minimum measures approach. The individual permit option provides for greater flexibility in program implementation and also responds to the comment about requiring a municipal permit applicant's waiver of any arguable constitutional rights. The individual permit option responds to questions about the rule's alleged unconstitutionality by more specifically focusing on the pollutants discharged from municipal point sources. Today's rule gives operators of MS4s the option to seek an individual permit that varies from the minimum measures/management approach that is otherwise specified in today's rule. Even if the minimum measures approach was constitutionally suspect, a requirement that standing alone would violate constitutional principles of federalism does not raise concerns if the entity subject to the requirement may opt for an alternative action that does not raise a federalism issue.

For municipal system operators who seek to avoid third party regulation according to all or some of the minimum measures, § 122.26(d) requires the operator to submit a narrative description of its storm water sewer system and any existing storm water control program, as well as the monitoring data to enable the permit writer to develop appropriate permit conditions. The permit writer can then develop permit conditions and limitations that vary from the six minimum measures prescribed in today's rule. The information will enable the permit writer to develop an NPDES permit that will result in pollutant reduction to the maximum

extent practicable. *See NRDC v. EPA*, 966 F.2d at 1308, n17. If determined appropriate under CWA section 402(p)(3)(B)(iii), for example BMPs to meet water quality standards, the permit could also incorporate any more stringent or prescriptive effluent limits based on the individual permit application information.

For small MS4 operators seeking an individual permit, both Part 1 and Part 2 of the application requirements in § 122.26(d)(1) and (2) are required to be submitted within 3 years and 90 days of the date of publication of this **Federal Register** notice. Some of the information required in Part 1 will necessarily have to be developed by the permit applicant prior to the development of Part 2 of the application. The permit applicant should coordinate with its permitting authority regarding the timing of review of the information.

The operators of regulated small MS4s that apply under § 122.26(d) may apply to implement certain of the § 122.34(b) minimum control measures, and thereby focus the necessary evaluation for additional limitations on alternative controls to the § 122.34(b) measures that the small MS4 will not implement. The permit writer may determine "equivalency" for some or all of the minimum measures by developing a rough estimate of the pollutant reduction that would be achieved if the MS4 implemented the § 122.34 minimum measure and to incorporate that pollutant reduction estimate in the small MS4's individual permit as an effluent limitation. The Agency recognizes that, based on current information, any such estimates will probably have a wide range.

Anticipation of this wide range is one of the reasons EPA believes MS4 operators need flexibility in determining the mix of BMPs (under the minimum measures) to achieve water quality objectives. Therefore, for example, if a system operator seeks to employ an alternative that involves structural controls, wide ranges will probably be associated with gross pollutant reduction estimates. Permit writers will undoubtedly develop other ways to ensure that permit limits ensure reduction of pollutants to the maximum extent practicable.

Small MS4 operators that pursue this individual permit option do not need to submit details about their future program requirements (e.g., the MS4's future plans to obtain legal authority required by §§ 122.26(d)(1)(ii) and (d)(2)). A small MS4 operator might elect to supply such information if it intends for the permit writer to take those plans into account when

developing the small MS4's permit conditions.

Several operators of small MS4s commented that they currently lacked the authority they would need to implement one or more of the minimum measures in § 122.34(b). Today's rule recognizes that the operators of some small MS4s might not have the authority under State law to implement one or more of the measures using, for example, an ordinance or other regulatory mechanism. To address these situations, each minimum measure in § 122.34(b) that would require the small MS4 operator to develop an ordinance or other regulatory mechanism states that the operator is only required to implement that requirement to "the extent allowable under State, Tribal or local law." See § 122.34(b)(3)(ii) (illicit discharge elimination), § 122.34(b)(4)(ii) (construction runoff control) and § 122.34(b)(5)(ii) (post-construction storm water management). This regulatory language does not mean that a operator of a small MS4 with ordinance making authority can simply fail to pass an ordinance necessary for a § 122.34(b) program. The reference to "the extent allowable under * * * local law" refers to the local laws of *other* political subdivisions to which the MS4 operator is subject. Rather, a small MS4 operator that seeks to implement a program under section § 122.34(b) may omit a requirement to develop an ordinance or other regulatory mechanism only to the extent its municipal charter, State constitution or other legal authority prevents the operator from exercising the necessary authority. Where the operator cannot obtain the authority to implement any activity that is only required to "the extent allowable under State, Tribal or local law," the operator may satisfy today's rule by administering the remaining § 122.34(b) requirements.

Finally, although today's rule provides operators of small MS4s with an option of applying for a permit under § 122.26(d), States authorized to administer the NPDES program are not required to provide this option. NPDES-authorized States could require all regulated small MS4s to be permitted under the minimum measures management approach in § 122.34 as a matter of State law. Such an approach would be deemed to be equally or more stringent than what is required by today's rule. *See* 40 CFR 123.2(i). The federalism concerns discussed above do not apply to requirements imposed by a State on its political subdivisions.

iv. Satisfaction of Minimum Measure Obligations by Another Entity. An operator of a regulated small MS4 may

satisfy the requirement to implement one or more of the six minimum measures in § 122.34(b) by having a third party implement the measure or measures. Today's rule provides a variety of means for small MS4 operators to share responsibility for different aspects of their storm water management program. The means by which the operators of various MS4s share responsibility may affect who is ultimately responsible for performance of the minimum measure and who files the periodic reports on the implementation of the minimum measure. Section 122.35 addresses these issues. The rule describes two different variants on third party implementation with different consequences if the third party fails to implement the measure.

If the permit covering the discharge from a regulated small MS4 identifies the operator as the entity responsible for a particular minimum control measure, then the operator-permittee remains responsible for the implementation of that measure even if another entity has agreed to implement the control measure. Section 122.35(a). Another party may satisfy the operator-permittee's responsibility by implementing the minimum control measure in a manner at least as stringent or prescriptive as the corresponding NPDES permit requirement. If the third party fails to do so, the operator-permittee remains responsible for its performance. The operator of the MS4 should consider entering into an agreement with the third party that acknowledges the responsibility to implement the minimum measure. The operator-permittee's NOI and its annual § 122.34(f)(3) reports submitted to the NPDES permitting authority must identify the third party that is satisfying one or more of the permit obligations. This requirement ensures that the permitting authority is aware which entity is supposed to implement which minimum measures.

If, on the other hand, the regulated small MS4's permit recognizes that an NPDES permittee other than the operator-permittee is responsible for a particular minimum control measure, then the operator-permittee is relieved from the responsibility for implementing that measure. The operator-permittee is also relieved from the responsibility for implementing any measure that the operator's permit indicates will be performed by the NPDES permitting authority. Section 122.35(b). The MS4 operator-permittee would be responsible for implementing the remaining minimum measures.

Today's final rule differs from the proposed version of § 122.35(b), which

stated that, even if the third party's responsibility is recognized in the permit, the MS4 operator-permittee remained responsible for performance if the third party failed to perform the measure consistent with § 122.34(b). Under today's rule, the operator-permittee is relieved from responsibility for performance of a measure if the third party is an NPDES permittee whose permit makes it responsible for performance of the measure (including, for example, a State agency other than the State agency that issues NPDES permits) or if the third party is the NPDES permitting authority itself. Because the permitting authority is acknowledging the third party's responsibility in the permit, commenters thought that the MS4 operator-permittee should not be responsible for ensuring that the other entity is implementing the control measure properly. EPA agrees that the operator-permittee should not be conditionally responsible when the requirements are enforceable against some other NPDES permittee. If the third party fails to perform the minimum measure, the requirements will be enforceable against the third party. In addition, the NPDES permitting authority could reopen the operator-permittee's permit under § 122.62 and modify the permit to make the operator responsible for implementing the measure. A new paragraph has been added to § 122.62 to clarify that the permit may be reopened in such circumstances.

Today's rule also provides that the operator-permittee is not conditionally responsible where it is the State NPDES permitting authority itself that fails to implement the measure. The permitting authority does not need to issue a permit to itself (i.e., to the same State agency that issues the permit) for the sole purpose of relieving the small MS4 from responsibility in the event the State agency does not satisfy its obligation to implement a measure. EPA does not believe that the small MS4 should be responsible in the situation where the NPDES permit issued to the small MS4 operator recognizes that the State agency that issues the permit is responsible for implementing a measure. If the State does fail to implement the measure, the State agency could be held accountable for its commitment in the permit to implement the measure. Where the State does not fulfill its responsibility to implement a measure, a citizen also could petition for withdrawal of the State's NPDES program or it could petition to have the MS4's permit reopened to require the

MS4 operator to implement the measure.

EPA notes that not every State program that addresses erosion and sediment control from construction sites will be adequate to satisfy the requirement that each regulated small MS4 have a program to the extent required by § 122.34(b)(4). For example, although all NPDES States are required to issue NPDES permits for construction activity that disturbs greater than one acre, the State's NPDES permit program will not necessarily be extensive enough to satisfy a regulated small MS4's obligation under § 122.34(b)(4). NPDES States will not necessarily be implementing all of the required elements of that minimum measure, such as procedures for site plan review in each jurisdiction required to develop a program and procedures for receipt and consideration of information submitted by the public on individual construction sites. In order for a State erosion and sediment control program to satisfy a small MS4 operator's obligation to implement § 122.34(b)(4), the State program would have to include all of the elements of that minimum measure.

Where the operator-permittee is itself performing one or more of the minimum measures, the operator-permittee remains responsible for all of the reporting requirements under § 122.34(f)(3). The operator-permittee's reports should identify each entity that is performing the control measures within the geographic jurisdiction of the regulated small MS4. If the other entity also operates a regulated MS4 and files reports on the progress of implementation of the measures within the geographic jurisdiction of the MS4, then the operator-permittee need not include that same information in its own reports.

If the other entity operates a regulated MS4 and is performing all of the minimum measures for the permittee, the permittee is not required to file the reports required by § 122.34(f)(3). This relief from reporting is specified in § 122.35(a).

Section 122.35 addresses the concerns of some commenters who sought relief for governmental facilities that are classified as small MS4s under today's rule. These facilities frequently discharge storm water through another regulated MS4 and could be regulated by that MS4's program. For example, a State owned office complex that operates its storm sewer system in an urbanized area will be regulated as an MS4 under today's rule even though its system may be subject to the storm water controls of the municipality in

which it is located. Today's rule specifically revised the definition of MS4 to recognize that different levels of government often operate MS4s and that each such separate entity (including the federal government) should be responsible for its discharges. If both MS4s agree, the downstream MS4 can develop a storm water management program that regulates the discharge from both MS4s. The upstream small MS4 operator still must submit an NOI that identifies the entity on which the upstream small MS4 operator is relying to satisfy its permit obligations. No reports are required from the upstream small MS4 operator, but the upstream operator must remain in compliance with the downstream MS4 operator's storm water management program. This option allows small MS4s to work together to develop one storm water management program that satisfies the permit obligations of both. If they cannot agree, the upstream small MS4 operator must develop its own program.

As mentioned previously, comments from federal facilities and State organizations that operate MS4s requested that their permit requirements differ from those of MS4s that are political subdivisions of States (cities, towns, counties, etc.). EPA acknowledges that there are differences; e.g., many federal and State facilities do not serve a resident population and thus might require a different approach to public education. EPA believes, however, that MS4s owned by State and federal governments can develop storm water management plans that address the minimum measures. Federal and State owned small MS4s may choose to work with adjacent municipally owned MS4s to develop a unified plan that addresses all of the required measures within the jurisdiction of all of the contiguous MS4s. The options in § 122.35 minimize the burden on small MS4s that are covered by another MS4's program.

One commenter recommended that if one MS4 discharges into a second MS4, the operator of the upstream MS4 should have to provide a copy of its NOI or permit application to the operator of the receiving MS4. EPA did not adopt this recommendation because the NOI and permit application will be publicly available; but EPA does recommend that NPDES permitting authorities consider it as a possible permit requirement. The commenter also suggested that monitoring data should be collected by the upstream MS4 and provided to the downstream MS4. EPA is not adopting such a uniform monitoring requirement because EPA believes it is more appropriate to let the MS4 operators

work out the need for such data. If necessary, the downstream MS4s might want to make such data a condition to allowing the upstream MS4 to connect to its system.

v. Joint Permit Programs. Many commenters supported allowing the operators of small MS4s to apply as co-permittees so they each would not have to develop their own storm water management program. Today's rule specifically allows regulated small MS4s to join with either other small MS4s regulated under § 122.34(d) or with medium and large MS4s regulated under § 122.26(d).

As is discussed in the previous section, regulated small MS4s may indicate in their NOIs that another entity is performing one or more of its required minimum control measures. Today's rule under § 122.33(b)(1) also specifically allows the operators of regulated small MS4s to jointly submit an NOI. The joint NOI must clearly indicate which entity is required to implement which control measure in each geographic jurisdiction within the service area of the entire small MS4. The operator of each regulated small MS4 remains responsible for the implementation of each minimum measure for its MS4 (unless, as is discussed in the previous section above, the permit recognizes that another entity is responsible for completing the measure.) The joint NOI, therefore, is legally equivalent to each entity submitting its own NOI. EPA is, however, revising the rule language to specifically authorize the joint submission of NOIs in response to comments that suggested that such explicit authorization might encourage programs to be coordinated on a watershed basis.

Section 122.33(b)(2)(iii) authorizes regulated small MS4s to jointly apply for an individual permit to implement today's rule, where allowed by an NPDES permitting authority. The permit application should contain sufficient information to allow the permitting authority to allocate responsibility among the parties under one of the two permitting options in §§ 122.33(b)(2)(i) and (ii).

Section 122.33(b)(3) of today's rule also allows an operator of a regulated small MS4 to join as a co-permittee in an existing NPDES permit issued to an adjoining medium or large MS4 or source designated under the existing storm water program. This co-permittee option applies only with the agreement of all co-permittees. Under this co-permittee arrangement, the operator of the regulated small MS4 must comply with the terms and conditions of the

applicable permit rather than the permit condition requirements of § 122.34 of today's rule. The regulated small MS4 that wishes to be a co-permittee must comply with the applicable requirements of § 122.26(d), but would not be required to fulfill all the permit application requirements applicable to medium and large MS4s. Specifically, the regulated small MS4 is not required to comply with the application requirements of § 122.26(d)(1)(iii) (Part 1 source identification), § 122.26(d)(1)(iv) (Part 1 discharge characterization), and § 122.26(d)(2)(iii) (Part 2 discharge characterization data). Furthermore, the regulated small MS4 operator could satisfy the requirements in § 122.26(d)(1)(v) (Part 1 management programs) and § 122.26(d)(2)(iv) (Part 2 proposed management program) by referring to the adjoining MS4 operator's existing plan. An operator pursuing this option must describe in the permit modification request how the adjoining MS4's storm water program addresses or needs to be supplemented in order to adequately address discharges from the MS4. The request must also explain the role of the small MS4 operator in coordinating local storm water activities and describe the resources available to accomplish the storm water management plan.

EPA sought comments regarding the appropriateness of the application requirements in these subsections of § 122.26(d). One commenter stated that newly regulated smaller MS4s should not be required to meet the existing regulations' Part II application requirements under § 122.26(d) regarding the control of storm water discharges from industrial activity. EPA disagrees. The smaller MS4 operators designated for regulation in today's rule may satisfy this requirement by referencing the legal authority of the already regulated MS4 program to the extent the newly regulated MS4 will rely on such legal authority to satisfy its permit requirements. If the smaller MS4 operator plans to rely on its own legal authorities, it must identify it in the application. If the smaller MS4 operator does not elect to use its own legal authority, they may file an individual permit application for an alternate program under § 122.33(b)(2)(ii).

The explanatory language in § 122.33(b)(3) recommends that the smaller MS4s designated under today's rule identify how an existing plan "would need to be supplemented in order to adequately address your discharges." One commenter suggested that this must be regulatory language and not guidance. EPA disagrees that this needs to be mandatory language.

Since many of the smaller MS4s designated today are “donut holes” within the geographic jurisdiction of an already regulated MS4, the larger MS4’s program generally will be adequate to address the newly regulated MS4’s discharges. The small MS4 applicant should consider the adequacy of the existing MS4’s program to address the smaller MS4’s water quality needs, but EPA is not imposing specific requirements. Where circumstances suggest that the existing program is inadequate with respect to the newly designated MS4 and the applicant does not address the issue, the NPDES permitting authority must require that the existing program be supplemented.

Commenters recommended that the application deadline for smaller MS4s designated today be extended so that existing regulated MS4s would not have to modify their permit in the middle of their permit term, provided that permit renewal would occur within a reasonable time (12 to 18 months) of the deadline. In response, EPA notes that today’s rule allows operators of newly designated small MS4s up to three years and 90 days from the promulgation of today’s rule to submit an application to be covered under the permit issued to an already regulated MS4. The permitting authority has a reasonable time after receipt of the application to modify the existing permit to include the newly designated source. If an existing MS4’s permit is up for renewal in the near future, the operator of a newly designated small MS4 may take that into account when timing its application and the NPDES permitting authority may take that into account when processing the application.

Another commenter suggested that the rule should include a provision to allow permit application requirements for smaller MS4s designated today to be determined by the permitting authority to account for the particular needs/wants of an already regulated MS4 operator. EPA does not believe that the regulations should specifically require this approach. When negotiating whether to include a newly designated MS4 in its program, the already regulated MS4 operator may require the newly designated MS4’s operator to provide any information that is necessary.

The co-permitting approach allows small MS4s to take advantage of existing programs to ease the burden of creating their own programs. The operators of regulated small MS4s, however, may find it simpler to apply for a program under today’s rule, and to identify the medium or large MS4 operator that is

implementing portions of its § 122.34(b) minimum measures.

d. Evaluation and Assessment

Under today’s rule, operators of regulated small MS4s are required to evaluate the appropriateness of their identified BMPs and progress toward achieving their identified measurable goals. The purpose of this evaluation is to determine whether or not the MS4 is meeting the requirements of the minimum control measures. The NPDES permitting authority is responsible for determining whether and what types of monitoring needs to be conducted and may require monitoring in accordance with State/Tribe monitoring plans appropriate to the watershed. EPA does not encourage requirements for “end-of-pipe” monitoring for regulated small MS4s. Rather, EPA encourages permitting authorities to carefully examine existing ambient water quality and assess data needs. Permitting authorities should consider a combination of physical, chemical, and biological monitoring or the use of other environmental indicators such as exceedance frequencies of water quality standards, impacted dry weather flows, and increased flooding frequency. (Claytor, R. and W. Brown. 1996. *Environmental Indicators to Assess Storm Water Control Programs and Practices*. Center for Watershed Protection, Silver Spring, MD.) Section II.L., Water Quality Issues, discusses monitoring in greater detail.

As recommended by the Intergovernmental Task Force on Monitoring Water Quality (ITFM), the NPDES permitting authority is encouraged to consider the following watershed objectives in determining monitoring requirements: (1) To characterize water quality and ecosystem health in a watershed over time, (2) to determine causes of existing and future water quality and ecosystem health problems in a watershed and develop a watershed management program, (3) to assess progress of watershed management program or effectiveness of pollution prevention and control practices, and (4) to support documentation of compliance with permit conditions and/or water quality standards. With these objectives in mind, the Agency encourages participation in group monitoring programs that can take advantage of existing monitoring programs undertaken by a variety of governmental and nongovernmental entities. Many States may already have a monitoring program in effect on a watershed basis. The ITFM report is included in the docket for today’s rule

(Intergovernmental Task Force on Monitoring Water Quality. 1995. *The Strategy for Improving Water-Quality Monitoring in the United States: Final Report of the Intergovernmental Task Force on Monitoring Water Quality*. Copies can be obtained from: U.S. Geological Survey, Reston, VA.).

EPA expects that many types of entities will have a role in supporting group monitoring activities—including federal agencies, State agencies, the public, and various classes or categories of point source dischargers. Some regulated small MS4s might be required to contribute to such monitoring efforts. EPA expects, however, that their participation in monitoring activities will be relatively limited. For purposes of today’s rule, EPA recommends that, in general, NPDES permits for small MS4s should not require the conduct of any additional monitoring beyond monitoring that the small MS4 may be already performing. In the second and subsequent permit terms, EPA expects that some limited ambient monitoring might be appropriately required for perhaps half of the regulated small MS4s. EPA expects that such monitoring will only be done in identified locations for relatively few pollutants of concern. EPA does not anticipate “end-of-pipe” monitoring requirements for regulated small MS4s.

EPA received a wide range of comments on this section of the rule. Some commenters believe that EPA should require monitoring; others want a strong statement that the newly regulated small MS4s should not be required to monitor. Many commenters raised questions about exactly what EPA expects MS4s to do to evaluate and assess their BMPs. EPA has intentionally written today’s rule to provide flexibility to both MS4s and permitting authorities regarding appropriate evaluation and assessment. Permitting authorities can specify monitoring or other means of evaluation when writing permits. If additional requirements are not specified, MS4s can decide what they believe is the most appropriate way to evaluate their storm water management program. As mentioned above, EPA expects that the necessity for monitoring and its extent may change from permit cycle to permit cycle. This is another reason for making the evaluation and assessment rule requirements very flexible.

i. Recordkeeping. The NPDES permitting authority is required to include at least the minimum appropriate recordkeeping conditions in each permit. Additionally, the NPDES permitting authority can specify that permittees develop, maintain, and/or

submit other records to determine compliance with permit conditions. The MS4 operator must keep these records for at least 3 years but is not required to submit records to the NPDES permitting authority unless specifically directed to do so. The MS4 operator must make the records, including the storm water management program, available to the public at reasonable times during regular business hours (see 40 CFR 122.7 for confidentiality provision). The MS4 operator is also able to assess a reasonable charge for copying and to establish advance notice requirements for members of the public.

EPA received a comment that questioned EPA's authority to require MS4s to make their records available to the public. EPA disagrees with the commenter and believes that the CWA does give EPA the authority to require that MS4 records be available. It is also more practical for the public to request records directly from the MS4 than to request them from EPA who would then make the request to the MS4. Based on comments, EPA revised the proposed rule so as not to limit the time for advance notice requirements to 2 business days.

ii. Reporting. Under today's rule, the operator of a regulated small MS4 is required to submit annual reports to the NPDES permitting authority for the first permit term. For subsequent permit terms, the MS4 operator must submit reports in years 2 and 4 unless the NPDES permitting authority requires more frequent reports. EPA received several comments supporting this timing for report submittal. Other commenters suggested that annual reports during the first permit cycle are too burdensome and not necessary. EPA believes that annual reports are needed during the first 5-year permit term to help permitting authorities track and assess the development of MS4 programs, which should be established by the end of the initial term. Information contained in these reports can also be used to respond to public inquiries.

The report must include (1) the status of compliance with permit conditions, an assessment of the appropriateness of identified BMPs and progress toward achieving measurable goals for each of the minimum control measures, (2) results of information collected and analyzed, including monitoring data, if any, during the reporting period, (3) a summary of what storm water activities the permittee plans to undertake during the next reporting cycle, and (4) a change in any identified measurable goal(s) that apply to the program elements.

The NPDES permitting authority is encouraged to provide a brief two-page reporting format to facilitate compiling and analyzing the data from submitted reports. EPA does not believe that submittal of a brief annual report of this nature is overly burdensome, and has not changed the required reporting time frame from the proposal. The permitting authority will use the reports in evaluating compliance with permit conditions and, where necessary, will modify the permit conditions to address changed conditions.

iii. Permit-As-A-Shield. Section 122.36 describes the scope of authorization (i.e. "permit-as-a-shield") under an NPDES permit as provided by section 402(k) of the CWA. Section 402(k) provides that compliance with an NPDES permit is deemed compliance, for purposes of enforcement under CWA sections 309 and 505, with CWA sections 301, 302, 306, 307, and 403, except for any standard imposed under section 307 for toxic pollutants injurious to human health.

EPA's Policy Statement on Scope of Discharge Authorization and Shield Associated with NPDES Permits, originally issued on July 1, 1994, and revised on April 11, 1995, provides additional information on this matter.

e. Other Applicable NPDES Requirements

Any NPDES permit issued to an operator of a regulated small MS4 must also include other applicable NPDES permit requirements and standard conditions, specifically the applicable requirements and conditions at 40 CFR 122.41 through 122.49. Reporting requirements for regulated small MS4s are governed by § 122.34 and not the existing requirements for medium and large MS4s at § 122.42(c). In addition, the NPDES permitting authority is encouraged to consult the Interim Permitting Approach, issued on August 1, 1996. The discussion on the Interim Permitting Approach in Section I.L.1, Water Quality Based Effluent Limits, provides more information. The provisions of §§ 122.41 through 122.49 establish permit conditions and limitations that are broadly applicable to the entire range of NPDES permits. These provisions should be interpreted in a manner that is consistent with provisions that address specific classes or categories of discharges. For example, § 122.44(d) is a general requirement that each NPDES permit shall include conditions to meet water quality standards. This requirement will be met by the specific approach outlined in today's rule for the implementation of BMPs. BMPs are the most appropriate

form of effluent limitations to satisfy technology requirements and water quality-based requirements in MS4 permits (see the introduction to Section I.H.3, Municipal Permit Requirements, Section I.H.3.h, Reevaluation of Rule, and the discussion of the Interim Permitting Policy in Section I.L.1. below).

f. Enforceability

NPDES permits are federally enforceable. Violators may be subject to the enforcement actions and penalties described in CWA sections 309, 504, and 505 or under similar water pollution enforcement provisions of State, tribal or local law. Compliance with a permit issued pursuant to section 402 of the Clean Water Act is deemed compliance, for purposes of sections 309 and 505, with sections 301, 302, 306, 307, and 403 (except any standard imposed under section 307 for toxic pollutants injurious to human health).

g. Deadlines

Today's final rule includes "expeditious deadlines" as directed by CWA section 402(p)(6). In proposed § 122.26(e), the permit application for the "ISTEA" facilities was maintained as August 7, 2001 and the permit application deadline for storm water discharges associated with other construction activity was established as 3 years and 90 days from the final rule date. In proposed § 122.33(c)(1), operators of regulated small MS4s were required to seek permit coverage within 3 years and 90 days from the date of publication of the final rule. In proposed § 122.33(c)(2), operators of regulated small MS4s designated by the NPDES permitting authority on a local basis under § 122.32(a)(2) must seek coverage under an NPDES permit within 60 days of notice, unless the NPDES permitting authority specifies a later date.

In order to increase the clarity of today's final rule, EPA has changed the location of some of the above requirements. All application deadlines for both Phase I and Phase II are now listed or referenced in § 122.26(e). Section 122.26(e)(1) contains the deadlines for storm water associated with industrial activity. Paragraph (i) has been changed to correct a typographical error. Paragraph (ii) has been revised to reflect the changed application date for "ISTEA" facilities. (See discussion in section I.3, ISTEA Sources). The application deadline for storm water discharges associated with other construction activity is now in a new § 122.26(e)(8). The application deadline for regulated small MS4s

remains in § 122.33(c) because this section is written in “readable regulation” format, but it is also described in a new § 122.26(e)(9).

Under today’s rule, permitting authorities are allowed up to 3 years to issue a general permit and MS4s designated under § 122.32(a)(1) are allowed up to 3 years and 90 days to submit a permit application. Operators of regulated small MS4s that choose to be a co-permittee with an adjoining MS4 with an existing NPDES storm water permit must apply for a modification of that permit within the same time frame. Several commenters stated that 90 days was not adequate time to submit an NOI. This might be true if facilities did not start developing their storm water program until publication of their general permit. In fact, municipalities should start developing their storm water program upon publication of today’s final rule, if they have not already done so. Municipalities that are uncertain if they fall within the urbanized area should ask their permitting authority. EPA believes that municipalities should not automatically take three years and 90 days to develop a program and submit their NOI. Three years is the maximum amount of time to issue a general permit. MS4s that are automatically designated under today’s rule may have less than 3 years and 90 days if the permitting authority issues a permit that requires submission of NOIs before that time. EPA encourages States to modify their NPDES program to include storm water and issue their permits as soon as possible. It is important for permitting authorities to keep their municipalities informed of their progress in developing or modifying their NPDES storm water requirements.

EPA recognizes that MS4s brought into the program due to the 2000 Census calculations do not have as much time to develop a program as those already designated from the 1990 Census. However, the official Bureau of the Census urbanized area calculation for the 2000 Census is expected to be published in the **Federal Register** in the spring of 2002, which should give the potentially affected MS4s adequate time to prepare for compliance under the applicable permit. However, if the publication of this information is delayed, MS4s in newly designated urbanized areas will have 180 days from the time the new designations are published to submit an NOI, consistent with the time frame for other regulated MS4s that are designated after promulgation of the rule.

The proposed application deadline for MS4s designated under § 122.32(a)(2)

was within 60 days of notice. Many commenters stated that 60 days does not provide adequate time for the preparation of an NOI or permit application. EPA agrees that newly designated MS4s may not be aware that they might be designated since the permitting authority could take several years to develop designation criteria. EPA has decided that the application time frame for these facilities should be consistent with the 180 days allowed for facilities designated under §§ 122.26(a)(9)(i)(C) and (D). Section 122.33(c)(2) of today’s final rule contains the modified time frame of 180 days to apply for coverage.

h. Reevaluation of Rule

The municipal caucus of the Storm Water Phase II FACA Subcommittee asked EPA to demonstrate its commitment to revisit the municipal requirements of today’s rule and make changes where necessary after evaluating the storm water program and researching the effectiveness of municipal BMPs. In § 122.37 of today’s final rule, EPA commits to revisiting the regulations for the municipal storm water discharge control program after completion of the first two permit terms. EPA intends to use this time to work closely with stakeholders on research efforts. Gathering and analyzing data related to the storm water program, including data regarding the effectiveness of BMPs, is critical to EPA’s storm water program evaluation. EPA does not intend to change today’s NPDES municipal storm water program until the end of this period, except under the following circumstances: a court decision requires changes; a technical change is necessary for implementation; or the CWA is modified, thereby requiring changes. After careful analysis, EPA might also consider changes from consensus-based stakeholder requests regarding requirements applicable to newly regulated MS4s. EPA will apply the August 1, 1996, Interim Permitting Approach to today’s program during this interim period and encourages all permitting authorities to use this approach in municipal storm water permits for newly regulated MS4s and in determining MS4 permit requirements under a TMDL approach. After careful consideration of the data, EPA will make modifications as necessary.

EPA received comments that supported waiting two permit cycles before re-evaluating the rule and other comments that requested re-evaluation much sooner. EPA anticipates two full permit cycles are necessary to obtain

enough data to significantly evaluate the rule. The re-evaluation time frame of 13 years from today remains as proposed.

I. Other Designated Storm Water Discharges

1. Discharges Associated with Small Construction Activity

Section 122.26(b)(15) of today’s rule designates certain construction activities for regulation as “storm water discharges associated with small construction activity.” Specifically, storm water discharges from construction activity equal to or greater than 1 acre and less than 5 acres are automatically designated except in those circumstances where the operator (i.e., person responsible for discharges that might occur) certifies to the permitting authority that one of two specific waiver circumstances (described in section b. below) applies. Sites below one acre may be designated under § 122.26(b)(15)(ii) where necessary to protect water quality.

Today’s rule regulates these construction-related storm water sources under CWA section 402(p)(6) to protect water quality rather than under CWA section 402(p)(2). Designation under 402(p)(6) gives States and EPA the flexibility to waive the permit requirement for construction activity that is not likely to impair water quality, and to designate additional sources below one acre that are likely to cause water quality impairment. Thus, the one acre threshold of today’s rule is not an absolute threshold like the five acre threshold that applies under the existing storm water rule.

Today’s rule regulating certain storm water discharges from construction activity disturbing less than 5 acres is consistent with the 9th Circuit remand in *NRDC v. EPA*, 966 F.2d 1292 (9th Cir. 1992). In that case, the court remanded portions of the existing storm water regulations related to discharges from construction sites. The existing Phase I regulations define “storm water discharges associated with industrial activity” to include storm water discharges from construction sites disturbing 5 acres or more of total land area (see 40 CFR 122.26(b)(14)(x)). In its decision, the court concluded that the 5-acre threshold was improper because the Agency had failed to identify information “to support its perception that construction activities on less than 5 acres are non-industrial in nature” (966 F.2d at 1306). The court remanded the exemption to EPA for further proceedings (966 F.2d at 1310). EPA’s objectives in today’s action include an effort to (1) address the 9th Circuit

remand to reconsider regulation of storm water discharges from construction activities that disturb less than 5 acres of land, (2) address water quality concerns associated with such activities, and (3) balance conflicting recommendations and concerns of stakeholders in the regulation of additional construction activity.

EPA responded to the Ninth Circuit's decision by designating discharges from construction activities that disturb between 1 and 5 acres as "discharges associated with small construction activity" under CWA section 402(p)(6), rather than as "discharges associated with industrial activity" under CWA section 402(p)(2)(B). Although a size criterion alone may be an indicator of whether runoff from construction sites between 1 and 5 acres is "associated with industrial activity," the Agency is instead relying on a size threshold in tandem with provisions that allow for designations and waivers based on potential for "predicted water quality impairments" to regulate construction sites between 1 and 5 acres under CWA section 402(p)(6). This approach was chosen by the Agency for the sake of simplicity and certainty and, most importantly, to protect water quality consistent with the mandate of CWA section 402(p)(6). Today's rule also includes extended application deadlines for this new category of dischargers under the authority of CWA section 402(p)(6) (see § 122.26(e)(8) of today's rule).

In today's rule, EPA is regulating storm water discharges from additional construction sites to better protect the Nation's waters, while remaining sensitive to a concern that the Agency should not regulate discharges from construction sites that might not or do not have adverse water quality impacts. EPA believes that today's rule will successfully accomplish this objective by establishing a 1-acre threshold nationwide that includes the flexibility to allow the permitting authority to both waive requirements for discharges from sites that are not expected to cause adverse water quality impacts and to designate discharges from sites below 1-acre based on adverse water quality impacts.

In addition to the diminishing water quality benefits of regulating all sites below one acre, the Agency relied on practical considerations in establishing a one acre threshold and not setting a lower threshold. Regardless of the threshold established by EPA, a NPDES permit can only be required if a construction site has a point source discharge. A point source discharge means that pollutants are added to

waters of the United States through a discernible, confined, discrete conveyance. "Sheet flow" runoff from a small construction site would not result in a point source discharge unless and until it channelized. As the amount of disturbed land surface decreases, precipitation is less likely to channelize and create a "point source" discharge (assuming the absence of steep slopes or other factors that lead to increased channelization). Categorical designation of very small sites may create confusion about applicability of the NPDES permitting program to those sites. EPA's one acre threshold reflects, in part, the need to recognize that smaller sites are less likely to result in point source discharges. Of course, the NPDES permitting authority could designate smaller sites (below one acre, assuming point source discharges occur from the smaller designated sites) for regulation if a watershed or other local assessment indicated the need to do so. The Phase II rule includes this designation authority at 40 CFR 122.26(a)(9)(i)(D) and (b)(15)(ii).

The one acre threshold also provides an administrative tool for more easily identifying those sites that are identified for coverage by the rule (but may receive a waiver) and those that are not automatically covered (but may be designated for inclusion). Although all construction sites less than five acres could have a significant water quality impact cumulatively, EPA is automatically designating for permit coverage only those storm water discharges from construction sites that disturb land equal to or greater than one acre. Categorical regulation of discharges from construction below this one acre threshold would overwhelm the resources of permitting authorities and might not yield corresponding water quality benefits. Construction activities that disturb less than one acre make up, in total, a very small percentage of the total land disturbance from construction nationwide. The one acre threshold is reasonable for accomplishing the water quality goals of CWA section 402(p)(6) because it results in 97.5% of the total acreage disturbed by construction being designated for coverage by the NPDES storm water program, while excluding from automatic coverage the numerous smaller sites that represent 24.7% of the total number of construction sites.

Some commenters believed that EPA has not adequately identified water quality problems associated with storm water discharges from construction activity disturbing less than five acres. Other commenters believed that storm water discharges from small

construction activity is a significant water quality problem nationwide. Section I.B.3, Construction Site Runoff, provides a detailed discussion of adverse water quality impacts resulting from construction site storm water discharges. EPA is regulating storm water discharges from construction activity disturbing between 1 and 5 acres because the cumulative impact of many sources, and not just a single identified source, is typically the cause for water quality impairments, particularly for sediment-related water quality standards.

Several commenters requested that EPA regulate discharges from small construction activity as "discharges associated with industrial activity" under CWA 402(p)(4) and not, as proposed, as "storm water discharges associated with other activity" under CWA 402(p)(6). EPA is regulating discharges from small construction sites as "small construction activity" under the authority of CWA section 402(p)(6), rather than section 402(p)(4), to ensure that regulation of these sources is water quality-sensitive. CWA section 402(p)(6) affords the opportunity for designations and waivers of sources based on potential for "predicted water quality impairments." Regulation of storm water "associated with industrial activity" does not necessarily focus regulation to protect water quality.

a. Scope

The definition of "storm water discharges associated with small construction activity" includes discharges from construction activities, such as clearing, grading, and excavating activities, that result in the disturbance of equal to or greater than 1 acre and less than 5 acres (see § 122.26(b)(15)(i)). Such activities could include: road building; construction of residential houses, office buildings, or industrial buildings; or demolition activity. The definition of "storm water discharges associated with small construction activity" also includes any other construction activity, regardless of size, designated based on the potential for contribution to a violation of a water quality standard or for significant contribution of pollutants to waters of the United States (§ 122.26(b)(15)(ii)). This designation is made by the Director, or in States with approved NPDES programs, either the Director or the EPA Regional Administrator.

For the purposes of today's rule, the definition of "storm water discharges associated with small construction activity" includes discharges from activities disturbing less than 1 acre if that construction activity is part of a

“larger common plan of development or sale” with a planned disturbance of equal to or greater than 1 acre of land. A “larger common plan of development or sale” means a contiguous area where multiple separate and distinct construction activities are planned to occur at different times on different schedules under one plan, e.g., a housing development of five ¼ acre lots (§ 122.26(b)(15)(i)).

In addition to the regulatory text for smaller construction, the Agency is also revising the existing text of § 122.26(b)(14)(x) to clarify EPA’s intention regarding construction projects involving a larger common plan of development or sale ultimately disturbing 5 or more acres. Operators of such sites are required to seek coverage under an NPDES permit regardless of the number of lots in the larger plan because designation for permit coverage is based on the total amount of land area to be disturbed under the common plan. This designation attempts to address the potential cumulative effects of numerous construction activities concentrated in a given area.

Several commenters asked that EPA allow the permitting authority to set the appropriate size threshold based on water quality studies. While EPA agrees that location-specific water quality studies provide an ideal information base from which to make regulatory decisions, today’s rule establishes a default standard for regulation in the absence of location-specific studies. The rule does allow for deviation from the default standard through additional designations and waivers, however, when supported by location-specific water quality information. The rule codifies the ability of permitting authorities to provide waivers for sites greater than or equal to one acre (the default standard) and designate additional discharges from small sites below one acre when location-specific information suggests that the default 1 acre standard is either unnecessary (waivers) or too limited (designations) to protect water quality.

Some commenters wanted EPA to base the regulation of storm water discharges from construction sites not only on size, but also on the duration and intensity of activity occurring on the site. EPA believes that a national 1-acre threshold, in combination with waivers and additional designations, is the most effective and simplest way to address adverse water quality impacts from storm water from small construction sites. Moreover, as discussed below, the waiver for rainfall erosivity does account for projects of limited duration. EPA believes,

however, that the intensity of activity occurring on-site would be a very difficult condition to quantify.

Many commenters requested that EPA maintain the 5 acre threshold from the existing regulations, which include opportunities for site-specific designation, as the regulatory scope for regulating storm water from construction sites, i.e., that the Agency not automatically regulate storm water discharges from sites less than 5 acres. Several commenters wanted construction requirements to be applied to sites smaller than 1 acre, while some commenters suggested alternative thresholds of 2 or 3 acres. The rest of the commenters supported the 1 acre threshold. None of the commenters presented any data or rationales to support a specific size threshold.

EPA examined alternative size thresholds, including 0.5 acre, 1 acre, 2 acres and 5 acres. EPA had difficulty evaluating the alternative size thresholds because, while directly proportional to the size of the disturbed site, the water quality threat posed by discharges from construction sites of differing sizes varies nationwide, depending on the local climatological, geological, geographical, and hydrological influences. In order to ensure improvements in water quality nationwide, however, today’s rule does not allow various permitting authorities to establish different size thresholds except based on the waiver and designation provisions of the rule. EPA believes that the water quality impact from small construction sites is as high as or higher than the impact from larger sites on a per acre basis. By selecting the 1 acre size threshold and coupling it with waivers and additional designations, EPA is seeking to standardize improvement of water quality on a national basis while providing permitting authorities with the opportunity to designate those unregulated activities causing water quality impairments regardless of site size, as well as to waive requirements when information demonstrates that regulation is unnecessary.

EPA recognizes that the size criterion alone may not be the most ideal predictor of the need for regulation, but effective protection of water quality depends as much on simplicity in implementation as it does on the scientific information underlying the regulatory criteria. The default size criterion of 1 acre will ensure protection against adverse water quality impacts from storm water from small construction sites while not overburdening the resources of permitting authorities and the

construction industry to implement the program to protect water quality in the first place.

One commenter stated a need to clarify whether routine road maintenance is considered construction activity for the purpose of today’s rule. The NPDES general permit for discharges from construction sites larger than 5 acres defined “commencement of construction” as the *initial* disturbance of soils associated with clearing, grading, or excavating activities or other construction activities (63 FR 7913). For construction sites disturbing less than 5 acres, EPA does not consider construction activity to include *routine* maintenance performed to maintain the *original* line and grade, hydraulic capacity, or original purpose of the facility.

Two commenters believed that the Multi-Sector General Permit for storm water discharges from industrial activities (MSGP) (60 FR 50804) already applies to storm water discharges from construction activities at oil and gas exploration and production sites and asked for a clarification on this issue. Commenters also requested a single general permit to authorize both industrial storm water discharges and construction site discharges which occur at the same industrial site.

Currently, when construction activity disturbing more than 5 acres occurs on an industrial site covered by the MSGP, authorization under a separate NPDES construction permit is needed because the MSGP does not include the “construction” industrial sector. While the MSGP does address sediment and erosion control, it is not as specific as the NPDES general permit for storm water discharges from construction activities disturbing more than 5 acres. Though permitting authorities could conceivably develop a single general permit to authorize storm water discharges associated with construction activity at these industrial facilities, the commenter’s request is not addressed by today’s rulemaking. When today’s rule is implemented through general permits (to be issued later), the permitting authority will have discretion whether or not to incorporate the permit requirements for both the industrial storm water discharges and construction site storm water discharges into a single general permit. This type of request should be addressed to the permitting authority.

One commenter suggested that discharges from small construction sites should be regulated through a “self-implementing rule” approach. While today’s rule is not a self-implementing rule, it does add § 122.28(b)(2)(v), which

gives the permitting authority the discretion to authorize a construction general permit for sites less than 5 acres without submitting a notice of intent. Such non-registration general permits function similarly to self-implementing rules, but are, in fact, permits. Today's rule will be implemented through NPDES permits rather than self-implementing regulations to capitalize on the compliance, tracking, enforcement, and public participation associated with NPDES permits (see discussion in section II.C).

Other commenters believed that only the permitting authority should regulate construction site storm water discharges (under a NPDES permit) and that a small MS4 operator's regulation of storm water discharges associated with construction (under the small MS4 NPDES storm water program) is redundant. EPA disagrees that control measure implementation by the NPDES authority and the small MS4 operator is redundant. To the extent the two efforts overlap, today's rule provides for consolidation and coordination of substantive requirements via incorporation by reference permitting. Small MS4s operators may choose to impose more prescriptive requirements than an NPDES permitting authority based on localized water quality needs. In those cases, EPA intends that the substantive requirements from the small MS4 program should apply as the NPDES permit requirements for the construction site discharger. In cases where a small MS4 program does not prioritize and focus on storm water from construction sites (beyond the small MS4 minimum control measure in today's rule, which does not require the small MS4 operator to control construction site discharges in a manner as prescriptive as is expected for discharges regulated under NPDES permits), the Agency intends that the NPDES general permit will provide the substantive standards applicable to the construction site discharge. EPA does anticipate, however, that implementation of MS4 programs to address construction site runoff within their jurisdiction will enhance overall NPDES compliance by construction site dischargers. EPA also notes that under § 122.35(b), the permitting authority may recognize its own program to control storm water discharges from construction sites in lieu of requiring such a program in an MS4's NPDES permit, provided that the permitting authority's program satisfies the requirements of § 122.34(b)(4), including, for example, procedures for site plan reviews and consideration of

information submitted by the public on individual construction sites in each jurisdiction required to be covered by the program.

b. Waivers

Under § 122.26(b)(15)(i) of today's rule, NPDES permitting authorities may waive today's requirement for construction site operators to obtain a permit in two circumstances. The first waiver is intended to apply where little or no rainfall is expected during the period of construction. The second waiver may be granted when a TMDL or equivalent analysis indicates that controls on construction site discharges are not needed to protect water quality.

The first waiver is based on "low predicted rainfall erosivity" which can be found using tables of rainfall-runoff erosivity (R) values published for each region in the U.S. R factors are published in the U.S. Department of Agriculture (USDA) Agricultural Handbook 703 (Renard, K.G., Foster, G.R., Weesies, G.A., McCool, D.K., and D.C. Yoder. 1997. *Predicting Soil Erosion by Water: A Guide to Conservation Planning with the Revised Universal Soil Loss Equation (RUSLE)*. U.S. Department of Agriculture Handbook 703). The R factor varies based on the time during the year when construction activity occurs, where in the country it occurs, and how long the construction activity lasts. The permitting authority may determine, using Handbook 703, which times of year, if any, the waiver opportunity is available for construction activity. EPA will provide assistance either through computer programs or the World Wide Web on how to determine whether this waiver applies for a particular geographic area and time period. Application of this waiver for regulatory purposes will be determined by the authorized NPDES authority. This waiver is discussed further in the following section titled Rainfall-Erosivity Waiver.

The second waiver is based on a consideration of ambient water quality. This waiver is available after a State or EPA develops and implements TMDLs for the pollutant(s) of concern from storm water discharges associated with construction activity. This waiver is also available for sites discharging to non-impaired waters that do not require TMDLs, when an equivalent analysis has determined allocations for small construction sites for the pollutant(s) of concern or determined that such allocations are not needed to protect water quality based on consideration of existing in-stream concentrations, expected growth in pollutant

contributions from all sources, and a margin of safety. The Agency envisions an equivalent analysis that would demonstrate that water quality is *not* threatened by storm water discharges from small construction activity. This waiver is discussed further below in the sections titled TMDL Waiver and Water Quality Issues.

The proposed rule included a waiver based on "low predicted soil loss." This waiver provision would have been applicable on a case-by-case basis where the annual soil loss rate for the period of construction for a site, using the Revised Universal Soil Loss Equation (RUSLE), would be less than 2 tons/acre/year. The annual soil loss rate of less than 2 tons/acre/year would be calculated through the use of the RUSLE equation, assuming the constants of no ground cover and no runoff controls in place.

Several commenters found the low soil loss waiver too complex and impractical, and stated that expertise is not available at the local level to prepare and evaluate eligibility for the waiver. Another commenter questioned whether two tons/acre/year was an appropriate threshold for predicting adverse water quality impacts. Two other commenters said that RUSLE was never intended to predict off-site impacts and is not an indicator of potential harm to water quality. EPA agrees with the commenters on the difficulty associated with determining and implementing this waiver. Most construction site operators are not familiar with the RUSLE program, and the potential burden on the permitting authority, construction industry, USDA's Natural Resources Conservation Service and conservation districts probably would have been significant. The Agency has not included this waiver in the final rule.

Two commenters asked that EPA allow States the flexibility to develop their own waiver criteria but did not suggest how the Agency (or affected stakeholders) could evaluate the acceptability of alternative State waiver criteria. Therefore, the final rule does not provide for any such alternative waivers. If a State does seek to develop alternate waiver criteria, then EPA procedures afford the opportunity for subsequent actions, for example, under the Project XL Program in EPA's Office of Reinvention, which seeks cleaner, smarter, and cheaper solutions to environmental problems. Many commenters suggested that EPA extend these waivers to existing industrial storm water regulations for construction activity greater than 5 acres. These construction site discharges are

regulated as industrial storm water discharges under CWA 402(p)(2) and are not eligible for such water quality-based waivers.

Two commenters were concerned that waivers would create a potential for significant degradation of small streams. EPA disagrees. If small streams are threatened, the permitting authority would choose not to provide any waivers. In addition, permitting authorities may protect small streams by designating discharges from small construction activity based on the potential for contribution to a violation of a water quality standard or for significant contribution of pollutants to waters of the U.S.

Two commenters asked that the waiver options be eliminated. They felt it would create a gross inequity within the construction community if some projects will not be subject to the requirements of today's rule. While the comments may be valid, EPA disagrees that waivers should be disallowed on this basis. Construction site discharges that qualify for a waiver from permitting requirements are not expected to present a threat to water quality, which is the basis for designation and regulation under today's rule.

A number of commenters suggested additional waivers in cases where new development will result in no additional adverse impacts to water quality as compared to the existing development it replaces. EPA believes these waivers are either unworkable or unnecessary. It would be very difficult for most construction operators to determine, as well as for other stakeholders to verify, on a site-by-site basis, that there is no potential for adverse impact to water quality compared to the replaced development.

Other commenters proposed waivers in cases where a local erosion and sediment control program covers the project or a separate waiver for small linear utility projects. Instead of waivers, today's rule addresses the first suggestion through the qualifying program provision described in the section titled Cross-Referencing State/Local Erosion and Sediment Control Programs below. Today's rule provides waivers for small linear projects in so far as they satisfy conditions for low rainfall erosivity. (See § 122.26(b)(15)(i)(A).)

Other commenters suggested waivers based on distance to water body, existence of vegetated buffer around water body, slope of disturbed land, or if discharging to very large bodies of water. As a result of public outreach, EPA believes that these proposed waivers would be generally unworkable

for construction site dischargers and permitting authorities because of the difficulty in applying them to all small sites.

One commenter mentioned that waivers for the R factor (rainfall-erosivity) and soil loss are effluent standards that have not been developed in accordance with sections 301 and 304 of the CWA. EPA disagrees that these sections are relevant to the designation of sources in today's rule. The waiver provisions in this section of the rule are jurisdictional because they affect the scope of the universe of entities subject to the NPDES program. Therefore, the waiver provisions are not themselves substantive control standards implemented through NPDES permits, and thus, not subject to the statutory criteria in sections 301 and 304.

Another commenter stated that waivers would allow exemptions to the technology based requirements and would thus be inconsistent with the two-fold approach of the CWA (a technology based minimum and a water quality based overlay). EPA acknowledges that the CWA does not generally provide for waivers for the Act's technology-based requirements. The waiver provisions do not create exemptions from technology-based standards that apply to NPDES dischargers; they provide exemption from the underlying requirement for an NPDES permit in the first place. Protection of water quality is the reason these smaller sites are designated for regulation under NPDES. The Act's two fold approach imposes more stringent water quality based effluent limitations when technology-based limitations applicable to regulated dischargers are insufficient to meet water quality standards. Under today's rule, water quality protection is the basis for determining which of the unregulated sources should be regulated at all. Thus, today's rule is entirely consistent with the Act's two fold approach.

i. Rainfall-Erosivity Waiver. The rainfall-erosivity waiver under § 122.26(b)(15)(i)(A) is intended to exempt the requirements for a permit when and where negligible rainfall/runoff-erosivity is expected. In the development of the Universal Soil Loss Equation, analysis of data indicated that when factors other than rainfall are held constant, soil loss is directly proportional to a rainfall factor composed of total storm kinetic energy times the maximum 30 minute intensity. The average annual sum of the storm energy and intensity values for an area comprise the R factor—the rainfall erosivity index. A detailed explanation of the R factor can be found in

Predicting Soil Erosion by Water: A Guide to Conservation Planning With the Revised Universal Soil Loss Equation (RUSLE) (USDA, 1997).

This waiver is time-sensitive and is dependent on when during the year a construction activity takes place, how long it lasts, and the expected rainfall and intensity during that time. R factors vary based on location. EPA anticipates that this waiver opportunity responds to concerns about the requirement for a permit when it is not expected to rain, especially in the arid areas of the U.S. Under today's rule, the permitting authority could waive the requirements for a permit for time periods when the rainfall-erosivity factor ("R" in RUSLE) is less than five during the period of construction. For the purposes of calculating this waiver, the period of construction activity starts at the time of initial disturbance and ends with the time of final stabilization. The operator must submit a written certification to the Director in order to apply for such a waiver. EPA believes that those areas receiving negligible rainfall during certain times of the year are unlikely to have storm events causing discharges that could adversely impact receiving streams. Consequently, BMPs would not be necessary on those smaller sites. This waiver is most applicable to projects of short duration and to the arid regions of the country where the occurrence of rainfall follows a cyclic pattern—between no rain and extremely heavy rain. EPA review of rainfall records for these areas indicates that, during periods of the year when the number of events and quantity of rain are low, storm water discharges from the smaller construction sites regulated under today's rule should be minimal.

Some commenters supported the use of the R factor as a waiver, while others felt that a waiver based on rainfall statistics ignores the fact that it may rain on any given day and it is the cumulative effect of wet weather discharges which cause water quality impairments. A commenter also asked what happens in "El Nino" years when significantly more rainfall than normal occurs. Another commenter also expressed concern that this waiver was not based on a measured water quality impact, but instead on an indicator of potential impact. In response to the previous comments, EPA notes that, under CWA 402(p)(6), sources are designated on their *potential* for adverse impact. Designation under the section is prospective, not retrospective or remedial only. For that reason, the waivers under today's rule also operate prospectively. EPA wanted to waive requirements for sites with little

potential to impair water quality, and the R factor is the most straightforward way to do this. The permitting authority, if electing to use waivers, could always suspend the use of waivers in certain areas or during certain times. In addition, the permitting authority may choose to use a lower R factor threshold than the one set by EPA. Application of this waiver is at the discretion of the permitting authority, subject only to the limitation that R factors cannot exceed 5.

One commenter expressed the need for EPA to provide a justification for the threshold value used for the R factor. None of the commenters included any data to show that EPA's proposed R factor of 2 was either too high or too low. EPA is using the R factor as an indicator of the potential to impact water quality. In an effort to determine which R threshold should be used, EPA conducted additional analysis of the rainfall/runoff erosivity factor for 134 sites across the country. For an R factor threshold of 5, approximately 12% of sites would be waived if the project period lasted 6 months, 27% for 3 months, 47% for 1 month, and 60% of sites would be waived if the project lasted for only 15 days. None of the 134 sites would be waived if the project lasted an entire year. For an R factor threshold of 2, approximately 9% of sites would be waived if the project period lasted 6 months, 15% for 3 months, 31% for 1 month, and 43% for 15 days. For an R factor threshold of 10, approximately 22% of sites would be waived if the project period lasted 6 months, 37% for 3 months, 60% for 1 month, and 78% for 15 days. EPA believes that an R factor of 5 is an adequate threshold to waive requirements for sites because they would not reasonably be expected to impair water quality.

EPA will develop, as part of the tool box described in section II.A.5, guidance materials and computer or web-accessible programs to assist permitting authorities and construction site discharges in determining if any resulting storm water discharges from specific projects are eligible for this waiver.

ii. Water Quality Waiver. The water quality waiver under § 122.26(b)(15)(i)(B) is available where storm water controls are not needed based on a comprehensive, location-specific evaluation of water quality needs. The waiver is available based on either an EPA-approved "total maximum daily load" (TMDL) under section 303(d) of the CWA that addresses the pollutant(s) of concern or, for sites discharging to non-impaired

waters that do not require TMDLs, an equivalent analysis that has either determined allocations for small construction sites for the pollutant(s) of concern or determined that such allocations are not needed to protect water quality based on consideration of existing in-stream concentrations, expected growth in pollutant contributions from all sources, and a margin of safety. The pollutants of concern that must be addressed include sediment or a parameter that addresses sediment (such as total suspended solids (TSS), turbidity or siltation) and any other pollutant that has been identified as a cause of impairment of any water body that will receive a discharge from the construction activity. The operator must certify to the NPDES permitting authority that the construction activity will take place, and storm water discharges will occur, within the applicable drainage area evaluated in the TMDLs or equivalent analyses.

Today's rule modifies the approach in the proposed rule. EPA proposed to allow a waiver of permit requirements for small construction if storm water controls were determined to be unnecessary based on "wasteload allocations that are part of 'total maximum daily loads' (TMDLs) that address the pollutants of concern," or "a comprehensive watershed plan, implemented for the water body, that includes the equivalents of TMDLs, and addresses the pollutants of concern."

Commenters asked for clarification of the terms "comprehensive watershed plans" and "equivalent of TMDLs." EPA intended that both terms would include a comprehensive analysis that determines that controls on small construction sites are not needed based on consideration of existing in-stream concentrations, expected growth in pollutant contributions from all sources, and a margin of safety. Today's rule makes this clarification.

One commenter pointed out that there are no water quality standards for suspended solids, the major pollutant expected in discharges from construction activity. The commenter asserted that no waiver would ever be available. Another commenter noted that there are no sediment criteria developed for streams, also making this waiver useless. EPA notes that a number of States and Tribes have water quality standards that address TSS, which are narrative in form, and that may serve as a basis for water quality-based effluent limits. As efforts to identify impairments and improve water quality progress, some States may yet develop water quality standards for suspended

solids. Although several TMDLs for sediment and related parameters have been established, EPA does recognize that currently it is extremely difficult to develop TMDLs for sediment. EPA is partially addressing this concern by clarifying in today's rule that the waivers may be based on a TMDL or equivalent analyses for sediment or one of the various pollutant parameters that are a proxy for sediment. These include TSS, turbidity and siltation.

Other commenters noted that this waiver was unattainable if a TMDL or equivalent analysis must be available for every pollutant that could possibly be present in any amount in discharges from small construction sites regardless of whether the pollutant is causing water quality impairment. Commenters asked that EPA identify what constitutes the "pollutants of concern" for which a TMDL or its equivalent must be developed. EPA has revised the proposed rule in response to these concerns.

In order for discharges from construction sites under five acres to qualify for the water quality waiver of today's rule, the construction site operator must demonstrate that storm water controls are not necessary for sediment or a parameter that addresses sediment (such as TSS, turbidity or siltation) and any other pollutant that has been identified as a cause of impairment of any water body that will receive a discharge from the construction activity. Even if the water body is not currently impaired for sediment, today's rule requires an analysis of the potential impacts of sediment because the storm water discharges from the construction activity will be a new source of loading to the water body that could constitute a new impairment. Because the water body will not necessarily have been included on a "303(d) list" and a TMDL will not necessarily be required, the rule continues to allow an analysis that is the equivalent of a TMDL. The designation of storm water discharges from small construction activity for regulation in today's rule is intended to control pollutants other than sediment. This waiver provision requires a TMDL or equivalent analysis for a pollutant other than gross particulates (*i.e.*, sediment and other particulate-focused pollutant parameters) only if the receiving water is currently impaired for that pollutant.

One commenter expressed the concern that construction operators will not know if they are in a watershed covered by a TMDL. To the extent this is an operator's concern, he or she could contact their NPDES permitting

authority before applying for permit coverage to determine if receiving water is subject to a TMDL. Alternatively, the permitting authority could identify the TMDL (or equivalent analysis) areas in the general permit or another operator-accessible information source.

Another commenter expressed the concern that a TMDL waiver is likely to be ineffective because the TMDL list is submitted only once every 2 years. By the time a water is listed, the activity may have been completed and stabilized. The commenter argued that, if a watershed is impaired due to sediment from construction, then storm water controls will still be needed, because small construction can only be waived when it is not identified as a source of impairment. In response, EPA notes that an analysis that is the equivalent of a TMDL (specifically, equivalent to the component of a TMDL that comprehensively analyses existing ambient conditions against the applicable water quality standards) may also provide a basis for waiver from the default 1 acre designation. Also, even if a water has been identified as impaired for sediment, it is possible that a site or category of sites may receive an allocation that is sufficiently high enough to allow discharges without storm water controls.

c. Permit Process and Administration

The operator of the construction site, as with any operator of a point source discharge, is responsible for obtaining coverage under a NPDES permit as required by § 122.21(b). The “operator” of the construction site, as explained in the current NPDES construction general permit, is typically the party or parties that either individually or collectively meet the following two criteria: (1) Operational control over the site specifications, including the ability to make modifications in the specifications; and (2) day-to-day operational control of those activities at the site necessary to ensure compliance with permit conditions (63 FR 7859). If more than one party meets these criteria, then each party involved would typically be a co-permittee with any other operators. The operator could be the owner, the developer, the general contractor, or individual contractor. When responsibility for operational control is shared, all operators must apply.

In today’s rule, EPA is not requiring an NOI for NPDES general permits for storm water discharges from construction activities regulated by § 122.26(b)(15) if the NPDES permitting authority finds that the use of NOIs would be inappropriate (see

§ 122.28(b)(2)(v)). Under this approach, the NPDES permitting authority will have the discretion to decide whether or not to require NOIs for discharges from construction activity less than 5 acres. Compared to the existing storm water regulation, the permitting authority thus has increased flexibility in program implementation. EPA does recommend the use of NOIs, however because NOIs track permit coverage and provide a useful information source to prioritize inspections or enforcement. Requiring an NOI allows for greater accountability by, and tracking of, dischargers. This simple permit application and reporting mechanism also allows for better outreach to the regulated community, uses an existing and familiar mechanism, and is consistent with the existing requirements for storm water discharges from larger construction activities. Today’s rule does not amend the requirement for NOIs in general permits for storm water discharges from construction activity disturbing 5 acres or more. See § 122.28(b)(2)(v).

EPA expects that the vast majority of discharges of storm water associated with small construction activity identified in § 122.26(b)(15) will be regulated through general permits. In the event that an NPDES permitting authority decides to issue an individual construction permit, however, individual application requirements for these construction site discharges are found at § 122.26(c)(1)(ii). For any discharges of storm water associated with small construction activity identified in § 122.26(b)(15) that are not authorized by a general permit, a permit application made pursuant to § 122.26(c) must be submitted to the Director by 3 years and 90 days after publication of the final rule.

Some commenters expressed concern that linear construction projects (*e.g.*, roads, highways, pipelines) that cross several jurisdictions will have to comply with multiple sets of requirements from various jurisdictions, including multiple local governments and States. EPA is limited in its options to address these concerns because the Agency cannot issue NPDES permits in States authorized to implement the NPDES program nor preempt other more stringent local and State requirements. EPA believes, however, that the option for incorporating by reference the State, Tribal or local requirements (see discussion in Section II.I.2.d., Cross-Referencing State/Local Erosion and Sediment Control Programs) should limit the administrative burden on the operator responsible for discharges from linear construction projects. If the operator were to implement the most

comprehensive of the various requirements for the whole project, it could avoid confusion due to differing requirements for different sections of the project. In addition, linear utility projects, which usually have a shorter project period, are more likely to be eligible for the rainfall erosivity waiver.

One commenter stated there was no reason to delay the application period for regulated storm water discharges from small construction activities. The commenter requested that the newly regulated construction site discharges should be required to seek permit coverage within 90 days, as opposed to 3 years, of the effective date of the rule. The Agency does not accept this request. EPA anticipates that NPDES permitting authorities will need one to two years to develop adequate legal authority to implement a program to address this new category of discharges, as well as to develop and issue general permits. Moreover, to ensure effective implementation to protect water quality, regulatory authorities will need additional time to inform small construction site operators of requirements and provide guidance and training on these requirements.

Finally, EPA received a comment requesting that the three year file retention requirement be deleted for discharges from small construction sites. While EPA recognizes that the three year record retention schedule may be unnecessary for certain construction projects, the Agency has determined it is necessary to retain files after the completion of the project to ensure permit compliance, including applicable construction site stabilization enabling permit termination for such sites.

d. Cross-Referencing State, Tribal or Local Erosion and Sediment Control Programs

In developing the NPDES permit requirements for construction sites less than 5 acres, members of the Storm Water Phase II FACA Subcommittee asked EPA to try to minimize redundancy in the construction permit requirements. In response, today’s rule at § 122.44(s) provides for incorporation of qualifying State, Tribal or local erosion and sediment control program requirements by reference into the NPDES permit authorizing storm water discharges from construction sites (described under §§ 122.26(b)(15) and (b)(14)(x)). The incorporation by reference approach applies not only to the newly regulated storm water discharges (from construction activity disturbing between 1 and 5 acres, including designated sites, but

excluding waived sites) but also to discharges from construction activity disturbing 5 or more acres already covered by the existing storm water regulations. For this latter category of discharges from construction activity disturbing 5 or more acres, the incorporation by reference approach requires that the pollutant control requirements from the incorporated program also satisfy the statutory standard for limitations representing application of the best available technology economically achievable (BAT) and best conventional pollutant control technology (BCT).

For permits issued for discharges from small construction activity defined under § 122.26(b)(15), a qualifying State, Tribal, or local erosion and sediment control program is one that includes the program elements described under § 122.44(s)(1). These elements include requirements for construction site operators to implement appropriate erosion and sediment control BMPs, requirements to control waste, a requirement to develop a storm water pollution prevention plan, and requirements to submit a site plan for review. A storm water pollution prevention plan includes site descriptions, descriptions of appropriate control measures, copies of approved State, Tribal or local requirements, maintenance procedures, inspection procedures, and identification of non-storm water discharges. The construction site's permit would require it to follow the requirements of the qualifying local program rather than require it to follow two different sets of requirements. If a partially-qualifying program does not have all of the elements described under § 122.44(s)(1), then the NPDES permitting authority may still incorporate language in the small construction site discharge's permit that requires the construction site operator to follow the program, but the construction site discharge permit also must incorporate the missing required elements in order to satisfy CWA requirements.

The term "local" refers to the geographic area of applicability, not the form of government that develops and administers the program. Thus, a qualifying federal erosion and control program, such as certain programs developed and administered by the federal Bureau of Land Management, could be a qualifying local program.

As a result of this provision, local requirements will, in effect, provide the substantive construction site erosion and sediment control requirements for the NPDES permit authorization. Therefore, by following one set of

erosion and sediment control requirements, construction site operators satisfy both local and NPDES permit requirements without duplicative effort. At the same time, noncompliance with the referenced local requirements will be considered noncompliance with the NPDES permit which is federally enforceable. The NPDES permitting authority will, of course, retain the discretion to decide whether to include the alternative requirements in the general permit. EPA believes that this approach will best balance the need for consideration of specific local requirements and local implementation with the need for federal and citizen oversight, and will extend supplemental NPDES requirements to control storm water discharges from construction sites.

EPA developed the "incorporation by reference" approach based on implementation efforts designed by the State of Michigan. Michigan relies on localities to develop substantive controls for storm water discharges associated with construction activities on a localized basis. Localities, however, are not required to do so. In areas where the local authority does not choose to participate, the State administers the sedimentation and erosion control requirements. The State agency, as the NPDES permitting authority, receives an NOI (termed "notice of coverage" by Michigan) under the general permit and tracks and exercises oversight, as appropriate, over the activity causing the storm water discharge. Michigan's goal under these procedures is to utilize the existing erosion and sediment control program infrastructure authorized under State law for storm water discharge regulation. (See U.S. Environmental Protection Agency, Office of Water, January 7, 1994, Memo: From Michael B. Cook, Director OWEC, to Water Management Division Directors, Regarding the "Approach Taken by Michigan to Regulate Storm Water Discharges from Construction Activities.")

Most commenters supported the general concept of incorporating by reference qualifying programs. Two commenters expressed concern that different local construction requirements will create an impossible regulatory scheme for builders who work in different localities. EPA believes that allowing States to incorporate qualifying programs by reference will minimize the differences for builders who work in different areas of the State. These differences already exist, however, not only for erosion and sediment controls, but also other aspects

of construction. In any event, the criteria for qualification for localized programs should provide a certain degree of standardization for various localities' requirements. EPA expects that the new rule for construction and post-construction BMPs being developed under CWA section 304(m) will also encourage standardization of local requirements. (See discussion of this new rulemaking in section II.D.1, Federal Role of this preamble).

Two commenters requested that an "incorporation by reference" should include permission, in writing, from the qualifying local program administrator because of a perceived extra burden on the referenced program. Any program requirements incorporated by reference in NPDES permits should already apply to construction site dischargers in the applicable area and therefore should not add any additional burden to the referenced program. EPA has left to the discretion of the permitting authority the decision on whether to seek permission from the qualifying program before cross-referencing it in an NPDES permit.

One commenter stated that a qualifying local program should require a SWPPP. The proposed rule defined the qualifying local program as a program that meets the minimum program requirements established in the proposed construction minimum control measure for small MS4s. To ensure consistency in the controls for storm water discharges between the larger, already regulated construction sites and the discharges from smaller sites that will be regulated as a result of today's rule, EPA has made a change to define a qualifying local program as one that includes the elements described in § 122.44(s)(1). Section 122.44(s)(1) requires the development and implementation of a storm water pollution prevention plan as a criterion for qualification of local programs for incorporation by reference. As noted above, if a qualifying program does not include all the elements in § 122.44(s)(1) then the permitting authority will need to specify the missing elements in order to rely on the incorporation by reference approach.

One commenter asked what happens in regard to the use of qualifying programs when a construction site operator is also the qualifying local program operator. The provision for incorporation by reference applies in this situation also. The local program operator will be required to comply with requirements it has established for others.

e. Alternative Approaches

EPA received a number of comments on alternative permitting approaches. Several commenters supported regulating discharges only from those construction sites within urbanized areas. Other commenters opposed this approach. EPA chose to address storm water discharges from construction sites located both within and outside urbanized areas because of the potential for adverse water quality impact from storm water discharges from smaller sites in all areas. Regulating only those sites within urbanized areas would have excluded a large number of potential contributors to water quality impairment and would not address large areas of new development occurring on the outer fringes of urbanized areas. In fact, designating only small construction discharges within urbanized areas might create a perverse incentive for building only outside urbanized areas. Such an incentive would be inconsistent with the Agency's intention behind designating to protect water quality. The Agency intends that designation to protect water quality in today's rule should be both remedial and preventive.

A number of commenters encouraged EPA to cover municipal construction activities under the small MS4 general permit, instead of issuing a separate NPDES construction permit to these municipal construction projects. Similarly, a number of commenters supported EPA giving industrial facilities the option of having storm water from construction activities on the site covered by the industrial storm water permit. Several other commenters found that combining multiple permit types under one general permit introduced a degree of complexity which was confusing to permittees. Permitting authorities have the option of combining MS4 and construction permits or industrial and construction permits, however, specific requirements for each would still need to be included in the permit issued. EPA agrees that this would probably result in a more complex and confusing permit compared to the existing component permits.

Several commenters supported an alternative for regulated small MS4s where a local qualified program alone, without an NPDES permit, is sufficient to enforce compliance with construction site discharge requirements. On the other hand, one commenter stated that linking the local construction erosion and sediment control program to the existing NPDES program for storm water from larger construction has driven improvements in many local programs.

Another commenter stated that the potential fines under the NPDES program will encourage compliance and will be much stronger than any fines a local program may have. EPA agrees that the NPDES program is the best approach to address water quality impacts from construction sites and provides benefits such as accountability and federal enforcement.

A number of commenters supported issuing one permit for each construction company, instead of a permit for each individual construction activity (also requested for storm water discharges from the larger, already regulated construction sites). Other commenters found that a 'licensing' program for construction site operators would have many problems, including identifying who to permit and tracking information on active sites. EPA is regulating only the storm water discharges associated with construction activity from small sites, not the construction activity itself. Separate NPDES permits (either individual or general permit coverage) for construction site discharges avoid potential problems in tracking sites and operator accountability. Section 122.28(b)(2)(v) gives permitting authorities the option to issue a general permit without requiring an NOI. If an NOI is not required for each activity, permitting authorities could pursue other options such as a company-wide NOI, license instead of an NOI, or another mechanism.

2. Other Sources

In the *Storm Water Discharges Potentially Addressed by Phase II of the National Pollutant Discharge Elimination System Storm Water Program*, Report to Congress, March 1995, ("Report") submitted by EPA pursuant to CWA section 402(p)(5), EPA examined the remaining unregulated point sources of storm water for the potential to adversely affect water quality. Due to very limited national data on which to estimate pollutant loadings on the basis of discharge categories, the discussion of the extent of unregulated storm water discharges is limited to an analysis of the number and geographic distribution of the unregulated storm water discharges. Therefore, EPA is not designating any additional unregulated point sources of storm water on a nationwide, categorical basis. Instead, the remainder of the sources will be regulated based on case-by-case post-promulgation designations by the NPDES permitting authority.

EPA did, however, evaluate a variety of categories of discharges for potential designation in the Report. EPA's efforts to identify sources and categories of

unregulated storm water discharges for potential designation for regulation in today's rule started with an examination of approximately 7.7 million commercial, retail, industrial, and institutional facilities identified as "unregulated." In general, the distribution of these facilities follows the distribution of population, with a large percentage of facilities concentrated within urbanized areas (see page 4-35 of the Report). This examination resulted in identification of two general classes of facilities with the potential for discharging pollutants to waters of the United States through storm water point sources.

The first group (Group A) included sources that are very similar, or identical, to regulated "storm water discharges associated with industrial activity" but that were not included in the existing storm water regulations because EPA used SIC codes in defining the universe of regulated industrial activities. By relying on SIC codes, a classification system created to identify industries rather than environmental impacts from these industries discharges, some types of storm water discharges that might otherwise be considered "industrial" were not included in the existing NPDES storm water program. The second general class of facilities (Group B) was identified on the basis of potential for activities and pollutants that could contribute to storm water contamination.

EPA estimates that Group A has approximately 100,000 facilities. Discharges from facilities in this group, which may be of high priority due to their similarity to regulated storm water discharges from industrial facilities, include, for example, auxiliary facilities or secondary activities (e.g., maintenance of construction equipment and vehicles, local trucking for an unregulated facility such as a grocery store) and facilities intentionally omitted from existing storm water regulations (e.g., publicly owned treatment works with a design flow of less than 1 million gallons per day, landfills that have not received industrial waste).

Group B consists of nearly one million facilities. EPA organized Group B sources into 18 sectors for the purposes of the Report. The automobile service sector (e.g., gas/service stations, general automobile repair, new and used car dealerships, car and truck rental) makes up more than one-third of the total number of facilities identified in all 18 sectors.

EPA conducted a geographical analysis of the industrial and commercial facilities in Groups A and

B. The geographical analysis shows that the majority are located in urbanized areas (see Section 4.2.2, Geographic Extent of Facilities, in the Report). In general, about 61 percent of Group A facilities and 56 percent of Group B facilities are located in urbanized areas. The analysis also showed that nearly twice as many industrial facilities are found in all urbanized areas as are found in large and medium municipalities alone. Notable exceptions to this generalization included lawn/garden establishments, small unregulated animal feedlots, wholesale livestock, farm and garden machinery repair, bulk petroleum wholesale, farm supplies, lumber and building materials, agricultural chemical dealers, and petroleum pipelines, which can frequently be located in smaller municipalities or rural areas.

In identifying potential categories of sources for designation in today's notice, EPA considered designation of discharges from Group A and Group B facilities. EPA applied three criteria to each potential category in both groups to determine the need for designation: (1) The likelihood for exposure of pollutant sources included in that category, (2) whether such sources were adequately addressed by other environmental programs, and (3) whether sufficient data were available at this time on which to make a determination of potential adverse water quality impacts for the category of sources. As discussed previously, EPA searched for applicable nationwide data on the water quality impacts of such categories of facilities.

By application of the first criterion, the likelihood for exposure, EPA considered the nature of potential pollutant sources in exposed portions of such sites. As precipitation contacts industrial materials or activities, the resultant runoff is likely to mobilize and become contaminated by pollutants. As the size of these exposed areas increases, EPA expects a proportional increase in the pollutant loadings leaving the site. If EPA concluded that a category of sources has a high potential for exposure of raw materials, intermediate products, final products, waste materials, byproducts, industrial machinery, or industrial activity to rainfall, the Agency rated that category of sources as having "high" potential for adverse water quality impact. EPA's application of the first criterion showed that a number of Group A and B sources have a high likelihood of exposure of pollutants.

Through application of the second criterion, EPA assessed the likelihood

that pollutant sources are regulated in a comprehensive fashion under other environmental protection programs, such as programs under the Resource Conservation and Recovery Act (RCRA) or the Occupational Health and Safety Act (OSHA). If EPA concluded that the category of sources was sufficiently addressed under another program, the Agency rated that source category as having "low" potential for adverse water quality impact. Application of the second criterion showed that some categories were likely to be adequately addressed by other programs.

After application of the third criterion, availability of nationwide data on the various storm water discharge categories, EPA concluded that available data would not support any such nationwide designations. While such data could exist on a regional or local basis, EPA believes that permitting authorities should have flexibility to regulate only those categories of sources contributing to localized water quality impairments.

EPA received comments requesting designation of additional industrial, commercial and retail sources (*e.g.*, industrial activity "look-alikes", roads, commercial facilities and institutions, and vehicle maintenance facilities) in the final rule, because the commenters believe that the data exist to support national designation of some of these sources. Other comments were received opposing designation of any additional sources. Today's rule does not designate any additional industrial or commercial category of sources either because EPA currently lacks information indicating a consistent potential for adverse water quality impact or because of EPA's belief that the likelihood of adverse impacts on water quality is low, with some possible exceptions on a more local basis. Since the time the Agency submitted the Report, EPA has continued to seek additional data and has requested available data from the FACA members. If sufficient regional or nationwide data become available in the future, the permitting authority could at that time designate a category of sources or individual sources on a case-by-case basis. Therefore, today's rule encourages control of storm water discharges from Groups A and B through self-initiated, voluntary BMPs, unless the discharge (or category of discharges) is designated for permitting by the permitting authority. See discussion in section I.D., EPA's Reports to Congress.

3. ISTEA Sources

Provisions within the Intermodal Surface Transportation and Efficiency Act (ISTEA) of 1991 temporarily

exempted storm water discharges associated with industrial activity that are owned or operated by municipalities serving populations less than 100,000 people (except for airports, power plants, and uncontrolled sanitary landfills) from the need to apply for or obtain a storm water discharge permit (section 1068(c) of ISTEA). Congress extended the NPDES permitting moratorium for these facilities to allow small municipalities additional time to comply with NPDES requirements for certain sources of industrial storm water. The August 7, 1995 storm water final rule (60 FR 40230) further extended this moratorium until August 7, 2001. However, today's rule changes this deadline so that previously exempted industrial facilities owned or operated by municipalities serving populations less than 100,000 people, must now submit an application for a permit within 3 years and 90 days from date of publication of today's rule.

EPA received comments recommending that permit requirements for municipally owned or operated industrial storm water discharges, including those previously exempt under ISTEA, be included in a single NPDES permit for all MS4 storm water discharges. The existing NPDES regulations already provide permitting authorities the ability to issue a single "combination" permit for MS4 discharges. However, if the permitting authorities chose to issue this type of permit, they must make sure that in doing so, they are not creating a double standard for industrial facilities covered under the combination permit versus those covered under separate general or individual permits. In order to avoid this double standard, combination permits would have to contain requirements that are the same or very similar to the requirements found in separate MS4 and industrial permits, *i.e.*, the minimum measures and other necessary requirements of an MS4 permit, and the SWPPP, monitoring and reporting requirements, and other necessary requirements of an industrial permit. If such a combined MS4 general permit were issued, the regulations require that each discharger submit NOIs for their respective discharges, except for discharges from small construction activities. Flexibility exists in developing a combination NOI which could reduce the need to submit duplicative information, *e.g.* owner/operator name and address. The combination NOI would still need to require specific information for each separate municipally owned or operated industrial location, including

construction projects disturbing 5 or more acres. The regulations at § 122.28(b)(2)(ii) list the necessary contents of an NOI, which require: the facility name, facility address, type of facility or discharge and receiving stream for each industrial discharge location. When viewed in its entirety, a combination permit, which by necessity would need to contain all elements of otherwise separate industrial and MS4 permit requirements, and require NOI information for each separate industrial activity, may have few advantages when compared to obtaining separate MS4 and industrial general permit coverage.

In order to allow the permitting authority to issue a single storm water permit for the MS4 and all municipally owned or operated industrial facilities, including those previously exempt under ISTEA, today's rule requires applications for ISTEA sources within 3 yrs and 90 days from date of publication of today's rule. The permitting authority has the ultimate decision to determine whether or not a single all-encompassing MS4 permit is appropriate.

4. Residual Designation Authority

The NPDES permitting authority's existing designation authority, as well as the petition provisions are being retained. Today's rule contains two provisions related to designation authority at §§ 122.26(a)(9)(i)(C) and (D). Subsection (C) adds designation authority where storm water controls are needed for the discharge based upon wasteload allocations that are part of TMDLs that address the pollutant(s) of concern. EPA intends that the NPDES permitting authority have discretion in the matter of designations based on TMDLs under subsection (C). Subsection (D) carries forward residual designation authority under former § 122.26(g), and has been modified to provide clarification on categorical designation. Under today's rule, EPA and authorized States continue to exercise the authority to designate remaining unregulated discharges composed entirely of storm water for regulation on a case-by-case basis (including § 123.35). Individual sources are subject to regulation if EPA or the State, as the case may be, determines that the storm water discharge from the source contributes to a violation of a water quality standard or is a significant contributor of pollutants to waters of the United States. This standard is based on the text of section CWA 402(p). In today's rule, EPA believes, as Congress did in drafting section CWA 402(p)(2)(E), that individual instances of storm water discharge might warrant

special regulatory attention, but do not fall neatly into a discrete, predetermined category. Today's rule preserves the regulatory authority to subsequently address a source (or category of sources) of storm water discharges of concern on a localized or regional basis. For example, as States and EPA implement TMDLs, permitting authorities may need to designate some point source discharges of storm water on a categorical basis either locally or regionally in order to assure progress toward compliance with water quality standards in the watershed.

EPA received comments asking that § 122.26(a)(9)(i)(D) as proposed be modified to include specific language clarifying the permitting authority's ability to designate additional sources on a categorical basis as explained in the preamble to the proposed rule. One comment requested that the designation language include "categories of sources on a Statewide basis." EPA agrees that the intent of the language may not have been clear regarding categorical designation. Today's rule modifies subsection (D) to clarify that the designation authority can be applied within different geographic areas to any single discharge (i.e., a specific facility), or category of discharges that are contributing to a violation of a water quality standard or are significant contributors of pollutants to waters of the United States. The added term "within a geographic area" allows "State-wide" or "watershed-wide" designation within the meaning of the terms.

One commenter questioned the Agency's legal authority to provide for such residual designation authority. The stakeholder argued that the lapse of the October 1, 1994, permitting moratorium under CWA section 402(p)(1) eliminated the significance of the CWA section 402(p)(2) exceptions to the moratorium, including the exception for discharges of storm water determined to be contributing to a violation of a water quality standard or a significant contributor of pollutants under CWA section 402(p)(2)(E). The stakeholder further argued that EPA's authority to designate sources for regulation under CWA section 402(p)(6) is limited to storm water discharges other than those described under CWA section 402(p)(2). Because CWA section 402(p)(2)(E) describes individually designated discharges, the stakeholder concluded that regulations under CWA section 402(p)(6) cannot provide for post-promulgation designation of individual sources. EPA disagrees.

First, as explained previously, EPA anticipates that NPDES permitting

authorities may yet determine that individual unregulated point sources of storm water discharges require regulation on a case-by-case basis. This conclusion is consistent with the Congress' recognition of the potential need for such designation under the first phase of storm water regulation as described in CWA section 402(p)(2)(E). Under CWA section 402(p)(2)(E), Congress recognized the need for both EPA and the State to retain authority to regulate unregulated point sources of storm water under the NPDES permit program. Second, to the extent that CWA section 402(p)(6) requires designation of a "category" of sources, the permitting authority may designate such (as yet unidentified) sources as a category that should be regulated to protect water quality. Though such sources may exist and discharge today, if neither EPA nor the State/Tribal NPDES permitting authority has designated the source for regulation under CWA section 402(p)(2)(E) to date, then CWA section 402(p)(6) provides the authority to designate such sources.

The Agency can designate a category of "not yet identified" sources to be regulated, based on local concerns, even if data do not exist to support nationwide regulation of such sources. EPA does not interpret the language in CWA section 402(p) to preclude States from exercising designation authority under these provisions because such designation (and subsequent regulation of designated sources) is within the "scope" of the NPDES program.

EPA also believes that sources regulated pursuant to a State designation are part of (and regulated under) a federally approved State NPDES program, and thus subject to enforcement under CWA sections 309 and 505. Under existing NPDES State program regulations, State programs that are "greater in scope of coverage" are not part of the federally-approved program. By contrast, any such State regulation of sources in this "reserved category" will be within the scope of the federal program because today's rule recognizes the need for such post promulgation designations of unregulated point sources of storm water. Such regulation will be "more stringent" than the federal program rather than "greater in scope of coverage" (40 CFR 123.1(h)).

EPA does not interpret the congressional direction in CWA section 402(p)(6) to preclude regulation of point sources of storm water that should be regulated to protect water quality. Under CWA section 510, Congress expressly recognized and preserved the authority of States to adopt and enforce

more stringent regulation of point sources, as well as any requirement respecting the control or abatement of pollution. Section 510 applies, "except as expressly provided" in the CWA. CWA section 502(14) does expressly provide affirmative limitations on the regulation of certain pollutant sources through the point source control program, the NPDES permitting program. Section 502(14) excludes agricultural storm water and return flows from irrigated agriculture from the definition of point source, and section 402(l) limits applicability of the section 402 permit program for return flows from irrigated agriculture, as well as for storm water runoff from certain oil, gas, and mining operations. Unlike sections 502(14) and 402(l), EPA does not interpret CWA section 402(p)(6) as an express provision limiting the authority to designate point sources of storm water for regulation on a case-by-case basis after the promulgation of final regulations. Any source of storm water discharge is encouraged to assess its potential for storm water contamination and take preventive measures against contamination. Such proactive actions could result in the avoidance of future regulation.

One comment was received requesting clarification of the term "non-municipal" in § 122.26(a)(9)(ii). The commenter is concerned that the term "non-municipal," in this context, implies that municipally owned or operated facilities cannot be designated. The term "non-municipal" in this context refers to the universe of unregulated industrial and commercial facilities that could potentially be designated according to § 122.26(a)(9)(i) authority. There is no exemption for municipally owned or operated facilities under these designation provisions.

Finally, EPA received comments and evaluated the proposal under which operators of regulated small, medium, and large MS4s would be responsible for controlling discharges from industrial and other facilities into their systems in lieu of requiring NPDES permit coverage for such facilities. EPA did not adopt this framework due to concerns with administrative and technical burden on the MS4 operators, as well as concerns about such an intergovernmental mandate.

J. Conditional Exclusion for "No Exposure" of Industrial Activities and Materials to Storm Water

1. Background

In 1992, the Ninth Circuit court remanded to EPA for further

rulemaking, a portion of the definition of "storm water discharge associated with industrial activity" that excluded the category of industrial activity identified as "light industry" when industrial materials and/or activities were not exposed to storm water. See *NRDC v. EPA*, 966 F.2d 1292, 1305 (9th Cir. 1992). Today's final rule responds to that remand. In the 1990 storm water regulations, EPA excluded the light industry category from the requirement for an NPDES permit if the industrial materials and/or activities were not "exposed" to storm water (see § 122.26(b)(14)). The Agency had reasoned that most of the activity at these types of facilities takes place indoors and that emissions from stacks, use of unboxed manufacturing equipment, outside material storage or disposal, and generation of large amounts of dust or particles would be atypical (55 FR 48008, November 16, 1990).

The Ninth Circuit determined that the exemption was arbitrary and capricious for two reasons. First, the court found that EPA had not established a record to support its assumption that light industry that was not exposed to storm water was not "associated with industrial activity," particularly when other types of industrial activity not exposed to storm water remained "associated with industrial activity." The court specifically found that "[t]o exempt these industries from the normal permitting process based on an unsubstantiated assumption about this group of facilities is arbitrary and capricious." Second, the court concluded that the exemption impermissibly "altered the statutory scheme" for permitting because the exemption relied on the unverified judgment of the light industrial facility operator to determine non-applicability of the permit application requirements. In other words, the court was critical that the operator would determine for itself that there was "no exposure" and then simply not apply for a permit without any further action. Without a basis for ensuring the effective operation of the permitting scheme—either that facilities would self-report actual exposure or that EPA would be required to inspect and monitor such facilities—the court vacated and remanded the rule to EPA for further rulemaking.

One of the major concerns expressed by the FACA Committee, was that EPA streamline and reinvent certain troublesome or problematic aspects of the existing permitting program for storm water discharges. One area identified was the mandatory applicability of the permitting program

to all industrial facilities, even those "light industrial" activities that are of very low risk or of no risk to storm water contamination. Such dischargers may not have any industrial sources of storm water contamination on the plant site, yet they are still required to apply for an NPDES storm water permit and meet all permitting requirements. Examples of such facilities are a soap manufacturing plant (SIC Code 28) or hazardous waste treatment and disposal facility, where all industrial activities, even loading docks, are inside a building or under a roof.

Although they did not provide a written report, the FACA Committee members advised EPA that the existing storm water program should be revised to allow such facilities to seek an exclusion from the NPDES storm water permitting requirements. The Committee agreed that such an exclusion should also provide a strong incentive for other industrial facilities that conduct industrial activities outdoors to move the activities under cover or into buildings to prevent contamination of rainfall and storm water runoff. The committee believed that such a "no exposure" permit exclusion could be a valuable incentive for storm water pollution prevention.

In today's final rule, the Agency responds to both of the bases for the court's remand. The exclusion from permitting based on "no exposure" applies to all industrial categories listed in the existing storm water regulations except construction. The court's opinion rejected EPA's distinction between light industry and other industry, but it did not preclude an interpretation that treats all "non-exposed" industrial facilities in the same fashion. Presuming that an industrial facility adequately prevents exposure of industrial materials and activities to storm water, today's rule treats discharges from "non-exposed" industrial facilities in a manner similar to the way Congress intended for discharges from administrative buildings and parking lots. Specifically, permits will not be required for storm water discharges from these facilities on a categorical basis.

To assure that discharges from industrial facilities really are similar to discharges from administrative buildings and parking lots, and to respond to the second basis for the court's remand, the permitting exclusion is "conditional". The person responsible for a point source discharge from a "no exposure" industrial source must meet the conditions of the exclusion, and complete, sign and submit the certification to the permitting authority for tracking and

accountability purposes. EPA believes today's rule, therefore, is fully consistent with the direction provided by the court.

EPA relied upon the "no exposure" concept discussed by the FACA Committee in developing the "no exposure" provisions of today's rule. EPA is deleting the sentence regarding "no exposure" for the facilities in § 122.26(b)(14)(xi) and adding a new § 122.26(g) titled "Conditional Exclusion for No Exposure of Industrial Activities to Storm Water." The "no exposure" provision will make storm water discharges from all classes of industrial facilities eligible for exclusion, except storm water discharges from regulated construction activities. Regulated construction activities cannot claim "no exposure" because the main pollutants of concern (e.g., sediment) generally cannot entirely be sheltered from storm water.

Today's rule represents a significant expansion in the scope of the "no exposure" provision originally promulgated in the 1990 rule, which was only for storm water discharges from light industry. The intent of today's "no exposure" provision is to provide a simplified method for complying with the CWA to all industrial facilities that are entirely indoors. This includes facilities that are located within a large office building, or at which the only items permanently exposed to precipitation are roofs, parking lots, vegetated areas, and other non-industrial areas or activities.

EPA received several comments related to storm water runoff from parking lots, roof tops, lawns, and other non-industrial areas of an industrial facility. Storm water discharges from these areas, which may contain pollutants or which may result in additional storm water flows, are not directly regulated under the existing storm water permitting program because they are not "storm water discharges associated with industrial activity". Many comments on this issue supported maintaining the exclusion from the existing regulations for storm water permitting for discharges from administrative buildings, parking lots, and other non-industrial areas. Other comments opposed allowing the continued exclusion for discharges from non-industrial areas of the site because discharges from these areas are potentially a significant cause of receiving water impairment. These comments urged that such discharges should not be excluded from NPDES permit coverage. Today's rule does not require permit coverage for discharges from a facility's exposed areas that are

separate from industrial activities such as runoff from office buildings and accompanying parking lots, lawns and other non-industrial areas. This approach is consistent with the existing storm water rules which were based on Congress's intent to exclude non-industrial areas such as "parking lots and administrative and employee buildings." 133 Cong. Rec. 985 (1987). EPA also lacks data indicating that discharges from these areas at an industrial facility cause significant receiving water impairments. Therefore, the non-industrial areas at a facility do not need to be assessed as part of the "no exposure" certification.

EPA received comments related to industrial facilities that achieve "no exposure" by constructing large amounts of impervious surfaces, such as roofs, where previously there were pervious or porous surfaces into which storm water could infiltrate. Some commenters made the point that large amounts of impervious area may cause a significant increase in storm water volume flowing off the industrial facility, and thus may cause adverse receiving water impacts simply due to the increased quantity of storm water flow. Some commenters said that storm water discharges from impervious areas at an industrial facility are generally more frequent, and often larger, than discharges from the pre-existing natural surfaces. They believe that these discharges will contain pollutants typical of commercial areas and roads and are an equal threat to direct human uses of the water and can cause equal damage to aquatic life and its habitat. Other commenters believe that if Congress or EPA addresses the issue of flow, it should be addressed on a broader scale than merely through the "no exposure" exclusion, and that EPA has no authority under any existing legal framework to regulate flow directly. Some commenters stated that developing federal parameters for the control of water quantity, *i.e.* flow, would result in federal intrusion into land use planning, an authority that they claim is solely within the purview of State governments and their political subdivisions.

EPA is not attempting to regulate flow via the "no exposure" provisions. EPA does agree, however, that increases in impervious surfaces can result in increased runoff volumes from the site which in turn may increase pollutant loading. In addition, the Agency notes that in some States water quality standards include water quality criteria for flow or turbidity. Therefore, in order to provide a minimal amount of information on possible impacts from

increased pollutant loading and runoff volume, EPA's "no exposure" certification form (see Appendix 4) asks the discharger to indicate if they have paved or roofed over a formerly exposed, pervious area in order to qualify for the "no exposure" exclusion. If the answer is yes, the discharger must indicate, by choosing from three possible responses, approximately how much impervious area was created to achieve "no exposure". The choices are: (1) less than 1 acre, (2) 1 to 5 acres, and (3) more than 5 acres. This requirement provides additional information that will aid in determining if discharges from the facility are causing adverse receiving water impacts. EPA intends to prevent water quality impacts resulting from increased discharges of pollutants, which may result from increased volume of runoff. In many cases, consideration of the increased flow rate, velocity and energy of storm water discharges, following construction of large amounts of impervious surfaces, must be taken into consideration in order to reduce the discharge of pollutants, to meet water quality standards and to prevent degradation of receiving streams. EPA recommends that dischargers consider these factors when making modifications to their site in order to qualify for the "no exposure" exclusion.

2. Today's Rule

In order to claim relief under the "no exposure" provision, the discharger of an otherwise regulated facility must submit a no exposure certification that incorporates the questions of § 122.26(g)(4)(iii) to the NPDES permitting authority once every 5 years. This provision applies across all categories of industrial activity covered by the existing program, except discharges from construction activities.

In addition to submitting a "no exposure" certification every 5 years, the facility must allow the NPDES permitting authority or operator of an MS4 (where there is a storm water discharge to the MS4) to inspect the facility and to make such inspection reports publicly available upon request. Also, upon request, the facility must submit a copy of the "no exposure" certification to the operator of the MS4 into which the facility discharges (if applicable). All "no exposure" certifications must be signed in accordance with the signatory requirements of § 122.22. The "no exposure" certification is non-transferable. In the event that the facility operator changes, the new discharger must submit a new "no exposure" certification.

Members of the FACA Committee urged that EPA not allow dischargers certifying "no exposure" to take actions to qualify for this provision that result in a net environmental detriment. In developing a regulatory implementation mechanism, however, EPA found that the phrase "no net environmental detriment," was too imprecise to use within this context. Therefore, today's rule addresses this issue by requiring information that should help the permitting authority to determine whether actions taken to qualify for the exclusion interfere with the attainment or maintenance of water quality standards, including designated uses. Permitting authorities will be able, where necessary, to make a determination by evaluating the activities that changed at the industrial site to achieve "no exposure", and assess whether these changes cause an adverse impact on, or have the reasonable potential to cause an instream excursion of, water quality standards, including designated uses. EPA anticipates that many efforts to achieve "no exposure" will employ simple good housekeeping and contaminant cleanup activities. Other efforts may involve moving materials and industrial activities indoors into existing buildings or structures.

In very limited cases, industrial operators may make major changes at a site to achieve "no exposure". These efforts may include constructing a new building or cover to eliminate exposure or constructing structures to prevent run-on and storm water contact with industrial materials or activities. Where major changes to achieve "no exposure" increase the impervious area of the site, the facility operator must provide this information on the "no exposure" certification form as discussed above. Using this and other available data and information, permitting authorities should be able to assess whether any major change has resulted in increased pollutant concentrations or loadings, toxicity of the storm water runoff, or a change in natural hydrological patterns that would interfere with the attainment and maintenance of water quality standards, including designated uses or appropriate narrative, chemical, biological, or habitat criteria where such State or Tribal water quality standards exist. In these instances, the facility operator and their NPDES permitting authority should take appropriate actions to ensure that attainment or maintenance of water quality standards can be achieved. The NPDES permitting authority should decide if the facility must obtain coverage under an

individual or general permit to ensure that appropriate actions are taken to address adverse water quality impacts.

While the intent of today's "no exposure" provision is to reduce the regulatory burdens on industrial facilities and government agencies, the FACA Committee suggested that the NPDES permitting authority consider a compliance assessment program to ensure that facilities that have availed themselves of this "no exposure" option meet the applicable requirements. Inspections could be conducted at the discretion of the NPDES authority and be coordinated with other facility inspections. EPA expects, however, that the permitting authority will conduct inspections when it becomes aware of potential water quality impacts possibly caused by the facility's storm water discharges or when requested to do so by adversely affected members of the public. The intent of this provision is that the 5 year "no exposure" certification be fully available to, and enforceable by, appropriate federal and State authorities under the CWA. Private citizens can enforce against facilities for discharges of storm water that are inconsistent with a "no exposure" certification if storm water discharges from such facilities are not otherwise permitted and in compliance with applicable requirements.

EPA received comments from owners, operators and representatives of Phase I facilities classified as "light industry" as defined by the regulations at § 122.26(b)(14)(xi). The comments recommended maintaining the approach of the existing regulations which does not require the discharger to submit any supporting documentation to the permitting authority in order to claim the "no exposure" exclusion from permitting. As discussed previously, the "no exposure" concept was developed in response to the Ninth Circuit court's remand of part of the existing rules back to EPA. The court found that EPA cannot rely on the "unverified judgment" of the facility. The comments opposing documentation did not address the "unverified judgment" concern.

Today's rule is a "conditional" exclusion from permitting which requires all categories, including the "light industrial" facilities that have no exposure of materials to storm water, to submit a certification to the permitting authority. Upon receipt of a complete certification, the permitting authority can review the information, or call, or inspect the facility if there are doubts about the facility's "no exposure" claim. Also, if the facility discharges into an MS4, the operator of the MS4 can

request a copy of the certification, and can inspect the facility. The public can request a copy of the certification and/or inspection reports. In adopting these conditional "no exposure" provisions, the Agency addressed the Ninth Circuit court's ruling regarding the discharger's unverified judgment.

EPA received one comment requesting clarification on whether the anti-backsliding provisions in the regulations at § 122.44(l) apply to industrial facilities that are currently covered under an NPDES storm water permit, and whether such facilities could qualify for the "no exposure" exclusion under today's rule. The anti-backsliding provisions will not prevent most industrial facilities that can certify "no exposure" under today's rule from qualifying for an exclusion from permitting. The anti-backsliding provisions contain 5 exceptions that allow permits to be renewed, reissued or modified with less stringent conditions. One exception at § 122.44(l)(2)(A) allows less stringent conditions if "material and substantial alterations or additions to the permitted facility occurred after permit issuance which justify the application of a less stringent effluent limitation." Section 122.44(l)(B)(1) also allows less stringent requirements if "information is available which was not available at the time of permit issuance and which would have justified the application of less stringent effluent limitations at the time of permit issuance." Facility's operators who certify "no exposure" and submit the required information once every 5 years will have provided the permitting authority "information that was not available at the time of permit issuance." Also, some facilities may, in order to achieve "no exposure", make "material and substantial alterations or additions to the permitted facility." Therefore, most facilities covered under existing NPDES general permits for storm water (e.g., EPA's Multi-Sector General Permit) will be eligible for the conditional "no exposure" exclusion from permitting without concern about the anti-backsliding provisions. Such dischargers will have met one or both of the anti-backsliding exceptions detailed above. Facilities that are covered under individual permits containing numeric limitations for storm water should consult with their permitting authority to determine whether the anti-backsliding provisions will prevent them from qualifying for the exclusion from permitting (for that discharge point) based on a certification of "no exposure".

EPA received several comments regarding the timing of when the “no exposure” certification should be submitted. The proposed rule said that the “no exposure” certification notice must be submitted “at the beginning of each permit term or prior to commencing discharges during a permit term.” Some commenters interpreted this statement to mean that existing facilities can only submit the certification at the time a permit is being issued or renewed. EPA intended the phrase “at the beginning of each permit term” to mean “once every 5 years” and today’s rule reflects this clarification. EPA envisions that the NPDES storm water program will be implemented primarily through general permits which are issued for a 5 year term. Likewise the “no exposure” certification term is 5 years. The NPDES permitting authority will maintain a simple registration list that should impose only a minor administrative burden on the permitting authority. The registration list will allow for tracking of industrial facilities claiming the exclusion. This change allows a facility to submit a “no exposure” certification at any time during the term of the permit, provided that a new certification is submitted every 5 years from the time it is first submitted (assuming that the facility maintains a “no exposure” status). Once a discharger has established that the facility meets the definition of “no exposure”, and submits the necessary “no exposure” certification, the discharger must maintain their “no exposure” status. Failure to maintain “no exposure” at their facility could result in the unauthorized discharge of pollutants to waters of the United States and enforcement for violation of the CWA. Where a discharger believes that exposure could occur in the future due to some anticipated change at the facility, the discharger should submit an application and obtain coverage under an NPDES permit prior to such discharge to avoid penalties.

Where EPA is the permitting authority, dischargers may submit a “no exposure” certification at any time after the effective date of today’s rule. Where EPA is not the permitting authority, dischargers may not be able to submit the certification until the non-federal permitting authority completes any necessary statutory or regulatory changes to adopt this “no exposure” provision. EPA recommends that the discharger contact the permitting authority for guidance on when the “no exposure” certification should be submitted.

EPA received comments on the proposed rule requirement that the

discharger “must comply immediately with all the requirements of the storm water program including applying for and obtaining coverage under an NPDES permit,” if changes occur at the facility which cause exposure of industrial activities or materials to storm water. The comments expressed the difficulty of immediate compliance. EPA expects that most facility changes can be anticipated, therefore dischargers should apply for and obtain NPDES permit coverage in advance of changes that result in exposure to industrial activities or materials. Permitting authorities may grant additional time, on a case-by-case basis, for preparation and implementation of a storm water pollution prevention plan.

Finally, today’s rule at § 122.26(g)(4) includes the information which must be included on the “no exposure” certification. Authorized States, Tribes or U.S. Territories may develop their own form which includes this required information, at a minimum. EPA adopted the requirements (with modification) from the draft “No Exposure Certification Form” published as an appendix to the proposed rule. Modifications were made to the draft form to address comments received and to streamline the required information. EPA included these certification requirements in today’s rule in order to preserve its integrity. Dischargers in areas where EPA is the permitting authority should use the “No Exposure Certification” form included in Appendix 4.

3. Definition of “No Exposure”

For purposes of this section, “no exposure” means that all industrial materials or activities are protected by a storm resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. Industrial materials or activities include, but are not limited to, material handling equipment or activities, industrial machinery, raw materials, intermediate products, by-products, final products, or waste products. Material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, final product or waste product. However, storm resistant shelter is not required for: (1) Drums, barrels, tanks, and similar containers that are tightly sealed, provided those containers are not deteriorated and do not leak; (2) adequately maintained vehicles used in material handling; and (3) final products, other than products that would be mobilized in storm water discharge (e.g., rock salt). Each of these three exceptions to the no exposure

definition are discussed in more detail below.

EPA intends the term “storm resistant shelter” to include completely roofed and walled buildings or structures, as well as structures with only a top cover but no side coverings, provided material under the structure is not otherwise subject to any run-on and subsequent runoff of storm water. While the Agency intends that this provision promote permanent “no exposure”, EPA understands that certain vehicles could pass between buildings and, during passage, be exposed to rain and snow. Adequately maintained vehicles such as trucks, automobiles, forklifts, or other such general purpose vehicles at the industrial site that are not industrial machinery, and that are not leaking contaminants or are not otherwise a source of industrial pollutants, could be exposed to precipitation or runoff. Such activities alone does not prevent a discharger from being able to certify no exposure under this provision. Similarly, trucks or other vehicles awaiting maintenance at vehicle maintenance facilities, as defined at § 122.26(b)(14)(viii), that are not leaking contaminants or are not otherwise a source of industrial pollutants, are not considered exposed.

In addition, EPA recognizes that there are circumstances where permanent “no exposure” of industrial activities or materials is not possible. Under such conditions, materials and activities may be sheltered with temporary covers, such as tarps, between periods of permanent enclosure. The final rule does not specify every such situation. EPA intends that permitting authorities will address this issue on a case-by-case basis. Permitting authorities can determine the circumstances under which temporary structures will or will not meet the requirements of this section. Until permitting authorities specifically determine otherwise, EPA recommends application of the “no exposure” exclusion for temporary sheltering of industrial materials or activities only during facility renovation or construction, provided that the temporary shelter achieves the intent of this section. Moreover, “exposure” that results from a leak in protective covering would only be considered “exposure” if not corrected prior to the next storm water discharge event. EPA received one comment requesting that this allowance for temporary shelter be limited to facility renovation or construction directly related to the industrial activity requiring temporary shelter, and be scheduled to minimize the use of temporary shelter. Another comment suggested placing time limits

on the use of temporary shelter. The commenter did not recommend a specific time period, rather the comment said that renovation in some instances may take years, and that EPA should not allow temporary shelter over prolonged periods. EPA agrees that the use of temporary shelter must be related to the renovation or construction at the site, and be scheduled or designed to minimize the use of temporary shelter. Further, EPA agrees that the use of temporary shelter should be limited in duration, but does not intend to define "temporary" or "prolonged period".

Many final products are intended for outdoor use and pose little risk of storm water contamination, such as new cars. Therefore, final products, except those that can be mobilized in storm water discharge, can be "exposed" and still allow the discharge to certify "no exposure". EPA intends the term "final products" to mean those products that are not used in producing another product. Any product that can be used to make another product is considered an "intermediate product." For example, a facility that makes horse trailers can store the finished trailers outdoors as a final product. The storage of those final products does not prevent eligibility to claim "no exposure". However, any facility that makes parts for the horse trailers (e.g., metal tubing, sheet metal, paint) is not eligible for the "no exposure" exclusion from permitting if those "intermediate products" are stored outdoors (i.e., "exposed").

EPA received comments related to materials in drums, barrels, tanks and similar containers. Some comments objected to the language in the preamble to the proposed rule that would have recommended that the "exposure" determination for drums and barrels be based on the "potential to leak." Those comments said that all drums and barrels have the potential to leak, thereby making certification impossible. They recommended allowing outdoor storage of drums and barrels except for those that "are leaking" at the time of certification. Other comments suggested allowing drums and barrels to be stored outside only if the drums and barrels: are empty; have secondary containment; or there is a spill contingency plan in place. Opposing comments suggested that allowing outdoor exposure of drums and barrels, based on existing integrity and condition, is inconsistent with the "however packaged" proposed rule language, and also would not satisfy the Ninth Circuit remand. The comments point out that the former rule was invalidated by the court in part because it relied on the "unverified

judgment" of the light industrial facility operator to determine the non-applicability of the permit requirements, and that allowing the facility operator to determine the condition of their drums and barrels would result in the same flaw.

In response, EPA believes that drums and barrels that are stored outdoors pose little risk of storm water contamination unless they are open, deteriorated or leaking. The Agency has modified today's rule accordingly. EPA intends the term "open" to mean any container that is not tightly sealed and "sealed" to mean banded or otherwise secured and without operational taps or valves. Drums, barrels, tanks, and similar containers may only be stored outdoors under this conditional exclusion. The addition of material to or withdrawing of material from these containers while outside is deemed "exposure". Moving the containers while outside does not create "exposure" provided that the containers are not open, deteriorated or leaking. In order to complete the "no exposure" certification, a facility operator must inspect all drums, barrels, tanks or other containers stored outside to ensure that they are not open, deteriorated, or leaking. EPA recommends that the discharger designate someone at the facility to conduct frequent inspections to verify that the drums, barrels, tanks or other containers remain in a condition such that they are not open, deteriorated or leaking. Drums, barrels, tanks or other containers stored outside that have valves which are used to put material in or take material out of the container, and that have dripped or may drip, are considered to be "leaking" and must be under a storm resistant shelter in order to qualify for the no exposure exclusion. Likewise, leaking pipes containing contaminants exposed to storm water are deemed "exposed." If at any time drums, barrels, tanks or similar containers are opened, deteriorated or leaking, the discharger should take immediate actions to close or replace the container. Any resulting unpermitted discharge would violate the CWA. The Director, the operator of the MS4, or the municipality may inspect the facility to verify that all of the applicable areas meet the "no exposure" conditions as specified in the rule language. In requiring submission of the conditional "no exposure" certification and allowing the permitting authority and the operator of the MS4 to inspect the facility, today's rule does not rely on the unverified judgment of the facility to determine that the no exposure provision is being met.

EPA received several comments related to trash dumpsters that are located outside. The preamble to the proposed rule listed dumpsters in the same grouping as drums and barrels, which based exposure on the "potential to leak". Today's rule distinguishes between dumpsters and drums/barrels. In the Phase I Question and Answer document (volume 1, question 52) the Agency noted that a covered dumpster containing waste material that is kept outside is not considered "exposed" as long as "the container is completely covered and nothing can drain out holes in the bottom, or is lost in loading onto a garbage truck." EPA affirms this approach today. Industrial refuse and industrial trash that is left uncovered is deemed "exposed."

For purposes of this provision, particulate matter emissions from roof stacks/vents that are regulated and in compliance under other environmental protection programs, such as air quality control programs, and that do not cause storm water contamination, are considered "not exposed." EPA received comments on the phrase in the draft "no exposure" certification form that asked whether "particulate emissions from roof stacks/vents not otherwise regulated, and in quantities detectable in the storm water outflow," are exposed to precipitation. One comment expressed concern that the phrase "in quantities detectable in the storm water outflow" implies that the facility must conduct monitoring prior to completing the checklist, and must continue to monitor after receiving the no exposure exclusion, in order to be able to verify compliance with the no exposure provision. Another comment said that current measurement technology allows detection of pollutants at levels that may not cause environmental harm. EPA does not intend to require monitoring of runoff from facilities with roof stacks/vents prior to or after completing and submitting the no exposure certification. EPA has thus replaced the phrase "in quantities detectable" with "evident" to convey the message that emissions from some roof stacks/vents have the potential to contaminate storm water discharges in quantities that are considered significant or that cause or contribute to a water quality standards violation. In those instances where the permitting authority determines that particulate emissions from facility roof stacks/vents are a significant contributor of pollutants or contributing to water quality violations, the permitting authority may require the discharger to apply for and obtain coverage under a

permit. Visible deposits of residuals (e.g., particulate matter) near roof or side vents are considered "exposed". Likewise, visible "track out" (i.e., pollutants carried on the tires of vehicles) or windblown raw materials are deemed "exposed."

EPA received a comment requesting an allowance under the "no exposure" provision for industrial facilities with several outfalls at a site where some, but not all of the outfalls drain non-exposed areas. The commenter provided an example of an industrial facility that has 5 outfalls draining different areas of the site, where two of those outfalls drain areas where industrial activities or materials are not exposed to storm water. The comment requested that the facility in this example be allowed to submit a "no exposure" certification in order to be relieved of permitting obligations for discharges from those two outfalls.

EPA agrees, but the comment would be implemented on an outfall-by-outfall basis in the permitting process, not through the "no exposure" exclusion. The "no exposure" provision was developed to allow exclusion from permitting of discharges from entire industrial facilities (except construction), based on a claim of "no exposure" for all areas of the facility where industrial materials or activities occur. Where exposure to industrial materials or activities exist at some but not all areas of the facility, the "no exposure" exclusion from permitting is not allowed because permit coverage is still required for storm water discharges from the exposed areas. Relief from permit requirements for outfalls draining non-exposed areas should be addressed through the permit process, in coordination with the permitting authority. Most NPDES general permits for storm water discharge provide enough flexibility to allow minimal or no requirements for non-exposed areas at industrial facilities. If the permitting authority determines that additional flexibility is needed for this scenario, the permits could be modified as necessary.

K. Public Involvement/Public Role

The Phase II FACA Subcommittee discussed the appropriate role of the public in successful implementation of a municipal storm water program. EPA believes that an educated and actively involved public is essential to a successful municipal storm water program. An educated public increases program compliance from residents and businesses as they realize their individual and collective responsibility for protecting water resources (e.g., the

residents and businesses could be subject to a local ordinance that prohibits dumping used oil down storm sewers). Finally, the program is also more likely to receive public support and participation when the public is actively involved from the program's inception and allowed to participate in the decision making process.

In a time of limited staff and financial resources, public volunteers offer diverse backgrounds and expertise that may be used to plan, develop, and implement a program that is tailored to local needs (e.g., participate in public meetings and other opportunities for input, perform lawful volunteer monitoring, assist in program coordination with other preexisting and related programs, aid in the development and distribution of educational materials, and provide public training activities). The public's participation is also useful in the areas of information dissemination/education and reporting of violators, where large numbers of community members can be more effective than a few regulators.

The public can also petition the NPDES permitting authority to require an NPDES permit for a discharge composed entirely of storm water that contributes to a violation of a water quality standard or is a significant contributor of pollutants to waters of the United States. In evaluating such a petition, the NPDES permitting authority is encouraged to consider the set of designation criteria developed for the evaluation of small MS4s located outside of an urbanized area in places with a population of at least 10,000 and a population density of 1,000 or more. Furthermore, any person can protect water bodies by taking civil action under section 505 of the CWA against any person who is alleged to be in violation of an effluent standard or permit condition. If civil action is taken, EPA encourages citizen plaintiffs to resolve any disagreements or concerns directly with the parties involved, either informally or through any available alternative dispute resolution process.

EPA recognizes that public involvement and participation pose challenges. It requires a substantial initial investment of staff and financial resources, which could be very limited. Even with this investment, the public might not be interested in participating. In addition, public participation could slow down the decision making process. However, the benefits are numerous.

EPA encourages members of the public to contact the NPDES permitting authority or local MS4s operator for information on the municipal storm water program and ways to participate.

Such information may also be available from local environmental, nonprofit and industry groups.

Some commenters stressed the need to suggest to the public that they have a responsibility to fund the municipal storm water program. While EPA believes it is important that the program be adequately funded, today's rule does not address appropriate mechanisms or levels for such funding.

EPA received comments expressing concern that considerable public involvement requirements could result in increased litigation. EPA is not convinced there is a correlation between meaningful public education programs and any increased probability of litigation.

Finally, EPA received comments stating that the Agency should not encourage volunteer monitoring unless proper procedures are followed. EPA agrees. EPA encourages only lawful monitoring, i.e., obtaining the necessary approval if there is any question about lawful access to sites. Moreover, as a matter of good practice and to enhance the validity and usefulness of the results, any party, public or private, conducting water quality monitoring is encouraged to use appropriate quality control procedures and approved sampling and analytic methods.

L. Water Quality Issues

1. Water Quality Based Effluent Limits

In addition to technology based requirements, all point source discharges of industrial storm water are subject to more stringent NPDES permitting requirements when necessary to meet water quality standards. CWA sections 402(p)(3)(A) and 301(b)(1)(C). For municipal separate storm sewers, EPA or the State may determine that other permit provisions (e.g. one of the minimum measures) are appropriate to protect water quality and, for discharges to impaired waters, to achieve reasonable further progress toward attainment of water quality standards pending implementation of a TMDL. CWA section 402(p)(3)(B)(iii). See *Defenders of Wildlife, et al. Browner*, No. 98-71080 (9th cir., August 11, 1999). Discharges of storm water also must comply with applicable antidegradation policies and implementation methods to maintain and protect water quality. 40 CFR 131.12. Section 122.34(a) emphasizes this point by specifically noting that a storm water management program designed to reduce the discharge of pollutants from the storm sewer system "to the maximum extent practicable" is also designed to protect water quality.

Permits issued to non-municipal sources of storm water must include water quality-based effluent limits where necessary to meet water quality standards.

Commenters challenged EPA's interpretation of the CWA as requiring water quality-based effluent limits for MS4s when necessary to protect water quality. Commenters asserted that CWA 402(p)(3)(B), which addresses permit requirements for municipal discharges, limits the scope of municipal program requirements to an effective prohibition on non-storm water discharges to a separate storm sewer and to controls which reduce pollutants to the "maximum extent practicable, including management practices, control techniques and system design and engineering methods." They asserted that the final rule should clarify that neither numeric nor narrative water quality-based limits are appropriate or authorized for MS4s.

EPA disagrees that section 402(p)(3) divests permitting authorities of the tools necessary to issue permits to meet water quality standards. Section 402(p)(3)(B)(iii) specifically preserves the authority for EPA or the State to include other provisions determined appropriate to reduce pollutants in order to protect water quality. *Defenders of Wildlife*, slip op. at 11688. Small MS4s regulated under today's rule are designated under CWA 402(p)(6) "to protect water quality."

Commenters argued that water quality standards, particularly numeric criteria, were not designed to address storm water discharges. The episodic nature and magnitude of storm water events, they argue, make it impossible to apply the "end of pipe" compliance assessment approach, for example, in the development of water quality based effluent limits.

EPA's disagrees with the commenters arguments about the inability of water quality criteria to address high flow conditions. Today's final rule does, however, address the concern that numeric effluent limits will necessitate end of pipe treatment and the need to provide a workable alternative.

Today's rule was developed under the approach outlined in the Interim Permitting Policy for Water Quality-Based Effluent Limitations in Storm Water Permits, issued on August 1, 1996. 61 FR 43761 (November 26, 1996) (the "Interim Permitting Policy"). EPA intends to issue NPDES permits consistent with the Interim Permitting Policy, which provides as follows:

In response to recent questions regarding the type of water quality-based effluent limitations that are most

appropriate for NPDES storm water permits, EPA is adopting an interim permitting approach for regulating wet weather storm water discharges. Due to the nature of storm water discharges, and the typical lack of information on which to base numeric water quality-based effluent limitations (expressed as concentration and mass), EPA will use an interim permitting approach for NPDES storm water permits.

"The interim permitting approach uses best management practices (BMPs) in first-round storm water permits, and expanded or better-tailored BMPs in subsequent permits, where necessary, to provide for the attainment of water quality standards. In cases where adequate information exists to develop more specific conditions or limitations to meet water quality standards, these conditions or limitations are to be incorporated into storm water permits, as necessary and appropriate. This interim permitting approach is not intended to affect those storm water permits that already include appropriately derived numeric water quality-based effluent limitations. Since the interim permitting approach only addresses water quality-based effluent limitations, it also does not affect technology-based effluent limitations, such as those based on effluent limitations guidelines or developed using best professional judgment, that are incorporated into storm water permits.

"Each storm water permit should include a coordinated and cost-effective monitoring program to gather necessary information to determine the extent to which the permit provides for attainment of applicable water quality standards and to determine the appropriate conditions or limitations of subsequent permits. Such a monitoring program may include ambient monitoring, receiving water assessment, discharge monitoring (as needed), or a combination of monitoring procedures designed to gather necessary information.

"This interim permitting approach applies only to EPA; however, EPA also encourages authorized States and Tribes to adopt similar policies for storm water permits. This interim permitting approach provides time, where necessary, to more fully assess the range of issues and possible options for the control of storm water discharges for the protection of water quality. This interim permitting approach may be modified as a result of the ongoing Urban Wet Weather Flows Federal Advisory Committee policy dialogue on this subject."

One commenter challenged the Interim Permitting Policy on a procedural basis, arguing that it was published without opportunity for public notice and comment. In response, EPA notes that the Policy was included verbatim and made available for public comment in the proposal to today's final rule. Prior to that proposal, the Agency defended the application of the Policy on a case-by-case basis in individual permit proceedings. Moreover, the essential elements of the Policy—that narrative effluent limitations are the most appropriate form of effluent limitations for storm water dischargers from municipal sources—was inherent in § 122.34(a) of the proposed rule, and was the subject of extensive public comment. In any event, the Policy does not constitute a binding obligation. It is policy, not regulation.

Consistent with the recognition of data needs underlying the Policy, EPA will evaluate the small MS4 storm water regulations after the second round of permit issuance. Section 122.34(e)(2) of today's rule expressly provides that for the interim ten-year period, "EPA strongly recommends that until the evaluation of the storm water program in § 122.37, no additional requirements beyond the minimum control measures be imposed on regulated small MS4s without the agreement of the operator of the affected small MS4, except where an approved TMDL or equivalent analysis provides adequate information to develop more specific measures to protect water quality." This approach addresses the concern for protecting water resources from the threat posed by storm water discharges with the important qualification that there must be adequate information on the watershed or a specific site as a basis for requiring tailored storm water controls beyond the minimum control measures. As indicated, the Interim Permitting Policy has several important limitations—it does not apply to technology-based controls or to sources that already have numeric end of pipe effluent limitations. EPA encourages authorized States and Tribes to adopt policies similar to the Interim Permitting Policy when developing storm water discharge programs. For a discussion of appropriate monitoring activities, see Section H.3.d., Evaluation and Assessment.

Where a water quality analysis indicates there is a need and basis for deriving water quality-based effluent limits in NPDES permits for storm water discharges regulated under today's rule, EPA believes that most of these cases would be satisfied by narrative effluent

limitations that require the implementation of BMPs. NPDES permit limits will in most cases continue to be based on the specific approach outlined in today's rule for the implementation of BMPs as the most appropriate form of effluent limitation to satisfy technology and water quality-based requirements. See § 122.34(a). For storm water management plans with existing BMPs, this may require further tailoring of BMPs to address the pollutant(s) of concern, the nature of the discharge and the receiving water. If the permitting authority determines that, through implementation of appropriate BMPs required by the NPDES storm water permit, the discharge has the necessary controls to provide for attainment of water quality standards, additional controls are not needed in the permit. Conversely, if a discharger (MS4, industrial or construction) fails to adopt and implement adequate BMPs, the permittee and/or the permitting authority should consider a different mix of BMPs or more specific conditions to ensure water quality protection.

Some commenters observed that there was no evidence from the experience of storm water dischargers regulated under the existing NPDES storm water program, or from studies or reports that allegedly support EPA's position, that implementation of BMPs to satisfy the six minimum control measures would meet applicable water quality standards for a regulated small MS4. In response, EPA acknowledges that the six minimum measures are intended to implement the statutory requirement to control discharges to the maximum extent practicable, and they may not result in the attainment of water quality standards in all cases. The control measures do, however, focus on and address well-documented threats to water quality associated with storm water discharges. Based on the collective expertise of the FACA Subcommittee, EPA believes that implementation of the six minimum measures will, for most regulated small MS4s, be adequate to protect water quality, and for other regulated small MS4s will substantially reduce the adverse impacts of their discharges on water quality.

Some commenters asserted that analyses of existing water quality criteria suggest that numeric criteria for aquatic life may be overprotective if applied to storm water discharges. These comments maintained that an approach that prohibits exceedance of applicable water quality criteria is unworkable. Various commenters recommended wet weather specific

criteria, variances to the criteria during wet weather events, and seasonal designated uses. Other commenters noted that water quality-based effluent limits in NPDES permits have traditionally been developed based on dry weather flow conditions (e.g., assuming critical low-flow conditions in the receiving water to ensure protection of aquatic life and human health). Wet weather discharges, however, typically occur under high-flow conditions in the receiving water. Assumptions regarding mass balance equations and size of mixing zones may also not be pertinent during wet weather.

EPA acknowledges the need to devise a regulatory program that is both flexible enough to accommodate the episodic nature, variability and volume of wet weather discharges and prescriptive enough to ensure protection of the water resource. EPA believes that wet weather discharges can be adequately addressed in the existing regulations through refining designated uses and assigning criteria that are tailored to the level of water quality protection described by the refined designated use.

EPA believes that lack of precision in assigning designated uses and corresponding criteria by States and Tribes, in many cases may result in application of water quality criteria that may not appropriately match the intended condition of the water body. States and Tribes have frequently designated uses without regard to site-specific wet weather conditions. Because certain uses (swimming, for example) might not exist during high-intensity storm events or in the winter, States may factor such climatic conditions and seasonal uses into their use designations with appropriate analyses. This would acknowledge that a lower level of control, at lower compliance cost, would be appropriate to protect that use. Before modifying any designated use, however, States would need to evaluate the effect of less stringent water quality criteria on protecting other uses, including any threatened or endangered species, drinking water supplies and downstream uses. EPA will further evaluate these issues in the context of the Water Quality Standards Regulation, Advance Notice of Proposed Rule Making (ANPRM), 63 FR, 36742, July 7, 1998.

One of the major themes presented by EPA in the ANPRM is that refinement in use designations and tailoring of water quality criteria to match refined use designations is an important future direction of the water quality standards program. In assigning criteria to protect

general use classifications, a State or Tribe must ensure that the criteria are sufficiently protective to safeguard the full range of waters of the State, i.e., criteria would be based on the most sensitive use. This approach has been disputed, especially for aquatic life uses, where evidence suggests that the general use criteria will require controls more stringent than needed to protect the existing or potential aquatic life community for a specific water body. EPA recognizes that there is a growing need to more precisely tailor use descriptions and criteria to match site-specific conditions, ensuring that uses and criteria provide an appropriate level of protection, which, to the extent possible, are not overprotective. EPA is engaged in an ongoing evaluation of its regulations in this area through the ANPRM effort. At the same time, EPA continues to encourage States and Tribes to review the applicability of the designated uses and associated criteria using existing provisions in the water quality standards regulation.

2. Total Maximum Daily Loads and Analysis To Determine the Need for Water Quality-Based Limitations

The development and implementation of total maximum daily loads (TMDLs) provide a link between water quality standards and effluent limitations. CWA section 303(d) requires States to develop TMDLs to provide more stringent water quality-based controls when technology-based controls are inadequate to achieve applicable water quality standards. A TMDL is the sum of the individual wasteload allocations for point sources and load allocations for nonpoint sources, with consideration for natural background conditions. A TMDL quantifies the maximum allowable loading of a pollutant to a water body and allocates this maximum load to contributing point and nonpoint sources so that water quality criteria will not be exceeded and designated uses will be protected. A TMDL also includes a margin of safety to account for uncertainty about the relationship between pollutant loads and water quality.

Today's final rule refers to TMDLs in several provisions. For the purpose of today's rule, EPA relies on the component of the TMDL that evaluates existing conditions and allocates loads. For discharges to waters that are not impaired and for which a TMDL has not been developed, today's rule also refers to an "equivalent analysis." The discussion that follows uses the term "TMDL" for both.

Under revised § 122.26(a)(9)(i)(C), the permitting authority may designate

storm water discharges that require NPDES permits based on TMDLs that address the pollutants of concern. For storm water discharges associated with small construction activity, § 122.26(b)(15)(i)(B) provides a waiver provision where it may be determined that storm water controls are not needed based on TMDLs that address sediment and any other pollutants of concern. The NPDES permitting authority may waive requirements under the program for certain small MS4s within urbanized areas serving less than 1,000 persons provided that, if the small MS4 discharges any pollutant that has been identified as a cause of impairment of a water body into which it discharges, the discharge is in compliance with a wasteload allocation in a TMDL for the pollutant of concern. The permitting authority may also waive requirements for MS4s in urbanized areas serving between 1,000 and 10,000 persons, if the permitting authority determines that storm water controls are not needed, as provided in § 123.35(d)(2). See § 122.32(c).

Under CWA section 303(d), States identify which of their water bodies need TMDLs and rank them in order of priority. Generally, once a TMDL has been completed for one or more pollutants in a water body, a wasteload allocation for each point source discharging the pollutant(s) is implemented as an enforceable condition in the NPDES permit. Regulated small MS4s are essentially like other point source discharges for purposes of the TMDL process.

A TMDL and the resulting wasteload allocations for pollutant(s) of concern in a water body may not be available because the water body is not on the State's 303(d) list, the TMDL has not yet been completed, or the TMDL did not include specific pollutants of concern. In these cases, the permitting authority must determine whether point sources discharge pollutant(s) in amounts that cause, have the reasonable potential to cause, or contribute to excursions above State water quality standards, including narrative water quality criteria. This so-called "reasonable potential" analysis is intended to determine whether and for what pollutants water quality based effluent limits are required. The analysis is, in effect, a substitute for a similar determination that would be made as part of a TMDL, where necessary. When "reasonable potential" exists, regulations at § 122.44(d) require a water quality-based effluent limit for the pollutant(s) of concern in NPDES permits. The water quality-based effluent limits may be narrative requirements to implement BMPs or,

where necessary, may be numeric pollutant effluent limitations.

Commenters, generally from the regulated community, objected that, due to references to the need to develop a program "to protect water quality" and to additional NPDES permit requirements beyond the minimum control measures based on TMDLs or their equivalent, regulated small MS4s will be subject to uncertain permit limitations beyond the six minimum control measures. Commenters also asserted that through the imposition of a wasteload allocation under a TMDL in impaired water bodies, there is a likelihood that unattainable, yet enforceable narrative and numeric standards will be imposed on regulated small MS4s.

As is discussed in the preceding section, NPDES permits must include any more stringent limitations when necessary to meet water quality standards. However, even if a regulated small MS4 is subject to water quality based effluent limits, such limits may be in the form of narrative effluent limitations that require the implementation of BMPs. As discussed earlier, EPA has adopted the Interim Permitting Policy and incorporated it in the development of today's rule to recognize the appropriateness of BMP-based limits developed on a case-by-case basis.

EPA formed a Federal Advisory Committee to provide advice to EPA on identifying water quality-limited water bodies, establishing TMDLs for them as appropriate, and developing appropriate watershed protection programs for these impaired waters in accordance with CWA section 303(d). Operating under the auspices of the National Advisory Council for Environmental Policy and Technology (NACEPT), the committee produced its *Report of the Federal Advisory Committee on the Total Maximum Daily Load (TMDL) Program* (July 1998). EPA recently published a proposed rule to implement the Report's recommendations (64 FR 46012, August 23, 1999).

3. Anti-Backsliding

In general, the term "anti-backsliding" refers to statutory provisions at CWA sections 303(d)(4) and 402(o) and regulatory provisions at 40 CFR 122.44(l). These provisions prohibit the renewal, reissuance, or modification of an existing NPDES permit that contain effluent limits, permit terms, limitations and conditions, or standards that are less stringent than those established in the previous permit. There are also

exceptions to this prohibition known as "antibacksliding exceptions."

The issue of backsliding from prior permit limits, standards, or conditions is not expected to initially apply to most storm water dischargers designated under today's proposal because they generally have not been previously authorized by an NPDES permit. However, the backsliding prohibition would apply if a storm water discharge was previously covered under another NPDES permit. Also, the backsliding prohibition could apply when an NPDES storm water permit is reissued, renewed, or modified. In most cases, however, EPA does not believe that these provisions would restrict revisions to storm water NPDES permits.

One commenter questioned whether, if BMPs implemented by a regulated small MS4 operator fail to produce results in removal of pollutants and the permittee attempts to substitute a more effective BMP, the small MS4 operator could be accused of violating the anti-backsliding provisions and also be exposed to citizen lawsuits. In response, EPA notes that in such circumstances the MS4's permit has not changed and, therefore, the prohibition against backsliding is not applicable. Further, any change in the mix of BMPs that was intended to be more effective at controlling pollutants would not be considered backsliding, even if it did not include all of the previously implemented BMPs.

4. Water Quality-Based Waivers and Designations

Several sections of today's final rule refer to water quality standards in identifying those storm water discharges that are and are not required to be permitted under today's rule. As noted in § 122.30 of today's rule, CWA section 402(p)(6) requires the designation of municipal storm water sources that need to be regulated to protect water quality and the establishment of a comprehensive storm water program to regulate these sources. Requirements applicable to certain municipal sources may be waived based on the absence of demonstrable water quality impacts. Section 122.32(c). The section 402(p)(6) mandate to protect water quality also provides the basis for regulating discharges associated with small construction. See also § 122.26(b)(15)(i). Further, today's rule carries forward the existing authority for the permitting authority to designate sources of storm water discharges based upon water quality considerations. Section 122.26(a)(9)(i)(C) and (D).

As is discussed above in sections II.H.2.e (for small MS4s) and II.I.1.b.ii

(for small construction), the requirements of today's rule may be waived based on wasteload allocations that are part of "total maximum daily loads" (TMDLs) that address the pollutants of concern or, in the case of small construction and municipalities serving between 1,000 and 10,000 persons, the equivalents of TMDLs. One commenter stated that waivers would allow exemptions to the technology based requirements and would thus be inconsistent with the two-fold approach of the CWA (a technology based minimum and a water quality based overlay). EPA acknowledges that waivers are not allowed for other technology-based requirements under the CWA. A more flexible approach is allowed, however, for sources designated for regulation under 402(p)(6) to protect water quality. For such sources EPA may allow a waiver where it is demonstrated that an individual source does not present the

threat to water quality that was the basis for EPA's designation.

III. Cost-Benefit Analysis

EPA has determined that the range of the rule's benefits exceeds the range of regulatory costs. The estimated rule costs range from \$847.6 million to \$981.3 million annually with corresponding estimated monetized annual benefits which range from \$671.5 million to \$1.628 billion, expected to exceed costs.

The rule's cost and benefit estimates are based on an annual comparison of costs and benefits for a representative year (1998) in which the rule is implemented. This differs from the approach used for the proposed rule which projected cost and benefits over three permit terms. EPA has chosen to use the current approach because it determined that the ratio of annual benefits and costs would not change significantly over time. Moreover,

because there is not an initial outlay of capital costs with benefits accruing in the future (i.e., benefits and costs are almost immediately at a steady state), it is not necessary to discount costs in order to account for a time differential.

EPA developed detailed estimates of the costs and benefits of complying with each of the incremental requirements imposed by the rule. The Agency used two approaches, a national water quality model and national water quality assessment, to estimate the potential benefits of the rule. Both approaches show that the benefits are likely to exceed costs.

These estimates, including descriptions of the methodology and assumptions used, are described in detail in the *Economic Analysis of the Final Phase II Rule*, which is included in the record of this rule making. Exhibit 3 summarizes costs and benefits associated with the basic elements of today's rule.

EXHIBIT 3.—COMPARISON OF ANNUAL COMPLIANCE COST AND BENEFIT ESTIMATES ¹

Monetized benefits	National water quality model (millions of 1998 dollars)	National water quality assessment (millions of 1998 dollars)
Municipal Minimum Measures	\$131.0–\$410.2
Controls for Construction Sites	\$540.5–\$686.0
Total Annual Benefits	\$1,628.5	\$671.5–\$1,096.2
Costs	Millions of 1998 dollars ²	
Municipal Minimum Measures	\$297.3	
Controls/Waivers for Construction Sites	\$545.0–\$678.7	
Federal/State Administrative Costs	\$5.3	
Total Annual Costs	\$847.6–\$981.31	

¹ National level benefits are not inclusive of all categories of benefits that can be expected to result from the regulation.

² Total may not add due to rounding.

A. Costs

1. Municipal Costs

Initially, to determine municipal costs for the proposed rule, EPA used anticipated expenditure data included in permit applications from a sample of 21 Phase I MS4s. Certain commenters criticized the Agency for using anticipated expenditures because they could be significantly different from the actual expenditures. These commenters suggested that the Agency use the actual cost incurred by the Phase I MS4s. Other comments stated that because the Phase I MS4s, in general, are large municipalities, they may not be representative of the Phase II MS4s for estimating regulatory costs. Finally, one commenter noted that the sample of 21 municipalities used to project cost was relatively small.

To address the concerns of the commenters, EPA utilized a National Association of Flood and Stormwater Management Agencies (NAFSMA) survey of the Phase II community to obtain incremental cost estimates for Phase II municipalities. Using the list of potential Phase II designees published in the **Federal Register** (63 FR 1616), NAFSMA contacted more than 1,600 jurisdictions. The goal of the survey was to solicit information from those communities about the proposed Phase II NPDES storm water program. Several of the survey questions corresponded directly to the minimum measures required by the Phase II rule. One hundred twenty-one surveys were returned to NAFSMA and were used to develop municipal costs.

Using the NAFSMA information, EPA estimated average annual per household

program costs for automatically designated municipalities. EPA also estimated an average annual per household administrative cost for municipalities to address application, record keeping, and reporting requirements of the Rule. The total average per household cost of the rule is expected to \$9.16 per household.

To determine potential national level costs for municipalities, EPA multiplied the number of households (32.5 million) by the per household cost (\$9.16). EPA estimates the annual cost of the Phase II municipal program at \$298 million.

As an alternative method, and point of comparison, to the NAFSMA-based approach, EPA reviewed actual expenditures reported from 35 Phase I MS4s. The Agency targeted these 35 Phase I MS4s because they had participated in the NPDES program for

nearly one permit term, were smaller in size and had detailed data reflecting their actual program implementation costs. Of the 35 MS4s, appropriate cost data was only available for 26 of those MS4s. EPA analyzed the expenditure data and identified the relevant expenditures, excluding costs presented in the annual reports unrelated to the requirements of the Rule. The cost range and annual per household program costs of \$9.08 are similar to those found using the NAFSMA survey data.

2. Construction Costs

In order to estimate the rule's construction-related cost on a national level (the soil and erosion controls (SEC) requirements of the rule and the potential impacts of the post-construction municipal measure on construction), EPA estimated a per site cost for sites of one, three, and five acres and multiplied these costs by the total number of estimated Phase II construction starts across these size categories.

To estimate the percentage of starts subject to the soil and erosion control requirements between 1 and 5 acres, with respect to each category of building permits (residential, commercial, *etc.*), EPA initially used data from Prince George's County (PGC), Maryland, and applied these percentages to national totals. In the proposal, EPA recognized that the PGC data may not be representative of the entire country and requested data that could be used to develop better estimates of the number of construction sites between 1 and 5 acres. EPA did not receive any substantiated national data from commenters.

In view of the unavailability of national data from commenters, EPA made extensive efforts to collect construction site data around the country. The Agency contacted more than 75 municipalities. EPA determined that 14 of the contacted municipalities had useable construction site data. Using data from these 14 municipalities, EPA developed an estimate of the percentage of construction starts on one to five acres. EPA then multiplied this percentage by the number of building permits issued nationwide to determine the total number of construction starts occurring on one to five acres. Finally, to isolate the number of construction starts incrementally regulated by Phase II, EPA subtracted the number of activities regulated under equivalent programs (*e.g.*, areas covered by the Coastal Zone Act Reauthorization Amendments of 1990, and areas covered by equivalent State level soil and erosion control requirements).

Ultimately, EPA estimated that 110,223 construction starts would be incrementally covered by the rule annually.

EPA then used standard cost estimates from *Building Construction Cost Data* and *Site Work Landscape Cost Data* (R.S. Means, 1997a and 1997b) to estimate construction BMP costs for 27 model sites in a variety of typical site conditions across the United States. The model sites included three different site sizes (one, three and five acres), three slope variations (3%, 7%, and 12%), and three soil erosivity conditions (low, medium, and high). EPA chose BMP combinations appropriate to the model site conditions. Based on the assumption that any combination of site factors is equally likely to occur in a given site, EPA developed average cost of sediment and erosion control for all model sites. EPA estimated that, on average, BMPs for a 1 acre site will cost \$1,206, for a 3 acre site \$4,598 and for a 5 acre site \$8,709.

EPA then estimated administrative costs per construction site for the following elements required under the rule: Submittal of a notice of intent for permit coverage; notification to municipalities; development of a storm water pollution prevention plan; record retention; and submittal of a notice of termination. EPA estimated the average total administrative cost per site to be \$937.

EPA also considered the cost implications of NPDES permit authorities waiving the applicability of requirements to storm water discharges from small construction sites based on two different criteria involving water quality impact and low rainfall. EPA received comments stating that a waiver would require a significant investment in training or acquisition of a consultant. Based on comments received, EPA eliminated one of the waiver conditions involving low soil loss threshold because it necessitated use of the Revised Universal Soil Loss Equation which could require extensive technical expertise.

Based on the opinions of construction industry experts, EPA estimates that 15 percent of the construction sites that would otherwise be covered by today's rule will be eligible to receive waivers. Therefore, the Agency has excluded 15 percent of the construction sites when deriving costs of sediment and erosion control. The average cost for sites to qualify for the waiver is expected to be \$34 per site. The construction cost analysis for the proposed rule did not include any costs for the preparation and submission of waiver applications

because EPA believed those costs would be negligible. However, in response to public comments, EPA has estimated these potential costs.

EPA has also estimated the potential costs for construction site operators to implement the post-construction minimum measure. These are costs that may be incurred by construction site operators if the MS4 chooses to meet the post-construction minimum measure by requiring on-site structural, site-by-site control of post-construction runoff. Municipalities may select from an array of structural and non-structural options in implementing this measure, so the potential costs to construction operators is uncertain. Nonetheless, EPA developed average annual BMP costs for sites of one, three, five and seven acres. EPA's analysis accounted for varying levels of imperviousness that characterize residential, commercial, and institutional land uses. Nationwide, these costs are expected to range from \$44 million to \$178 million annually.

Finally, to establish national incremental annual costs for Phase II construction starts, EPA multiplied the total costs of compliance for the chosen site size categories by the total number of Phase II construction starts and added post-construction costs. EPA estimates the annual compliance cost to range from \$545 million to \$678.7 million.

B. Quantitative Benefits

In the Economic Analysis for the proposed rule, a "top-down" approach was used to estimate economic benefits. Under this approach, the combined economic benefits for wet weather programs were estimated first, and then were divided among various water programs on the basis of expert opinion. As a result, the benefits estimates for an individual program were rather uncertain. Moreover, this approach was inconsistent with the approach used to estimate the cost of the proposed storm water rule, which was developed using municipal-based and cost-based data to develop "bottom-up" costs. Therefore, EPA decided to use a "bottom-up" approach for estimating benefits of the Phase II rule. To adequately reflect the quantifiable benefits of the rule, EPA used two different methods: (1) National Water Quality Model and (2) National Water Quality Assessment.

To monetize benefits in both approaches, the Agency applied Carson and Mitchell's (1993) estimates of household willingness-to-pay (WTP) for water quality improvement to estimates of waters impaired by storm water discharges. Carson and Mitchell's 1993 study reports the results of their 1983 national survey of WTP for incremental

improvements in fresh water quality. Carson and Mitchell estimate the WTP for three minimum levels of fresh water quality: boatable, fishable, and sizable. EPA adjusted the WTP amounts to account for inflation, growth in real per capita income, and increased attitudes towards pollution control. The adjusted WTP amounts for improvements in fresh water quality are \$210 for boatable, \$158 for fishable, and \$177 for sizable. A brief summary of the national water quality model and national water quality assessment approaches follow.

1. National Water Quality Model

One approach EPA used to estimate the benefits of the Phase II municipal and construction site controls was the National Water Pollution Control Assessment Model (NWPCAM). NWPCAM estimates benefits of the storm water program at the national level, including the impact on small streams. This model estimates water quality and the resultant use support for the 632,000 miles of rivers and streams in the USEPA Reach File Version 1 (RF1), which covers the continental

United States. The model analyzes water quality changes by stream reach. The parameters modeled in the NWPCAM are biological oxygen demand (BOD), total suspended solids (TSS), dissolved oxygen (DO), and fecal coliforms (FC).

The model projects changes in water quality due to the Phase II municipal and construction site controls. To calculate the economic benefits of change in water quality, the number of households in the proximity of the stream reach are determined, by overlaying the model results on the 1990 Census of Populated Places and Minor Civil Divisions, and updating the population to 1998. Economic benefits are calculated using the Carson and Mitchell WTP values. The benefits are separately estimated for local and non-local waters on the basis of WTP values and proximity to water quality changes.

The value of the change in use support for local waters is greater than the value of the non-local waters because of the opportunity to use local waters by the local population. This model assumes that if improvement

occurs in waters that are not close to population centers the economic value is lower. Therefore, benefits are estimated for local and non-local waters separately. This assumption is based on Carson and Mitchell's survey which asked respondents to apportion each of their stated WTP values between achieving the water quality goals in their own State and achieving those goals in the nation as a whole. On average, respondents allocated 67% of their values to achieving in-State water quality goals and the remainder to the nation as a whole. Carson and Mitchell argue that for valuing local water quality changes 67% is a reasonable upper bound for the local multiplier and 33% for the non-local water quality changes. For the purposes of this analysis, the locality is defined as urban sites and associated populations linked into the NWPCAM framework. Using this methodology, the total monetized benefits of Phase II control of urban and construction site runoff is estimated to be \$1.628 billion per year. The local and non-local benefits due to Phase II controls are presented in Exhibit 4.

EXHIBIT 4.—LOCAL AND NON-LOCAL BENEFITS ESTIMATES DUE TO PHASE II CONTROLS NATIONAL WATER QUALITY MODEL ESTIMATE

Use support	Local benefits (\$million/yr)	Non-local benefits ¹ (\$million/yr)	Total benefits (\$million/yr)
Swimming, Fishing, and Boating	306.20	60.60	366.80
Fishing and Boating	395.10	51.90	447.00
Boating	700.10	114.60	814.70
Total	1401.40	227.10	1628.50

¹ To estimate non-local willingness to pay per household, the 33% of willingness is multiplied by the fraction of previously impaired national waters (in each use category) that attain the beneficial use as a result of the Phase II rule. To estimate the aggregate non-local benefits, non-local willingness to pay is multiplied with the total number of households in the US.

While the numbers of miles that are estimated to change their use support are small, the benefits estimates are quite significant. This is because urban runoff and, to a large extent, construction activity occurs where the people actually reside and the water quality changes mostly occur close to these population centers. NWPCAM indicates that changes in pollution loads have the most effect immediately downstream of pollution changes. As a result, the aggregate WTP is large because large numbers of households in these population centers are associated with the local waters that reflect improvement in designated use support.

2. National Water Quality Assessment

EPA also estimated benefits of the Phase II Storm Water program using the 1998 National Water Quality Inventory (305(b)) Report to Congress, rather than

the NWPCAM as a basis for estimating impairment addressed by the rule. The Water Quality Assessment method separately estimates benefits associated with improvements to fresh water, marine water and construction site controls, and then aggregates these separate categories into an estimate of total annual benefits.

a. Municipal Measures

i. Fresh Waters Benefits

In order to develop estimates for the potential value of the municipal measures (except storm water runoff controls for construction sites), EPA applied Carson & Mitchell WTP values to estimated existing and projected future fresh water impairment. Carson & Mitchell did not evaluate marine waters, so only fresh water values were available from their research. Even

though the Carson and Mitchell estimates apply to all fresh water, it is not clear how these values would be apportioned among rivers, lakes, and the Great Lakes. The 305(b) data indicate that lakes are the most impaired by urban runoff/storm sewers, followed closely by the Great Lakes, and then rivers. Therefore, EPA applied the WTP values to the categories separately and assumed that the higher resulting value for lakes represents the high end of the range (i.e., assuming that lake impairment is more indicative of national fresh water impairment) and that the lower resulting value for impaired rivers represents the low end of a value range for all fresh waters (i.e., assuming that river impairment is more indicative of national fresh water impairment). In addition, EPA estimated that the post-construction runoff

requirements of the municipal program might result in benefits of at least \$16.8 million annually from avoided future runoff. The post-construction estimate significantly underestimates potential program benefits because it does not account for avoided hydrologic changes and resulting water quality impairment associated with increases in imperviousness from development and redevelopment. Summing the benefits across the water quality use support levels yields an estimate of benefits ranging from approximately \$121.9 million to \$378.2 million per year.

ii. Marine Waters Benefits

In addition to the fresh water benefits captured by the Carson and Mitchell study, EPA anticipates benefits as a result of improvements to marine waters. Sufficient methods have not been developed to quantify national-level benefits for commercial or recreational fishing. EPA used beach closure data and visitation estimates from its Beach Watch Program to estimate potential reductions in marine swimming visits due to storm water runoff contamination events in 1997. The estimated 86,100 trips that did not occur because of beach closures in coastal Phase II communities is a lower bound because it represents only those beaches that report both closures and visitation data. EPA estimates potential swimming benefits from the rule to be at least \$2.1 million annually.

EPA developed an analysis of potential benefits associated with avoided health impacts from exposure to contaminants in storm sewer effluent. Based on a study of incremental illnesses found among people who swam within one yard of storm drains in Santa Monica Bay, EPA estimated a range of incremental illnesses (Haile *et al.*, 1996). Depending on assumptions made about number of exposures to contaminants and contaminant concentrations, benefits ranged from \$7.0 million to \$29.9 million annually.

b. Construction Benefits

The major pollutant resulting from construction activities is sediment. However, in addition to sediment, construction activities also yield pollutants such as pesticides, petroleum products, and solvents. Because circumstances will vary considerably from site to site, data is not available with which to develop estimates of benefits for each site and aggregate to obtain a national-level estimate.

In the proposed rule, EPA estimated the combined benefits of all wet weather programs, and then used expert opinions to allocate them to different individual programs. To eliminate the possible overlap between the benefits of the soil and erosion control requirements, municipal measures, and other wet weather storm water programs, EPA chose to use an approach in today's final rule that directly

estimates the benefits of soil and erosion requirements.

A survey of North Carolina residents (Paterson *et al.*, 1993) indicated that households are willing to pay for erosion and sediment controls similar to those in today's rule. Based on income and other indicators, the values derived from the study are expected to be similar to values held in the rest of the country. Using the mean value of the willingness to pay of \$25 per household, EPA projects annual benefits of the soil and erosion requirements to range from \$540.5–\$686 million.

c. Summary of Benefits From the National Water Quality Assessment

Total benefits from municipal measures and construction site controls are expected to range from \$671.5 million to \$1.1 billion per year, including benefits of approximately \$13.7 million per year associated with small stream improvements. A summary of the potential benefits is presented in Exhibit 5.

As shown in Exhibit 5, it was not possible to monetize all categories of benefits using the WTP estimates. In particular, benefits for improving marine water quality such as fishing and passive use benefits are not included in the values used to estimate the potential benefits of the municipal minimum measures (excluding construction sites controls), and they are not estimated separately, because information is not currently available.

EXHIBIT 5.—POTENTIAL ANNUAL BENEFITS OF THE PHASE II STORM WATER RULE NATIONAL WATER QUALITY ASSESSMENT ESTIMATE

Benefit category	Annual WTP
Municipal Minimum Measures ¹	
Fresh Water Use and Passive Use ²	\$121.9–\$378.2
Marine Recreational Swimming	\$2.1
Human Health (Marine Waters)	\$7.0–\$29.9
Other Marine Use and Passive Use	(+)
Erosion and Sediment Controls for Construction Sites	
Fresh Water and Marine Use and Passive Use ³	\$540.5–\$686
Total Phase II Program	
Total Use & Passive Use (Fresh Water and Marine)	>\$671.5–>\$1,096.2

+ = positive benefits expected but not monetized.

¹ Includes water quality benefit of municipal programs, based on 80% effectiveness of municipal programs.

² Based on research by Carson and Mitchell (1993). Fresh water value only. Does not include commercial fishery, navigation, or diversionary (e.g. municipal drinking water cost savings or risk reductions) benefits. May not fully capture human health risk reduction or ecological values.

³ Based on research by Paterson *et al.* (1993). Although the survey's description of the benefits of reducing soil erosion from construction sites included reduced dredging, avoided flooding, and water storage capacity benefits, these benefit categories may not be fully incorporated in the WTP values. Small streams may account for over 2% of total benefits.

C. Qualitative Benefits

There are additional benefits to storm water control that cannot be quantified

or monetized. Thus, the current estimate of monetized benefits may understate the true value of storm water controls

because it omits many ways in which society is likely to benefit from reduced storm water pollution, such as improved

aesthetic quality of waters, benefits to wildlife and to threatened and endangered species, cultural values, and biodiversity benefits.

A benefit that EPA did not monetize completely is the flood control benefits attributable to municipal storm water controls reducing downstream flooding, although flood control benefits associated with sediment and erosion control are already reflected to some extent in the construction benefits. Similarly, the Agency could not value the benefits from increased property value due to storm water controls reflected in the rule, even though a commenter suggested inclusion of these benefits in the estimates.

Moreover, while a number of commenters requested that EPA include ecological benefits, the Agency was not able to fully monetize these benefits. Urbanization usually increases the amount of sediment, nutrients, metals and other pollutants associated with land disturbance and development. Development usually not only results in a dramatic increase in the volume of water runoff, but also in a substantial decrease in that water's quality due to stream scour, runoff and dispersion of toxic pollutants, and oversiltation. These kinds of secondary benefits could not be fully reflected in the monetized benefits. EPA was able to only monetize the aquatic life support benefits for waters assumed to be impaired. Thus, only the aquatic life support benefits attributable to municipal controls, reflected through human satisfaction, are taken into account.

Reduced nutrient level is another benefit of the storm water control which is not fully captured by the economic analysis. High nutrient levels often lead to eutrophication of the aquatic system. The quality change in ecological sources as the result of storm water controls to reduce pollutants is not fully reflected in the present benefits.

D. National Economic Impact

Finally, the Agency determined that the rule will have minimal impacts on

the economy or employment. This is because the final rule regulates small MS4s and construction sites under 5 acres, not the typical industrial plants or other non-construction activities that could directly impact production and thus those sectors of the economy.

Discussions with representatives within the construction industry indicate that construction costs will likely be passed on to buyers, thus not seriously affecting the housing industry directly. One commenter argued that the rule will have a negative employment effect because the builders will build fewer homes requiring less building materials as a result of the declining demand induced by the cost of the soil and erosion controls. EPA disagrees with this argument because the cost of the controls, as the percentage of the price of a median home, is negligible and will be passed on to final buyers.

Flexibility within the rule allows MS4s to tailor the storm water program requirements to their needs and financial position, minimizing impacts. For sedimentation and erosion controls on construction sites, the rule contemplates application of commonly used BMPs to reduce costs for the construction industry. Thus, the rule attempts to use existing practices to prevent pollution, which should minimize impacts on States, Tribes, municipalities and the construction industry.

Thus, EPA concludes that the effect of the rule, if any, on the national economy will be minimal. The benefits of today's rule more than offset any cost impacts on the national economy.

IV. Regulatory Requirements

A. Paperwork Reduction Act

The Office of Management and Budget (OMB) has approved some of the information collection requirements contained in this final rule (*i.e.* those found in 40 CFR 122.26(g) and 123.35(b)) under the provisions of the *Paperwork Reduction Act*, 44 U.S.C. 3501 *et seq.* and has assigned OMB control number 2040-0211.

The burden and costs described below are for the information collection, reporting, and record keeping requirements for the three year period beginning with the effective date of today's rule. Additional information collection requirements for regulated small MS4s and small construction sites will occur after this initial three year period and will be counted in a subsequent information collection requirement. The total burden of the information collection requirements for the first three years of this rule is estimated at 56,369 hours with a corresponding cost of \$2,151,305 million annually. This burden and cost is for industrial facilities to complete and submit the no exposure certification, for NPDES-authorized States to process and review the no exposure certification, and for the NPDES-authorized States to develop designation criteria and assess additional MS4s outside of urbanized areas. Compliance with the applicable information collection requirements imposed under this rule are mandatory, pursuant to CWA section 402.

Exhibit 6 presents average annual burden and cost estimates for Phase II respondents for the first three years. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust existing ways for complying with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

EXHIBIT 6.—AVERAGE ANNUAL BURDEN AND COST ESTIMATES FOR PHASE II RESPONDENTS

Information collection activity	A Respondents per year (projected) ¹	B Burden hours per respondent per year (predicted)	(A)×(B)=C Annual re- spondent bur- den hours (projected)	D Respondent labor cost (\$/ hr) (1998 \$)	(C)×(D)=E Annual Cost (\$ (projected)
Ind. No Expos. Facilities: ² No Expos. Certification	36,377	1.0	36,377	44.35	1,613,320
Annual Subtotal			36,377		1,613,320
NPDES-Authorized States: ³ Designation of Addit. MS4s ⁴	15	332.8	4,892	26.91	131,644

EXHIBIT 6.—AVERAGE ANNUAL BURDEN AND COST ESTIMATES FOR PHASE II RESPONDENTS—Continued

Information collection activity	A Respondents per year (projected) ¹	B Burden hours per respond- ent per year (predicted)	(A)×(B)=C Annual re- spondent bur- den hours (projected)	D Respondent labor cost (\$/ hr) (1998 \$)	(C)×(D)=E Annual Cost (\$) (projected)
No Exp. Cert. Proc. & Rev	30,200	0.5	15,100	26.91	406,341
Annual Subtotal			19,992		537,985
Annual Totals			56,369		2,151,305

Notes:

¹Source: U.S. EPA, Office of Wastewater Management. Economic Analysis for the Storm Water Phase II Rule.

²The total number of potential no exposure respondents was divided by 5 to estimate an annual total. It was assumed that the annual number of respondents for the no exposure certification would be spread over the five year period the exclusion applies.

³The number of respondents in each category represents only those respondents located within the 44 NPDES-authorized States and Territories. The burden and cost estimates provided in this section are for the NPDES-authorized States in their role as the permitting authority for municipal designations and industrial no exposure.

⁴The number of respondents for this activity, 15, represents the number of NPDES-authorized States and Territories that must develop designation criteria and assess small MS4s located outside of an urbanized area for possible Phase II coverage divided by the three year ICR period.

Given the requirements of today's regulation, EPA believes there will be no capital startup and no operation and maintenance costs associated with information collection requirements of the rule.

The government burden associated with today's rule will impact State, Tribal, and Territorial governments (NPDES-authorized governmental entities) that have storm water program authority, as well as the federal government (*i.e.*, EPA), where it is the NPDES permitting authority. As of March 1999, 43 States and the Virgin Islands had NPDES authority.

The annual burden imposed upon authorized governmental entities (delegated States and the Virgin Islands) and the federal government for the next three years is estimated to be 19,992 hours (\$537,985) and 4,087 hours (\$115,948) respectively, for a total of 24,079 hours (\$653,933). This estimate is based on the average time that governments will expend to carry out the following activities: designate additional MS4s (332.8 hours) and process and review "no exposure" certificates from industrial dischargers (0.5 hour).

Under the existing rule, storm water discharges from light industrial activities identified under § 122.26(b)(14)(xi) were exempted from the permit application requirements if they were not exposed to storm water. Today's rule expands the applicability of the "no exposure" exclusion to include all industrial activity regulated under § 122.26(b)(14) (except category (x), construction). The "no exposure" provision is applied through the use of a written certification process, thus representing a slight reporting burden increase for "light" industries with "no exposure".

In addition to the information collection, reporting, and record keeping burden for the next three years, today's rule contains information collection requirements that will not begin until three years or more from the effective date of today's rule. These information collection requirements were not included in the information collection request approved by OMB. EPA will submit these burden estimates for OMB approval when it submits ICR 2040-0211 to OMB for renewal in three years. The rule burdens for regulated small MS4s and small construction sites that will be included in the ICR renewal fall into three areas: application for an NPDES permit or submittal of waiver information, record keeping of storm water management activities, and submittal of reports to the permitting authority. There will also be an additional burden for the permitting authority to review this information.

An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations are listed in 40 CFR Part 9 and 48 CFR Chapter 15. EPA is amending the table in 40 CFR Part 9 of currently approved ICR control numbers issued by OMB for various regulations to list the first three years of information requirements contained in this final rule.

B. Executive Order 12866

Under Executive Order 12866, [58 FR 51,735 (October 4, 1993)] the Agency must determine whether the regulatory action is "significant" and therefore subject to OMB review and the requirements of the Executive Order. The Order defines "significant

regulatory action" as one that is likely to result in a rule that may:

(1) have an annual effect on the economy of \$100 million or more or adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, public health or safety, or State, local, or tribal governments or communities;

(2) create a serious inconsistency or otherwise interfere with an action taken or planned by another agency;

(3) materially alter the budgetary impact of entitlements, grants, user fees, or loan programs or the rights and obligations of recipients thereof; or

(4) raise novel legal or policy issues arising out of legal mandates, the President's priorities, or the principles set forth in the Executive Order.

Pursuant to the terms of Executive Order 12866, it has been determined that this rule is a "significant regulatory action". As such, this action was submitted to OMB for review. Changes made in response to OMB suggestions or recommendations will be documented in the public record.

C. Unfunded Mandates Reform Act

Title II of the Unfunded Mandates Reform Act of 1995 (UMRA), Public Law 104-4, establishes requirements for Federal agencies to assess the effects of their regulatory actions on State, local, and tribal governments and the private sector. Under section 202 of the UMRA, EPA generally must prepare a written statement, including a cost-benefit analysis, for proposed and final rules with "Federal mandates" that may result in expenditures to State, local, and tribal governments, in the aggregate, or to the private sector, of \$100 million or more in any one year. Before promulgating an EPA rule for which a

written statement is needed, section 205 of the UMRA generally requires EPA to identify and consider a reasonable number of regulatory alternatives and adopt the least costly, most cost-effective or least burdensome alternative that achieves the objectives of the rule. The provisions of section 205 do not apply when they are inconsistent with applicable law. Moreover, section 205 allows EPA to adopt an alternative other than the least costly, most cost-effective or least burdensome alternative if the Administrator publishes with the final rule an explanation why that alternative was not adopted.

EPA has determined that today's rule contains a Federal mandate that may result in expenditures of \$100 million or more in any one year for both State, local, and tribal governments, in the aggregate, and the private sector. Accordingly, EPA has prepared under section 202 of the UMRA a written statement which is summarized below.

1. Summary of UMRA Section 202 Written Statement

EPA promulgates today's storm water regulation pursuant to the specific mandate of Clean Water Act section 402(p)(6), as well as sections 301, 308, 402, and 501. (33 U.S.C. sections 1342(p)(6), 1311, 1318, 1342, 1361.) Section 402(p)(6) of the CWA requires that EPA designate sources to be regulated to protect water quality and establish a comprehensive program to regulate those sources.

In the *Economic Analysis of the Final Phase II Rule* (EA), EPA describes the qualitative and monetized benefits associated with today's rule and then compares the monetized benefits with the estimated costs for the rule. EPA developed detailed estimates of the costs and benefits of complying with each of the incremental requirements imposed by the rule. These estimates, including descriptions of the methodology and assumptions used, are described in detail in the EA. The Agency used two approaches, a national water quality model and national water quality assessment, to estimate the potential benefits of the rule. Both approaches show that the benefits are likely to exceed costs. Exhibit 3 in section III of this preamble summarizes the costs and benefits associated with the basic elements of today's rule.

There are additional benefits to storm water control that cannot be quantified or monetized. Thus, the current estimate of monetized benefits may understate the true value of storm water controls because it omits many ways by which society is likely to benefit from reduced storm water pollution, such as improved

aesthetic quality of waters, benefits to wildlife and to threatened and endangered species, cultural values, and biodiversity benefits.

Several commenters asserted that today's rule is an unfunded mandate and that, without funding, the monitoring of the already existing pollution control programs would suffer. In section II.D.3 of the preamble, EPA lists some of the programs that EPA anticipates may provide funds to help develop and, in limited circumstances, implement storm water management programs.

In the EA, EPA reviewed the expected effect of today's rule on the national economy. The Agency determined that the rule will have minimal impacts on the economy or employment. This is because the final rule regulates small MS4s and construction sites under 5 acres, not the typical industrial plants or other non-construction activities that could directly impact production and thus those sectors of the economy.

Discussions with representatives within the construction industry indicate that construction costs will likely be passed on to buyers, thus not seriously affecting the housing industry directly. Flexibility within the rule allows MS4s to tailor the storm water program requirements to their needs and financial position, minimizing impacts. For sedimentation and erosion controls on construction sites, the rule contemplates application of commonly used BMPs to reduce costs for the construction industry. Thus, the rule attempts to use existing practices to prevent pollution, which should minimize impacts on States, Tribes, municipalities and the construction industry.

Thus, EPA concludes that the effect of the rule, if any, on the national economy would be minimal. The benefits of today's rule more than offset any cost impacts on the national economy.

Consistent with the intergovernmental consultation provisions of section 204 of the UMRA and Executive Order 12875, "Enhancing the Intergovernmental Partnership," EPA consulted with the governmental entities affected by this rule.

First, EPA provided States, Tribal and local governments with the opportunity to comment on draft alternative approaches for the proposed rule through publishing a notice requesting information and public comment in the **Federal Register** on September 9, 1992 (57 FR 41344). This notice presented a full range of regulatory alternatives. At that time, EPA received more than 130 comments, including approximately 43 percent from municipalities and 24

percent from State or Federal agencies. These comments were the genesis of many of the provisions in the today's rule, including reliance on the NPDES program framework (including general permits), providing State and local governments flexibility in selecting additional sources requiring regulation, and focusing on high priority polluters. These comments helped to focus on pollution prevention, watershed-based concerns and BMPs. They also led to certain exemptions for facilities that do not pollute national waters.

In early 1993, EPA, in conjunction with the Rensselaerville Institute, held public and expert meetings to assist in developing and analyzing options for identifying unregulated storm water sources and possible controls. These meetings provided participants an additional opportunity to provide input into the CWA section 402(p)(6) program development process. The final rule addresses several of the key concerns identified in these groups, including provisions that provide flexibility to the States to select sources to be controlled and types of permits to be issued, and flexibility to MS4s in selecting BMPs.

EPA also conducted outreach with representatives of small entities, including small government representatives, in conjunction with the convening of a Small Business Advocacy Review Panel under SBREFA which is discussed in section IV.E. of the preamble.

In addition, EPA established the Urban Wet Weather Flows Advisory Committee under the Federal Advisory Committee Act (FACA). The Urban Wet Weather Flows Advisory Committee, in turn established the Storm Water Phase II Subcommittee. Consistent with FACA, the membership of the Committee and the Storm Water Phase II Subcommittee was balanced among EPA's various outside stakeholder interests, including representatives from State governments, municipal governments (both elected officials and appointed officials) and Tribal governments, as well as industrial and commercial sectors, agriculture, environmental and public interest groups.

In general, municipal and Tribal government representatives supported the NPDES approach in today's rule for the following reasons: It will be uniformly applied on a nationwide basis; it provides flexibility to allow incorporation of State and local programs; it resolves the problem of donut holes that cause water quality impacts in urbanized areas; and it allows co-permitting of small regulated

MS4s with those regulated under the existing storm water program.

In contrast, State representatives sought alternative approaches for State implementation of the storm water program for Phase II sources. State representatives asserted that a non-NPDES alternative approach best facilitated watershed management and avoided duplication and overlapping regulations. These representatives pointed out that there are a variety of State programs—not based on the CWA—implementing effective storm water controls, and that EPA should provide incentives for their implementation and improvement in performance. EPA continues to believe that an NPDES approach is the best approach in order to adequately protect water quality. However, EPA has worked with States on an alternative approach that provides flexibility within the NPDES framework. The final rule allows States with a watershed permitting approach to phase in permit coverage for MS4s in jurisdictions with a population less than 10,000 and provides two waivers from coverage for small MS4s. This issue is discussed in section II.C of the preamble, Program Framework: NPDES Approach.

Some municipal governments objected that the rule's minimum measures for small MS4s violate the Tenth Amendment insofar as they require the operators of MS4s to regulate third parties according to the "minimum measures" for municipal storm water management programs. EPA disagrees that today's rule is inconsistent with Tenth Amendment principles. Permits issued under today's rule will not compel political subdivisions of States to regulate in their sovereign capacities, but rather to effectively control discharges out of their storm sewer systems in their owner/operator capacities. For MS4s that do not accept this "default" minimum measures-based approach (to control discharges out of the storm sewer system by exercising local powers to control discharges into the storm sewer system), today's rule allows for alternative permits through individual permit applications. EPA made revisions to the rule to allow regulated small MS4s to opt out of the minimum measures approach and instead apply for an individual permit. This issue is discussed in section II.H.3.c.iii of the preamble, Alternative Permit Option/Tenth Amendment.

2. Selection of the Least Costly, Most Cost-Effective or Least Burdensome Alternative That Achieves the Objectives of the Statute

Today's rule evolved over time and incorporated aspects of alternatives that responded to concerns presented by the various stakeholders. A primary characteristic of today's rule is the flexibility it offers both the permitting authority and the regulated sources (small MS4s and small construction sites), by the use of general permits, implementation of BMPs suited to specific locations, and allowing MS4s to develop their own program goals.

In the administrative record supporting the proposed rule, EPA estimated ranges of costs associated with six different options, including a no action option, the proposed option, and four other options that considered various combinations of the following: Covering all the unregulated construction sites below 5 acres, all small MS4s, certain industrial and commercial activities, and all point sources. EPA developed detailed cost estimates for the incremental requirements imposed under the final regulation, and for each of the alternatives, and applied these estimates to the remaining unregulated point sources of storm water. The Agency compared the estimated annual range of costs imposed under today's rule and other major options considered. The range of values for each option included the costs for compliance, including paperwork requirements for the operators of small construction sites, industrial facilities, and MS4s and administrative costs for State and Federal NPDES permitting authorities.

Today's rule reflects the least costly option that achieves the objectives of the statute, thus meeting the requirements of section 205. EPA did not consider "no regulation" to be an "option" because it would not achieve the objectives of CWA section 402(p)(6). A portion of currently unregulated point sources of storm water need to reduce pollutants to protect water quality.

Today's rule is estimated to range in cost from \$847.6 million to \$981.3 million annually, although the cost estimate for the proposed rule was reported as a range of \$138 to \$869 million annually. That range reflected a unit cost range for the municipal minimum measures and a cost range per construction site for soil erosion control. EPA has since revised its cost analysis to allow it to report the current estimate, which is toward the high end of the original cost range. The four other regulatory options considered at

proposal involved higher regulatory costs and, therefore, were not selected. These four options and their estimated costs are as follows:

(1) An option based on the August 7, 1995 direct final rule was estimated to cost between \$2.2 billion and \$78.9 billion per year.

(2) A "Plan B" option was estimated to cost between \$0.6 billion and \$3.2 billion per year.

(3) An option based on the September 30, 1996 draft proposed rule was estimated to cost between \$0.2 billion and \$3.7 billion per year.

(4) An option based on the February 13, 1997 draft proposed rule, was estimated to cost between \$0.2 billion and \$3.5 billion.

There are three reasons why the costs for these four options exceeded the estimated cost range for the proposed rule. The first two options regulated substantially more municipal governments. The first, third, and fourth options required industrial facilities to apply for permits. Finally, the first three options applied permit requirements to construction sites below 1 acre. Consequently, these options would be more costly than today's rule even with the revised analysis methods used to estimate costs.

3. Effects on Small Governments

Before EPA establishes any regulatory requirements that may significantly or uniquely affect small governments, including tribal governments, it must have developed under section 203 of the UMRA a small government agency plan. The plan must provide for notifying potentially affected small governments, enabling officials of affected small governments to have meaningful and timely input in the development of EPA regulatory proposals with significant Federal intergovernmental mandates, and informing, educating, and advising small governments on compliance with the regulatory requirements. EPA has determined that this rule contains no regulatory requirements that might significantly or uniquely affect small governments. Although today's rule expands the NPDES program (with modifications) to certain MS4s serving populations below 100,000 and although many MS4s are owned by small governments, EPA does not believe today's rule significantly or uniquely affects small governments. As explained in section IV.E. of the preamble, EPA today certifies that the rule will not have a significant impact on small governmental jurisdictions. In addition, the rule will not have a unique impact on small governments because the rule will affect small governments in

to the same extent as (or to a lesser extent than) larger governments that are already covered by the existing storm water rules. Thus, today's rule is not subject to the requirements of section 203 of UMRA.

Notwithstanding this finding, in developing today's rule, EPA provided notice of the requirements to potentially affected small governments; enabled officials of affected small governments to provide meaningful and timely input in the development of regulatory proposals; and informed, educated and advised small governments on compliance with the requirements.

Concerning notice, EPA provided States, local, and Tribal governments with the opportunity to comment on alternative approaches for an early draft of the proposed rule by publishing a notice requesting information and public comment in the **Federal Register** on September 9, 1992 (57 FR 41344). This notice presented a full range of regulatory alternatives. At that time, EPA received more than 130 comments, including approximately 43 percent from municipalities and 24 percent from State or Federal agencies.

The Agency also provided, through the SBREFA panel process and the FACA process, the opportunity for elected officials of small governments (and their representatives) to meaningfully participate in the development of the rule. Through such participation and exchange, EPA not only notified potentially affected small governments of requirements of the developing rule, but also allowed officials of affected small governments to have meaningful and timely input into the development of regulatory proposals.

In addition to involving municipalities in the development of the rule, EPA also continues to inform, educate, and advise small governments on compliance with the requirements of today's rule. For example, EPA supported 10 workshops, presented by the American Public Works Association from September 1998 through May 1999, designed to educate local governments on the implementation of the rule. The workshop curriculum included information on a variety of key issues such as anticipated regulatory requirements, agency reporting, best management practices, construction site controls, post construction management for new and redeveloped sites, public education and public involvement strategies, detection and control of illicit discharges, and good housekeeping practices. Moreover, EPA has prepared a series of fact sheets, available on the

EPA website at www.epa.gov/owm/sw/toolbox, that explains the rule in detail.

Finally, to assist small governments in implementing the Phase II program, EPA is committed to the following: (1) developing a tool box of implementation strategies; (2) providing written technical assistance, including guidance on developing BMPs and measurable goals; and (3) compiling a comprehensive evaluation of the NPDES municipal storm water Phase II program over the next 13 years.

D. Executive Order 13132

Executive Order 13132, entitled "Federalism" (64 FR 43255, August 10, 1999), requires EPA to develop an accountable process to ensure "meaningful and timely input by State and local officials in the development of regulatory policies that have federalism implications." "Policies that have federalism implications" is defined in the Executive Order to include regulations that have "substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government." Under Executive Order 13132, EPA may not issue a regulation that has federalism implications, that imposes substantial direct compliance costs, and that is not required by statute, unless the Federal government provides the funds necessary to pay the direct compliance costs incurred by State and local governments, or EPA consults with State and local officials early in the process of developing the proposed regulation. EPA also may not issue a regulation that has federalism implications and that preempts State law unless the Agency consults with State and local officials early in the process of developing the proposed regulation.

If EPA complies by consulting, Executive Order 13132 requires EPA to provide to the Office of Management and Budget (OMB), in a separately identified section of the preamble to the rule, a federalism summary impact statement (FSIS). The FSIS must include a description of the extent of EPA's prior consultation with State and local officials, a summary of the nature of their concerns and the agency's position supporting the need to issue the regulation, and a statement of the extent to which the concerns of State and local officials have been met. For final rules subject to Executive Order 13132, EPA also must submit to OMB a statement from the agency's Federalism Official certifying that EPA has fulfilled the Executive Order's requirements.

EPA has concluded that this final rule may have federalism implications. As discussed above in section IV.C., the rule contains a Federal mandate that may result in the expenditure by State, local and tribal governments, in the aggregate, of \$100 million or more in any one year. Accordingly, the rule may have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government, as specified in Executive Order 13132. Moreover, the rule will impose substantial direct compliance costs on State or local governments. Accordingly, EPA provides the following FSIS under section 6(b) of Executive Order 13132.

1. Description of the Extent of the Agency's Prior Consultation with State and Local Governments

Although this rule was proposed long before the November 2, 1999 effective date of Executive Order 13132, EPA consulted extensively with affected State and local governments pursuant to the intergovernmental consultation provisions of Executive Order 12875, "Enhancing the Intergovernmental Partnership" (now revoked by Executive Order 13132) and section 204 of UMRA.

First, EPA provided State and local governments the opportunity to comment on draft alternative approaches for the proposed rule through publishing a notice requesting information and public comment in the **Federal Register** on September 9, 1992 (57 FR 41344). This notice presented a full range of regulatory alternatives. At that time, EPA received more than 130 comments, including approximately 43 percent from municipalities and 24 percent from State or Federal agencies. These comments were the genesis of many of the provisions in the today's rule, including reliance on the NPDES program framework (including general permits), providing State and local governments flexibility in selecting additional sources requiring regulation, and focusing on high priority polluters. These comments helped to focus on pollution prevention, watershed-based concerns and BMPs. They also led to certain exemptions for facilities that do not pollute national waters.

In early 1993, EPA, in conjunction with the Rensselaerville Institute, held public and expert meetings to assist in developing and analyzing options for identifying unregulated storm water sources and possible controls. These meetings provided participants an additional opportunity to provide input into the CWA section 402(p)(6) program

development process. The final rule addresses several of the key concerns identified in these groups, including provisions that provide flexibility to the States to select sources to be controlled and types of permits to be issued, and flexibility to MS4s in selecting BMPs.

EPA also conducted outreach with representatives of small entities, including small governments, in conjunction with the convening of a Small Business Advocacy Review Panel under SBREFA which is discussed in section III.F. of the preamble.

In addition, EPA established the Urban Wet Weather Flows Advisory Committee (FACA), which in turn established the Storm Water Phase II Subcommittee. Consistent with the Federal Advisory Committee Act, the membership of the Committee and the Storm Water Phase II Subcommittee was balanced among EPA's various outside stakeholder interests, including representatives from State governments, municipal governments (both elected officials and appointed officials) and Tribal governments, as well as industrial and commercial sectors, agriculture, environmental and public interest groups.

2. Summary of Nature of State and Local Government Concerns, and Statement of the Extent to Which Those Concerns Have Been Met

In general, municipal government representatives supported the NPDES approach in today's rule for the following reasons: it will be uniformly applied on a nationwide basis; it provides flexibility to allow incorporation of State and local programs; it resolves the problem of donut holes that cause water quality impacts in urbanized areas; and it allows co-permitting of small regulated MS4s with those regulated under the existing storm water program.

In contrast, State representatives sought alternative approaches for State implementation of the storm water program for Phase II sources. State representatives asserted that a non-NPDES alternative approach best facilitated watershed management and avoided duplication and overlapping regulations. These representatives pointed out that there are a variety of State programs—not based on the CWA—implementing effective storm water controls, and that EPA should provide incentives for their implementation and improvement in performance. EPA continues to believe that an NPDES approach is the best approach in order to adequately protect water quality. However, EPA has worked with States on an alternative

approach that provides flexibility within the NPDES framework. The final rule allows States with a watershed permitting approach to phase in permit coverage for MS4s in jurisdictions with a population less than 10,000 and provides two waivers from coverage for small MS4s. This issue is discussed in section II.C of the preamble, Program Framework: NPDES Approach.

Some municipal governments objected that the rule's minimum measures for small MS4s violate the Tenth Amendment insofar as they require the operators of MS4s to regulate third parties according to the "minimum measures" for municipal storm water management programs. EPA disagrees that today's rule is inconsistent with Tenth Amendment principles. Permits issued under today's rule will not compel political subdivisions of States to regulate in their sovereign capacities, but rather to effectively control discharges out of their storm sewer systems in their owner/operator capacities. For MS4s that do not accept this "default" minimum measures-based approach (to control discharges out of the storm sewer system by exercising local powers to control discharges into the storm sewer system), today's rule allows for alternative permits through individual permit applications. EPA made revisions to the rule to allow regulated small MS4s to opt out of the minimum measures approach and instead apply for an individual permit. This issue is discussed in section II.H.3.c.iii of the preamble, Alternative Permit Option/Tenth Amendment.

3. Summary of the Agency's Position Supporting the Need To Issue the Regulation

As discussed more fully in section I.B. above, today's rule is needed because uncontrolled storm water discharges from areas of urban development and construction activity have been shown to have negative impacts on receiving waters by changing the physical, biological, and chemical composition of the water, resulting in an unhealthy environment for aquatic organisms, wildlife, and people. As discussed in section II.C., the NPDES approach in today's rule is needed to ensure uniform application on a nationwide basis, to provide flexibility to allow incorporation of State and local programs, to resolve the problem of donut holes that cause water quality impacts in urbanized areas, and to allow co-permitting of small regulated MS4s with those regulated under the existing storm water program.

The draft final rule was transmitted to OMB on July 6, 1999. Because transmittal occurred before the November 2, 1999 effective date of Executive Order 13132, certification under section 8 of the Executive Order is not required.

E. Regulatory Flexibility Act (RFA), as amended by the Small Business Regulatory Enforcement Fairness Act of 1996 (SBREFA), 5 U.S.C. 601 et seq.

The RFA generally requires an Agency to prepare a regulatory flexibility analysis of any rule subject to notice and comment rulemaking requirements under the Administrative Procedure Act or any other statute unless the agency certifies that the rule will not have a significant economic impact on a substantial number of small entities. Small entities include small businesses, small organizations, and small governmental jurisdictions.

For purposes of assessing the impact of today's rule on small entities, small entity is defined as: (1) a building contractor (SIC 15) with up to \$17.0 million in annual revenue; (2) a small governmental jurisdiction that is a government of a city, county, town, school district, or special district with a population of less than 50,000; and (3) a small organization that is any not-for-profit enterprise which is independently owned and operated and is not dominant in its field.

After considering the economic impacts of today's final rule on small entities, I certify that this action will not have a significant economic impact on a substantial number of small entities.

Although this final rule will not have a significant economic impact on a substantial number of small entities, EPA nonetheless has tried to reduce the impact of this rule on small entities.

For purposes of evaluating the economic impact of this rule on small governmental jurisdictions, EPA compared annual compliance costs with annual government revenues obtained from the 1992 Census of Governments, using state-specific estimates of annual revenue per capita for municipalities in three population size categories (fewer than 10,000, 10,000–25,000, and 25,000–50,000).

In order to estimate the annual compliance cost for small governmental jurisdictions, EPA used the mean variable municipal cost of \$8.93 per household as calculated in a 1998 study of 121 municipalities conducted by the national Association of Flood and Stormwater Management Agencies (NAFSMA). In addition, EPA used the estimated fixed administrative costs of \$1,545 per municipality for reporting,

recordkeeping, and application requirements for today's rule.

In evaluating the economic impact of this rule on small governmental jurisdictions, EPA determined that compliance costs represent more than 1 percent of estimated revenues for only 10 percent of small governments and more than 3 percent of the revenue for 0.7 percent of these entities. In both absolute and relative terms, EPA does not consider this a significant economic impact on a substantial number of small entities.

EPA normally uses the "sales test" for determining the economic impact on small businesses. Under a sales test, annual compliance costs are compared with the small business's total annual sales. However, the direct application of the sales test is not suitable in this case, because of the uncertainty associated with estimating the number of units an "average" developer/contractor develops or builds in a typical year. For this rule, EPA has approximated the sales test by estimating compliance costs for three sizes of construction sites and comparing them with a representative sale price for three building categories. Although EPA's analysis is not exactly a "sales test," it is similar to the sales test, producing comparable results.

For small building contractors, EPA estimated administrative compliance costs of \$870 per site for applying for coverage, reporting, record keeping, monitoring and preparing a storm water pollution prevention plan. EPA estimated compliance costs for installing soil and erosion controls as ranging from \$1,206 to \$8,709 per site. EPA compliance cost estimates are based on 27 theoretical model construction sites designed to mimic the mostly likely used best management practices around the country.

In evaluating the economic impact on small building contractors, EPA divided the revised compliance costs per construction start by the appropriate homes-to-site ratio for each of the three sizes of construction sites. The average compliance cost per home ranges from approximately \$450 to \$650. EPA concluded that compliance costs are roughly 0.22 to 0.43 percent of both the mean, \$181,300, and median, \$151,000, sale price of a home.

The absence of data to specifically assess annual compliance costs for building contractors as a percentage of annual sales (i.e., a very direct estimate of the impact on potentially affected small businesses) led EPA to perform additional market analysis to examine the ability of potentially affected firms to pass along regulatory costs to buyers

for single-family homes constructed subject to today's rule. If the small building contractors covered by the rule are able to pass on the costs of compliance, either completely or partially, to their purchasers, then the rule's impact on these small business entities is significantly reduced. The market analysis shows that demand for homes is not overly sensitive to small changes in price, therefore builders should be able to pass on at least a significant fraction of the compliance costs to buyers.

EPA also assessed the effect of the building contractors' costs on average monthly mortgage rates and on the demand for new homes. Based on that screening analysis, EPA concludes that the costs to building contractors, and the potential changes in housing prices and monthly mortgage payments for single-family home buyers, are not expected to have a significant impact on the market for single-family houses. In both absolute and relative terms, EPA does not consider this a significant economic impact on a substantial number of small entities.

EPA also certified this rule at proposal. Even though the Agency was not required to, we convened a Small Business Advocacy Review Panel ("Panel") in June 1997. A number of small entity representatives had already been actively involved with EPA through the FACA process, and were, therefore, broadly knowledgeable about the development of the proposed and final rules. Prior to convening the Panel, EPA consulted with the Small Business Administration to identify a group of small entity representatives to advise the Panel. The Agency distributed a briefing package describing its preliminary analysis under the RFA to the small entity representatives (as well as to representatives from OMB and SBA) and conducted two telephone conference calls and an all-day meeting at EPA Headquarters in May of 1997 with small entity representatives. With this preliminary work complete, in June 1997, EPA formally convened the SBREFA Panel, comprising representatives from OMB, SBA, EPA's Office of Water and EPA's Small Business Advocacy Chair. The Panel received written comments from small entity representatives based on their involvement in the earlier meetings, and invited additional comments.

Consistent with requirements of the RFA, the Panel evaluated the assembled materials and small-entity comments on issues related to: (1) a description and the number of small entities that would be regulated; (2) a description of the projected record keeping, reporting and

other compliance requirements applicable to small entities; (3) identification of other Federal rules that may duplicate, overlap, or conflict with the proposal to the final rule; and (4) regulatory alternatives that would minimize any significant economic impact of the rule on small entities while accomplishing the stated objectives of the CWA section 402(p)(6).

On August 7, 1997, the Panel provided a Final Report (hereinafter, "Report") to the EPA Administrator. A copy of the Report is included in the docket for the rule. The Panel acknowledged and commended EPA's efforts to work with stakeholders, including small entities, through the FACA process. The SBREFA Panel stated that, because of EPA's extensive outreach and responsiveness in addressing stakeholder concerns, commenters during the SBREFA process raised fewer concerns than might otherwise have been expected. Based on the advice and recommendations of the Panel, today's rule includes a number of provisions designed to minimize any significant impact on small entities. (See Appendix 5).

F. National Technology Transfer And Advancement Act

Section 12(d) of the National Technology Transfer and Advancement Act of 1995 ("NTTAA"), Public Law 104-113, section 12(d) (15 U.S.C. 272 note) directs EPA to use voluntary consensus standards in its regulatory activities unless to do so would be inconsistent with applicable law or otherwise impractical. Voluntary consensus standards are technical standards (e.g., materials specifications, test methods, sampling procedures, and business practices) that are developed or adopted by voluntary consensus standard bodies. The NTTAA directs EPA to provide Congress, through OMB, explanations when the Agency decides not to use available and applicable voluntary consensus standards.

This action does not mandate the use of any particular technical standards, although in designing appropriate BMPs regulated small MS4s and small construction sites are encouraged to use any voluntary consensus standards that may be applicable and appropriate. Because no specific technical standards are included in the rule, section 12(d) of the NTTAA is not applicable.

G. Executive Order 13045

Executive Order 13045: "Protection of Children from Environmental Health Risks and Safety Risks" (62 FR 19885, April 23, 1997) applies to any rule that: (1) Is determined to be "economically

significant” as defined under E.O. 12866, and (2) concerns an environmental health or safety risk that EPA has reason to believe may have a disproportionate effect on children. If the regulatory action meets both criteria, the Agency must evaluate the environmental health or safety effects of the planned rule on children, and explain why the planned regulation is preferable to other potentially effective and reasonably feasible alternatives considered by the Agency.

This final rule is not subject to E.O. 13045 because it does not concern an environmental health or safety risk that may have a disproportionate effect on children. The rule expands the scope of the existing NPDES permitting program to require small municipalities and small construction sites to regulate their storm water discharges. The rule does not itself, however, establish standards or criteria that would be included in permits for those sources. Such standards or criteria will be developed through other actions, for example, in the establishment of water quality standards or subsequently in the issuance of permits themselves. As such, today’s action does not concern an environmental health or safety risk that may have a disproportionate effect on children. To the extent it does address a risk that may have a disproportionate effect on children, expanding the scope of the permitting program will have a corresponding disproportionate benefit to children to protect them from such risk.

H. Executive Order 13084

Under Executive Order 13084, EPA may not issue a regulation that is not required by statute, that significantly or uniquely affects the communities of Indian tribal governments, and that imposes substantial direct compliance costs on those communities, unless the Federal government provides the funds necessary to pay the direct compliance costs incurred by the Tribal

governments, or EPA consults with those governments. If EPA complies by consulting, Executive Order 13084 requires EPA to provide to the Office of Management and Budget, in a separately identified section of the preamble to the rule, a description of the extent of EPA’s prior consultation with representatives of affected Tribal governments, a summary of the nature of their concerns, and a statement supporting the need to issue the regulation. In addition, Executive Order 13084 requires EPA to develop an effective process permitting elected officials and other representatives of Indian Tribal governments “to provide meaningful and timely input in the development of regulatory policies on matters that significantly or uniquely affect their communities.”

Today’s rule does not significantly or uniquely affect the communities of Indian Tribal governments. Even though the Agency is not required to address Tribes under the Regulatory Flexibility Act, EPA used the same revenue test that was used for municipalities to assess the impact of the rule on communities of Tribal governments and determine that they will not be significantly affected. In addition, the rule will not have a unique impact on the communities of Tribal governments because small municipal governments are also covered by this rule and larger municipal governments are already covered by the existing storm water rules. Accordingly, the requirements of section 3(b) of Executive Order 13084 do not apply to this rule.

I. Congressional Review Act

The Congressional Review Act, 5 U.S.C. section 801 *et seq.*, as added by the Small Business Regulatory Enforcement Fairness Act of 1996, generally provides that before a rule may take effect, the agency promulgating the rule must submit a rule report, which includes a copy of the rule, to each House of the Congress

and the Comptroller General of the United States. EPA will submit a report containing this rule and other required information to the U.S. Senate, the U.S. House of Representatives, and the Comptroller General of the United States prior to publication of the rule in the **Federal Register**. A major rule cannot take effect until 60 days after it is published in the **Federal Register**. This rule is a “major rule” as defined by 5 U.S.C. 804(2). This rule will be effective on February 7, 2000.

List of Subjects

40 CFR Part 9

Environmental protection, Reporting and recordkeeping requirements.

40 CFR Part 122

Administrative practice and procedure, Confidential business information, Environmental protection, Hazardous substances, Incorporation by reference, Reporting and recordkeeping requirements, Sewage disposal, Waste treatment and disposal, Water pollution control.

40 CFR Part 123

Administrative practice and procedure, Confidential business information, Hazardous materials, Indians—lands, Intergovernmental relations, Penalties, Reporting and recordkeeping requirements, Sewage disposal, Waste treatment and disposal, Water pollution control, Penalties.

40 CFR Part 124

Administrative practice and procedure, Air pollution control, Hazardous waste, Indians—lands, Reporting and recordkeeping requirements, Water pollution control, Water supply.

Dated: October 29, 1999.

Carol M. Browner,
Administrator.

Appendices to the Preamble

APPENDIX 1 TO PREAMBLE—FEDERALLY-RECOGNIZED AMERICAN INDIAN AREAS LOCATED FULLY OR PARTIALLY IN BUREAU OF THE CENSUS URBANIZED AREAS
[Based on 1990 Census data]

State	American Indian Area	Urbanized Area
AZ	Pascua Yacqui Reservation (pt.): Pascua Yacqui Tribe of Arizona	Tucson, AZ (Phase I).
AZ	Salt River Reservation (pt.): Salt River Pima-Maricopa Indian Community of the Salt River Reservation, California.	Phoenix, AZ (Phase I).
AZ	San Xavier Reservation (pt.): Tohono O’odham Nation of Arizona (formerly known as the Papago Tribe of the Sells, Gila Bend & San Xavier Reservation).	Tucson, AZ (Phase I).
CA	Augustine Reservation: Augustine Band of Cahuilla Mission of Indians of the Augustine Reservation, CA.	Indio-Coachella, CA (Phase I).
CA	Cabazon Reservation: Cabazon Band of Cahuilla Mission Indians of the Cabazon Reservation, CA.	Indio-Coachella, CA (Phase I).