#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

#### **RCRA** Corrective Action

## **Environmental Indicator (EI) RCRIS code (CA750)** Migration of Contaminated Groundwater Under Control

Facility	Name:	Beazer East, Inc., Colliers Landfill (formerly Koppers)  RD 1 Crosscreek District, Colliers, WV  WVD 98 070 7178	
Facility	Address:		
Facility	EPA ID#:		
	groundwater n	ole relevant/significant information on known and reasonably suspected releases to the nedia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units ulated Units (RU), and Areas of Concern (AOC)), been <b>considered</b> in this EI determination?	
	X	If yes - check here and continue with #2 below.	
		_ If no - re-evaluate existing data, or	
		if data are not available skip to #6 and enter"IN" (more information needed) status code.	

### **BACKGROUND**

#### <u>Definition of Environmental Indicators (for the RCRA Corrective Action)</u>

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

#### Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

### **Relationship of EI to Final Remedies**

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., nonaqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

### **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective

"levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facili			
X	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.		
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not		

\_\_\_\_\_ If unknown - skip to #8 and enter "IN" status code.

"contaminated."

Rationale and Reference(s): Chromium concentrations in monitoring wells have been detected above MCLs (120 ug/l to 300 ug/l). However, a cap and slurry wall have been constructed over and around the landfill under a State landfill closure permit. There are no drinking water wells located down gradient from the landfill, which is isolated. Quarterly groundwater monitoring has been in effect since 1986. Groundwater and seep monitoring down gradient of the landfill has found no site related contaminants; however, lead was detected in two seeps at levels (6.1 ug/l to 11 ug/l) below a federal drinking water action level. (Sources: 1996, 1997, 1998 RCRA Annual Groundwater Monitoring Report, Colliers Landfill, Colliers, West Virginia).


#### Footnotes:

2.

<sup>1</sup>"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?



Rationale and Reference(s): The Colliers Landfill is located on a former strip mine site adjacent to the county municipal landfill. The landfill was used for the disposal of wastes from a wood treatment plant located in Follansbee, WV. The wastes disposed there consisted of solid waste, drums of asbestos, and wastewater treatment sludges (K035 listed hazardous waste). The landfill was closed under a landfill closure permit issued by the State of West Virginia. The current well maintained cap and fencing prevent human exposure to any hazardous waste contained within the landfill. The slurry wall around the landfill is limiting any movement of contaminants through the groundwater. There are no down gradient wells which are utilized for drinking water or other uses. Quarterly monitoring of the groundwater and seeps down gradient of the landfill are continuing under a RCRA post closure permit. No site contaminants have been detected above PQLs since construction of the cap, and slurry wall. (Sources: 1996, 1997, 1998 RCRA Annual Groundwater Monitoring Report, Colliers Landfill, Colliers, West Virginia).

<sup>&</sup>lt;sup>2</sup> "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contaminated" groundwater discharge into surface water bodies?		
	X	If yes - continue after identifying potentially affected surface water bodies.	
		If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.	
		If unknown - skip to #8 and enter "IN" status code.	
	Rationale and R	Reference(s): Lead was the only contaminant detected in seeps (6.1 ug/l to 11 ug/l) into a	

**Rationale and Reference(s):** Lead was the only contaminant detected in seeps (6.1 ug/l to 11 ug/l) into an unnamed intermittent stream which then feeds into Sappingtons Run. The levels were below an action level for drinking water.

Page 5

- 5. Is the **discharge** of "contaminated" groundwater into surface water likely to be "**insignificant**" (i.e., the maximum concentration<sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?
  - X If yes skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

If unknown - enter "IN" status code in #8.

Rationale and Reference(s): The current groundwater and seep monitoring program as required by the post closure permit has not found any contaminants in the groundwater or seeps that exceed any health based drinking water standard. Previous stream sampling results have also been below PQLs, which were less than any health based standards for drinking water.

<sup>&</sup>lt;sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Page 6

б.	Can the <b>discharge</b> of "contaminated" groundwater into surface water be shown to be " <b>currently</b> acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented <sup>4</sup> )?		
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.		
	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.		
	If unknown - skip to 8 and enter "IN" status code.		

### Rationale and Reference(s):

- <sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.
- <sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as

• /	offected in the future to verify that contaminated groundwater has remained within the vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"
X	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations
	which will be tested in the future to verify the expectation (identified in #3) that
	groundwater contamination will not be migrating horizontally (or vertically, as necessary
	beyond the "existing area of groundwater contamination."

If no - enter "NO" status code in #8.

If unknown - enter "IN" status code in #8.

7.

**Rationale and Reference(s):** The landfill is currently regulated by a landfill closure permit issued by the State of West Virginia. Under the permit, the Permittee is required to perform quarterly groundwater monitoring, including monitoring of seeps down gradient from the landfill.

Page 8

8.	Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).  X YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Beazer East, Inc., Colliers Landfill (formerly Koppers) facility, EPA ID #WVD 98 070 7178, located at RD 1 Crosscreek District, Colliers, WV. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.						
		NO - Unacceptable migration of contaminated groundwater is observed or expected.  IN - More information is needed to make a determination.					
	Completed by	(signature	9)	Date 03-22-00			
	1	(print)	Martin T. Kotsch				
		(title)	Remedial Project Manager	<del>_</del>			
	Supervisor	(signature	e)	Date 03-22-00			
		(print)	Robert E. Greaves	<del></del>			
		(title)	Chief, General Operations Branch	_			
		(EPA Reg	ion or State) EPA, Region 3	_			
	Locations where References may be found:						
	EPA, Region III, RCRA Fileroom, 11th Floor						
	1650 Arch Street						
	Philadelphia, PA 19103-2029						
	Contact telephone and e-mail numbers:						
	(name)	) Will	liam Wentworth				

(phone #)

(e-mail)

215-814-3184

wentworth.william@epa.gov