



UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION III
STATEMENT OF BASIS
CSR CONTRAVES PRINTED CIRCUITS
PITTSBURGH, PENNSYLVANIA
EPA ID NO. PAD 096338066

TABLE OF CONTENTS

| SECTION | PAGE |
|---|------|
| I. Introduction..... | 1 |
| A. Facility Name..... | 1 |
| B. Purpose of Document/Proposed Decision..... | 1 |
| C. Importance of Public Input..... | 2 |
| II. Facility Background..... | 2 |
| III. Summary of the Environmental History | 2 |
| IV. Evaluation of EPA's Proposed Decision..... | 2 |
| V. Public Participation | 2 |

I. Introduction

A. Facility Name

The United States Environmental Protection Agency (EPA) has prepared this Statement of Basis (SB) for the CSR Contraves Printed Circuits facility located at 632 Fort Duquesne Blvd., Pittsburgh, PA 15222-3307 (hereinafter referred to as the Facility).

The Facility is subject to the Corrective Action program under the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA) of 1976, and the Hazardous and Solid Waste Amendments (HSWA) of 1984, 42 U.S.C. Sections 6901 to 6992k. The Corrective Action program is designed to ensure that certain facilities subject to RCRA have investigated and cleaned up any releases of hazardous waste and hazardous constituents that have occurred at their property.

Information on the Corrective Action program as well as a fact sheet for the Facility can be found by navigating <http://www.epa.gov/reg3wcmd/correctiveaction.htm>.

B. Proposed Decision

This SB explains EPA's proposed decision to make a Corrective Action Complete without Controls determination for the Facility. EPA's proposed decision is based on a review of EPA and Pennsylvania Department of Environmental Protection (PADEP) files regarding the environmental history of the Facility as presented in the Final Environmental Indicator Inspection Report submitted in February 2008. Based on this review, EPA has concluded that there are no current or unaddressed releases of hazardous waste or hazardous constituents from the Facility. Therefore, no further corrective action or controls are required at the Facility at this time.

C. Importance of Public Input

Before EPA makes a final decision on its Corrective Action Complete without Controls determination for the Facility, the public may participate in the remedy selection process by reviewing this SB and documents contained in the Administrative Record (AR) for the Facility. The AR contains the complete set of reports that document Facility conditions, including a map of the Facility, in support of EPA's proposed decision. EPA encourages anyone interested to review the AR. The AR is available for public review at the EPA Region III office, the address of which is provided in Section V, below.

EPA will address all significant comments received during the public comment period. If EPA determines that new information or public comments warrant a modification to the proposed decision, EPA will modify the proposed decision or select other alternatives based on such new information and/or public comments. EPA will approve its final decision in a document entitled the Final Decision and Response to Comments (FDRTC).

II. Facility Background

The Facility is located at 632 Fort Duquesne Blvd. in Pittsburgh, Pennsylvania. CSR began operations on June 30, 1974. Circuit boards were designed, manufactured, cleaned, and painted at this location. In 1986, the facility closed, and following several divisions, sales, and terminations, CSR went out of business and is no longer in operation. Due to the size of the building, CSR probably leased the space for their operations (approximately 16,000 ft²).

The former Facility was located in the commercial district of downtown Pittsburgh. The Allegheny River is located approximately 150 feet north of the building, on the opposite side of Fort Duquesne Boulevard. Scott Way is located directly to the east, and Barker Way is located directly west of the building.

III. Summary of Environmental History

Records and discussions during the Environmental Indicator site visit indicate that there have been no reportable releases, no instances or evidence of soil or groundwater contamination, no site remediation, and no past, current, or planned monitoring efforts at this Facility.

IV. Evaluation of EPA's Proposed Decision

EPA has determined that its proposed decision to make a Corrective Action Complete without Controls determination for Facility is protective of human health and the environment and that no further corrective action or controls are necessary at this time.

V. Public Participation

Interested persons are invited to comment on EPA's proposed decision. The public comment period will last thirty (30) calendar days from the date that notice is published in a local newspaper. Comments may be submitted by mail, fax, e-mail, or phone to Mr. Kevin Bilash at the address listed below.

A public meeting will be held upon request. Requests for a public meeting should be made to Mr. Kevin Bilash at the address listed below. A meeting will not be scheduled unless one is requested.

The Administrative Record contains all information considered by EPA when proposing a Corrective Action Complete without Controls determination for the Facility. The Administrative Record is available at the following location:

U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
Contact: Mr. Kevin Bilash (3LC30)
Phone: (215) 814-2796
Fax: (215) 814 - 3113
Email: bilash.kevin@epa.gov