

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
 Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
 Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR14,15,16(0-6)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 3:40:00 PM
Lab ID: 13050282-001A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	1.2	0.2		mg/Kg-dry	10	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	4.7 J	4.3		mg/Kg-dry	20	5/14/2013
Cadmium	9.5	1.1		mg/Kg-dry	20	5/14/2013
Chromium	900	2.2		mg/Kg-dry	20	5/14/2013
Copper	770	5.4		mg/Kg-dry	20	5/14/2013
Lead	1500	1.1		mg/Kg-dry	20	5/14/2013
Tin	130	11	*	mg/Kg-dry	20	5/14/2013
Zinc	5800	54		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/12/2013 Analyst: JG
Lead	0.75	0.005		mg/L	5	5/12/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	8.2			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	11.8	0.2	*	wt%	1	5/11/2013

ZD
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR14,15,16(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 3:40:00 PM
Lab ID: 13050282-001B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	3200	9.9		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
 Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
 Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013
 Print Date: May 23, 2013

Client: Weston Solutions Client Sample ID: PA-RR14,15,16(6-24)-050613
 Lab Order: 13050282 Tag Number:
 Project: Pilsen Soil Site, Pilsen, Chicago, IL Collection Date 5/6/2013 3:50:00 PM
 Lab ID: 13050282-002A Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.78	0.04		mg/Kg-dry	2	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	5.2 J	4.5		mg/Kg-dry	20	5/14/2013
Cadmium	11	1.1		mg/Kg-dry	20	5/14/2013
Chromium	2000	2.3		mg/Kg-dry	20	5/14/2013
Copper	900	5.7		mg/Kg-dry	20	5/14/2013
Lead	2200	1.1		mg/Kg-dry	20	5/14/2013
Tin	120	11	*	mg/Kg-dry	20	5/14/2013
Zinc	4700	57		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/12/2013 Analyst: JG
Lead	0.35	0.005		mg/L	5	5/12/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	7.9			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	16.6	0.2	*	wt%	1	5/11/2013

2
5/28/13

Qualifiers: ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits
 RT - Sample received past holding time E - Value above quantitation range
 * - Non-accredited parameter H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR14,15,16(6-24)-050613
Lab Order:	13050282	Tag Number:	Fine Grained
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 3:50:00 PM
Lab ID:	13050282-002B	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	2200	10		mg/Kg-dry	100	5/19/2013

Qualifiers:

ND - Not Detected at the Reporting Limit
 I - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded



STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR11,13(0-6)-050613
Lab Order:	13050282	Tag Number:	
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 4:00:00 PM
Lab ID:	13050282-003A	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.55	0.02		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	6.4 J	4.6		mg/Kg-dry	20	5/14/2013
Cadmium	9.3	5.7		mg/Kg-dry	100	5/13/2013
Chromium	220	11		mg/Kg-dry	100	5/13/2013
Copper	650	5.7		mg/Kg-dry	20	5/14/2013
Lead	940	11		mg/Kg-dry	100	5/13/2013
Tin	70	11	*	mg/Kg-dry	20	5/14/2013
Zinc	2200	57		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/12/2013 Analyst: JG
Lead	0.13	0.005		mg/L	5	5/12/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	7.9			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	13.0	0.2	*	wt%	1	5/11/2013

24
5/28/13

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR11,13(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:00:00 PM
Lab ID: 13050282-003B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)				Prep Date: 5/19/2013 Analyst: JG
Lead	900	9.7		mg/Kg-dry	100	5/19/2013

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR11,13(6-24)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:05:00 PM
Lab ID: 13050282-004A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.58	0.02		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	8.8 J	4.5		mg/Kg-dry	20	5/14/2013
Cadmium	8.6	5.6		mg/Kg-dry	100	5/13/2013
Chromium	43	11		mg/Kg-dry	100	5/13/2013
Copper	360	5.6		mg/Kg-dry	20	5/14/2013
Lead	1000	11		mg/Kg-dry	100	5/13/2013
Tin	110	11	*	mg/Kg-dry	20	5/14/2013
Zinc	1100	56		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/12/2013 Analyst: JG
Lead	0.022	0.005		mg/L	5	5/12/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	7.9			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	15.3	0.2	*	wt%	1	5/11/2013

24
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded



Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR11,13(6-24)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:05:00 PM
Lab ID: 13050282-004B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	980	9.9		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR10,12(0-6)-050613
Lab Order:	13050282	Tag Number:	
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 4:15:00 PM
Lab ID:	13050282-005A	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	1.1	0.22		mg/Kg-dry	10	5/13/2013
Metals by ICP/MS	SWG020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	14 J	4.5		mg/Kg-dry	20	5/14/2013
Cadmium	17	5.6		mg/Kg-dry	100	5/13/2013
Chromium	53	11		mg/Kg-dry	100	5/13/2013
Copper	1000	5.6		mg/Kg-dry	20	5/14/2013
Lead	1800	11		mg/Kg-dry	100	5/13/2013
Tin	150	11	*	mg/Kg-dry	20	5/14/2013
Zinc	3800	56		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	0.52	0.005		mg/L	5	5/14/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	8.0			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	15.3	0.2	*	wt%	1	5/11/2013

24
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR10,12(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:15:00 PM
Lab ID: 13050282-005B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	2600	9.9		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR10,12(6-24)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:20:00 PM
Lab ID: 13050282-006A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	1.5	0.21		mg/Kg-dry	10	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	34 J	4.8		mg/Kg-dry	20	5/14/2013
Cadmium	12	5.9		mg/Kg-dry	100	5/13/2013
Chromium	35	12		mg/Kg-dry	100	5/13/2013
Copper	980	5.9		mg/Kg-dry	20	5/14/2013
Lead	2400	12		mg/Kg-dry	100	5/13/2013
Tin	170	12	*	mg/Kg-dry	20	5/14/2013
Zinc	2200	59		mg/Kg-dry	100	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	0.68	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	7.9			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	22.2	0.2	*	wt%	1	5/11/2013

2A
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded



Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR10,12(6-24)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:20:00 PM
Lab ID: 13050282-006B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 5/19/2013	Analyst: JG
Lead	2300	9.4		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR07,08(0-6)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:30:00 PM
Lab ID: 13050282-007A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury						
	SW7471A				Prep Date: 5/13/2013	Analyst: LB
Mercury	0.72	0.022		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS						
	SW6020 (SW3050B)				Prep Date: 5/13/2013	Analyst: JG
Antimony	12 J	4.1		mg/Kg-dry	20	5/14/2013
Cadmium	71	5.1		mg/Kg-dry	100	5/13/2013
Chromium	45	10		mg/Kg-dry	100	5/13/2013
Copper	6500	250		mg/Kg-dry	1000	5/14/2013
Lead	6800	10		mg/Kg-dry	100	5/13/2013
Tin	540	10	*	mg/Kg-dry	20	5/14/2013
Zinc	46000	510		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)				Prep Date: 5/14/2013	Analyst: JG
Lead	3.6	0.005		mg/L	5	5/15/2013
pH (25 °C)						
	SW9045C				Prep Date: 5/14/2013	Analyst: PBG
pH	8.4			pH Units	1	5/14/2013
Percent Moisture						
	D2974				Prep Date: 5/11/2013	Analyst: RW
Percent Moisture	8.9	0.2	*	wt%	1	5/11/2013

2H
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	- Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR07,08(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:30:00 PM
Lab ID: 13050282-007B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)				Prep Date: 5/19/2013 Analyst: JG
Lead	7900	9.8		mg/Kg-dry	100	5/19/2013

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR07,08(6-24)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:35:00 PM
Lab ID: 13050282-008A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.65	0.02		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	8 J	4.5		mg/Kg-dry	20	5/14/2013
Cadmium	49	5.7		mg/Kg-dry	100	5/13/2013
Chromium	43	11		mg/Kg-dry	100	5/13/2013
Copper	3700	280		mg/Kg-dry	1000	5/14/2013
Lead	5500	11		mg/Kg-dry	100	5/13/2013
Tin	450	11	*	mg/Kg-dry	20	5/14/2013
Zinc	24000	570		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	13	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	9.1			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	19.0	0.2	*	wt%	1	5/11/2013

24
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

**Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR07,08(6-24)-050613
Lab Order:	13050282	Tag Number:	Fine Grained
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 4:35:00 PM
Lab ID:	13050282-008B	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 5/19/2013	Analyst: JG
Lead	9500	9.9		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR01,02(0-6)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:40:00 PM
Lab ID: 13050282-009A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.52	0.023		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	19 J	3.9		mg/Kg-dry	20	5/14/2013
Cadmium	16	4.9		mg/Kg-dry	100	5/13/2013
Chromium	64	9.8		mg/Kg-dry	100	5/13/2013
Copper	9400	240		mg/Kg-dry	1000	5/14/2013
Lead	4000	9.8		mg/Kg-dry	100	5/13/2013
Tin	1300	9.8	*	mg/Kg-dry	20	5/14/2013
Zinc	26000	490		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	0.87	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	8.0			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	14.3	0.2		wt%	1	5/11/2013

24
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATInfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR01,02(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:40:00 PM
Lab ID: 13050282-009B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 5/19/2013	Analyst: JG
Lead	4100	9.7		mg/Kg-dry	100	5/19/2013

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR01,026-24)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:45:00 PM
Lab ID: 13050282-010A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A				Prep Date: 5/13/2013	Analyst: LB
Mercury	0.63	0.022		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 5/13/2013	Analyst: JG
Antimony	7.4 J	4.3		mg/Kg-dry	20	5/14/2013
Cadmium	6.1	1.1		mg/Kg-dry	20	5/14/2013
Chromium	34	2.1		mg/Kg-dry	20	5/14/2013
Copper	3700	270		mg/Kg-dry	1000	5/14/2013
Lead	1700	11		mg/Kg-dry	100	5/13/2013
Tin	560	11	*	mg/Kg-dry	20	5/14/2013
Zinc	17000	530		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)				Prep Date: 5/14/2013	Analyst: JG
Lead	0.98	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C				Prep Date: 5/14/2013	Analyst: PBG
pH	7.6			pH Units	1	5/14/2013
Percent Moisture	D2974				Prep Date: 5/11/2013	Analyst: RW
Percent Moisture	15.4	0.2	*	wt%		5/11/2013

2H
5/28/13

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded



STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR01,026-24)-050613
Lab Order:	13050282	Tag Number:	Fine Grained
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 4:45:00 PM
Lab ID:	13050282-010B	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS						
Lead	2200	9.8		mg/kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

**Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR04,06(0-6)-050613
Lab Order:	13050282	Tag Number:	
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date:	5/6/2013 4:55:00 PM
Lab ID:	13050282-011A	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.61	0.02		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	18 J	4.4		mg/Kg-dry	20	5/14/2013
Cadmium	140	1.1		mg/Kg-dry	20	5/14/2013
Chromium	56	2.2		mg/Kg-dry	20	5/14/2013
Copper	11000	280		mg/Kg-dry	1000	5/14/2013
Lead	11000	56		mg/Kg-dry	1000	5/14/2013
Tin	980	11	*	mg/Kg-dry	20	5/14/2013
Zinc	78000	560		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	12	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	8.1			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	12.8	0.2		wt%	1	5/11/2013

ZH
5/28/13

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR04,06(0-6)-050613
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:55:00 PM
Lab ID: 13050282-011B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
In Vitro Extractable Metals by ICP/MS	EPA 9200/6020 (SW3005A) Prep Date: 5/19/2013 Analyst: JG					
Lead	180	1	*	mg/L	200	5/22/2013
In Vitro Bioaccessibility	EPA 9200/6020 Prep Date: 5/22/2013 Analyst: JG					
Lead	77.2	0.01	*	%	1	5/22/2013
Metals by ICP/MS	SW6020 (SW3050B) Prep Date: 5/19/2013 Analyst: JG					
Lead	23000	4.9		mg/Kg-dry	50	5/19/2013

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR04,06(6-24)-050613
Lab Order: 13050282	Tag Number:
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 5:00:00 PM
Lab ID: 13050282-012A	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	1.6	0.22		mg/Kg-dry	10	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	ND	4.1		mg/Kg-dry	20	5/14/2013
Cadmium	16	1		mg/Kg-dry	20	5/14/2013
Chromium	27	2		mg/Kg-dry	20	5/14/2013
Copper	1800	250		mg/Kg-dry	1000	5/14/2013
Lead	1700	10		mg/Kg-dry	100	5/13/2013
Tin	240	10	*	mg/Kg-dry	20	5/14/2013
Zinc	9900	510		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	0.24	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	8.3			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	13.5	0.2		wt%		5/11/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

- RL - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

**Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR04,06(6-24)-050613
Lab Order:	13050282	Tag Number:	Fine Grained
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date	5/6/2013 5:00:00 PM
Lab ID:	13050282-012B	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	2600	10		mg/Kg-dry	100	5/19/2013

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- ° - Non-accredited parameter

- RE - Reporting / Quantitation Limit for the analysis
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- H - Holding time exceeded

STAT Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client:	Weston Solutions	Client Sample ID:	PA-RR01,02(6-24)-050613D
Lab Order:	13050282	Tag Number:	
Project:	Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date:	5/6/2013 4:50:00 PM
Lab ID:	13050282-013A	Matrix:	Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Mercury	SW7471A					Prep Date: 5/13/2013 Analyst: LB
Mercury	0.59	0.02		mg/Kg-dry	1	5/13/2013
Metals by ICP/MS	SW6020 (SW3050B)					Prep Date: 5/13/2013 Analyst: JG
Antimony	ND	23		mg/Kg-dry	100	5/13/2013
Cadmium	8.6	1.2		mg/Kg-dry	20	5/14/2013
Chromium	35	2.3		mg/Kg-dry	20	5/14/2013
Copper	2500	290		mg/Kg-dry	1000	5/14/2013
Lead	1500	58		mg/Kg-dry	1000	5/14/2013
Tin	600	12	*	mg/Kg-dry	20	5/14/2013
Zinc	14000	580		mg/Kg-dry	1000	5/14/2013
TCLP Metals by ICP/MS	SW1311/6020 (SW3005A)					Prep Date: 5/14/2013 Analyst: JG
Lead	5	0.005		mg/L	5	5/15/2013
pH (25 °C)	SW9045C					Prep Date: 5/14/2013 Analyst: PBG
pH	7.7			pH Units	1	5/14/2013
Percent Moisture	D2974					Prep Date: 5/11/2013 Analyst: RW
Percent Moisture	15.7	0.2	*	wt%	1	5/11/2013

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

**Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202

Report Date: May 23, 2013

Print Date: May 23, 2013

Client: Weston Solutions	Client Sample ID: PA-RR01,02(6-24)-050613D
Lab Order: 13050282	Tag Number: Fine Grained
Project: Pilsen Soil Site, Pilsen, Chicago, IL	Collection Date: 5/6/2013 4:50:00 PM
Lab ID: 13050282-013B	Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS		SW6020 (SW3050B)			Prep Date: 5/19/2013	Analyst: JG
Lead	2200	9.9		mg/Kg-dry	100	5/19/2013

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded