DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action

Environmental Indicator (EI) RCRIS code (CA750) Migration of Contaminated Groundwater Under Control

Facility Name:	Sunoco, Inc. (R&M) Schuylkill River Tank Farm	
Facility Address:	70 th St. and Essington Ave., Philadelphia, PA 19153	
Facility EPA ID #:	PAD980555312	

l.	Has all available relevant/significant information on known and reasonably suspected releases to the
	groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units
	(SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI
	determination?

<u>X</u>	If yes - check here and continue with #2 below.
	If no - re-evaluate existing data, or
	if data are not available skip to #6 and enter"IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

2.	Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective
	"levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines,
	guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the
	facility?

X	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
	If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

The primary contaminant of concern at the facility is light non-aqueous phase liquid (LNAPL) that exists beneath a portion of the tank farm blending area. A groundwater recovery system is operational in this area. The primary impact of the LNAPL would be dissolved concentrations of benzene, toluene, ethylbenzene, and xylene (BTEX) and MTBE, in groundwater. A round of groundwater samples were secured on May 1, 2003 from twelve monitoring wells throughout the facility. Toluene, Ethyl-benzene, Xylene, Cumene, Naphthalene, Chryene, Fluorene, Phenanthrene, Pyrene, and dissolved lead were analyzed but not detected in any samples. Maximum levels of dissolved benzene were 0.22 mg/l. Maximum levels of dissolved MTBE were 3.9 mg/l. Please refer Administrative Record for reference - Sunoco, Inc. Schuylkill River Tank Farm Groundwater Analytical Results of May 1, 2002; Table 3.

Footnotes:

¹"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3.	Has the migrat	ion of contaminated groundwater stabilized (such that contaminated groundwater is	
	expected to rem	nain within "existing area of contaminated groundwater" as defined by the monitoring	
	locations designated at the time of this determination)?		
	X	If ves - continue, after presenting or referencing the physical evidence (e.g.,	

contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" ²).
 If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" ²) - skip to #8 and enter "NO" status code, after providing an explanation.
If unknown - skip to #8 and enter "IN" status code.

groundwater sampling/measurement/migration barrier data) and rationale why

Rationale and Reference(s):

The direction of groundwater flow beneath the facility is generally away from the Schuylkill River. Historic groundwater contour maps show that the groundwater flows to the Mingo Creek Basin or migrates across Essington Avenue. Monitoring wells show that no impacted groundwater is migrating off site. LNAPL recovery systems are operational in an area where there is an LNAPL presence. Please see historic groundwater contour map for reference - Schuylkill River Tank Farm Groundwater Elevation Contour Map of March 25, 1993.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

Page 4

Does "contaminated" groundwater discharge into surface water bodies?	
	If yes - continue after identifying potentially affected surface water bodies.
<u>X</u>	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.
	If unknown - skip to #8 and enter "IN" status code.
Rationale and Reference(s):	
	<u>X</u>

Groundwater flow is away from the Schuylkill River. Groundwater migrates toward the Mingo Creek Flood Control Basin and across Essington Avenue, however, monitoring wells indicate that the groundwater is not impacted as it leaves the site. See #3 above for reference.

Page 5

5.	maximum conce appropriate grou discharging cont	Is the discharge of "contaminated" groundwater into surface water likely to be " insignificant " (i.e., the maximum concentration ³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?		
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration of <u>key</u> contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.		
		If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration ³ of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations ³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.		
		If unknown - enter "IN" status code in #8.		
	Rationale and l	Reference(s):		

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Page 6

ó.	acceptable" (i.e	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)?		
		If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.		
		If no - (the discharge of "contaminated" groundwater can not be shown to be " currently acceptable ") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.		
		If unknown - skip to 8 and enter "IN" status code.		

Rationale and Reference(s):

- ⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.
- ⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

7.	necessary) be co	er monitoring / measurement data (and surface water/sediment/ecological data, as ellected in the future to verify that contaminated groundwater has remained within the ertical, as necessary) dimensions of the "existing area of contaminated groundwater?"
	<u>X</u>	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."
		If no - enter "NO" status code in #8.
		If unknown - enter "IN" status code in #8.
	Rationale and	Reference(s):
	Groundwater me	onitoring data will continue to be collected annually

Page 8

8.	Control EI (ever	ck the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under trol EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date or etermination below (attach appropriate supporting documentation as well as a map of the facility)	
	X	YE - Yes, "Migration of Contaminated Groundwater verified. Based on a review of the information contain determination, it has been determined that the "Migrat Groundwater" is "Under Control" at the Sunoco, Inc. (Tank Farm facility, EPA ID # PAD 980 555 3122, lot Essington Ave, Philadelphia, PA 19153. Specifically indicates that the migration of "contaminated" ground and that monitoring will be conducted to confirm that groundwater remains within the "existing area of contains determination will be re-evaluated when the Age significant changes at the facility.	ned in this EI tion of Contaminated (R&M) Schuylkill River scated at 70 th St. and t, this determination lwater is under control, contaminated aminated groundwater"
		NO - Unacceptable migration of contaminated ground	ndwater is observed or expected.
		IN - More information is needed to make a determin	ation.
	Completed by	(signature)/s/(print)Hon Lee(title)Remedial Project Manager	Date <u>8/22/03</u>
	Supervisor	(signature) /s/ (print) Paul Gotthold (title) Chief, PA Operations Br. (3WC22) (EPA Region or State) USEPA Region 3	Date <u>8/26/03</u>
	Locations where References may be found: US EPA Region III, 3WC22, 1650 Arch Street, Philadelphia, PA 19103		3
	Administrative		
	Contact telepho	one and e-mail numbers:	

(name)

(phone #)

(e-mail)

Hon Lee

215-814-3419

lee.hon@epa.gov