

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

This document summarizes the process followed to utilize GT-POWER modeled engine and laboratory engine dyno test data to generate a full engine fuel consumption map which can be used by EPA's ALPHA vehicle simulations. The map generated defines the complete operating boundaries of the engine needed for ALPHA modeling, including idle, WOT, minimum torque, and maximum speed.

The GT-POWER modeled engine results are described in SAE technical paper 2016-01-0565, "Air Flow Optimization and Calibration in High-compression-ratio Naturally Aspirated SI engines with Cooled-EGR." This paper describes the two GT-POWER maps that were modeled – one map without any cylinder deactivation and another map with cylinder deactivation enabled in its operating range.

EPA tested a GM 4.3L EcoTec engine with cylinder deactivation to study the percentage of time that cylinder deactivation mode actually operates. Additional details of this testing are described in SAE technical paper 2016-01-0662, "Fuel Efficiency Mapping of a 2014 6-Cylinder GM EcoTec 4.3L Engine with Cylinder Deactivation."

Gather Engine Physical Characteristics

Note: Engine based on Mazda Skyactiv 2.0L @ 14:1 CR.

Source: http://en.wikipedia.org/wiki/SkyActiv#2.0_L

```
engine.name = 'Future High CR Atkinson Engine with Cylinder Deactivation';
engine.combustion_type = enum_engine_combustion_type.spark_ignition;
engine.displacement_L = 1.998;
engine.num_cylinders = 4;
engine.bore_mm = 83.5;
engine.stroke_mm = 91.2;
```

Source: Estimated from engine displacement

```
engine.inertia_kgm2 = 0.13;
```

Load Fuel Map Test Data from the GT-POWER Model Data

Source: SkyActiv_2L_NA_Futuring_Maps_AKI93-88-Dec16.xlsx

Two separate maps are loaded, representing engine operation with and without cylinder deactivation.

```
% Primary (non-cylinder-deac fueling map)
fuel_data{1}.speed_rpm = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI93-88-Dec16.xlsx', 'cEGR-AKI93', 'B2:R2');
fuel_data{1}.bmep_bar = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI93-88-Dec16.xlsx', 'cEGR-AKI93', 'A4:A29');
fuel_data{1}.bsfc_gpkWhr = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI93-88-Dec16.xlsx', 'cEGR-AKI93', 'B4:R29');
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

```
% Load cylinder deactivation fuel map data,
deac_data.speed_rpm = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI 93-88-Dec16.xlsx', 'cEGR+CDA-
AKI 93', 'B2: J2');
deac_data.bmep_bar = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI 93-88-Dec16.xlsx', 'cEGR+CDA-
AKI 93', 'A4: A14');
deac_data.bsfc_gpkWhr = xlsread('SkyActiv_2L_NA_Futuring_Maps_AKI 93-88-Dec16.xlsx', 'cEGR+CDA-
AKI 93', 'B4: J14');
```

Obtain Load Low Speed / Low Torque Data

Source: 2014 Mazda 2.0L Skyactiv 13-1 Tier 2 Fuel - Core Test Data.xlsx

Note: Since no GT-POWER data below 1000 rpm was generated and we did not expect any fuel consumption improvements at low speed / light load, engine test data from a stock SkyActiv 2.0L 13:1CR engine was used for data points below 950 RPM & 50 Nm.

```
datagrabber('..\..\..\ALPHA_Validation\2014 Mazda Skyactiv\data_engine\US Engine 93 AKI\2014
Mazda 2.0L Skyactiv 13-1 Tier 2 Fuel - Core Test
Data.xlsx', 'structure', 'core_data', 'data_line', 5, 'header_line', 3, 'quiet')
```

```
select_points = core_data.Speed <= 950 & core_data.Torque <= 50;
fuel_data{2}.speed_rpm = core_data.Speed(select_points);
fuel_data{2}.torque_Nm = core_data.Torque(select_points);
fuel_data{2}.fuel_gps = core_data.Fuel_Flow(select_points);
```

Obtain Maximum Torque (WOT) Curve Data

Source: engine_2014_mazda_skyactiv_US_2L0_tier2.m

Note: Duplicated from base Mazda Skyactiv 2.0L 13:1 CR US calibration.

```
WOT_data.speed_radps = [ 0.00000000, ; 95.039723, ; 157.17760, ;
177.96973, ; 209.47442, ; 235.68091, ; 256.39794, ;
282.73763, ; 314.14238, ; 356.10551, ; 429.36596, ;
628.31853, ; 680.67841, ];
WOT_data.torque_Nm = [ 0.00000000, ; 134.56250, ; 164.92581, ;
167.81143, ; 187.87381, ; 188.25000, ; 182.26000, ;
188.21273, ; 201.40161, ; 197.39857, ; 200.09762, ;
184.00000, ; 0.00000000, ];
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

Obtain Minimum Torque (Motoring) Curve Data

Source: engine_2014_mazda_skyactiv_US_2L0_tier2.m

Note: Duplicated from base Mazda Skyactiv 2.0L 13:1 CR US calibration.

```
CT_data.speed_radps = [ 0.0000000, ; 3.0210242, ; 146.55530, ;  
403.16650, ; 424.02144, ; 465.83686, ; 680.67841, ];  
CT_data.torque_Nm = [ -16.013253, ; -16.108797, ; -20.648276, ; -  
28.763975, ; -33.455621, ; -34.963536, ; -42.710982, ];
```

Obtain Properties of the Fuel Used When Mapping the Engine

Source: FTAG 23945 used for engine_2014_mazda_skyactiv_US_2L0_tier2.m from which the GT-POWER engine model was derived.

Note: When using ALPHA to conduct specific technology assessments, the fuel properties and associated fuel consumption map for this engine definition are adjusted to suit the standard fuel being used during the specific assessment. For example, fuel rate is adjusted for LD GHG assessments to represent a suitable fuel rate with Tier 2 Certification fuel.

```
%Load from fuel database  
engine.fuel = class_REVS_fuel('FTAG 23945');  
engine.fuel
```

```
ans = class_REVS_fuel with properties:  
    id: 'FTAG 23945'  
    description: 'Tier 2 Cert'  
    density_kgpL_15C: 0.743  
    energy_density_MJpkg: 42.887  
    carbon_weight_fraction: 0.86678  
    anti_knock_index: []  
    research_octane_number: 97.1  
    motor_octane_number: 88.2  
    cetane_number: []  
    alcohol_pct_vol: 0  
    gCO2pgal: 8932.8  
    energy_density_BTUplbm: 18438  
    specific_gravity: 0.74371
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

Calibrate Idle Fuel Consumption and Define Idle Speed

Fuel consumption in the idle region of the map is calibrated using vehicle benchmarking data collected on a vehicle chassis dyno. Actual idle fuel consumption during an ALPHA simulation would depend on the transmission drag and accessory loads.

Source: engine_2014_mazda_skyactiv_US_2L0_tier2.m

Note: Duplicated from base Mazda Skyactiv 2.0L 13:1 CR US Calibration

```
% Idle speed dynamic with vehicle speed > 1 m/s => 800 RPM, stopped => 550 RPM
engine.idle_speed_radps.axis_1.signal = 'veh_spd_mps';
engine.idle_speed_radps.axis_1.breakpoints = [ 0, 1 ];
engine.idle_speed_radps.table = [ 550, 800 ] * convert.rpm2radps;
```

Build Fuel Consumption Maps

Notes: Generate combined WOT curves and fuel consumption map for this engine using REVS_build_engine. A single fuel consumption map is generated with a 60% weighting where CDA is available.

Like other engines with cylinder deactivation technology, this engine is capable of operating with and without cylinder deactivation. EPA's testing on a GM 4.3L EcoTec engine with cylinder deactivation revealed that cylinder deactivation mode to be active 60% of the time when possible (in the region that is capable of cylinder deactivation). Additional details of this testing are described in SAE technical paper 2016-01-0662, "Fuel Efficiency Mapping of a 2014 6-Cylinder GM EcoTec 4.3L Engine with Cylinder Deactivation." ALPHA vehicle simulation results using this engine reflect a similar level of operation in cylinder deactivation mode.


For clarity, we generate and display two engine fuel consumption maps to delineate each of the operational modes (one BSFC map covering operation without cylinder deactivation, and one BSFC map covering operation with cylinder deactivation mode active). These maps define the complete operating boundaries of the engine needed for ALPHA modeling, including idle, WOT, minimum torque, and maximum speed.

```
engine = REVS_build_engine(engine, fuel_data, WOT_data, CT_data, 'deac', deac_data,
' deac_singl e_map', 0.6)
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)


Version: 11-28-2016



Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016



Set Model Calibration Options

Note: These parameters influence particular behaviors within the ALPHA model. They often do not have a corresponding value with test data, but are calibrated to match observed behavior.

```
engine.pedal_map_type = enum_engine_pedal_map_type.max_engine_power;
```

```
%Post DFCO fuel adjustment - calibrated from time series test data
```

```
engine.refuel_profile_mult = [1.0, 1.3, 1.0];
```

```
engine.refuel_profile_time_secs = [0 0.1 8];
```

```
engine.refuel_limit_gps = 0.2;
```

```
engine.refuel_min_defuel_duration_secs = 1.5;
```

```
%Acceleration based fuel adjustment - calibrated from time series test data
```

```
engine.acceleration_penalty_gradps2 = 0.007;
```

```
engine.acceleration_penalty_squelch_gps = 0.1;
```

```
%Transient Response Time Constants
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

```
engine.throttle_duration_secs = 0.2;  
engine.boost_time_constant_secs = 0.2;
```

Save Engine Fuel Consumption Maps

Note: The resulting file contains data for both cylinder deactivation modes of this engine.

```
write_REVS_engine('engine_future_atkinson_2016_CEGR_DEAC_tier2.m', engine);
```

Display Summary of Engine Fuel Consumption Map Information

Note: The listing below shows only the engine's fuel consumption map related information contained in the ALPHA Engine Definition .m file for this engine. This information is a subset of the full engine definition .m file that adds vehicle level information related to dynamic fuel use, accessories, etc.

```
% ALPHA ENGINE DEFINITION  
% Generated 8-Nov-2016 12:24:00  
% Future High CR Atkinson Engine with Cylinder Deactivation  
  
% Constructor  
engine = class_REVS_engine_legacy();  
engine.name = filename;  
engine.matrix_vintage = enum_matrix_vintage.future;  
  
% Physical Description  
engine.combustion_type = enum_engine_combustion_type.spark_ignition;  
engine.displacement_L = 2.0;  
engine.num_cylinders = 4;  
engine.inertia_kgm2 = 0.105;  
  
% Fuel Properties  
engine.fuel = class_REVS_fuel('FTAG_23945');  
  
% Pedal Calibration  
engine.pedal_map_type = enum_engine_pedal_map_type.max_engine_power;  
  
% Idle Speed  
engine.idle_speed_radps_axis_1.breakpoints = [ 0.0000000, 1.0000000, ];  
engine.idle_speed_radps_axis_1.signal = 'veh_spd_mps';  
engine.idle_speed_radps.table = [ 57.595865, 83.775804, ];  
  
% Maximum Torque Curve  
engine.full_throttle_speed_radps = [ 0.0000000, ; 95.039723, ; 157.17760,  
; 177.96973, ; 209.47442, ; 235.68091, ; 256.39794,  
; 282.73763, ; 314.14238, ; 356.10551, ; 429.36596,
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

```
; 628.31853, ; 680.67841, ];
engine_full_throttle_torque_Nm = [ 0.00000000, ; 134.56250, ; 164.92581,
; 167.81143, ; 187.87381, ; 188.25000, ; 182.26000,
; 188.21273, ; 201.40161, ; 197.39857, ; 200.09762,
; 184.00000, ; 0.00000000, ];
```

% Minimum Torque Curve

```
engine_closed_throttle_speed_radps = [ 0.00000000, ; 3.0210242, ;
146.55530, ; 403.16650, ; 424.02144, ; 465.83686, ;
680.67841, ];
engine_closed_throttle_torque_Nm = [ -16.013253, ; -16.108797, ; -20.648276,
; -28.763975, ; -33.455621, ; -34.963536, ; -42.710982,
];
```

% Fuel Map

```
engine_fuel_map_speed_radps = [ 0.00000000, 68.067841, 99.483767, 104.71976,
130.89969, 157.07963, 183.25957, 209.43951, 235.61945, 261.79939,
287.97933, 314.15927, 319.39525, 340.33920, 366.51914, 418.87902,
471.23890, 523.59878, 575.95865, 628.31853, 680.67841, 733.03829, ];
engine_fuel_map_torque_Nm = [ -50.000000, -45.000000, -40.000000, -35.000000, -
30.000000, -25.000000, -20.000000, -15.000000, -10.000000, -5.000000,
0.00000000, 5.0000000, 10.000000, 15.000000, 20.000000, 25.000000,
30.000000, 35.000000, 40.000000, 45.000000, 50.000000, 55.000000,
60.000000, 65.000000, 70.000000, 75.000000, 80.000000, 85.000000,
90.000000, 95.000000, 100.00000, 105.00000, 110.00000, 115.00000,
120.00000, 125.00000, 130.00000, 135.00000, 140.00000, 145.00000,
150.00000, 155.00000, 160.00000, 165.00000, 170.00000, 175.00000,
180.00000, 185.00000, 190.00000, 195.00000, 200.00000, 205.00000,
210.00000, 215.00000, 220.00000, ];
engine_fuel_map_gps = [
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, ;
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, ;
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.017623264, 0.078630319,
0.14209217, ;
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.012113603, 0.054940412, 0.12939299, 0.22626780,
0.31668435, ;
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.0021662131, 0.013195436, 0.048332286, 0.12950923, 0.24567021, 0.37478299,
0.49060952, ;
0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000, 0.00000000,
0.00000000, 0.00000000, 0.00000000, 0.0047347486, 0.0059716785, 0.011136033,
0.016769835, 0.024945375, 0.032316953, 0.088558303, 0.20997137, 0.36658102, 0.52460223,
```

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

0. 66357177, ;
0. 00000000, 0. 00000000, 0. 00000000, 0. 00000000, 0. 00050804710, 0. 0053168144,
0. 011343152, 0. 018969254, 0. 028140899, 0. 038105992, 0. 047209853, 0. 053681491, 0. 054771648,
0. 058528691, 0. 060525778, 0. 054580385, 0. 059602919, 0. 13635256, 0. 30037593, 0. 49298125,
0. 67600432, 0. 83532235, ;
0. 00042814317, 0. 018336056, 0. 026318624, 0. 027523014, 0. 033542461, 0. 040471898,
0. 049403765, 0. 060433390, 0. 073173413, 0. 086688214, 0. 098996284, 0. 10737243, 0. 10863922,
0. 11250352, 0. 11262544, 0. 096795145, 0. 10103705, 0. 19577714, 0. 40360104, 0. 62637160,
0. 82913997, 1. 0057018, ;
0. 0087289618, 0. 045662682, 0. 057229302, 0. 058908584, 0. 066560050, 0. 076049465, 0. 088894794,
0. 10422248, 0. 12101116, 0. 13853543, 0. 15535538, 0. 16807859, 0. 17005973, 0. 17627734,
0. 17725057, 0. 15713955, 0. 16305210, 0. 27165183, 0. 52158346, 0. 76675004, 0. 98406838,
1. 1746746, ;
0. 015352420, 0. 072072328, 0. 088383234, 0. 090543130, 0. 099627416, 0. 11308297, 0. 13157356,
0. 15246493, 0. 17376405, 0. 19541304, 0. 21776367, 0. 23791508, 0. 24129985, 0. 25284071,
0. 25843426, 0. 24097597, 0. 25258867, 0. 36994539, 0. 65584406, 0. 91395053, 1. 1408082,
1. 3423511, ;
0. 020839434, 0. 096349358, 0. 11964308, 0. 12172421, 0. 13314573, 0. 15294773, 0. 17924292,
0. 20727650, 0. 23367067, 0. 25939059, 0. 28774785, 0. 31865841, 0. 32424423, 0. 34474033,
0. 36012126, 0. 35354327, 0. 37702806, 0. 49831570, 0. 80697524, 1. 0675297, 1. 2993939,
1. 5089945, ;
0. 025897824, 0. 11720728, 0. 14747368, 0. 15072266, 0. 16872871, 0. 19749987, 0. 23361893,
0. 27051776, 0. 30292507, 0. 33305064, 0. 36748225, 0. 41146534, 0. 42035953, 0. 45370797,
0. 48622113, 0. 50007107, 0. 54399007, 0. 66674343, 0. 97398225, 1. 2268046, 1. 4599220,
1. 6750099, ;
0. 030885138, 0. 13537498, 0. 17583465, 0. 15590306, 0. 18639072, 0. 22270242, 0. 26397030,
0. 30511213, 0. 34030335, 0. 37239662, 0. 41229367, 0. 48067530, 0. 53356258, 0. 58465023,
0. 64598825, 0. 69329755, 0. 76967744, 0. 89802117, 1. 1539125, 1. 3910389, 1. 6225671,
1. 8409195, ;
0. 035857472, 0. 15334000, 0. 20561073, 0. 18944964, 0. 23200264, 0. 27846481, 0. 32976006,
0. 38088705, 0. 42517263, 0. 46561966, 0. 51434131, 0. 59539788, 0. 65641286, 0. 72800808,
0. 82539516, 0. 91807153, 1. 0372236, 1. 1796872, 1. 3422923, 1. 5596491, 1. 7875566,
2. 0073254, ;
0. 040643574, 0. 17215268, 0. 23404781, 0. 21968579, 0. 27176199, 0. 32653720, 0. 38498153,
0. 44323312, 0. 49552586, 0. 54452537, 0. 60256365, 0. 69570895, 0. 76060006, 0. 84546295,
0. 96525484, 1. 1083200, 1. 2696394, 1. 4341098, 1. 5344931, 1. 7321326, 1. 9551073,
2. 1748672, ;
0. 045072010, 0. 19256236, 0. 26014673, 0. 24627747, 0. 30447860, 0. 36519879, 0. 42806552,
0. 49093376, 0. 54988571, 0. 60693595, 0. 67364089, 0. 77551433, 0. 84119485, 0. 93302086,
1. 0629966, 1. 2545264, 1. 4530339, 1. 6441614, 1. 7249787, 1. 9077249, 2. 1253502,
2. 3441781, ;
0. 049038937, 0. 21298452, 0. 28338374, 0. 26898788, 0. 33071134, 0. 39545188, 0. 46059659,
0. 52602397, 0. 59058496, 0. 65472212, 0. 72834458, 0. 83665992, 0. 90013431, 0. 99318319,
1. 1240803, 1. 3606415, 1. 5874910, 1. 8047146, 1. 9096686, 2. 0852962, 2. 2982668,
2. 5158419, ;
0. 052373252, 0. 23152372, 0. 30464973, 0. 29088336, 0. 35550468, 0. 42384073, 0. 49211812,
0. 56139555, 0. 63213974, 0. 70292269, 0. 78137280, 0. 89291761, 0. 95364744, 1. 0486891,
1. 1836636, 1. 4569645, 1. 7026798, 1. 9423034, 2. 0860661, 2. 2634807, 2. 4736685,
2. 6903545, ;
0. 055148979, 0. 24910837, 0. 32732746, 0. 31321006, 0. 38129212, 0. 45400453, 0. 52684815,
0. 60171242, 0. 67977453, 0. 75734806, 0. 83885624, 0. 95159228, 1. 0110285, 1. 1098859,
1. 2543911, 1. 5554923, 1. 8117799, 2. 0699001, 2. 2540277, 2. 4409933, 2. 6512254,
2. 8680956, ;

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

0. 057469010,	0. 26599596,	0. 35018972,	0. 33760287,	0. 41028700,	0. 48826716,	0. 56722079,
0. 64914255,	0. 73493551,	0. 81950860,	0. 90523749,	1. 0210999,	1. 0791851,	1. 1842180,
1. 3400551,	1. 6589563,	1. 9207643,	2. 1948195,	2. 4147008,	2. 6168814,	2. 8305343,
3. 0493152, ;						
0. 059496075,	0. 28244594,	0. 37298615,	0. 36272854,	0. 44161053,	0. 52540650,	0. 61025763,
0. 69867697,	0. 79190661,	0. 88442180,	0. 97717614,	1. 0987010,	1. 1567750,	1. 2678729,
1. 4322307,	1. 7617217,	2. 0291923,	2. 3187514,	2. 5699147,	2. 7906360,	3. 0112023,
3. 2341360, ;						
0. 061411469,	0. 29897653,	0. 39570672,	0. 38892921,	0. 47483798,	0. 56451976,	0. 65452562,
0. 74827909,	0. 84823529,	0. 94966085,	1. 0531107,	1. 1832341,	1. 2418784,	1. 3582831,
1. 5264411,	1. 8618420,	2. 1377957,	2. 4432337,	2. 7214336,	2. 9621722,	3. 1929193,
3. 4225727, ;						
0. 063450355,	0. 31609017,	0. 42234761,	0. 41695839,	0. 50944028,	0. 60484896,	0. 69985442,
0. 79865097,	0. 90493052,	1. 0156358,	1. 1320064,	1. 2726813,	1. 3314601,	1. 4525747,
1. 6218014,	1. 9619282,	2. 2492126,	2. 5706188,	2. 8707079,	3. 1317459,	3. 3755059,
3. 6145628, ;						
0. 066023029,	0. 33421191,	0. 44765765,	0. 44570515,	0. 54474511,	0. 64555470,	0. 74571371,
0. 85004412,	0. 96344719,	1. 0836785,	1. 2116869,	1. 3612364,	1. 4206108,	1. 5458116,
1. 7166500,	2. 0645709,	2. 3641958,	2. 7014954,	3. 0188153,	3. 2998639,	3. 5589306,
3. 8100040, ;						
0. 069319167,	0. 35353571,	0. 47574362,	0. 47573228,	0. 58019224,	0. 68592977,	0. 79218160,
0. 90347051,	1. 0251548,	1. 1543700,	1. 2907208,	1. 4470323,	1. 5064039,	1. 6352261,
1. 8094279,	2. 1704779,	2. 4827689,	2. 8354788,	3. 1664726,	3. 4671867,	3. 7432999,
4. 0087928, ;						
0. 073767270,	0. 37424655,	0. 50269100,	0. 50642005,	0. 61606158,	0. 72696112,	0. 84055880,
0. 96034336,	1. 0909145,	1. 2281218,	1. 3702139,	1. 5313750,	1. 5895407,	1. 7225413,
1. 9024023,	2. 2779483,	2. 6022751,	2. 9700506,	3. 3141986,	3. 6344282,	3. 9288298,
4. 2108599, ;						
0. 079445913,	0. 39644836,	0. 53194491,	0. 53763300,	0. 65252833,	0. 76969278,	0. 89195296,
1. 0211817,	1. 1607024,	1. 3049645,	1. 4509853,	1. 6153700,	1. 6713390,	1. 8095094,
1. 9973513,	2. 3844878,	2. 7186517,	3. 1019567,	3. 4624893,	3. 8022738,	4. 1158112,
4. 4161990, ;						
0. 086753567,	0. 42046489,	0. 56039015,	0. 58282236,	0. 69773416,	0. 82337266,	0. 95777016,
1. 0999139,	1. 2496684,	1. 4021255,	1. 5547326,	1. 7188502,	1. 7538265,	1. 8989977,
2. 0960653,	2. 4856990,	2. 8276683,	3. 2271492,	3. 6119395,	3. 9713075,	4. 3045790,
4. 6248869, ;						
0. 095621943,	0. 44615697,	0. 59323121,	0. 61545868,	0. 73511145,	0. 86878501,	1. 0116071,
1. 1617678,	1. 3170443,	1. 4733178,	1. 6300142,	1. 8009925,	1. 8377315,	1. 9908518,
2. 1977136,	2. 5838777,	2. 9344401,	3. 3509631,	3. 7631150,	4. 1419723,	4. 4954934,
4. 8370939, ;						
0. 10643658,	0. 47375019,	0. 62640741,	0. 65050187,	0. 77742678,	0. 91882820,	1. 0683717,
1. 2244688,	1. 3839057,	1. 5439521,	1. 7057459,	1. 8845570,	1. 9233709,	2. 0849420,
2. 3015268,	2. 6804706,	3. 0438045,	3. 4780765,	3. 9166461,	4. 3146045,	4. 6889338,
5. 0530848, ;						
0. 11902406,	0. 50299880,	0. 66715730,	0. 69249048,	0. 82735407,	0. 97490119,	1. 1284335,
1. 2871416,	1. 4491829,	1. 6133528,	1. 7822177,	1. 9705572,	2. 0111699,	2. 1807079,
2. 4044451,	2. 7775881,	3. 1622430,	3. 6149987,	4. 0730270,	4. 4894993,	4. 8853053,
5. 2732112, ;						
0. 13369130,	0. 53407918,	0. 70797950,	0. 73648048,	0. 88239331,	1. 0357372,	1. 1909990,
1. 3497514,	1. 5137565,	1. 6830594,	1. 8598834,	2. 0574227,	2. 0999720,	2. 2768585,
2. 5073193,	2. 8784799,	3. 2888647,	3. 7606231,	4. 2326586,	4. 6669823,	5. 0850487,
5. 4978974, ;						
0. 15016657,	0. 56680928,	0. 75286846,	0. 78300121,	0. 94010741,	1. 0998864,	1. 2554168,

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

1. 4121224,	1. 5782792,	1. 7540428,	1. 9392615,	2. 1453349,	2. 1895332,	2. 3727799,
2. 6092472,	2. 9860084,	3. 4226774,	3. 9135793,	4. 3956493,	4. 8474450,	5. 2886506,
5. 7276204, ;						
0. 16866416,	0. 60118268,	0. 79623435,	0. 82887767,	0. 99737383,	1. 1646867,	1. 3201637,
1. 4740414,	1. 6437474,	1. 8278363,	2. 0210512,	2. 2341143,	2. 2795194,	2. 4677150,
2. 7102326,	3. 1038386,	3. 5614191,	4. 0708555,	4. 5619214,	5. 0313632,	5. 4966460,
5. 9628862, ;						
0. 18882769,	0. 63742735,	0. 84139487,	0. 87456260,	1. 0548742,	1. 2304390,	1. 3851872,
1. 5353282,	1. 7100520,	1. 9041707,	2. 1047247,	2. 3230514,	2. 3696842,	2. 5623395,
2. 8122810,	3. 2293097,	3. 7028574,	4. 2302887,	4. 7313666,	5. 2193026,	5. 7096165,
6. 2042029, ;						
0. 21064464,	0. 67544742,	0. 88743019,	0. 92345446,	1. 1148247,	1. 2969656,	1. 4504329,
1. 5973935,	1. 7773626,	1. 9815543,	2. 1894529,	2. 4132040,	2. 4608041,	2. 6578582,
2. 9152279,	3. 3586664,	3. 8445529,	4. 3900724,	4. 9040689,	5. 4119257,	5. 9281848,
6. 4520516, ;						
0. 23360384,	0. 71578633,	0. 94012599,	0. 97774471,	1. 1794243,	1. 3659590,	1. 5164231,
1. 6601674,	1. 8448794,	2. 0583956,	2. 2741239,	2. 5042680,	2. 5531724,	2. 7556960,
3. 0213333,	3. 4857527,	3. 9837275,	4. 5483787,	5. 0805218,	5. 6100057,	6. 1530103,
6. 7068560, ;						
0. 25748638,	0. 75804391,	0. 99574090,	1. 0366502,	1. 2498769,	1. 4386998,	1. 5843329,
1. 7242813,	1. 9137323,	2. 1362461,	2. 3599868,	2. 5970501,	2. 6475883,	2. 8561451,
3. 1303847,	3. 6100963,	4. 1217032,	4. 7068514,	5. 2616570,	5. 8144429,	6. 3847916,
6. 9689520, ;						
0. 28214105,	0. 80270771,	1. 0575241,	1. 1018274,	1. 3246870,	1. 5137945,	1. 6555492,
1. 7945083,	1. 9877942,	2. 2176963,	2. 4500208,	2. 6943513,	2. 7459638,	2. 9592779,
3. 2394832,	3. 7354224,	4. 2638282,	4. 8703619,	5. 4488624,	6. 0262964,	6. 6242748,
7. 2385575, ;						
0. 30795523,	0. 85061997,	1. 1230045,	1. 1698245,	1. 4031131,	1. 5931889,	1. 7324224,
1. 8712490,	2. 0700064,	2. 3083252,	2. 5480719,	2. 7970617,	2. 8493849,	3. 0646848,
3. 3478546,	3. 8660173,	4. 4150488,	5. 0435653,	5. 6440523,	6. 2468285,	6. 8722679,
7. 5157454, ;						
0. 33649206,	0. 90606099,	1. 1909409,	1. 2425658,	1. 4845138,	1. 6763180,	1. 8163707,
1. 9579414,	2. 1635319,	2. 4108975,	2. 6571416,	2. 9083398,	2. 9606177,	3. 1743508,
3. 4558236,	4. 0061572,	4. 5787174,	5. 2297371,	5. 8496064,	6. 4775325,	7. 1296553,
7. 8004205, ;						
0. 37140599,	0. 97456039,	1. 2728099,	1. 3230304,	1. 5687375,	1. 7643655,	1. 9084685,
2. 0557759,	2. 2692967,	2. 5260821,	2. 7790080,	3. 0314241,	3. 0832446,	3. 2939179,
3. 5718309,	4. 1595475,	4. 7544091,	5. 4288892,	6. 0684990,	6. 7201378,	7. 3974056,
8. 0923037, ;						
0. 41014492,	1. 0497955,	1. 3576039,	1. 4083204,	1. 6578022,	1. 8594048,	2. 0087797,
2. 1620045,	2. 3860362,	2. 6546812,	2. 9144880,	3. 1679749,	3. 2196035,	3. 4277990,
3. 7039430,	4. 3296062,	4. 9408604,	5. 6405668,	6. 3055310,	6. 9766145,	7. 6765592,
8. 3909278, ;						
0. 45217352,	1. 1278835,	1. 4432683,	1. 4950166,	1. 7510318,	1. 9604652,	2. 1173062,
2. 2789696,	2. 5144374,	2. 7951522,	3. 0636420,	3. 3203103,	3. 3721230,	3. 5811943,
3. 8603962,	4. 5180054,	5. 1386940,	5. 8660241,	6. 5652321,	7. 2492336,	7. 9681819,
8. 6956479, ;						
0. 49693646,	1. 2067547,	1. 5298108,	1. 5830526,	1. 8480867,	2. 0674439,	2. 2337747,
2. 4055678,	2. 6532458,	2. 9456788,	3. 2224412,	3. 4844808,	3. 5374510,	3. 7516713,
4. 0394580,	4. 7180631,	5. 3551589,	6. 1145247,	6. 8525716,	7. 5407681,	8. 2732614,
9. 0056735, ;						
0. 54381626,	1. 2857146,	1. 6175991,	1. 6723960,	1. 9489451,	2. 1805333,	2. 3579868,
2. 5404142,	2. 8011445,	3. 1047989,	3. 3879768,	3. 6577721,	3. 7127275,	3. 9369297,

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

```
4. 2390802, 4. 9250457, 5. 5973873, 6. 3953570, 7. 1725135, 7. 8549095, 8. 5925314,
9. 3201270, ;
0. 59223030, 1. 3648404, 1. 7077929, 1. 7647520, 2. 0523888, 2. 2967520, 2. 4896139,
2. 6877097, 2. 9586392, 3. 2679927, 3. 5555118, 3. 8365366, 3. 8950566, 4. 1353773,
4. 4586961, 5. 1313437, 5. 8766904, 6. 7217473, 7. 5291071, 8. 1968630, 8. 9262220,
9. 6381275, ;
0. 64169572, 1. 4446435, 1. 8005522, 1. 8597497, 2. 1604604, 2. 4195278, 2. 6289520,
2. 8424939, 3. 1240787, 3. 4395221, 3. 7316440, 4. 0260342, 4. 0884206, 4. 3463857,
4. 6919526, 5. 3500128, 6. 1966410, 7. 0965020, 7. 9248072, 8. 5827746, 9. 2756058,
9. 9597593, ;
0. 69185280, 1. 5244124, 1. 8964678, 1. 9581479, 2. 2734555, 2. 5486894, 2. 7761384,
3. 0060127, 3. 2981550, 3. 6207842, 3. 9210432, 4. 2304469, 4. 2968418, 4. 5707463,
4. 9355073, 5. 5917343, 6. 5637356, 7. 5236393, 8. 3571589, 8. 9959888, 9. 6379104,
10. 284232, ;
0. 74245888, 1. 6049086, 1. 9959229, 2. 0605673, 2. 3918052, 2. 6846641, 2. 9314600,
3. 1787259, 3. 4813614, 3. 8135270, 4. 1300285, 4. 4566208, 4. 5255428, 4. 8093741,
5. 1825281, 5. 8737006, 6. 9838008, 8. 0064273, 8. 8189988, 9. 4289346, 10. 010489,
10. 610332, ;
0. 79336022, 1. 6875483, 2. 0982541, 2. 1658051, 2. 5147526, 2. 8267412, 3. 0933861,
3. 3576976, 3. 6726653, 4. 0183132, 4. 3555102, 4. 6989906, 4. 7702677, 5. 0599099,
5. 4363190, 6. 1961089, 7. 4506945, 8. 5338567, 9. 3024738, 9. 8760662, 10. 393702,
10. 937665, ;
0. 84445033, 1. 7725977, 2. 2027010, 2. 2738500, 2. 6390653, 2. 9703324, 3. 2596642,
3. 5446097, 3. 8722930, 4. 2310707, 4. 5920812, 4. 9535661, 5. 0262882, 5. 3205971,
5. 6982033, 6. 5612226, 7. 9495373, 9. 0894839, 9. 8026567, 10. 333368, 10. 792785,
11. 265889, ;
0. 89563466, 1. 8598986, 2. 3076537, 2. 3828404, 2. 7604574, 3. 1098425, 3. 4253470,
3. 7354236, 4. 0773864, 4. 4468543, 4. 8256489, 5. 2050919, 5. 2804077, 5. 5838651,
5. 9770072, 6. 9555401, 8. 4422652, 9. 6297884, 10. 313857, 10. 797878, 11. 197494,
11. 594697, ;
0. 94681020, 1. 9500109, 2. 4148038, 2. 4920056, 2. 8788402, 3. 2453633, 3. 5895135,
3. 9282295, 4. 2856111, 4. 6631926, 5. 0543189, 5. 4517141, 5. 5304399, 5. 8479374,
6. 2689778, 7. 3673784, 8. 9207633, 10. 150192, 10. 831380, 11. 267279, 11. 606157,
11. 923822, ;
0. 99787071, 2. 0430138, 2. 5216673, 2. 6007084, 2. 9968988, 3. 3806555, 3. 7533764,
4. 1206149, 4. 4944823, 4. 8801046, 5. 2818273, 5. 6969631, 5. 7791899, 6. 1128524,
6. 5654070, 7. 7840150, 9. 3956629, 10. 664936, 11. 352274, 11. 739820, 12. 017586,
12. 261887, ];
```

```
engine.refuel_profile_mult = [1.0, 1.3, 1.0];
engine.refuel_profile_time_secs = [0.0 1.8];
engine.refuel_limit_gps = 0.2;
engine.refuel_min_defuel_duration_secs = 1.5;
```

```
engine.acceleration_penalty_gpradps2 = 0.007;
engine.acceleration_penalty_squelch_gps = 0.1;
```

```
engine.throttle_duration_secs = 0.2;
engine.boost_time_constant_secs = 0.2;
```

Published with MATLAB® R2014a

Process for Generating Engine Fuel Consumption Map

(Future Atkinson engine with cooled EGR and cylinder deactivation)

Version: 11-28-2016

Revision History

Version 06-20-2016: Initial release

Version 11-28-2016: (a) Added transient fuel adjustments characteristics to the calibrations options; (b) modified maximum and minimum speed and torque characteristics; and (c) regenerated fuel map grid points and recalculated fuel consumption.