Paperwork Reduction Act Notice

Public reporting burden for this collection of information is estimated to vary from a range of 10 hours as an average per response for some minor facilities, to 110 hours as an average per response for some major facilities, with a weighted average for major and minor facilities of 18 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including strategies for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

General Instructions

- 1. If form has been partially completed by preprinting, disregard instructions directed at entry of that information already preprinted.
- 2. Enter "Permittee Name/Mailing Address (and facility name/location, if different)," "Permit Number," and "Discharge Number" where indicated. (A separate form is required for each discharge.)
- 3. Enter dates beginning and ending "Monitoring Period" covered by form where indicated.
- 4. Enter each "Parameter" as specified in monitoring requirements of permit.
- 5. Enter "Sample Measurement" data for each parameter under "Quantity" and "Quality" in units specified in permit. "Average" is normally arithmetic average (geometric average for bacterial parameters) of all sample measurements for each parameter obtained during "Monitoring Period"; "Maximum" and "Minimum" are normally extreme high and low measurements obtained during "Monitoring Period." (Note to municipals with secondary treatment requirement: Enter 30-day average of sample measurements under "Average," and enter maximum 7-day average of sample measurements obtained during monitoring period under "Maximum.")
- 6. Enter "Permit Requirement" for each parameter under "Quantity" and "Quality" as specified in permit.
- 7. Under "No Ex" enter number of sample measurements during monitoring period that exceed maximum (and/or minimum or 7-day average as appropriate) permit requirement for each parameter. If none, enter "0."
- 8. Enter "Frequency of Analysis" both as "Sample Measurement" (actual frequency of sampling and analysis used during monitoring period) and as "Permit Requirement" specified in permit. (e.g., Enter "Cont," for continuous monitoring, "1/7" for one day per week, "1/30" for one day per month, "1/90" for one day per quarter, etc.)
- 9. Enter "Sample Type" both as "Sample Measurement" (actual sample type used during monitoring period) and as "Permit Requirement," (e.g., Enter "Grab" for individual sample, "24HC" for 24-hour composite, "N/A" for continuous monitoring, etc.)
- 10. Where violations of permit requirements are reported, attach a brief explanation to describe cause and corrective actions taken, and reference each violation by date.
- 11. If "no discharge" occurs during monitoring period, enter "No Discharge" across form in place of data entry.
- 12. Enter "Name/Title of Principal Executive Officer" with "Signature of Principal Officer of Authorized Agent," "Telephone Number," and "Date" at bottom of form.
- 13. Mail signed Report to Office(s) by date(s) specified in permit. Retain copy for your records.
- 14. More detailed instructions for use of this *Discharge Monitoring Report (DMR)* form may be obtained from Office(s) specified in permit.

Legal Notice

This report is required by law (33 U.S.C. 1318; 40 C.F.R. 125.27). Failure to report or failure to report truthfully can result in civil penalties not to exceed \$10,000 per day of violation; or in criminal penalties not to exceed \$25,000 per day of violation, or by imprisonment for not more than one year, or by both.

EPA Form 3320-1 (Rev. 3/99)

DISCHARGE MONITORING REPORT (DMR)

NAME		
ADDRESS	PERMIT NUMBER	DISCHARGE NUMBER

 MONITORING PERIOD

 FACILITY
 YEAR
 MO
 DAY
 YEAR
 MO
 DAY

 LOCATION
 FROM
 TO
 <t

NOTE: Read instructions before

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO.	FREQUENCY	CY SAMPLE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMU	м	UNITS	EX	OF ANALYSIS	TYPE
	SAMPLE											
	PERMIT REQUIREMENT											
	SAMPLE											
	PERMIT REQUIREMENT											
	SAMPLE											
	PERMIT REQUIREMENT											
	SAMPLE											
	PERMIT REQUIREMENT											
	SAMPLE											
	PERMIT REQUIREMENT											
	SAMPLE											
	PERMIT REQUIREMENT			1 [
	SAMPLE											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those			TELEPHONE		TELEPHONE	Ī	DATE	=				
	persons directly	submitted. Based on my inqui responsible for gathering the info accurate, and complete. I am uding the possibility of fine and	ormation, the information submi	itted is, to the best of my	/knowledge	CICNATURE OF BRINGIPAL EVE	CUTIVE					
TYPED OR PRINTED				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA	NUMBE	R	YEAR MO	DAY		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)