

BATG
Environmental

April 20, 2006

Mr. Doug Corb
U.S. Environmental Protection Agency
RGP-NOC Processing
Municipal Assistance (CMU)
1 Congress Street
Suite 1100 (OEP-CPE)
Boston, MA 02114-2033

RECEIVED

MAY 02 2006

Re: Notice of Intent of Remediation General Permit (RGP)
Massachusetts Highway Department
Bridge Street Bypass Project

Dear Mr. Corb:

BATG Environmental, Inc. (BATG) is pleased to present this Notice of Intent of Remediation General Permit (RGP). This permit is being requested to support construction-dewatering activities to be conducted on the site for treatment and discharge to the North River. The Project is being conducted for the Massachusetts Highway Department in Salem, MA.

Project Contacts

BATG is the Environmental Consultant/Subcontractor to The Middlesex Corporation (TMC), the General Contractor. The Massachusetts Highway Department (MHD) is considered the owner of the project. Below is the contact information for each of the entities listed above. All correspondence related to this submittal should be forwarded to the parties below.

BATG Environmental
448 Broadway
Taunton, MA 02780
Phone: 508-824-7412
Fax: 508-880-7565
Contact: Robert Ives

The Middlesex Corporation
One Spectacle Pond Road
Littleton, MA 01460
Site Phone: 978-745-7245
Site Fax: 978-745-7216
Contact: Evan McCormick


Mass. Highway Department
10 Park Plaza, Room 7360
Boston, MA 02116
Phone: 617-973-7309
Fax: 617-973-8038
Contact: Patricia Trombly

Existing Groundwater Data

The site history and preliminary pre-characterization of soil indicates groundwater is potentially contaminated with total petroleum hydrocarbons (TPH), polychlorinated biphenyls (PCBs), semi-volatile organic compounds (SVOCs) and volatile organic compounds (VOCs). The contaminants of concern are identified in the Notice of Intent form that was created based on available data.


Groundwater Treatment System

The construction dewatering and treatment system has been designed for a continuous throughput of approximately 75 gallons per minute. The system is designed to treat water contaminated with organic compounds, total suspended solids, and petroleum hydrocarbons. The system consists of two pumps, a sedimentation tank, canister filtration units with bag filters, and two 1,000-pound liquid phase granular activated carbon filters. The first pump will transfer water from the excavation to the sedimentation tank. The second pump will transfer water from the sedimentation tank to the filters and effluent. Below is a schematic of the treatment system process. The effluent pipe from the groundwater treatment system will be suspended in a storm drain that discharges to the North River.



Should you have any questions regarding this information, please do not hesitate to call me at (508) 824-7412. Please forward all correspondence related to this request to BATG Environmental, Inc. via fax number 508-880-7565 and the above listed address.

Sincerely,
BATG Environmental, Inc.

A handwritten signature in black ink, appearing to read "Robert Ives", with a long, sweeping flourish extending from the end.

Robert Ives
Project Scientist

Attachments:

- (1) Notice of Intent of Remediation General Permit (RGP)
- (2) Site Locus
- (3) Analytical Results Summary Table
- (4) Laboratory Analytical

Attachment 1

Notice of Intent of Remediation General Permit (RGP)

B. Suggested Form for Notice of Intent (NOI) for the Remediation General Permit

1. General site information. Please provide the following information about the site:

a) Name of facility/site: Bridge Street Bypass Project		Facility/site address: Bridge Street	
Location of facility/site: longitude: 42.31 latitude: 70.53	Facility SIC code(s):	Street: Beverly-Salem Bridge through intersection of Washington Street and Bridge Street	
b) Name of facility/site owner: Massachusetts Highway Department		Town: Salem	
Email address of owner: Patricia.Trombly@MHD.state.ma.us		State: MA	Zip: 01970
Telephone no. of facility/site owner: (617) 973-7309		County: Salem	
Fax no. of facility/site owner: (617) 973-8038		Owner is (check one): 1. Federal _____ 2. State/Tribal ☒	
Address of owner (if different from site):		3. Private _____ 4. other, if so, describe: _____	
Street: 10 Park Plaza			
Town: Boston	State: MA	Zip: 02116	County: Suffolk
c) Legal name of operator: BATG Environmental, Inc.		Operator telephone no: (508) 824-7412	
		Operator fax no.: (508) 880-7565	Operator email: rives@batgenvironmental.com
Operator contact name and title: Robert Ives, Project Scientist			

Address of operator (if different from owner):		Street: 448 Broadway	
Town: Taunton	State: MA	Zip: 02780	County: Bristol

d) Check "yes" or "no" for the following:

- Has a prior NPDES permit exclusion been granted for the discharge? Yes No, if "yes," number:
- Has a prior NPDES application (Form 1 & 2C) ever been filed for the discharge? Yes No, if "yes," date and tracking #:
- Is the discharge a "new discharge" as defined by 40 CFR 122.2? Yes No
- For sites in Massachusetts, is the discharge covered under the MA Contingency Plan (MCP) and exempt from state permitting? Yes No

e) Is site/facility subject to any State permitting or other action which is causing the generation of discharge? Yes No

If "yes," please list:

- site identification # assigned by the state of NH or MA:
- permit or license # assigned:
- state agency contact information: name, location, and telephone number:

f) Is the site/facility covered by any other EPA permit, including:

- multi-sector storm water general permit? Y N, if Y, number:
- phase I or II construction storm water general permit? Y N, if Y, number:
- individual NPDES permit? Y N, if Y, number:
- any other water quality related permit? Y N, if Y, number:

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed) including:

a) Describe the discharge activities for which the owner/applicant is seeking coverage:
Excavation and dewatering for roadway reconstruction and utility installation.

b) Provide the following information about each discharge:	1) Number of discharge points: 1	2) What is the maximum and average flow rate of discharge (in cubic feet per second, ft ³ /s)? Max. flow 0.16 Average flow 0.11 Is maximum flow a design value? Y <u>N</u> For average flow, include the units and appropriate notation if this value is a design value or estimate if not available. Average Flow is a designed rate of 0.11 ft ³ /s
3) Latitude and longitude of each discharge within 100 feet: pt.1: long. 42.31 lat. 70.53 ; pt.2: long. lat. ; pt.3: long. lat. ; pt.4: long. lat. ; pt.5: long. lat. ; pt.6: long. lat. ; pt.7: long. lat. ; pt.8: long. lat. ; etc.		

4) If hydrostatic testing, total volume of the discharge (gals):	5) Is the discharge intermittent ☒ or seasonal ☐ ? Is discharge ongoing Yes ☐ No ☒ ?
c) Expected dates of discharge (mm/dd/yy): start 05/15/06 end 12/31/09	
d) Please attach a line drawing or flow schematic showing water flow through the facility including: 1. sources of intake water, 2. contributing flow from the operation, 3. treatment units, and 4. discharge points and receiving waters(s).	

3. Contaminant information. In order to complete this section, the applicant will need to take a minimum of one sample of the untreated water and have it analyzed for **all** of the parameters listed in Appendix III. Historical data, (i.e., data taken no more than 2 years prior to the effective date of the permit) may be used if obtained pursuant to: i. Massachusetts' regulations 310 CMR 40.0000, the Massachusetts Contingency Plan ("Chapter 21E"); ii. New Hampshire's Title 50 RSA 485-A: Water Pollution and Waste Disposal or Title 50 RSA 485-C: Groundwater Protection Act; or iii. an EPA permit exclusion letter issued pursuant to 40 CFR 122.3, provided the data was analyzed with test methods that meet the requirements of this permit. Otherwise, a new sample shall be taken and analyzed.

a) Based on the analysis of the sample(s) of the untreated influent, the applicant must check the box of the sub-categories that the potential discharge falls within.

Gasoline Only	VOC Only	Primarily Metals	Urban Fill Sites	Contaminated Sumps	Mixed Contaminants	Aquifer Testing
Fuel Oils (and Other Oils) only	VOC with Other Contaminants	Petroleum with Other Contaminants	Listed Contaminated Sites	Contaminated Dredge Condensates	Hydrostatic Testing of Pipelines/Tanks	Well Development or Rehabilitation

b) Based on the analysis of the untreated influent, the applicant must indicate whether each listed chemical is **believed present** or **believed absent** in the potential discharge. Attach additional sheets as needed.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
1. Total Suspended Solids		✓								
2. Total Residual Chlorine	✓									
3. Total Petroleum Hydrocarbons		✓	2	Grab	8100	500			<500	
4. Cyanide	✓									
5. Benzene		✓	2	Grab	8160	1			<5	
6. Toluene		✓	2	Grab	8160	1			<5	
7. Ethylbenzene		✓	2	Grab	8160	1			<5	
8. (m,p,o) Xylenes		✓	2	Grab	8160	1			<5	
9. Total BTEX ⁴		✓	2	Grab	8160	1			<20	

⁴ BTEX = Sum of Benzene, Toluene, Ethylbenzene, total Xylenes.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
10. Ethylene Dibromide (1,2- Dibromo-methane)	✓									
11. Methyl-tert-Butyl Ether (MtBE)	✓									
12. tert-Butyl Alcohol (TBA)	✓									
13. tert-Amyl Methyl Ether (TAME)	✓									
14. Naphthalene	✓									
15. Carbon Tetra-chloride	✓									
16. 1,4 Dichlorobenzene	✓									
17. 1,2 Dichlorobenzene	✓									
18. 1,3 Dichlorobenzene	✓									
19. 1,1 Dichloroethane	✓									
20. 1,2 Dichloroethane	✓									
21. 1,1 Dichloroethylene	✓									
22. cis-1,2 Dichloro-ethylene	✓									
23. Dichloromethane (Methylene Chloride)	✓									
24. Tetrachloroethylene	✓									

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily Value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
25. 1,1,1 Trichloroethane	✓									
26. 1,1,2 Trichloroethane	✓									
27. Trichloroethylene	✓									
28. Vinyl Chloride	✓									
29. Acetone	✓									
30. 1,4 Dioxane	✓									
31. Total Phenols	✓									
32. Pentachlorophenol	✓									
33. Total Phthalates ⁵ (Phthalate esters)	✓									
34. Bis (2-Ethylhexyl) Phthalate [Di-(ethylhexyl) Phthalate]	✓									
35. Total Group I Polycyclic Aromatic Hydrocarbons (PAH)		✓	7	Grab	8270	10	<441			
a. Benzo(a) Anthracene		✓	7	Grab	8270	10	<63			
b. Benzo(a) Pyrene		✓	7	Grab	8270	10	<63			
c. Benzo(b)Fluoranthene		✓	7	Grab	8270	10	<63			
d. Benzo(k) Fluoranthene		✓	7	Grab	8270	10	<63			
e. Chrysene		✓	7	Grab	8270	10	<63			

⁵The sum of individual phthalate compounds.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Average daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
f. Dibenzo(a,h) anthracene		✓	2	Grab	8270	10	<63			
g. Indeno(1,2,3-cd) Pyrene		✓	2	Grab	8270	10	<63			
36. Total Group II Polycyclic Aromatic Hydrocarbons (PAH)		✓	2	Grab	8270	10	<567			
h. Acenaphthene		✓	2	Grab	8270	10	<63			
i. Acenaphthylene		✓	2	Grab	8270	10	<63			
j. Anthracene		✓	2	Grab	8270	10	<63			
k. Benzo(ghi) Perylene		✓	2	Grab	8270	10	<63			
l. Fluoranthene		✓	2	Grab	8270	10	<63			
m. Fluorene		✓	2	Grab	8270	10	<63			
n. Naphthalene-		✓	2	Grab	8270	10	<63			
o. Phenanthrene		✓	2	Grab	8270	10	<63			
p. Pyrene		✓	2	Grab	8270	10	<63			
37. Total Polychlorinated Biphenyls (PCBs)		✓	2	Grab	8082	0.5	45			
38. Antimony		✓	2	Grab	6010	5	20			
39. Arsenic		✓	2	Grab	6010	4	91			
40. Cadmium		✓	2	Grab	6010	1	40			
41. Chromium III		✓	2	Grab	6010	1	193			
42. Chromium VI	✓									

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
43. Copper		✓	2	Grab	6010	1	735			
44. Lead		✓	2	Grab	7421	200	848			
45. Mercury		✓	2	Grab	7470	0.4	22.9			
46. Nickel		✓	2	Grab	6010	1	168			
47. Selenium	✓		2	Grab						
48. Silver		✓	2	Grab	6010	1	57			
49. Zinc		✓	2	Grab	6010	2	5290			
50. Iron		✓	2	Grab	6010	2	61500			
Other (describe):										

c) For discharges where metals are believed present, please fill out the following:

<i>Step 1:</i> Do any of the metals in the influent have a reasonable potential to exceed the effluent limits in Appendix III (i.e., the limits set at zero to five dilutions)? Y <u> </u> N <u> </u> ✓	If yes, which metals?
<i>Step 2:</i> For any metals which have reasonable potential to exceed the Appendix III limits, calculate the dilution factor (DF) using the formula in Part I.A.3.c) (step 2) of the NOI instructions or as determined by the State prior to the submission of this NOI. What is the dilution factor for applicable metals? Metals: _____ DF: _____	Look up the limit calculated at the corresponding dilution factor in Appendix IV. Do any of the metals in the influent have the potential to exceed the corresponding effluent limits in Appendix IV (i.e., is the influent concentration above the limit set at the calculated dilution factor)? Y <u> </u> N <u> </u> ✓ If "Yes," list which metals:

4. Treatment system information. Please describe the treatment system using separate sheets as necessary, including:

a) A description of the treatment system, including a schematic of the proposed or existing treatment system:

Settling Tank, Bag Filter, GAC Filter (See attached Schematic)

b) Identify each applicable treatment unit (check all that apply):	Frac. tank	Air stripper	Oil/water separator	Equalization tanks	Bag filter	GAC filter
	✓				✓	✓
	Chlorination	Dechlorination	Other (please describe):			

c) Proposed average and maximum flow rates (gallons per minute) for the discharge and the design flow rate(s) (gallons per minute) of the treatment system:
Average flow rate of discharge 50 Maximum flow rate of treatment system 75 Design flow rate of treatment system

d) A description of chemical additives being used or planned to be used (attach MSDS sheets):
None

5. Receiving surface water(s). Please provide information about the receiving water(s), using separate sheets as necessary:

a) Identify the discharge pathway:	Direct	Within facility	Storm drain	River/brook	Wetlands	Other (describe):
			✓			

b) Provide a narrative description of the discharge pathway, including the name(s) of the receiving waters:

North River

c) Attach a detailed map(s) indicating the site location and location of the outfall to the receiving water:

1. For multiple discharges, number the discharges sequentially.

2. For indirect dischargers, indicate the location of the discharge to the indirect conveyance and the discharge to surface water

The map should also include the location and distance to the nearest sanitary sewer as well as the locus of nearby sensitive receptors (based on USGS topographical mapping), such as surface waters, drinking water supplies, and wetland areas.

d) Provide the state water quality classification of the receiving water SB _____,

e) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water _____ cfs
Please attach any calculation sheets used to support stream flow and dilution calculations.

f) Is the receiving water a listed 303(d) water quality impaired or limited water? Yes ☒ No ☐ If yes, for which pollutant(s)?
Pathogens, Taste, Odor and Color

Is there a TMDL? Yes ☒ No ☐ If yes, for which pollutant(s)?

6. Results of Consultation with Federal Services: Please provide the following information according to requirements of Part I.B.4 and Appendices II and VII.

a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? Yes ☐ No ☒
Has any consultation with the federal services been completed? No ☐ or is consultation underway? No ☐
What were the results of the consultation with the U.S. Fish and Wildlife Service and/or National Marine Fisheries Service (check one):
a "no jeopardy" opinion? _____ or written concurrence _____ on a finding that the discharges are not likely to adversely affect any endangered species or critical habitat?


b) Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility or site or in proximity to the discharge?
Yes ☒ No ☐ Have any state or tribal historic preservation officer been consulted in this determination (Massachusetts only)? Yes ☒ No ☐

7. Supplemental information. :


Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit.
See Attached.

8. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22, including the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility/Site Name:	Bridge Street Bypass Project
Operator signature:	
Title:	Project Scientist
Date:	4-20-06

Attachment 2
Site Locus



0 0.3 0.6 0.9 1.2 1.5 km

0 0.2 0.4 0.6 0.8 1 mi

Map center is 42° 31' 46"N, 70° 53' 34"W (WGS84/NAD83)

Salem quadrangle

Projection is UTM Zone 19 NAD83 Datum



M=-15.789

G=-1.28

Attachment 3
Analytical Results Summary Table

BATG Environmental, Inc.
Bridge Street Bypass Project
Remediation General Permit
Analytical Results Summary Table
4/20/2006

Sample Identification (All units are "ppb" unless otherwise noted.)	Remediation General Permit - Effluent Limitations Salt Water	GW SMP - Sta. 248+30	GW SMP - Sta. 264+40
Laboratory ID		AH07961	AH12972
Silver	2.2	<1	57
Silver(Dissolved)		<1	1
Arsenic	36	38	91
Arsenic(Dissolved)		5	<4
Barium	-	1250	1330
Barium(Dissolved)		70	264
Beryllium	-	NT	3
Beryllium(Dissolved)		NT	<1
Cadmium	8.9	2	40
Cadmium(Dissolved)		<1	2
Chromium	100	60	193
Chromium(Dissolved)		1	<1
Copper	3.7	114	735
Copper(Dissolved)		6	2
Iron	1000	61500	50600
Iron(Dissolved)		928	8
Mercury	1.1	22.9	4.3
Mercury(Dissolved)		<0.2	<0.2
Nickel	8.2	60	168
Nickel(Dissolved)		4	8
Lead	8.5	848	15.4
Lead(Dissolved)		37	21
Antimony	5.6	13	20
Antimony(Dissolved)		9	<5
Selenium	71	<10	<10
Selenium(Dissolved)		<10	<10
Thallium	-	NT	4
Thallium(Dissolved)		NT	<5
Zinc	85.6	577	5290
Zinc(Dissolved)		12	268
pH		7.57	NT
Chlorine Residual	7.5	<20	<20
Chromium, Hexavalent	50.3	<10	<10
Phenolics	300	<15	<15
Total Cyanide (Drinking Water)	5.2	<10	<10
Total Suspended Solids	50000	NT	NT
Polychlorinated Biphenyls	0.000064	<0.5	45
Total Petroleum Hydrocarbons (8100)	5	<500	<500
Acetone	monitor only	<10	<10
1,4-dioxane	monitor only	1.5	1.5
Tert-amyl-methyl-ether	monitor only	<5.0	<5.0
Tert-butyl alcohol	monitor only	<200	<200
BTEX	100	<20	<3.5
Benzene	-	<5	<1
Toluene	-	<5	<1
Ethylbenzene	-	<5	<1
Xylenes (m,p,o)	-	<5	<0.5
Volatiles			
1,1,1,2-Tetrachloroethane	-	<5	<1
1,1,1-Trichloroethane	200	<5	<1
1,1,2,2-Tetrachloroethane	-	<5	<0.5
1,1,2-Trichloroethane	5	<5	<1
1,1-Dichloroethane	70	<5	<1
1,1-Dichloroethene	3.2	<5	<1
1,1-Dichloropropene	-	<5	<1
1,2,3-Trichlorobenzene	-	<5	<1
1,2,3-Trichloropropane	-	<5	<1
1,2,4-Trichlorobenzene	-	<5	<1
1,2,4-Trimethylbenzene	-	<5	<1
1,2-Dibromo-3-chloropropane	-	<5	<1

BATG Environmental, Inc.
Bridge Street Bypass Project
Remediation General Permit
Analytical Results Summary Table
4/20/2006

Sample Identification (All units are "ppb" unless otherwise noted.)	Remediation General Permit - Effluent Limitations Salt Water	GW SMP - Sta. 248+30	GW SMP - Sta. 264+40
Laboratory ID		AH07961	AH12972
1,2-Dichlorobenzene	600	<5	<1
1,2-Dichloroethane	5	<5	<1
1,2-Dichloropropane	-	<5	<1
1,3,5-Trimethylbenzene	-	<5	<1
1,3-Dichlorobenzene	320	<5	<1
1,3-Dichloropropane	-	<5	<1
1,4-Dichlorobenzene	5	<5	<1
2,2-Dichloropropane	-	<5	<1
2-Chlorotoluene	-	<5	<1
4-Chlorotoluene	-	<5	<1
Bromobenzene	-	<5	<1
Bromochloromethane	-	<5	<1
Bromodichloromethane	-	<5	<0.5
Bromoform	-	<5	<1
Bromomethane	-	<5	<1
Carbon tetrachloride	4.4	<5	<1
Chlorobenzene	-	<5	<1
Chloromethane	-	<5	<1
Chloroform	-	<5	<1
Chloromethane	-	<5	<1
cis-1,2-Dichloroethene	70	<5	<1
cis-1,3-Dichloropropene	-	<5	<0.5
Dibromochloromethane	-	<5	<0.5
Dibromoethane	-	<5	<1
Dibromomethane	-	<5	<1
Dichlorodifluoromethane	-	<5	<1
Hexachlorobutadiene	-	<5	<0.4
Isopropylbenzene	-	<5	<1
Methyl Ethyl Ketone	-	<60	<1
Methyl t-butyl ether (MTBE)	70	<10	<1
Methylene chloride	4.6	<5	<1
n-Butylbenzene	-	<5	<1
n-Propylbenzene	-	<5	<1
Naphthalene	20	<5	<1
p-Isopropyltoluene	-	<5	<1
sec-Butylbenzene	-	<5	<1
Styrene	-	<5	<1
tert-Butylbenzene	-	<5	<1
Tetrachloroethene	5	<5	<1
trans-1,2-Dichloroethene	-	<5	<1
trans-1,3-Dichloropropene	-	<5	<0.5
Trichloroethene	5	<5	<1
Trichlorofluoromethane	-	<5	<1
Vinyl chloride	2	<5	<1
Total Group II PAH's	100	ND	55
Semivolatiles			
1,2,4-Trichlorobenzene	-	<63	<10
1,2-Dichlorobenzene	-	<63	<10
1,2-Diphenylhydrazine	-	<63	<10
1,3-Dichlorobenzene	-	<63	<10
1,4-Dichlorobenzene	-	<63	<10
2,4,5-Trichlorophenol	-	<63	<10
2,4,6-Trichlorophenol	-	<63	<10
2,4-Dichlorophenol	-	<63	<10
2,4-Dimethylphenol	-	<63	<10
2,4-Dinitrophenol	-	<310	<50
2,4-Dinitrotoluene	-	<63	<10
2,6-Dichlorophenol	-	<63	<10
2,6-Dinitrotoluene	-	<63	<10
2-Chloronaphthalene	-	<63	<10
2-Chlorophenol	-	<63	<10
2-Methylnaphthalene	-	<63	<10
2-Methylphenol (o-cresol)	-	<63	<10
2-Nitroaniline	-	<310	<50
2-Nitrophenol	-	<63	<10
3&4-Methylphenol (m&p-cresol)	-	<63	<10

BATG Environmental, Inc.
Bridge Street Bypass Project
Remediation General Permit
Analytical Results Summary Table
4/20/2006

Sample Identification (All units are "ppb" unless otherwise noted.)	Remediation General Permit - Effluent Limitations Salt Water	GW SMP - Sta. 248+30	GW SMP - Sta. 264+40
Laboratory ID		AH07961	AH12972
3,3'-Dichlorobenzidine	-	<130	<20
3-Nitroaniline	-	<310	<50
4,6-Dinitro-2-methylphenol	-	<310	<50
4-Bromophenyl phenyl ether	-	<63	<10
4-Chloro-3-methylphenol	-	<130	<20
4-Chloroaniline	-	<130	<20
4-Chlorophenyl phenyl ether	-	<63	<10
4-Nitroaniline	-	<310	<50
4-Nitrophenol	-	<310	<50
Acenaphthene	-	<63	<10
Acenaphthylene	-	<63	<10
Anthracene	10	<63	<10
Benz(a)anthracene	5	<63	9
Benzidine	-	<63	<10
Benzo(a)pyrene	10	<63	7.5
Benzo(b)fluoranthene	10	<63	4.1
Benzo(ghi)perylene	5	<63	<10
Benzo(k)fluoranthene	10	<63	4.1
Benzoic acid	-	<310	<50
Benzyl alcohol	-	<130	<20
Benzyl butyl phthalate	-	<63	<10
Bis(2-chloroethoxy)methane	-	<63	<10
Bis(2-chloroethyl)ether	-	<63	<10
Bis(2-chloroisopropyl)ether	-	<63	<10
Bis(2-ethylhexyl)phthalate	6	<63	260
Chrysene	10	<63	9.5
Di-n-butylphthalate	-	<63	<10
Di-n-octylphthalate	-	<63	<10
Dibenz(a,h)anthracene	10	<63	<10
Dibenzofuran	-	<63	<10
Diethyl phthalate	-	<63	<10
Dimethylphthalate	-	<63	<10
Fluoranthene	1	<63	22
Fluorene	10	<63	<10
Hexachlorobenzene	-	<63	<1
Hexachlorobutadiene	-	<63	<10
Hexachlorocyclopentadiene	-	<63	<10
Hexachloroethane	-	<63	<3
Indeno(1,2,3-cd)pyrene	10	<63	<10
Isophorone	-	<63	<10
N-Nitrosodi-n-propylamine	-	<63	<10
N-Nitrosodimethylamine	-	<63	<10
N-Nitrosodiphenylamine	-	<63	<10
Naphthalene	2	<63	<10
Nitrobenzene	-	<63	<10
Pentachlorophenol	1	<63	<1
Phenanthrene	5	<63	15
Phenol	-	<63	<10
Pyrene	5	<63	18
Pyridine	-	<63	<10
Total SVOC's		ND	349.2

Bolded results indicate levels greater than RGP effluent limitations for salt water
 ND = Not Detected
 NT = Not Tested

Attachment 4
Laboratory Analytical



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Client Services (866) 645-8726

Data Delivery (check one):
☐ Fax #:
☐ Email:
 Format: ☐ Excel ☐

Format: ☒ Excel ☐ Pdf ☐ Gis Key

Customer:	Project:	Project P.O.:
Address:	Report to:	Phone #:

Project: Project 1000 - Project

Report to: Director of State

Invoice to: Civil Service

Project P.O.: _____

Phone #: _____

Fax #: _____

Analysis Request	Date	Sampler's Signature
1000ml 1250ml 1500ml 2000ml 2500ml 3000ml 3500ml 4000ml 4500ml 5000ml 5500ml 6000ml 6500ml 7000ml 7500ml 8000ml 8500ml 9000ml 9500ml 10000ml 10500ml 11000ml 11500ml 12000ml 12500ml 13000ml 13500ml 14000ml 14500ml 15000ml 15500ml 16000ml 16500ml 17000ml 17500ml 18000ml 18500ml 19000ml 19500ml 20000ml 20500ml 21000ml 21500ml 22000ml 22500ml 23000ml 23500ml 24000ml 24500ml 25000ml 25500ml 26000ml 26500ml 27000ml 27500ml 28000ml 28500ml 29000ml 29500ml 30000ml 30500ml 31000ml 31500ml 32000ml 32500ml 33000ml 33500ml 34000ml 34500ml 35000ml 35500ml 36000ml 36500ml 37000ml 37500ml 38000ml 38500ml 39000ml 39500ml 40000ml 40500ml 41000ml 41500ml 42000ml 42500ml 43000ml 43500ml 44000ml 44500ml 45000ml 45500ml 46000ml 46500ml 47000ml 47500ml 48000ml 48500ml 49000ml 49500ml 50000ml 50500ml 51000ml 51500ml 52000ml 52500ml 53000ml 53500ml 54000ml 54500ml 55000ml 55500ml 56000ml 56500ml 57000ml 57500ml 58000ml 58500ml 59000ml 59500ml 60000ml 60500ml 61000ml 61500ml 62000ml 62500ml 63000ml 63500ml 64000ml 64500ml 65000ml 65500ml 66000ml 66500ml 67000ml 67500ml 68000ml 68500ml 69000ml 69500ml 70000ml 70500ml 71000ml 71500ml 72000ml 72500ml 73000ml 73500ml 74000ml 74500ml 75000ml 75500ml 76000ml 76500ml 77000ml 77500ml 78000ml 78500ml 79000ml 79500ml 80000ml 80500ml 81000ml 81500ml 82000ml 82500ml 83000ml 83500ml 84000ml 84500ml 85000ml 85500ml 86000ml 86500ml 87000ml 87500ml 88000ml 88500ml 89000ml 89500ml 90000ml 90500ml 91000ml 91500ml 92000ml 92500ml 93000ml 93500ml 94000ml 94500ml 95000ml 95500ml 96000ml 96500ml 97000ml 97500ml 98000ml 98500ml 99000ml 99500ml 100000ml 100500ml 101000ml 101500ml 102000ml 102500ml 103000ml 103500ml 104000ml 104500ml 105000ml 105500ml 106000ml 106500ml 107000ml 107500ml 108000ml 108500ml 109000ml 109500ml 110000ml 110500ml 111000ml 111500ml 112000ml 112500ml 113000ml 113500ml 114000ml 114500ml 115000ml 115500ml 116000ml 116500ml 117000ml 117500ml 118000ml 118500ml 119000ml 119500ml 120000ml 120500ml 121000ml 121500ml 122000ml 122500ml 123000ml 123500ml 124000ml 124500ml 125000ml 125500ml 126000ml 126500ml 127000ml 127500ml 128000ml 128500ml 129000ml 129500ml 130000ml 130500ml 131000ml 131500ml 132000ml 132500ml 133000ml 133500ml 134000ml 134500ml 135000ml 135500ml 136000ml 136500ml 137000ml 137500ml 138000ml 138500ml 139000ml 139500ml 140000ml 140500ml 141000ml 141500ml 142000ml 142500ml 143000ml 143500ml 144000ml 144500ml 145000ml 145500ml 146000ml 146500ml 147000ml 147500ml 148000ml 148500ml 149000ml 149500ml 150000ml 150500ml 151000ml 151500ml 152000ml 152500ml 153000ml 153500ml 154000ml 154500ml 155000ml 155500ml 156000ml 156500ml 157000ml 157500ml 158000ml 158500ml 159000ml 159500ml 160000ml 160500ml 161000ml 161500ml 162000ml 162500ml 163000ml 163500ml 164000ml 164500ml 165000ml 165500ml 166000ml 166500ml 167000ml 167500ml 168000ml 168500ml 169000ml 169500ml 170000ml 170500ml 171000ml 171500ml 172000ml 172500ml 173000ml 173500ml 174000ml 174500ml 175000ml 175500ml 176000ml 176500ml 177000ml 177500ml 		

Matrix Code:	
DW=drinking water	S=soil/solid
GW=groundwater	O=Oil
	X=Other
SL=sludge	
A=air	

[illegible]

	Requisitioned by:	Accepted by	Date:	Time:	Turnaround:	Requirements for CT/RI	Requirements for MA
					☐ 1 Day*	☐ Res. Criteria	☐ GW-1
					☐ 2 Days*	☐ GW Protection	☐ GW-2
					☐ 3 Days*	☐ GA Mobility	☐ GW-3
					☒ Standard	☐ GB Mobility	☐ S-1
					☐ Other	☐ SW Protection	☐ S-2
Comments, Special Requirements or Regulations:							

*** Surcharge Applies**

<u>Requirements for CI/RI</u>	<u>Requirements for MA</u>
☐ Res. Criteria	☐ GW-1
☐ GW Protection	☐ GW-2
☐ GA Mobility	☐ GW-3
☐ GB Mobility	☐ S-1
☐ SW Protection	☐ S-2
☐ Res. Vol.	☐ S-3
☐ Ind. Vol.	☐ MCP Certification
☐ RCP Certification	☐ Other



APR - 3 2006

Wednesday, March 29, 2006

Bata
448 Broadway
Taunton MA 02780

Attention: Mr Phil Peterson

Sample ID#: AH07961

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in cursive script that reads "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

March 29, 2006

FOR: Attn: Mr. Robert Ives
BATG Environmental Inc.
448 Broadway
Taunton, MA 02780

Sample Information

Matrix: WATER
Location Code: BATGTAUN
Rush Request:
P.O.#: 06-100

Custody Information

Collected by: RI
Received by: DL
Analyzed by: see "By" below

Date	Time
03/15/06	9:48
03/15/06	16:45

Laboratory Data

SDG I.D.: GAH07961
Phoenix I.D.: AH07961

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	03/16/06		EK	200.7/6010
Arsenic	0.038	0.004	mg/L	03/20/06		EK	200.7/6010
Barium	1.25	0.002	mg/L	03/16/06		EK	6010/E200.7
Cadmium	0.002	0.001	mg/L	03/16/06		EK	6010/E200.7
Chromium	0.06	0.001	mg/L	03/16/06		EK	200.7/6010
Silver (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Arsenic (Dissolved)	0.005	0.004	mg/L	03/20/06		EK	200.7/6010
Barium (Dissolved)	0.07	0.002	mg/L	03/20/06		EK	6010/E200.7
Cadmium (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Chromium (Dissolved)	0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	03/17/06		RS	SW-7470
Lead (Dissolved)	0.037	0.001	mg/L	03/21/06		RS	7421/E239.2
Selenium (Dissolved)	< 0.01	0.01	mg/L	03/20/06		EK	200.7/6010
Mercury	0.0229	0.0020	mg/L	03/17/06		RS	7470/E245.1
Lead (Furnace)	0.848	0.01	mg/L	03/21/06		RS	7421/S3113B
Selenium	< 0.01	0.01	mg/L	03/20/06		EK	6010/200.7
Chlorine Residual	< 0.02	0.02	mg/L	03/15/06	23:00	CD	4500Cl-G
Chromium, Hexavalent	< 0.01	0.01	mg/L	03/15/06	23:00	CD	S3500CRD
Phenolics	< 0.015	0.015	mg/L	03/27/06		J/G	E420.2
Total Cyanide	< 0.01	0.01	mg/L	03/21/06		M/G	9010/335.3
MADEP MCP 8082 Certification	Completed			03/22/06		MH	MCP
MADEP MCP 8260 Certification	Completed			03/20/06		JH	MCP
MADEP MCP 8270 Certification	Completed			03/21/06		RM	MCP
MADEP MCP 7196 Certification	Completed			03/23/06		CD	MCP

Parameter	Result	RL	Units	Date	Time	By	Reference
MADEP MCP 7470/7471 Certification	Completed			03/23/06		RS	MCP
MADEP MCP 6010 Certification	Completed			03/21/06		EK	MCP
Filtration Dissolved Metals	Completed			03/15/06		AG	.45um Filter
Dissolved Mercury Digestion	Completed		NA	03/16/06		E	SW7470
Mercury Digestion	Completed			03/16/06		E	E245.1
PCB Extraction	Completed			03/15/06		M	SW3510/3520
Semi-Volatile Extraction	Completed			03/15/06		O	SW3510/3520
Dissolved Metals Preparation	Completed			03/15/06		AG	SW846-3005
Total Metals Digestion	Completed			03/15/06		AG	
Extraction of TPH MOD 8100	Completed			03/15/06		O	3550/5030

Polychlorinated Biphenyls

PCB-1016	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1221	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1232	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1242	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1248	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1254	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1260	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1262	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1268	ND	0.5	ug/L	03/16/06		MH	608/ 8082

QA/QC Surrogates

% DCBP (Surrogate Rec)	43		%	03/16/06		MH	608/ 8082
% TCMX (Surrogate Rec)	92		%	03/16/06		MH	608/ 8082

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #2/ Diesel Fuel	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #4	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #6	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Motor Oil	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Other Oil (Cutting & Lubricating)	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Unidentified	ND	0.5	mg/L	03/18/06		JRB	8100Modified

QA/QC Surrogates

% n-Pentacosane	104		%	03/18/06		JRB	8100Modified
Acetone	< 10	10	ug/l	03/15/06		RM	SW8260
1,4-dioxane	1.5	1.0	ug/l	03/23/06		RM	8260 MOD
Tert-amyl-methyl-ether	< 5.0	5.0	ug/L	03/15/06		RM	SW8260
Tert-butyl alcohol	< 200	200	ug/L	03/15/06		RM	SW8260

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,1-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
Benzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromoform	ND	5	ug/L	03/16/06		R/J	SW8260
Bromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	03/16/06		R/J	SW8260
Chlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroform	ND	5	ug/L	03/16/06		R/J	SW8260
Chloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromoethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Ethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	03/16/06		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
m&p-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	03/16/06		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	03/16/06		R/J	SW8260
Methylene chloride	ND	5	ug/L	03/16/06		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Naphthalene	ND	5	ug/L	03/16/06		R/J	SW8260
o-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	03/16/06		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Styrene	ND	5	ug/L	03/16/06		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Toluene	ND	5	ug/L	03/16/06		R/J	SW8260
Total Xylenes	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Vinyl chloride	ND	5	ug/L	03/16/06		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	109		%	03/16/06		R/J	SW8260
% Bromofluorobenzene	107		%	03/16/06		R/J	SW8260
% Dibromofluoromethane	117		%	03/16/06		R/J	SW8260
% Toluene-d8	129		%	03/16/06		R/J	SW8260
<u>Semivolatiles</u>							
1,2,4-Trichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Diphenylhydrazine	ND	63	ug/L	03/17/06		RM	SW 8270
1,3-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,4-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,5-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,6-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dimethylphenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2,6-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,6-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chloronaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylnaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylphenol (o-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
2-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
2-Nitrophenol	ND	63	ug/L	03/17/06		RM	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
3,3'-Dichlorobenzidine	ND	130	ug/L	03/17/06		RM	SW 8270
3-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4,6-Dinitro-2-methylphenol	ND	310	ug/L	03/17/06		RM	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Bromophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Chloro-3-methylphenol	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chloroaniline	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chlorophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4-Nitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
Acenaphthene	ND	63	ug/L	03/17/06		RM	SW 8270
Acenaphthylene	ND	63	ug/L	03/17/06		RM	SW 8270
Anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benz(a)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzidine	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(a)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(b)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(ghi)perylene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(k)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzoic acid	ND	310	ug/L	03/17/06		RM	SW 8270
Benzyl alcohol	ND	130	ug/L	03/17/06		RM	SW 8270
Benzyl butyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethoxy)methane	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroisopropyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-ethylhexyl)phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Chrysene	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-butylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-octylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenz(a,h)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenzofuran	ND	63	ug/L	03/17/06		RM	SW 8270
Diethyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dimethylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Fluorene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobutadiene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorocyclopentadiene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachloroethane	ND	63	ug/L	03/17/06		RM	SW 8270
Indeno(1,2,3-cd)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Isophorone	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodi-n-propylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodimethylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodiphenylamine	ND	63	ug/L	03/17/06		RM	SW 8270
Naphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
Nitrobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Pentachlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
Phenanthrene	ND	63	ug/L	03/17/06		RM	SW 8270

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Phoenix I.D.: AH07961

Parameter	Result	RL	Units	Date	Time	By	Reference
Phenol	ND	63	ug/L	03/17/06		RM	SW 8270
Pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Pyridine	ND	63	ug/L	03/17/06		RM	SW 8270
<u>QA/QC Surrogates</u>							
% 2,4,6-Tribromophenol	89		%	03/17/06		RM	SW 8270
% 2-Fluorobiphenyl	74		%	03/17/06		RM	SW 8270
% 2-Fluorophenol	47		%	03/17/06		RM	SW 8270
% Nitrobenzene-d5	65		%	03/17/06		RM	SW 8270
% Phenol-d5	59		%	03/17/06		RM	SW 8270
% Terphenyl-d14	33		%	03/17/06		RM	SW 8270

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director
March 29, 2006



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

March 29, 2006

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	------------	----------	-----------	------------	-------------	-----------------	-----

QA/QC Batch Sample No: AH07352 (AH07961)

ICP Metals - Dissolved

Aluminum	BDL	NC	91.1			97.6	96.4	1.2
Antimony	BDL	NC	89.8			91.8	91.9	0.1
Arsenic	BDL	NC	88.8			93.0	92.8	0.2
Barium	BDL	1.00	92.3			95.2	93.5	1.8
Beryllium	BDL	NC	91.8			96.2	94.6	1.7
Boron	BDL	---	---			---	---	
Cadmium	BDL	NC	90.8			93.2	92.6	0.6
Calcium	BDL	---	---			---	---	
Chromium	BDL	NC	90.6			94.9	93.8	1.2
Cobalt	BDL	NC	91.2			94.0	92.9	1.2
Copper	BDL	NC	93.6			98.5	97.4	1.1
Iron	BDL	2.50	91.9			96.6	98.0	1.4
Lead	BDL	NC	88.3			90.6	91.0	0.4
Magnesium	BDL	---	---			---	---	
Manganese	BDL	0.9	93.0			94.2	95.2	1.1
Molybdenum	BDL	---	---			---	---	
Nickel	BDL	NC	91.8			94.3	92.5	1.9
Phosphorus	BDL	---	---			---	---	
Potassium	BDL	---	---			---	---	
Selenium	BDL	NC	87.9			92.8	91.8	1.1
Silver	BDL	NC	92.6			84.2	83.8	0.5
Sodium	BDL	---	---			---	---	
Thallium	BDL	NC	92.8			94.0	93.8	0.2
Tin	BDL	---	---			---	---	
Vanadium	BDL	NC	93.3			97.2	96.8	0.4
Zinc	BDL	NC	89.1			93.5	92.4	1.2

QA/QC Batch Sample No: AH07793 (AH07961)

ICP Metals - Aqueous

Aluminum	BDL	0.4	98.7			94.0	92.3	1.8
Antimony	BDL	NC	96.6			96.5	94.9	1.7
Arsenic	BDL	NC	97.9			98.2	97.7	0.5

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Barium	BDL	NC	101			99.8	98.9	0.9
Beryllium	BDL	NC	102			101	100	1.0
Boron	BDL	---	---			---	---	
Cadmium	BDL	NC	99.2			98.8	97.6	1.2
Calcium	BDL	---	---			---	---	
Chromium	BDL	NC	99.8			99.4	97.5	1.9
Cobalt	BDL	NC	100			99.3	98.5	0.8
Copper	BDL	NC	101			96.8	99.6	2.9
Iron	0.004	1.10	101			99.9	99.7	0.2
Lead	BDL	NC	99.1			97.4	97.6	0.2
Magnesium	BDL	---	---			---	---	
Manganese	BDL	1.40	101			101	98.2	2.8
Molybdenum	BDL	---	---			---	---	
Nickel	BDL	NC	100			99.3	99.2	0.1
Phosphorus	BDL	---	---			---	---	
Selenium	0.013	NC	96.7			95.7	95.0	0.7
Silver	0.001	NC	103			102	103	1.0
Thallium	BDL	NC	98.0			98.7	97.4	1.3
Tin	BDL	---	---			---	---	
Vanadium	BDL	NC	102			101	99.4	1.6
Zinc	BDL	NC	99.9			101	100	1.0
QA/QC Batch Sample No: AH08003 (AH07961)								
Mercury	BDL	NR	94			88	86	2.3

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate



Phyllis Shiller, Laboratory Director

March 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

March 29, 2006

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch Sample No: AH07446 (AH07961)								
Total Cyanide	BDL		93			111		
QA/QC Batch Sample No: AH07961 (AH07961)								
Chlorine Residual	BDL		99.6					
QA/QC Batch Sample No: AH07961 (AH07961)								
Chromium, Hexavalent	BDL	NR	100.0			100.0		
QA/QC Batch Sample No: AH09507 (AH07961)								
Phenolics	BDL	NR	89			81		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

Phyllis Shiller, Laboratory Director

March 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

March 29, 2006

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	----------	-----------	------------	-------------	-----------------	-----

QA/QC Batch Sample No: AH05700 (AH07961)

Polychlorinated Biphenyls

PCB-1016	ND				114	97	16.1
PCB-1221	ND						
PCB-1232	ND						
PCB-1242	ND						
PCB-1248	ND						
PCB-1254	ND						
PCB-1260	ND				95	90	5.4
PCB-1262	ND						
PCB-1268	ND						
% DCBP (Surrogate Rec)	89				90	83	8.1
% TCMX (Surrogate Rec)	94				97	96	1.0

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch Sample No: AH06702 (AH07961)

Semivolatiles

1,2,4-Trichlorobenzene	ND	87			87	67	26.0
1,2-Dichlorobenzene	ND	85			85	65	26.7
1,2-Diphenylhydrazine	ND						
1,3-Dichlorobenzene	ND	82			82	62	27.8
1,4-Dichlorobenzene	ND	87			87	65	28.9
2,4,5-Trichlorophenol	ND	81			81	64	23.4
2,4,6-Trichlorophenol	ND	81			81	67	18.9
2,4-Dichlorophenol	ND	88			88	66	28.6
2,4-Dimethylphenol	ND	94			94	76	21.2
2,4-Dinitrophenol	ND	85					
2,4-Dinitrotoluene	ND	99			99	84	16.4
2,6-Dichlorophenol	ND						
2,6-Dinitrotoluene	ND	93			93	80	15.0
2-Chloronaphthalene	ND	88			88	70	22.8
2-Chlorophenol	ND	81			81	61	28.2
2-Methylnaphthalene	ND	90			90	71	23.6
2-Methylphenol (o-cresol)	ND	89			89	68	26.8
2-Nitroaniline	ND						

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
2-Nitrophenol	ND	85			85	64	28.2
3&4-Methylphenol (m&p-cresol)	ND	88			88	69	24.2
3,3'-Dichlorobenzidine	ND						
3-Nitroaniline	ND	105			105	88	17.6
4,6-Dinitro-2-methylphenol	ND					103	
4-Bromophenyl phenyl ether	ND	93			93	78	17.5
4-Chloro-3-methylphenol	ND	91			91	76	18.0
4-Chloroaniline	ND	85			85	63	29.7
4-Chlorophenyl phenyl ether	ND	93			93	79	16.3
4-Nitroaniline	ND	105			105	88	17.6
4-Nitrophenol	ND						
Acenaphthene	ND	87			87	71	20.3
Acenaphthylene	ND	83			83	67	21.3
Anthracene	ND	94			94	80	16.1
Benz(a)anthracene	ND	96			96	84	13.3
Benzidine	ND						
Benzo(a)pyrene	ND	89			89	75	17.1
Benzo(b)fluoranthene	ND	91			91	83	9.2
Benzo(ghi)perylene	ND	96			96	83	14.5
Benzo(k)fluoranthene	ND	103			103	88	15.7
Benzoic acid	ND						
Benzyl alcohol	ND					100	
Benzyl butyl phthalate	ND	88			88	81	8.3
Bis(2-chloroethoxy)methane	ND	87			87	71	20.3
Bis(2-chloroethyl)ether	ND	87			87	67	26.0
Bis(2-chloroisopropyl)ether	ND	87			87	67	26.0
Bis(2-ethylhexyl)phthalate	ND	93			93	85	9.0
Chrysene	ND	96			96	83	14.5
Di-n-butylphthalate	ND	100			100	88	12.8
Di-n-octylphthalate	ND	97			97	87	10.9
Dibenz(a,h)anthracene	ND	106			106	88	18.6
Dibenzofuran	ND	91			91	75	19.3
Diethyl phthalate	ND	99			99	86	14.1
Dimethylphthalate	ND	96			96	82	15.7
Fluoranthene	ND	106			106	91	15.2
Fluorene	ND	94			94	78	18.6
Hexachlorobenzene	ND	106			106	91	15.2
Hexachlorobutadiene	ND	95			95	71	28.9
Hexachlorocyclopentadiene	ND						
Hexachloroethane	ND	89			89	67	28.2
Indeno(1,2,3-cd)pyrene	ND	105			105	89	16.5
Isophorone	ND	87			87	73	17.5

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
N-Nitrosodi-n-propylamine	ND	94			94	74	23.8
N-Nitrosodimethylamine	ND	73			73	51	35.5
N-Nitrosodiphenylamine	ND						
Naphthalene	ND	91			91	70	26.1
Nitrobenzene	ND	99			99	77	25.0
Pentachlorophenol	ND	72			72	58	21.5
Phenanthrene	ND	98			98	83	16.6
Phenol	ND	74			74	54	31.3
Pyrene	ND	99			99	87	12.9
Pyridine	ND						
% 2,4,6-Tribromophenol	53	13			66	56	16.4
% 2-Fluorobiphenyl	76	17			87	70	21.7
% 2-Fluorophenol	64	13			65	45	36.4
% Nitrobenzene-d5	84	18			91	71	24.7
% Phenol-d5	68	14			71	51	32.8
% Terphenyl-d14	77	18			92	79	15.2

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch Sample No: AH07541 (AH07961)

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND					
Fuel Oil #2/ Diesel Fuel	ND			99	104	4.9
Fuel Oil #4	ND					
Fuel Oil #6	ND					
Motor Oil	ND					
Other Oil (Cutting & Lubricating)	ND					
Unidentified	ND					

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch Sample No: AH07598 (AH07961)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	95		44	47	6.6
1,1,1-Trichloroethane	ND	92		80	107	28.9
1,1,2,2-Tetrachloroethane	ND	85		79	92	15.2
1,1,2-Trichloroethane	ND	100		84	146	53.9
1,1-Dichloroethane	ND	98		86	109	23.6
1,1-Dichloroethene	ND	89		83	108	26.2
1,1-Dichloropropene	ND	96		82	126	42.3
1,2,3-Trichlorobenzene	ND	125		94	100	6.2
1,2,3-Trichloropropane	ND	95		81	91	11.6
1,2,4-Trichlorobenzene	ND	124		90	98	8.5
1,2,4-Trimethylbenzene	ND	87		75	91	19.3
1,2-Dibromo-3-chloropropane	ND	99		74	106	35.6

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2-Dichlorobenzene	ND	89			79	97	20.5
1,2-Dichloroethane	ND	106			98	146	39.3
1,2-Dichloropropane	ND	96			84	139	49.3
1,3,5-Trimethylbenzene	ND	84			72	90	22.2
1,3-Dichlorobenzene	ND	88			77	91	16.7
1,3-Dichloropropane	ND	95			97	92	5.3
1,4-Dichlorobenzene	ND	89			78	92	16.5
2,2-Dichloropropane	ND	98			77	100	26.0
2-Chlorotoluene	ND	84			75	90	18.2
4-Chlorotoluene	ND	88			76	91	18.0
Benzene	ND	98			87	119	31.1
Bromobenzene	ND	93			82	98	17.8
Bromochloromethane	ND	109			98	112	13.3
Bromodichloromethane	ND	122			106	126	17.2
Bromoform	ND	100			100	101	1.0
Bromomethane	ND	111			74	108	37.4
Carbon tetrachloride	ND	90			79	134	51.6
Chlorobenzene	ND	93			82	93	12.6
Chloroethane	ND	113			84	140	50.0
Chloroform	ND	104			93	112	18.5
Chloromethane	ND	115			106	136	24.8
cis-1,2-Dichloroethene	ND	109			93	112	18.5
cis-1,3-Dichloropropene	ND	163			145	164	12.3
Dibromochloromethane	ND	94			95	94	1.1
Dibromoethane	ND	106			90	150	50.0
Dibromomethane	ND	113			102	175	52.7
Dichlorodifluoromethane	ND	132			120	169	33.9
Ethylbenzene	ND	89			78	94	18.6
Hexachlorobutadiene	ND	123			93	96	3.2
Isopropylbenzene	ND	91			67	99	38.6
m&p-Xylene	ND	93			75	94	22.5
Methyl t-butyl ether (MTBE)	ND	113			51	73	35.5
Methylene chloride	ND	96			117	107	8.9
n-Butylbenzene	ND	96			72	86	17.7
n-Propylbenzene	ND	84			70	93	28.2
Naphthalene	ND	124			79	90	13.0
o-Xylene	ND	85			82	96	15.7
p-Isopropyltoluene	ND	90			70	87	21.7
sec-Butylbenzene	ND	82			71	87	20.3
Styrene	ND	91			175	194	10.3
tert-Butylbenzene	ND	82			70	87	21.7
Tetrachloroethene	ND	75			117	85	31.7

QA/QC Data

SDG I.D.: GAH07961

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Toluene	ND	149			134	125	6.9
trans-1,2-Dichloroethene	ND	96			86	114	28.0
trans-1,3-Dichloropropene	ND	102			113	147	26.2
Trichloroethene	ND	94			83	100	18.6
Trichlorofluoromethane	ND	104			82	112	30.9
Vinyl chloride	ND	110			92	126	31.2
% 1,2-dichlorobenzene-d4	76	100			101	107	5.8
% Bromofluorobenzene	114	98			117	105	10.8
% Dibromofluoromethane	120	110			110	113	2.7
% Toluene-d8	97	150			156	123	23.7

QA/QC Batch Sample No: AH09421 (AH07961)

1,4-dioxane

1,4-dioxane	BDL				100	108	7.7
-------------	-----	--	--	--	-----	-----	-----

Comment: LFB was analyzed with this batch instead of MS/MSD**If there are any questions regarding this data, please call Phoenix Client Services at extension 200.**


RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate



Phyllis Shiller, Laboratory Director

March 29, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

March 29, 2006

SDG I.D.: GAH07961

MADEP MCP 8082 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table V A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes.

8082 Narration:

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Michael Hahn
Position: Chemist
Date: 3/22/2006 3:25:26 PM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

March 29, 2006

SDG I.D.: GAH07961

MADEP MCP 8260 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table II A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

8260 Narration:

Initial Calibration Verification:

All SPCCs, CCCs and >90% of target compounds met criteria.

Continuing Calibration Verification:

All SPCCs, CCCs and >90% of target compounds met criteria. Internal standards were within the 50%-200% deviation from the initial calibration.

All LCS recoveries were within 70-130 with the following exceptions: Cis-1,3-Dichloropropene, Dichlorodifluoromethane and Toluene. The following compounds from the MCP analyte list were not performed: acetone, (TAME), Carbon disulfide, diethyl ether, diisopropyl ether, 1,4 dioxane, (ETBE), hexanone, (MIBK), and (THF).

The RPDs between the MS/MSD for some of the compounds may be greater than acceptance criteria. A dual concentrator with robotic autosampler was used in this case. One MS is analyzed on one concentrator and the MSD is analyzed on the other concentrator. The high RPDs can be attributed to possible differences between the two concentrators. Note that the majority of recoveries met criteria.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Johanna Harrington

Position: Chemist

Date: 3/20/2006 8:24:03 AM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

March 29, 2006

SDG I.D.: GAH07961

MADEP MCP 8270 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table II B-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

8270 Narration:

Initial Calibration:

All SPCCs, CCCs and >90% of target compounds met criteria.

Continuing Calibration:

All SPCCs, CCCs and >90% of target compounds met criteria.

The DDT breakdown and pentachlorophenol & benzidine peak tailing were not evaluated in the DFTPP tune.

For soil samples, the matrix spike and matrix spike duplicate were spiked with the ten compounds that historically have been used to monitor performance and the LCS was spiked with all of the target compounds using a 2nd source standard.

For water samples unless specified, an LCS/LCSD was performed which contains all of the target compounds.

Acetophenone, aniline and azobenzene are not reported in the laboratory 8270 compound list.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Raman Makol

Position: Chemist

Date: 3/21/2006 8:38:22 PM

MADEP MCP 7196 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table VI B-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

Hexavalent Chromium Narration:

No observations noted.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Cecil Dekle

Position: Chemist

Date: 3/23/2006 8:56:56 PM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

March 29, 2006

SDG I.D.: GAH07961

MADEP MCP 7470/7471 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table III B-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

Mercury Narration:

The method preparation blank contains all of the acids and reagents as the samples; the instrument blanks do not.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Rick Schweitzer
Position: Chemist
Date: 3/23/2006 11:33:32 AM

MADEP MCP 6010 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table III A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

6010 Narration: Soils, aqueous digests, and TCLP extracts are run in the same analytical run. The method blank and laboratory control sample are matrix matched; the standards and calibration blanks may not exactly have the same acid concentration as the samples. The client request a shorter list of compounds than that listed in the MCP. The client request a shorter list of compounds than that listed in the MCP.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Emily Kolominskaya
Position: Chemist
Date: 3/21/2006 10:01:33 AM

MADEP MCP Response Action Analytical Report Certification Form

Laboratory Name: Phoenix Environmental Laboratories, Inc.

Project #:

Project Location: BRIDGE STREET BYPASS

MADEP RTN1:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

AH07961

Sample Matrices: ☒ Groundwater ☐ Soil/Sediment ☐ Drinking Water ☐ Other:

**MCP SW-846
Methods Used**

☒ 8260B

☐ 8151A

☐ 8330

☒ 6010B

☒ 7470A/1A

☒ 8270C

☐ 8081A

☐ VPH

☐ 6020

☐ 9014M2

As specified in MADEP
Compendium of
Analytical Methods.
(check all that apply)

☒ 8082

☐ 8021B

☐ EPH

☐ 7000S3

☐ 7196A

1 List Release Tracking Number (RTN), if known

2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Metho

3 S - SW-846 Methods 7000 Series List individual method and analyte

An affirmative response to questions A, B, and C is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?	☒ Yes ☐ No
B	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?	Refer to attached MCP Certification (s).
C	Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	Refer to attached MCP Certification (s).
D	VPH and EPH Methods only: Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)	Refer to attached MCP Certification (s).

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all QC performance standards and recommendations for the specified methods achieved?	Refer to attached MCP Certification (s).
F	Were results for all analyte-list compounds/elements for the specified method(s) reported?	☐ Yes ☒ No

All negative responses must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Authorized

Signature: Kathleen Cressia

Date: Wednesday, March 29, 2006

Printed Name: Phyllis Shiller

Position: Laboratory Director

Printed Name: Kathleen Cressia

Position: QA/QC Officer



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

March 31, 2006

FOR: Attn: Mr. Robert Ives
BATG Environmental Inc.
448 Broadway
Taunton, MA 02780

Sample Information

Matrix: WATER
Location Code: BATGTAUN
Rush Request: RUSH24HR
P.O.#: 06-100

Custody Information

Collected by: RI
Received by: DL
Analyzed by: see "By" below

Date

03/15/06
03/15/06

Time

9:48
16:45

Laboratory Data

SDG I.D.: GAH07961
Phoenix I.D.: AH07961

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	03/16/06		EK	200.7/6010
Arsenic	0.038	0.004	mg/L	03/20/06		EK	200.7/6010
Barium	1.25	0.002	mg/L	03/16/06		EK	6010/E200.7
Cadmium	0.002	0.001	mg/L	03/16/06		EK	6010/E200.7
Chromium	0.06	0.001	mg/L	03/16/06		EK	200.7/6010
Copper	0.114	0.001	mg/L	03/16/06		EK	6010/E200.7
Silver (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Arsenic (Dissolved)	0.005	0.004	mg/L	03/20/06		EK	200.7/6010
Barium (Dissolved)	0.07	0.002	mg/L	03/20/06		EK	6010/E200.7
Cadmium (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Chromium (Dissolved)	0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Copper (Dissolved)	0.006	0.001	mg/L	03/20/06		EK	6010/E200.7
Iron (Dissolved)	0.928	0.002	mg/L	03/20/06		EK	6010/E200.7
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	03/17/06		RS	SW-7470
Nickel (Dissolved)	0.004	0.002	mg/L	03/20/06		EK	200.7/6010
Lead (Dissolved)	0.037	0.001	mg/L	03/21/06		RS	7421/E239.2
Antimony (Dissolved)	0.009	0.005	mg/L	03/20/06		EK	200.7/6010
Selenium (Dissolved)	< 0.01	0.01	mg/L	03/20/06		EK	200.7/6010
Zinc (Dissolved)	0.012	0.002	mg/L	03/20/06		EK	200.7/6010
Iron	61.5	0.002	mg/L	03/16/06		EK	6010/E200.7
Mercury	0.0229	0.0020	mg/L	03/17/06		RS	7470/E245.1
Nickel	0.060	0.001	mg/L	03/16/06		EK	200.7/6010
Lead (Furnace)	0.848	0.01	mg/L	03/21/06		RS	7421/S3113B
Antimony	0.013	0.005	mg/L	03/16/06		EK	200.7/6010

Parameter	Result	RL	Units	Date	Time	By	Reference
Selenium	< 0.01	0.01	mg/L	03/20/06		EK	6010/200.7
Zinc	0.577	0.002	mg/L	03/16/06		EK	200.7/6010
Chlorine Residual	< 0.02	0.02	mg/L	03/15/06	23:00	CD	4500Cl-G
Chromium, Hexavalent	< 0.01	0.01	mg/L	03/15/06	23:00	CD	S3500CRD
pH	7.57	0.10	pH Units	03/30/06	23:00	CD	E150.1/SW9045
Phenolics	< 0.015	0.015	mg/L	03/27/06		J/G	E420.2
Total Cyanide	< 0.01	0.01	mg/L	03/21/06		M/G	9010/335.3
MADEP MCP 8082 Certification	Completed			03/22/06		MH	MCP
MADEP MCP 8260 Certification	Completed			03/20/06		JH	MCP
MADEP MCP 8270 Certification	Completed			03/21/06		RM	MCP
MADEP MCP 7196 Certification	Completed			03/23/06		CD	MCP
MADEP MCP 7470/7471 Certification	Completed			03/23/06		RS	MCP
MADEP MCP 6010 Certification	Completed			03/21/06		EK	MCP
Filtration Dissolved Metals	Completed			03/15/06		AG	.45um Filter
Dissolved Mercury Digestion	Completed		NA	03/16/06		E	SW7470
Mercury Digestion	Completed			03/16/06		E	E245.1
PCB Extraction	Completed			03/15/06		M	SW3510/3520
Semi-Volatile Extraction	Completed			03/15/06		O	SW3510/3520
Dissolved Metals Preparation	Completed			03/15/06		AG	SW846-3005
Total Metals Digestion	Completed			03/15/06		AG	
Extraction of TPH MOD 8100	Completed			03/15/06		O	3550/5030

Polychlorinated Biphenyls

PCB-1016	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1221	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1232	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1242	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1248	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1254	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1260	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1262	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1268	ND	0.5	ug/L	03/16/06		MH	608/ 8082

QA/QC Surrogates

% DCBP (Surrogate Rec)	43		%	03/16/06		MH	608/ 8082
% TCMX (Surrogate Rec)	92		%	03/16/06		MH	608/ 8082

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #2/ Diesel Fuel	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #4	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #6	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Motor Oil	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Other Oil (Cutting & Lubricating)	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Unidentified	ND	0.5	mg/L	03/18/06		JRB	8100Modified

QA/QC Surrogates

Parameter	Result	RL	Units	Date	Time	By	Reference
% n-Pentacosane	104		%	03/18/06		JRB	8100Modified
Acetone	< 10	10	ug/l	03/15/06		RM	SW8260
1,4-dioxane	1.5	1.0	ug/l	03/23/06		RM	8260 MOD
Tert-amyl-methyl-ether	< 5.0	5.0	ug/L	03/15/06		RM	SW8260
Tert-butyl alcohol	< 200	200	ug/L	03/15/06		RM	SW8260
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
Benzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromoform	ND	5	ug/L	03/16/06		R/J	SW8260
Bromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	03/16/06		R/J	SW8260
Chlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroform	ND	5	ug/L	03/16/06		R/J	SW8260
Chloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromoethane	ND	5	ug/L	03/16/06		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Dibromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Ethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	03/16/06		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
m&p-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	03/16/06		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	03/16/06		R/J	SW8260
Methylene chloride	ND	5	ug/L	03/16/06		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Naphthalene	ND	5	ug/L	03/16/06		R/J	SW8260
o-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	03/16/06		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Styrene	ND	5	ug/L	03/16/06		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Toluene	ND	5	ug/L	03/16/06		R/J	SW8260
Total Xylenes	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Vinyl chloride	ND	5	ug/L	03/16/06		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	109		%	03/16/06		R/J	SW8260
% Bromofluorobenzene	107		%	03/16/06		R/J	SW8260
% Dibromofluoromethane	117		%	03/16/06		R/J	SW8260
% Toluene-d8	129		%	03/16/06		R/J	SW8260

Semivolatiles

1,2,4-Trichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Diphenylhydrazine	ND	63	ug/L	03/17/06		RM	SW 8270
1,3-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,4-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,5-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,6-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dimethylphenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2,6-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
2,6-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chloronaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylnaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylphenol (o-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
2-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
2-Nitrophenol	ND	63	ug/L	03/17/06		RM	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
3,3'-Dichlorobenzidine	ND	130	ug/L	03/17/06		RM	SW 8270
3-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4,6-Dinitro-2-methylphenol	ND	310	ug/L	03/17/06		RM	SW 8270
4-Bromophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Chloro-3-methylphenol	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chloroaniline	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chlorophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4-Nitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
Acenaphthene	ND	63	ug/L	03/17/06		RM	SW 8270
Acenaphthylene	ND	63	ug/L	03/17/06		RM	SW 8270
Anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benz(a)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzidine	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(a)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(b)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(ghi)perylene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(k)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzoic acid	ND	310	ug/L	03/17/06		RM	SW 8270
Benzyl alcohol	ND	130	ug/L	03/17/06		RM	SW 8270
Benzyl butyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethoxy)methane	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroisopropyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-ethylhexyl)phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Chrysene	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-butylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-octylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenz(a,h)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenzofuran	ND	63	ug/L	03/17/06		RM	SW 8270
Diethyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dimethylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Fluorene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobutadiene	ND	63	ug/L	03/17/06		RM	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Hexachlorocyclopentadiene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachloroethane	ND	63	ug/L	03/17/06		RM	SW 8270
Indeno(1,2,3-cd)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Isophorone	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodi-n-propylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodimethylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodiphenylamine	ND	63	ug/L	03/17/06		RM	SW 8270
Naphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
Nitrobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Pentachlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
Phenanthrene	ND	63	ug/L	03/17/06		RM	SW 8270
Phenol	ND	63	ug/L	03/17/06		RM	SW 8270
Pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Pyridine	ND	63	ug/L	03/17/06		RM	SW 8270
<u>QA/QC Surrogates</u>							
% 2,4,6-Tribromophenol	89		%	03/17/06		RM	SW 8270
% 2-Fluorobiphenyl	74		%	03/17/06		RM	SW 8270
% 2-Fluorophenol	47		%	03/17/06		RM	SW 8270
% Nitrobenzene-d5	65		%	03/17/06		RM	SW 8270
% Phenol-d5	59		%	03/17/06		RM	SW 8270
% Terphenyl-d14	33		%	03/17/06		RM	SW 8270

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

Run pH past hold per client

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


Phyllis Shiller, Laboratory Director
March 31, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 02, 2006

FOR: Attn: Mr. Robert Ives
BATG Environmental Inc.
448 Broadway
Taunton, MA 02780

Sample Information

Matrix: WATER
Location Code: BATGTAUN
Rush Request: RUSH24HR
P.O.#: 06-100

Custody Information

Collected by: RI
Received by: DL
Analyzed by: see "By" below

Date

03/15/06
03/15/06

Time

9:48
16:45

Laboratory Data

SDG I.D.: GAH07961

Phoenix I.D.: AH07961

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	03/16/06		EK	200.7/6010
Arsenic	0.038	0.004	mg/L	03/20/06		EK	200.7/6010
Barium	1.25	0.002	mg/L	03/16/06		EK	6010/E200.7
Cadmium	0.002	0.001	mg/L	03/16/06		EK	6010/E200.7
Chromium	0.06	0.001	mg/L	03/16/06		EK	200.7/6010
Copper	0.114	0.001	mg/L	03/16/06		EK	6010/E200.7
Silver (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Arsenic (Dissolved)	0.005	0.004	mg/L	03/20/06		EK	200.7/6010
Barium (Dissolved)	0.07	0.002	mg/L	03/20/06		EK	6010/E200.7
Cadmium (Dissolved)	< 0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Chromium (Dissolved)	0.001	0.001	mg/L	03/20/06		EK	200.7/6010
Copper (Dissolved)	0.006	0.001	mg/L	03/20/06		EK	6010/E200.7
Iron (Dissolved)	0.928	0.002	mg/L	03/20/06		EK	6010/E200.7
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	03/17/06		RS	SW-7470
Nickel (Dissolved)	0.004	0.002	mg/L	03/20/06		EK	200.7/6010
Lead (Dissolved)	0.037	0.001	mg/L	03/21/06		RS	7421/E239.2
Antimony (Dissolved)	0.009	0.005	mg/L	03/20/06		EK	200.7/6010
Selenium (Dissolved)	< 0.01	0.01	mg/L	03/20/06		EK	200.7/6010
Zinc (Dissolved)	0.012	0.002	mg/L	03/20/06		EK	200.7/6010
Iron	61.5	0.002	mg/L	03/16/06		EK	6010/E200.7
Mercury	0.0229	0.0020	mg/L	03/17/06		RS	7470/E245.1
Nickel	0.060	0.001	mg/L	03/16/06		EK	200.7/6010
Lead (Furnace)	0.848	0.01	mg/L	03/21/06		RS	7421/S3113B
Antimony	0.013	0.005	mg/L	03/16/06		EK	200.7/6010

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Phoenix I.D.: AH07961

Parameter	Result	RL	Units	Date	Time	By	Reference
Selenium	< 0.01	0.01	mg/L	03/20/06		EK	6010/200.7
Zinc	0.577	0.002	mg/L	03/16/06		EK	200.7/6010
Chlorine Residual	< 0.02	0.02	mg/L	03/15/06	23:00	CD	4500Cl-G
Chromium, Hexavalent	< 0.01	0.01	mg/L	03/15/06	23:00	CD	S3500CRD
pH	7.57	0.10	pH Units	03/30/06	23:00	CD	E150.1/SW9045
Phenolics	< 0.015	0.015	mg/L	03/27/06		J/G	E420.2
Total Cyanide	< 0.01	0.01	mg/L	03/21/06		M/G	9010/335.3
MADEP MCP 8082 Certification	Completed			03/22/06		MH	MCP
MADEP MCP 8260 Certification	Completed			03/20/06		JH	MCP
MADEP MCP 8270 Certification	Completed			03/21/06		RM	MCP
MADEP MCP 7196 Certification	Completed			03/23/06		CD	MCP
MADEP MCP 7470/7471 Certification	Completed			03/23/06		RS	MCP
MADEP MCP 6010 Certification	Completed			03/21/06		EK	MCP
Filtration Dissolved Metals	Completed			03/15/06		AG	.45um Filter
Dissolved Mercury Digestion	Completed		NA	03/16/06		E	SW7470
Mercury Digestion	Completed			03/16/06		E	E245.1
PCB Extraction	Completed			03/15/06		M	SW3510/3520
Semi-Volatile Extraction	Completed			03/15/06		O	SW3510/3520
Dissolved Metals Preparation	Completed			03/15/06		AG	SW846-3005
Total Metals Digestion	Completed			03/15/06		AG	
Extraction of TPH MOD 8100	Completed			03/15/06		O	3550/5030

Polychlorinated Biphenyls

PCB-1016	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1221	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1232	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1242	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1248	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1254	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1260	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1262	ND	0.5	ug/L	03/16/06		MH	608/ 8082
PCB-1268	ND	0.5	ug/L	03/16/06		MH	608/ 8082

QA/QC Surrogates

% DCBP (Surrogate Rec)	43		%	03/16/06		MH	608/ 8082
% TCMX (Surrogate Rec)	92		%	03/16/06		MH	608/ 8082

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #2/ Diesel Fuel	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #4	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Fuel Oil #6	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Motor Oil	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Other Oil (Cutting & Lubricating)	ND	0.5	mg/L	03/18/06		JRB	8100Modified
Unidentified	ND	0.5	mg/L	03/18/06		JRB	8100Modified

QA/QC Surrogates

Parameter	Result	RL	Units	Date	Time	By	Reference
% n-Pentacosane	104		%	03/18/06		JRB	8100Modified
Acetone	< 10	10	ug/l	03/15/06		RM	SW8260
1,4-dioxane	1.5	1.0	ug/l	03/23/06		RM	8260 MOD
Tert-amyl-methyl-ether	< 5.0	5.0	ug/L	03/15/06		RM	SW8260
Tert-butyl alcohol	< 200	200	ug/L	03/15/06		RM	SW8260
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	03/16/06		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	03/16/06		R/J	SW8260
Benzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Bromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Bromoform	ND	5	ug/L	03/16/06		R/J	SW8260
Bromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	03/16/06		R/J	SW8260
Chlorobenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroethane	ND	5	ug/L	03/16/06		R/J	SW8260
Chloroform	ND	5	ug/L	03/16/06		R/J	SW8260
Chloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dibromoethane	ND	5	ug/L	03/16/06		R/J	SW8260

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Phoenix I.D.: AH07961

Parameter	Result	RL	Units	Date	Time	By	Reference
Dibromomethane	ND	5	ug/L	03/16/06		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Ethylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	03/16/06		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
m&p-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	03/16/06		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	03/16/06		R/J	SW8260
Methylene chloride	ND	5	ug/L	03/16/06		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Naphthalene	ND	5	ug/L	03/16/06		R/J	SW8260
o-Xylene	ND	5	ug/L	03/16/06		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	03/16/06		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Styrene	ND	5	ug/L	03/16/06		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	03/16/06		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Toluene	ND	5	ug/L	03/16/06		R/J	SW8260
Total Xylenes	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichloroethene	ND	5	ug/L	03/16/06		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	03/16/06		R/J	SW8260
Vinyl chloride	ND	5	ug/L	03/16/06		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	109		%	03/16/06		R/J	SW8260
% Bromofluorobenzene	107		%	03/16/06		R/J	SW8260
% Dibromofluoromethane	117		%	03/16/06		R/J	SW8260
% Toluene-d8	129		%	03/16/06		R/J	SW8260

Semivolatiles

1,2,4-Trichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,2-Diphenylhydrazine	ND	63	ug/L	03/17/06		RM	SW 8270
1,3-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
1,4-Dichlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,5-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4,6-Trichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dimethylphenol	ND	63	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
2,4-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2,6-Dichlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Phoenix I.D.: AH07961

Parameter	Result	RL	Units	Date	Time	By	Reference
2,6-Dinitrotoluene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chloronaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Chlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylnaphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
2-Methylphenol (o-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
2-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
2-Nitrophenol	ND	63	ug/L	03/17/06		RM	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	63	ug/L	03/17/06		RM	SW 8270
3,3'-Dichlorobenzidine	ND	130	ug/L	03/17/06		RM	SW 8270
3-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4,6-Dinitro-2-methylphenol	ND	310	ug/L	03/17/06		RM	SW 8270
4-Bromophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Chloro-3-methylphenol	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chloroaniline	ND	130	ug/L	03/17/06		RM	SW 8270
4-Chlorophenyl phenyl ether	ND	63	ug/L	03/17/06		RM	SW 8270
4-Nitroaniline	ND	310	ug/L	03/17/06		RM	SW 8270
4-Nitrophenol	ND	310	ug/L	03/17/06		RM	SW 8270
Acenaphthene	ND	63	ug/L	03/17/06		RM	SW 8270
Acenaphthylene	ND	63	ug/L	03/17/06		RM	SW 8270
Anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benz(a)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzidine	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(a)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(b)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(ghi)perylene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzo(k)fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Benzoic acid	ND	310	ug/L	03/17/06		RM	SW 8270
Benzyl alcohol	ND	130	ug/L	03/17/06		RM	SW 8270
Benzyl butyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethoxy)methane	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroethyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-chloroisopropyl)ether	ND	63	ug/L	03/17/06		RM	SW 8270
Bis(2-ethylhexyl)phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Chrysene	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-butylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Di-n-octylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenz(a,h)anthracene	ND	63	ug/L	03/17/06		RM	SW 8270
Dibenzofuran	ND	63	ug/L	03/17/06		RM	SW 8270
Diethyl phthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Dimethylphthalate	ND	63	ug/L	03/17/06		RM	SW 8270
Fluoranthene	ND	63	ug/L	03/17/06		RM	SW 8270
Fluorene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachlorobutadiene	ND	63	ug/L	03/17/06		RM	SW 8270

Client ID: BRIDGE STREET BYPASS GW SMP-STA 248+30

Phoenix I.D.: AH07961


Parameter	Result	RL	Units	Date	Time	By	Reference
Hexachlorocyclopentadiene	ND	63	ug/L	03/17/06		RM	SW 8270
Hexachloroethane	ND	63	ug/L	03/17/06		RM	SW 8270
Indeno(1,2,3-cd)pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Isophorone	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodi-n-propylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodimethylamine	ND	63	ug/L	03/17/06		RM	SW 8270
N-Nitrosodiphenylamine	ND	63	ug/L	03/17/06		RM	SW 8270
Naphthalene	ND	63	ug/L	03/17/06		RM	SW 8270
Nitrobenzene	ND	63	ug/L	03/17/06		RM	SW 8270
Pentachlorophenol	ND	63	ug/L	03/17/06		RM	SW 8270
Phenanthrene	ND	63	ug/L	03/17/06		RM	SW 8270
Phenol	ND	63	ug/L	03/17/06		RM	SW 8270
Pyrene	ND	63	ug/L	03/17/06		RM	SW 8270
Pyridine	ND	63	ug/L	03/17/06		RM	SW 8270
<u>QA/OC Surrogates</u>							
% 2,4,6-Tribromophenol	89		%	03/17/06		RM	SW 8270
% 2-Fluorobiphenyl	74		%	03/17/06		RM	SW 8270
% 2-Fluorophenol	47		%	03/17/06		RM	SW 8270
% Nitrobenzene-d5	65		%	03/17/06		RM	SW 8270
% Phenol-d5	59		%	03/17/06		RM	SW 8270
% Terphenyl-d14	33		%	03/17/06		RM	SW 8270

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

Run pH past hold per client

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director

May 02, 2006



Wednesday, April 19, 2006

APR 28 2006

**Bata
448 Broadway
Taunton MA 02780**

Attention: Mr Rob Ives

Sample ID#: AH12972

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

**Phyllis Shiller
Laboratory Director**

**CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530**



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

April 19, 2006

FOR: Attn: Mr. Robert Ives
BATG Environmental Inc.
448 Broadway
Taunton, MA 02780

Sample Information

Matrix: WATER
Location Code: BATGTAUN
Rush Request: RUSH##
P.O.#: 66-100

Custody Information

Collected by: RI
Received by: LB
Analyzed by: see "By" below

Date

04/05/06
04/06/06

Time

14:05
14:45

Laboratory Data

SDG I.D.: GAH12972
Phoenix I.D.: AH12972

Client ID: BRIDGE STREET BYPASS GW SMP. STA 264 & 40

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	0.057	0.001	mg/L	04/11/06		EK	200.7/6010
Arsenic	0.091	0.004	mg/L	04/11/06		EK	200.7/6010
Barium	1.33	0.002	mg/L	04/11/06		EK	6010/E200.7
Beryllium	0.003	0.001	mg/L	04/11/06		EK	200.7/6010
Cadmium	0.04	0.001	mg/L	04/11/06		EK	6010/E200.7
Chromium	0.193	0.001	mg/L	04/11/06		EK	200.7/6010
Copper	0.735	0.001	mg/L	04/11/06		EK	6010/E200.7
Silver (Dissolved)	0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Arsenic (Dissolved)	< 0.004	0.004	mg/L	04/11/06		EKT	200.7/6010
Barium (Dissolved)	0.264	0.002	mg/L	04/11/06		EKT	6010/E200.7
Beryllium (Dissolved)	< 0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Cadmium (Dissolved)	0.002	0.001	mg/L	04/11/06		EKT	200.7/6010
Chromium (Dissolved)	< 0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Copper (Dissolved)	0.002	0.001	mg/L	04/11/06		EKT	6010/E200.7
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	04/07/06		RS	SW-7470
Nickel (Dissolved)	0.008	0.002	mg/L	04/11/06		EKT	200.7/6010
Lead (Dissolved)	0.021	0.002	mg/L	04/11/06		EKT	200.7
Antimony (Dissolved)	< 0.005	0.005	mg/L	04/11/06		EKT	200.7/6010
Selenium (Dissolved)	< 0.01	0.01	mg/L	04/11/06		EKT	200.7/6010
Thallium (Dissolved)	< 0.005	0.005	mg/L	04/17/06		RS	279.2
Zinc (Dissolved)	0.268	0.002	mg/L	04/11/06		EKT	200.7/6010
Mercury	0.0043	0.0004	mg/L	04/07/06		RS	7470/E245.1
Nickel	0.168	0.001	mg/L	04/11/06		EK	200.7/6010
Lead (Furnace)	15.4	0.2	mg/L	04/07/06		RS	7421/S3113B

Parameter	Result	RL	Units	Date	Time	By	Reference
Antimony	0.02	0.005	mg/L	04/11/06		EK	200.7/6010
Selenium	< 0.01	0.01	mg/L	04/11/06		EK	6010/200.7
Thallium	0.004	0.002	mg/L	04/17/06		RS	279.2
Zinc	5.29	0.002	mg/L	04/11/06		EK	200.7/6010
Chlorine Residual	< 0.02	0.02	mg/L	04/06/06	23:00	CD	4500Cl-G
Chromium, Hexavalent	< 0.01	0.01	mg/L	04/06/06	18:30	CD	S3500CRD
Phenolics	< 0.015	0.015	mg/L	04/12/06		G/J	E420.2
Total Cyanide	< 0.01	0.01	mg/L	04/07/06		M/G	9010/335.3
MADEP MCP 8082 Certification	Completed			04/11/06		MH	MCP
MADEP MCP 8260 Certification	Completed			04/07/06		RM	MCP
MADEP MCP 8270 Certification	Completed			04/17/06		KCA	MCP
MADEP MCP 7000 Certification	Completed			04/18/06		RS	MCP
MADEP MCP 6010 Certification	Completed			04/11/06		EK	MCP
Filtration Dissolved Metals	Completed			04/06/06		AG	.45um Filter
Dissolved Mercury Digestion	Completed		NA	04/07/06		E	SW7470
Mercury Digestion	Completed			04/07/06		E	E245.1
PCB Extraction	Completed			04/06/06		O	SW3510/3520
Semi-Volatile Extraction	Completed			04/06/06		O/M	SW3510/3520
Dissolved Metals Preparation	Completed			04/06/06		AG	SW846-3005
Total Metals Digestion	Completed			04/06/06		AG	
Extraction of TPH MOD 8100	Completed			04/06/06		O/M	3550/5030

Polychlorinated Biphenyls

PCB-1016	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1221	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1232	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1242	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1248	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1254	45	5.0	ug/L	04/10/06		MH	608/ 8082
PCB-1260	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1262	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1268	ND	0.5	ug/L	04/10/06		MH	608/ 8082

QA/QC Surrogates

% DCBP (Surrogate Rec)	140		%	04/10/06		MH	608/ 8082
% TCMX (Surrogate Rec)	104		%	04/10/06		MH	608/ 8082

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #2/ Diesel Fuel	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #4	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #6	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Motor Oil	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Other Oil (Cutting & Lubricating)	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Unidentified	ND	0.5	mg/L	04/10/06		JRB	8100Modified

QA/QC Surrogates

Parameter	Result	RL	Units	Date	Time	By	Reference
% n-Pentacosane	102		%	04/10/06		JRB	8100Modified
Acetone	< 10	10	ug/l	04/06/06		RM	SW8260
1,4-dioxane	< 1.0	1.0	ug/L	04/12/06		RM	SW8260MOD
Tert-amyl-methyl-ether	< 5.0	5.0	ug/L	04/06/06		RM	SW8260
Tert-butyl alcohol	< 200	200	ug/L	04/06/06		RM	SW8260
<u>Volatile Water</u>							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	04/06/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	04/06/06		RM	SW8260
4-Chlorotoluene	ND	1	ug/L	04/06/06		RM	SW8260
Benzene	ND	1	ug/L	04/06/06		RM	SW8260
Bromobenzene	ND	1	ug/L	04/06/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	04/06/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	04/06/06		RM	SW8260
Bromoform	ND	1	ug/L	04/06/06		RM	SW8260
Bromomethane	ND	1	ug/L	04/06/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	04/06/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
Chloroethane	ND	1	ug/L	04/06/06		RM	SW8260
Chloroform	ND	1	ug/L	04/06/06		RM	SW8260
Chloromethane	ND	1	ug/L	04/06/06		RM	SW8260
cis-1,2-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	04/06/06		RM	SW8260
Dibromochloromethane	ND	0.5	ug/L	04/06/06		RM	SW8260
Dibromomethane	ND	1	ug/L	04/06/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	04/06/06		RM	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Ethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	04/06/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	04/06/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	1	ug/L	04/06/06		RM	SW8260
Methylene chloride	ND	1	ug/L	04/06/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Naphthalene	ND	1	ug/L	04/06/06		RM	SW8260
o-Xylene	ND	1	ug/L	04/06/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	04/06/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Styrene	ND	1	ug/L	04/06/06		RM	SW8260
tert-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Tetrachloroethene	ND	1	ug/L	04/06/06		RM	SW8260
Toluene	ND	1	ug/L	04/06/06		RM	SW8260
Total Xylenes	ND	0.5	ug/L	04/06/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	04/06/06		RM	SW8260
Trichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	04/06/06		RM	SW8260
Vinyl chloride	ND	1	ug/L	04/06/06		RM	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	04/06/06		RM	SW8260
% Bromofluorobenzene	99		%	04/06/06		RM	SW8260
% Dibromofluoromethane	99		%	04/06/06		RM	SW8260
% Toluene-d8	101		%	04/06/06		RM	SW8260
<u>Semivolatiles</u>							
1,2,4-Trichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,2-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,2-Diphenylhydrazine	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,3-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,4-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4,5-Trichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4,6-Trichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dimethylphenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dinitrophenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
2,4-Dinitrotoluene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,6-Dichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,6-Dinitrotoluene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Chloronaphthalene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Chlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
2-Methylnaphthalene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Methylphenol (o-cresol)	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
2-Nitrophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
3&4-Methylphenol (m&p-cresol)	ND	10.0	ug/L	04/12/06		KCA	SW8270
3,3'-Dichlorobenzidine	ND	20.0	ug/L	04/12/06		KCA	SW8270
3-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
4,6-Dinitro-2-methylphenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
4-Bromophenyl phenyl ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
4-Chloro-3-methylphenol	ND	20.0	ug/L	04/12/06		KCA	SW8270
4-Chloroaniline	ND	20.0	ug/L	04/12/06		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
4-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
4-Nitrophenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
Acenaphthene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Acenaphthylene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Anthracene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzidine	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzo(a)anthracene	9.0	0.06	ug/L	04/12/06		KCA	SW8270
Benzo(a)pyrene	7.5	0.2	ug/L	04/12/06		KCA	SW8270
Benzo(b)fluoranthene	9.7	0.08	ug/L	04/12/06		KCA	SW8270
Benzo(g,h,i)perylene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzo(k)fluoranthene	4.1	0.5	ug/L	04/12/06		KCA	SW8270
Benzoic acid	ND	50.0	ug/L	04/12/06		KCA	SW8270
Benzyl alcohol	ND	20.0	ug/L	04/12/06		KCA	SW8270
Benzyl butyl phthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroethyl)ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-ethylhexyl)phthalate	260	2.0	ug/L	04/12/06		KCA	SW8270
Chrysene	9.5	4.8	ug/L	04/12/06		KCA	SW8270
Di-n-butylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Di-n-octylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dibenz(a,h)anthracene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dibenzofuran	ND	10.0	ug/L	04/12/06		KCA	SW8270
Diethyl phthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dimethylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Fluoranthene	22	10.0	ug/L	04/12/06		KCA	SW8270
Fluorene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Hexachlorobenzene	ND	1.0	ug/L	04/12/06		KCA	SW8270
Hexachlorobutadiene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Hexachlorocyclopentadiene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Hexachloroethane	ND	3.0	ug/L	04/12/06		KCA	SW8270
Indeno(1,2,3-c,d)pyrene	ND	10.0	ug/L	04/12/06		KCA	SW8270

Client ID: BRIDGE STREET BYPASS GW SMP. STA 264 & 40

Phoenix I.D.: AH12972

Parameter	Result	RL	Units	Date	Time	By	Reference
Isophorone	ND	10.0	ug/L	04/12/06		KCA	SW8270
N-Nitrosodi-n-propylamine	ND	10.0	ug/L	04/12/06		KCA	SW8270
N-Nitrosodimethylamine	ND	10.0	ug/L	04/12/06		KCA	SW8270
N-Nitrosodiphenylamine	ND	10.0	ug/L	04/12/06		KCA	SW8270
Naphthalene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Nitrobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Pentachlorophenol	ND	1.0	ug/L	04/12/06		KCA	SW8270
Phenanthrene	15	10.0	ug/L	04/12/06		KCA	SW8270
Phenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
Pyrene	18	10.0	ug/L	04/12/06		KCA	SW8270
Pyridine	ND	10.0	ug/L	04/12/06		KCA	SW8270

Comments:

ND=Not detected BDL = Below Detection Limit RL=Reporting Limit

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.



Phyllis Shiller, Laboratory Director
April 19, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

April 19, 2006

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	------------	----------	-----------	------------	-------------	-----------------	-----

QA/QC Batch Sample No: AH12444 (AH12972)

ICP Metals - Aqueous

Aluminum	BDL	NC	93.7			89.7	90.6	1.0
Antimony	BDL	NC	94.6			91.4	93.9	2.7
Arsenic	BDL	NC	95.5			92.5	93.5	1.1
Barium	BDL	2.60	97.7			95.4	95.5	0.1
Beryllium	BDL	NC	97.2			94.6	96.0	1.5
Boron	BDL	---	---			---	---	
Cadmium	BDL	NC	96.4			92.6	93.5	1.0
Calcium	BDL	---	---			---	---	
Chromium	BDL	NC	97.4			92.5	93.2	0.8
Cobalt	BDL	NC	96.2			93.1	93.3	0.2
Copper	BDL	5.40	101			100	99.8	0.2
Iron	BDL	3.90	98.5			94.3	94.3	0.0
Lead	BDL	NC	96.6			92.1	91.9	0.2
Magnesium	BDL	---	---			---	---	
Manganese	BDL	1.20	96.9			93.8	94.0	0.2
Molybdenum	BDL	---	---			---	---	
Nickel	BDL	NC	96.9			93.8	94.3	0.5
Phosphorus	BDL	---	---			---	---	
Selenium	BDL	NC	96.5			91.5	92.9	1.5
Silver	BDL	NC	99.0			90.6	93.0	2.6
Thallium	BDL	NC	87.2			84.4	85.0	0.7
Tin	BDL	---	---			---	---	
Vanadium	BDL	NC	98.9			96.3	96.6	0.3
Zinc	BDL	0.7	98.5			94.4	94.7	0.3

QA/QC Batch Sample No: AH12833 (AH12972)

ICP Metals - Dissolved

Aluminum	BDL	NC	91.5			91.7	91.3	0.4
Antimony	BDL	NC	92.2			89.8	92.2	2.6
Arsenic	BDL	NC	91.6			90.8	90.3	0.6
Barium	BDL	1.50	92.6			94.2	92.0	2.4
Beryllium	BDL	NC	92.2			94.8	92.4	2.6

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Boron	BDL	---	---			---	---	
Cadmium	BDL	NC	92.0			94.2	93.0	1.3
Calcium	BDL	---	---			---	---	
Chromium	BDL	NC	93.8			96.0	93.5	2.6
Cobalt	BDL	NC	94.4			95.2	94.4	0.8
Copper	BDL	NC	96.0			98.0	94.1	4.1
Iron	BDL	NC	93.2			95.3	94.3	1.1
Lead	BDL	NC	95.6			95.2	94.7	0.5
Magnesium	BDL	---	---			---	---	
Manganese	BDL	NC	95.9			95.5	95.2	0.3
Molybdenum	BDL	---	---			---	---	
Nickel	BDL	NC	95.7			95.5	94.2	1.4
Phosphorus	BDL	---	---			---	---	
Potassium	BDL	---	---			---	---	
Selenium	BDL	NC	89.6			89.3	88.9	0.4
Silver	BDL	NC	96.2			93.6	93.6	0.0
Sodium	BDL	---	---			---	---	
Thallium	BDL	NC	94.5			94.3	93.5	0.9
Tin	BDL	---	---			---	---	
Vanadium	BDL	NC	95.0			96.2	94.9	1.4
Zinc	BDL	NC	90.0			91.2	89.8	1.5
QA/QC Batch Sample No: AH12853 (AH12972)								
Mercury	BDL		101			94	94	0.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate



Phyllis Shiller, Laboratory Director

April 19, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

April 19, 2006

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch Sample No: AH12041 (AH12972)								
Phenolics	BDL	NR	99			105		
QA/QC Batch Sample No: AH12531 (AH12972)								
Total Cyanide	BDL		98			98		
QA/QC Batch Sample No: AH12861 (AH12972)								
Chlorine Residual	BDL	0.0	98.0					
QA/QC Batch Sample No: AH13206 (AH12972)								
Chromium, Hexavalent	BDL	NR	100.8			100.6		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate


Phyllis Shiller, Laboratory Director
April 19, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

April 19, 2006

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	----------	-----------	------------	-------------	-----------------	-----

QA/QC Batch Sample No: AH12045 (AH12972)

TPH by GC (Extractable Products)

Aviation Fuel/Kerosene	ND						
Fuel Oil #2/ Diesel Fuel	ND				118	98	18.5
Fuel Oil #4	ND						
Fuel Oil #6	ND						
Motor Oil	ND						
Other Oil (Cutting & Lubricating)	ND						
Unidentified	ND						

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch Sample No: AH12492 (AH12972)

Polychlorinated Biphenyls

PCB-1016	ND				128	114	11.6
PCB-1221	ND						
PCB-1232	ND						
PCB-1242	ND						
PCB-1248	ND						
PCB-1254	ND						
PCB-1260	ND				116	130	11.4
PCB-1262	ND						
PCB-1268	ND						
% DCBP (Surrogate Rec)	91				99	98	1.0
% TCMX (Surrogate Rec)	113				100	100	0.0

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch Sample No: AH12545 (AH12972)

Volatiles Organics

1,1,1,2-Tetrachloroethane	ND	102		105	100	4.9
1,1,1-Trichloroethane	ND	96		100	98	2.0
1,1,2,2-Tetrachloroethane	ND	100		97	92	5.3
1,1,2-Trichloroethane	ND	96		101	97	4.0
1,1-Dichloroethane	ND	97		86	95	9.9
1,1-Dichloroethene	ND	81		98	92	6.3
1,1-Dichloropropene	ND	94		97	97	0.0
1,2,3-Trichlorobenzene	ND	105		99	98	1.0

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,3-Trichloropropane	ND	109			99	93	6.3
1,2,4-Trichlorobenzene	ND	103			99	100	1.0
1,2,4-Trimethylbenzene	ND	98			98	97	1.0
1,2-Dibromo-3-chloropropane	ND	>130			>130	>130	
1,2-Dichlorobenzene	ND	100			101	99	2.0
1,2-Dichloroethane	ND	98			110	103	6.6
1,2-Dichloropropane	ND	95			94	91	3.2
1,3,5-Trimethylbenzene	ND	99			98	97	1.0
1,3-Dichlorobenzene	ND	99			97	97	0.0
1,3-Dichloropropane	ND	96			99	95	4.1
1,4-Dichlorobenzene	ND	99			100	100	0.0
2,2-Dichloropropane	ND	74			<70	<70	
2-Chlorotoluene	ND	96			99	94	5.2
4-Chlorotoluene	ND	96			99	94	5.2
Benzene	ND	95			96	91	5.3
Bromobenzene	ND	100			99	99	0.0
Bromochloromethane	ND	98			104	97	7.0
Bromodichloromethane	ND	99			103	97	6.0
Bromoform	ND	101			106	103	2.9
Bromomethane	ND	93			100	106	5.8
Carbon tetrachloride	ND	94			103	101	2.0
Chlorobenzene	ND	100			101	97	4.0
Chloroethane	ND	85			93	90	3.3
Chloroform	ND	100			100	95	5.1
Chloromethane	ND	81			97	91	6.4
cis-1,2-Dichloroethene	ND	95			97	91	6.4
cis-1,3-Dichloropropene	ND	94			91	86	5.6
Dibromochloromethane	ND	102			105	99	5.9
Dibromoethane	ND	99			104	99	4.9
Dibromomethane	ND	98			101	97	4.0
Dichlorodifluoromethane	ND	<70			113	110	2.7
Ethylbenzene	ND	98			99	95	4.1
Hexachlorobutadiene	ND	97			92	97	5.3
Isopropylbenzene	ND	106			97	96	1.0
m&p-Xylene	ND	99			98	95	3.1
Methyl t-butyl ether (MTBE)	ND	109			116	112	3.5
Methylene chloride	ND	93			95	88	7.7
n-Butylbenzene	ND	94			89	91	2.2
n-Propylbenzene	ND	98			94	94	0.0
Naphthalene	ND	96			87	84	3.5
o-Xylene	ND	102			100	97	3.0
p-Isopropyltoluene	ND	100			94	96	2.1

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
sec-Butylbenzene	ND	92			92	95	3.2
Styrene	ND	97			104	94	10.1
tert-Butylbenzene	ND	97			97	97	0.0
Tetrachloroethene	ND	98			98	97	1.0
Toluene	ND	96			98	95	3.1
trans-1,2-Dichloroethene	ND	89			96	91	5.3
trans-1,3-Dichloropropene	ND	99			95	91	4.3
Trichloroethene	ND	96			102	99	3.0
Trichlorofluoromethane	ND	89			102	98	4.0
Vinyl chloride	ND	85			97	90	7.5
% 1,2-dichlorobenzene-d4	98	101			99	100	1.0
% Bromofluorobenzene	97	100			100	98	2.0
% Dibromofluoromethane	101	98			103	95	8.1
% Toluene-d8	101	98			98	96	2.1

Comment: LFB was analyzed with this batch instead of MS/MSD

QA/QC Batch Sample No: AH12972 (AH12972)

Semivolatiles

1,2,4-Trichlorobenzene	ND					
1,2-Dichlorobenzene	ND					
1,2-Diphenylhydrazine	ND					
1,3-Dichlorobenzene	ND					
1,4-Dichlorobenzene	ND					
2,4,5-Trichlorophenol	ND					
2,4,6-Trichlorophenol	ND					
2,4-Dichlorophenol	ND					
2,4-Dimethylphenol	ND					
2,4-Dinitrophenol	ND					
2,4-Dinitrotoluene	ND					
2,6-Dichlorophenol	ND					
2,6-Dinitrotoluene	ND					
2-Chloronaphthalene	ND					
2-Chlorophenol	ND					
2-Methylnaphthalene	ND				74	76
2-Methylphenol (o-cresol)	ND					2.7
2-Nitroaniline	ND					
2-Nitrophenol	ND					
3&4-Methylphenol (m&p-cresol)	ND					
3,3'-Dichlorobenzidine	ND					
3-Nitroaniline	ND					
4,6-Dinitro-2-methylphenol	ND					
4-Bromophenyl phenyl ether	ND					

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
4-Chloro-3-methylphenol	ND						
4-Chloroaniline	ND						
4-Chlorophenyl phenyl ether	ND						
4-Nitroaniline	ND						
4-Nitrophenol	ND						
Acenaphthene	ND				88	84	4.7
Acenaphthylene	ND						
Anthracene	ND				96	98	2.1
Benz(a)anthracene	ND						
Benzidine	ND						
Benzo(a)pyrene	ND						
Benzo(b)fluoranthene	ND						
Benzo(ghi)perylene	ND				84	80	4.9
Benzo(k)fluoranthene	ND						
Benzoic acid	ND						
Benzyl alcohol	ND						
Benzyl butyl phthalate	ND						
Bis(2-chloroethoxy)methane	ND						
Bis(2-chloroethyl)ether	ND						
Bis(2-chloroisopropyl)ether	ND						
Bis(2-ethylhexyl)phthalate	ND						
Chrysene	ND						
Di-n-butylphthalate	ND						
Di-n-octylphthalate	ND						
Dibenz(a,h)anthracene	ND						
Dibenzofuran	ND						
Diethyl phthalate	ND						
Dimethylphthalate	ND						
Fluoranthene	ND				90	96	6.5
Fluorene	ND				90	87	3.4
Hexachlorobenzene	ND				87	89	2.3
Hexachlorobutadiene	ND						
Hexachlorocyclopentadiene	ND						
Hexachloroethane	ND				84	74	12.7
Indeno(1,2,3-cd)pyrene	ND						
Isophorone	ND						
N-Nitrosodi-n-propylamine	ND						
N-Nitrosodimethylamine	ND						
N-Nitrosodiphenylamine	ND						
Naphthalene	ND				79	74	6.5
Nitrobenzene	ND						
Pentachlorophenol	ND						

QA/QC Data

SDG I.D.: GAH12972

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Phenanthrene	ND						
Phenol	ND						
Pyrene	ND				88	89	1.1
Pyridine	ND						
% 2,4,6-Tribromophenol	83				110	111	0.9
% 2-Fluorobiphenyl	73				79	75	5.2
% 2-Fluorophenol	70				73	61	17.9
% Nitrobenzene-d5	75				78	72	8.0
% Phenol-d5	81				91	75	19.3
% Terphenyl-d14	84				86	90	4.5

Comment: A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.


RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate



Phyllis Shiller, Laboratory Director

April 19, 2006



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

April 19, 2006

SDG I.D.: GAH12972

MADEP MCP 8082 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table V A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes.

8082 Narration:

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Michael Hahn
Position: Chemist
Date: 4/11/2006 10:45:21 AM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

April 19, 2006

SDG I.D.: GAH12972

MADEP MCP 8260 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table II A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

8260 Narration:

Initial Calibration Verification:

All SPCCs, CCCs and >90% of target compounds met criteria.

The following compounds had %RSDs >30%:

1,2-Dibromo-3-chloropropane

Continuing Calibration Verification:

All SPCCs, CCCs and >90% of target compounds met criteria. Internal standards were within the 50%-200% deviation from the initial calibration.

The following compounds had %Deviations >30%:

All LCS recoveries were within 70-130 with the following exceptions: 1,2-Dibromo-3-chloropropane, Dichlorodifluoromethane

The following compounds from the MCP analyte list were not performed: Carbon disulfide, diethyl ether, diisopropyl ether, (ETBE), hexanone, (MIBK), and (THF).

The RPDs between the MS/MSD for some of the compounds may be greater than acceptance criteria. A dual concentrator with robotic autosampler was used in this case. One MS is analyzed on one concentrator and the MSD is analyzed on the other concentrator. The high RPDs can be attributed to possible differences between the two concentrators. Note that the majority of recoveries met criteria.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Raman Makol

Position: Chemist

Date: 4/7/2006 1:15:00 PM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

April 19, 2006

SDG I.D.: GAH12972

MADEP MCP 8270 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table II B-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

8270 Narration:

Initial Calibration:

All SPCCs, CCCs and >90% of target compounds met criteria. The following compounds had %RSDs >30%: None

Continuing Calibration:

All SPCCs, CCCs and >90% of target compounds met criteria. The following compounds had %Ds >20%: None

The DDT breakdown and pentachlorophenol & benzidine peak tailing were not evaluated in the DFTPP tune.

For soil samples, the matrix spike and matrix spike duplicate were spiked with the ten compounds that historically have been used to monitor performance and the LCS was spiked with all of the target compounds using a 2nd source standard.

For water samples unless specified, an LCS/LCSD was performed which contains all of the target compounds.

Acetophenone, aniline and azobenzene are not reported in the laboratory 8270 compound list.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Keith Aloisa

Position: Chemist

Date: 4/17/2006 2:25:31 PM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

April 19, 2006

SDG I.D.: GAH12972

MADEP MCP 7000 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table III C-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

Graphite Furnace (7000 series) Narration:

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Rick Schweitzer
Position: Chemist
Date: 4/18/2006 9:04:14 AM

MADEP MCP 7470/7471 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table III B-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

Mercury Narration:

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Rick Schweitzer
Position: Chemist
Date: 4/17/2006 10:14:00 AM



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Certification Report

April 19, 2006

SDG I.D.: GAH12972

MADEP MCP 6010 Certification

Were all QA/QC procedures required (as specified in WSC-CAM Table III A-1) followed including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Yes, with the following exceptions.

6010 Narration: Soils, aqueous digests, and TCLP extracts are run in the same analytical run. The method blank and laboratory control sample are matrix matched; the standards and calibration blanks may not exactly have the same acid concentration as the samples. The client request a shorter list of compounds than that listed in the MCP. The client request a shorter list of compounds than that listed in the MCP.

I attest under the pains and penalties of perjury that, based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Printed Name Emily Kolominskaya
Position: Chemist
Date: 4/11/2006 5:24:45 PM

MADEP MCP Response Action Analytical Report Certification Form

Laboratory Name: Phoenix Environmental Laboratories, Inc. **Project #:**

Project Location: BRIDGE STREET BYPASS

MADEP RTN1:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

AH12972

Sample Matrices: ☒ Groundwater ☐ Soil/Sediment ☐ Drinking Water ☐ Other:

**MCP SW-846
Methods Used**

☒ 8260B

☐ 8151A

☐ 8330

☒ 6010B

☒ 7470A/1A

☒ 8270C

☐ 8081A

☐ VPH

☐ 6020

☐ 9014M2

As specified in MADEP
Compendium of
Analytical Methods.
(check all that apply)

☒ 8082

☐ 8021B

☐ EPH

☐ 7000S3

☐ 7196A

1 List Release Tracking Number (RTN), if known
2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Metho
3 S - SW-846 Methods 7000 Series List individual method and analyte

An affirmative response to questions A, B, and C is required for "Presumptive Certainty" status

A Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set? ☒ Yes ☐ No

B Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? Refer to attached MCP Certification (s).

C Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? Refer to attached MCP Certification (s).

D VPH and EPH Methods only: Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods) Refer to attached MCP Certification (s).

A response to questions E and F below is required for "Presumptive Certainty" status

E Were all QC performance standards and recommendations for the specified methods achieved? Refer to attached MCP Certification (s).

F Were results for all analyte-list compounds/elements for the specified method(s) reported? ☐ Yes ☒ No

All negative responses must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Authorized

Signature: Phyllis Shiller

Date: Wednesday, April 19, 2006

Printed Name: Phyllis Shiller

Position: Laboratory Director

Printed Name: Kathleen Cressia

Position: QA/QC Officer



Friday, April 28, 2006

Batq

448 Broadway

Taunton

MA 02780

MAY - 1 2006

Attention: Mr Robert Ives

Sample ID#: AH12972

This laboratory is in compliance with the QA/QC procedure outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, and SW846 QA/QC requirements of procedures used.

Enclosed are revised Analysis Report pages. Please replace and discard the original pages.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

CT Lab Registration #PH-0618

MA Lab Registration #MA-CT-007

NY Lab Registration #11301

RI Lab Registration #63

NH Lab Registration #213693-A,B

ME Lab Registration #CT-007

NJ Lab Registration #CT-003



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

April 28, 2006

FOR: Attn: Mr. Robert Ives
BATG Environmental Inc.
448 Broadway
Taunton, MA 02780

Sample Information

Matrix: WATER
Location Code: BATGTAUN
Rush Request: RUSH##
P.O.#: 66-100

Custody Information

Collected by: RI
Received by: LB
Analyzed by: see "By" below

Date	Time
04/05/06	14:05
04/06/06	14:45

Laboratory Data

SDG I.D.: GAH12972
Phoenix I.D.: AH12972

Client ID: BRIDGE STREET BYPASS GW SMP. STA 264 & 40

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	0.057	0.001	mg/L	04/11/06		EK	200.7/6010
Arsenic	0.091	0.004	mg/L	04/11/06		EK	200.7/6010
Barium	1.33	0.002	mg/L	04/11/06		EK	6010/E200.7
Beryllium	0.003	0.001	mg/L	04/11/06		EK	200.7/6010
Cadmium	0.04	0.001	mg/L	04/11/06		EK	6010/E200.7
Chromium	0.193	0.001	mg/L	04/11/06		EK	200.7/6010
Copper	0.735	0.001	mg/L	04/11/06		EK	6010/E200.7
Silver (Dissolved)	0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Arsenic (Dissolved)	< 0.004	0.004	mg/L	04/11/06		EKT	200.7/6010
Barium (Dissolved)	0.264	0.002	mg/L	04/11/06		EKT	6010/E200.7
Beryllium (Dissolved)	< 0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Cadmium (Dissolved)	0.002	0.001	mg/L	04/11/06		EKT	200.7/6010
Chromium (Dissolved)	< 0.001	0.001	mg/L	04/11/06		EKT	200.7/6010
Copper (Dissolved)	0.002	0.001	mg/L	04/11/06		EKT	6010/E200.7
Iron (Dissolved)	0.008	0.002	mg/L	04/11/06		EKT	6010/E200.7
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	04/07/06		RS	SW-7470
Nickel (Dissolved)	0.008	0.002	mg/L	04/11/06		EKT	200.7/6010
Lead (Dissolved)	0.021	0.002	mg/L	04/11/06		EKT	200.7
Antimony (Dissolved)	< 0.005	0.005	mg/L	04/11/06		EKT	200.7/6010
Selenium (Dissolved)	< 0.01	0.01	mg/L	04/11/06		EKT	200.7/6010
Thallium (Dissolved)	< 0.005	0.005	mg/L	04/17/06		RS	279.2
Zinc (Dissolved)	0.268	0.002	mg/L	04/11/06		EKT	200.7/6010
Iron	50.6	0.002	mg/L	04/11/06		EK	6010/E200.7
Mercury	0.0043	0.0004	mg/L	04/07/06		RS	7470/E245.1

Parameter	Result	RL	Units	Date	Time	By	Reference
Nickel	0.168	0.001	mg/L	04/11/06		EK	200.7/6010
Lead (Furnace)	15.4	0.2	mg/L	04/07/06		RS	7421/S3113B
Antimony	0.02	0.005	mg/L	04/11/06		EK	200.7/6010
Selenium	< 0.01	0.01	mg/L	04/11/06		EK	6010/200.7
Thallium	0.004	0.002	mg/L	04/17/06		RS	279.2
Zinc	5.29	0.002	mg/L	04/11/06		EK	200.7/6010
Chlorine Residual	< 0.02	0.02	mg/L	04/06/06	23:00	CD	4500Cl-G
Chromium, Hexavalent	< 0.01	0.01	mg/L	04/06/06	18:30	CD	S3500CRD
Phenolics	< 0.015	0.015	mg/L	04/12/06		G/J	E420.2
Total Cyanide	< 0.01	0.01	mg/L	04/07/06		M/G	9010/335.3
MADEP MCP 8082 Certification	Completed			04/11/06		MH	MCP
MADEP MCP 8260 Certification	Completed			04/07/06		RM	MCP
MADEP MCP 8270 Certification	Completed			04/17/06		KCA	MCP
MADEP MCP 7000 Certification	Completed			04/18/06		RS	MCP
MADEP MCP 6010 Certification	Completed			04/11/06		EK	MCP
Filtration Dissolved Metals	Completed			04/06/06		AG	.45um Filter
Dissolved Mercury Digestion	Completed		NA	04/07/06		E	SW7470
Mercury Digestion	Completed			04/07/06		E	E245.1
PCB Extraction	Completed			04/06/06		O	SW3510/3520
Semi-Volatile Extraction	Completed			04/06/06		O/M	SW3510/3520
Dissolved Metals Preparation	Completed			04/06/06		AG	SW846-3005
Total Metals Digestion	Completed			04/06/06		AG	
Extraction of TPH MOD 8100	Completed			04/06/06		O/M	3550/5030
<u>Polychlorinated Biphenyls</u>							
PCB-1016	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1221	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1232	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1242	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1248	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1254	45	5.0	ug/L	04/10/06		MH	608/ 8082
PCB-1260	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1262	ND	0.5	ug/L	04/10/06		MH	608/ 8082
PCB-1268	ND	0.5	ug/L	04/10/06		MH	608/ 8082
<u>QA/QC Surrogates</u>							
% DCBP (Surrogate Rec)	140		%	04/10/06		MH	608/ 8082
% TCMX (Surrogate Rec)	104		%	04/10/06		MH	608/ 8082
<u>TPH by GC (Extractable Products)</u>							
Aviation Fuel/Kerosene	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #2/ Diesel Fuel	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #4	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Fuel Oil #6	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Motor Oil	ND	0.5	mg/L	04/10/06		JRB	8100Modified
Other Oil (Cutting & Lubricating)	ND	0.5	mg/L	04/10/06		JRB	8100Modified

Parameter	Result	RL	Units	Date	Time	By	Reference
Unidentified	ND	0.5	mg/L	04/10/06		JRB	8100Modified
<u>QA/QC Surrogates</u>							
% n-Pentacosane	102		%	04/10/06		JRB	8100Modified
Acetone	< 10	10	ug/l	04/06/06		RM	SW8260
1,4-dioxane	< 1.0	1.0	ug/L	04/12/06		RM	SW8260MOD
Tert-amyl-methyl-ether	< 5.0	5.0	ug/L	04/06/06		RM	SW8260
Tert-butyl alcohol	< 200	200	ug/L	04/06/06		RM	SW8260
<u>Volatile Water</u>							
1,1,1,2-Tetrachloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1,1-Trichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L	04/06/06		RM	SW8260
1,1,2-Trichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
1,1-Dichloropropene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,3-Trichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,3-Trichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,2,4-Trichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2,4-Trimethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichloroethane	ND	1	ug/L	04/06/06		RM	SW8260
1,2-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,3,5-Trimethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,3-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
1,3-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
1,4-Dichlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
2,2-Dichloropropane	ND	1	ug/L	04/06/06		RM	SW8260
2-Chlorotoluene	ND	1	ug/L	04/06/06		RM	SW8260
4-Chlorotoluene	ND	1	ug/L	04/06/06		RM	SW8260
Benzene	ND	1	ug/L	04/06/06		RM	SW8260
Bromobenzene	ND	1	ug/L	04/06/06		RM	SW8260
Bromochloromethane	ND	1	ug/L	04/06/06		RM	SW8260
Bromodichloromethane	ND	0.5	ug/L	04/06/06		RM	SW8260
Bromoform	ND	1	ug/L	04/06/06		RM	SW8260
Bromomethane	ND	1	ug/L	04/06/06		RM	SW8260
Carbon tetrachloride	ND	1	ug/L	04/06/06		RM	SW8260
Chlorobenzene	ND	1	ug/L	04/06/06		RM	SW8260
Chloroethane	ND	1	ug/L	04/06/06		RM	SW8260
Chloroform	ND	1	ug/L	04/06/06		RM	SW8260
Chloromethane	ND	1	ug/L	04/06/06		RM	SW8260
cis-1,2-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
cis-1,3-Dichloropropene	ND	0.5	ug/L	04/06/06		RM	SW8260
Dibromochloromethane	ND	0.5	ug/L	04/06/06		RM	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Dibromomethane	ND	1	ug/L	04/06/06		RM	SW8260
Dichlorodifluoromethane	ND	1	ug/L	04/06/06		RM	SW8260
Ethylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Hexachlorobutadiene	ND	0.4	ug/L	04/06/06		RM	SW8260
Isopropylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
m&p-Xylene	ND	1	ug/L	04/06/06		RM	SW8260
Methyl t-butyl ether (MTBE)	ND	1	ug/L	04/06/06		RM	SW8260
Methylene chloride	ND	1	ug/L	04/06/06		RM	SW8260
n-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
n-Propylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Naphthalene	ND	1	ug/L	04/06/06		RM	SW8260
o-Xylene	ND	1	ug/L	04/06/06		RM	SW8260
p-Isopropyltoluene	ND	1	ug/L	04/06/06		RM	SW8260
sec-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Styrene	ND	1	ug/L	04/06/06		RM	SW8260
tert-Butylbenzene	ND	1	ug/L	04/06/06		RM	SW8260
Tetrachloroethene	ND	1	ug/L	04/06/06		RM	SW8260
Toluene	ND	1	ug/L	04/06/06		RM	SW8260
Total Xylenes	ND	0.5	ug/L	04/06/06		RM	SW8260
trans-1,2-Dichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
trans-1,3-Dichloropropene	ND	0.5	ug/L	04/06/06		RM	SW8260
Trichloroethene	ND	1	ug/L	04/06/06		RM	SW8260
Trichlorofluoromethane	ND	1	ug/L	04/06/06		RM	SW8260
Vinyl chloride	ND	1	ug/L	04/06/06		RM	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	04/06/06		RM	SW8260
% Bromofluorobenzene	99		%	04/06/06		RM	SW8260
% Dibromofluoromethane	99		%	04/06/06		RM	SW8260
% Toluene-d8	101		%	04/06/06		RM	SW8260
<u>Semivolatiles</u>							
1,2,4-Trichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,2-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,2-Diphenylhydrazine	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,3-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
1,4-Dichlorobenzene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4,5-Trichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4,6-Trichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dimethylphenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,4-Dinitrophenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
2,4-Dinitrotoluene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,6-Dichlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2,6-Dinitrotoluene	ND	10.0	ug/L	04/12/06		KCA	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
2-Chloronaphthalene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Chlorophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Methylnaphthalene	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Methylphenol (o-cresol)	ND	10.0	ug/L	04/12/06		KCA	SW8270
2-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
2-Nitrophenol	ND	10.0	ug/L	04/12/06		KCA	SW8270
3&4-Methylphenol (m&p-cresol)	ND	10.0	ug/L	04/12/06		KCA	SW8270
3,3'-Dichlorobenzidine	ND	20.0	ug/L	04/12/06		KCA	SW8270
3-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
4,6-Dinitro-2-methylphenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
4-Bromophenyl phenyl ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
4-Chloro-3-methylphenol	ND	20.0	ug/L	04/12/06		KCA	SW8270
4-Chloroaniline	ND	20.0	ug/L	04/12/06		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
4-Nitroaniline	ND	50.0	ug/L	04/12/06		KCA	SW8270
4-Nitrophenol	ND	50.0	ug/L	04/12/06		KCA	SW8270
Acenaphthene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Acenaphthylene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Anthracene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzidine	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzo(a)anthracene	9.0	0.06	ug/L	04/12/06		KCA	SW8270
Benzo(a)pyrene	7.5	0.2	ug/L	04/12/06		KCA	SW8270
Benzo(b)fluoranthene	9.7	0.08	ug/L	04/12/06		KCA	SW8270
Benzo(g,h,i)perylene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Benzo(k)fluoranthene	4.1	0.5	ug/L	04/12/06		KCA	SW8270
Benzoic acid	ND	50.0	ug/L	04/12/06		KCA	SW8270
Benzyl alcohol	ND	20.0	ug/L	04/12/06		KCA	SW8270
Benzyl butyl phthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroethyl)ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	10.0	ug/L	04/12/06		KCA	SW8270
Bis(2-ethylhexyl)phthalate	260	2.0	ug/L	04/12/06		KCA	SW8270
Chrysene	9.5	4.8	ug/L	04/12/06		KCA	SW8270
Di-n-butylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Di-n-octylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dibenz(a,h)anthracene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dibenzofuran	ND	10.0	ug/L	04/12/06		KCA	SW8270
Diethyl phthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Dimethylphthalate	ND	10.0	ug/L	04/12/06		KCA	SW8270
Fluoranthene	22	10.0	ug/L	04/12/06		KCA	SW8270
Fluorene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Hexachlorobenzene	ND	1.0	ug/L	04/12/06		KCA	SW8270
Hexachlorobutadiene	ND	10.0	ug/L	04/12/06		KCA	SW8270
Hexachlorocyclopentadiene	ND	10.0	ug/L	04/12/06		KCA	SW8270