



**United States Environmental Protection Agency  
Region 9 Laboratory**

1337 S. 46th Street Building 201  
Richmond, CA 94804

**Date:** 3/28/2011

**Subject:** Analytical Testing Results - Project R11R03  
SDG: 11042A

**From:** Brenda Bettencourt, Director  
EPA Region 9 Laboratory  
MTS-2

**To:** Cameron McDonald  
RCRA Enforcement Office  
WST-3

Attached are the results from the analysis of samples from the **Western Environmental, Inc. 2011 RCRA Inspection** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Eugenia McNaughton at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

**Analyses included in this report:**

---

Organochlorine Pesticides by GC/ECD  
Percent Solids

Organochlorine Pesticides by GC/ECD



United States Environmental Protection Agency

Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804

Phone:(510) 412-2300

Fax:(510) 412-2302

**Project Manager:** Cameron McDonald

**Project Number:** R11R03

**Project:** Western Environmental, Inc. 2011 RCRA  
Inspection

**RCRA Enforcement Office**

75 Hawthorne Street

San Francisco CA, 94105

**SDG:** 11042A

**Reported:** 03/28/11 15:36

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
CFUA-1	1102011-01	Soil	02/09/11 14:29	02/10/11 16:30
CFUA-2	1102011-02	Soil	02/09/11 14:40	02/10/11 16:30
CFUA-3	1102011-03	Soil	02/09/11 14:47	02/10/11 16:30
CFUA-4	1102011-04	Soil	02/09/11 14:57	02/10/11 16:30
CFUA-5	1102011-05	Soil	02/09/11 14:57	02/10/11 16:30
CFUA-6	1102011-06	Soil	02/09/11 15:05	02/10/11 16:30
CFUB-1	1102011-07	Soil	02/09/11 13:09	02/10/11 16:30
CFUB-2	1102011-08	Soil	02/09/11 13:21	02/10/11 16:30
CFUB-3	1102011-09	Soil	02/09/11 13:38	02/10/11 16:30
CFUB-4	1102011-10	Soil	02/09/11 13:46	02/10/11 16:30
CFUB-5	1102011-11	Soil	02/09/11 13:48	02/10/11 16:30

**SDG ID 11042A**

All samples were reported at a 5X dilution to minimize potential false positives from PCB interference.

**Work Order(s)**

**1102011**



**United States Environmental Protection Agency**  
**Region 9 Laboratory**

1337 S. 46th Street, Building 201, Richmond, CA 94804  
 Phone:(510) 412-2300 Fax:(510) 412-2302

<b>Project Manager:</b> Cameron McDonald	<b>RCRA Enforcement Office</b>	<b>SDG:</b> 11042A
<b>Project Number:</b> R11R03	<b>75 Hawthorne Street</b>	<b>Reported:</b> 03/28/11 15:36
<b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>San Francisco CA, 94105</b>	

**Sample Results**

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	----------------------	--------	-----------------------	--------------------	-------	-------	----------	----------	--------

**Lab ID:** 1102011-01

**Soil - Sampled: 02/09/11 14:29**

**Sample ID:** CFUA-1

**Organochlorine Pesticides by EPA Method 8081B**

alpha-BHC	RE1	ND	Q4, U	10	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	11	J, Q4, Q6	10	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	Q6, J, Q4, U	10	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
Dieldrin	RE1	28	Q4, Q6, J	20	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	59	J, Q4, Q6	20	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	J, Q4, Q6, U	20	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	J, Q4, Q6, U	20	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	15	C1, J, Q4, Q6	20	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	Q4, Q6, J, U	20	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	29	G1, J, N, Q4, Q6	20	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	J, Q4, Q6, U	100	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	Q4, Q6, J, U	20	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	J, Q4, Q6, U	20	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	J, Q4, Q6, U	10	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	6.8	C1, Q4, J	10	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		72 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		124 %	20-162%		"	"	"	

**Sample ID:** CFUA-1

**Conventional Chemistry Parameters by APHA/EPA Methods**

% Solids		83		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460
----------	--	----	--	---	---	---------	----------	----------	--------------

**Lab ID:** 1102011-02

**Soil - Sampled: 02/09/11 14:40**

**Sample ID:** CFUA-2

**Organochlorine Pesticides by EPA Method 8081B**

alpha-BHC	RE1	ND	U	10	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	ND	U	10	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Dieldrin	RE1	13	C1, J	20	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	43		20	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	20	"	"	"	"	8081B/SOP330



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	-------------------------	--------	--------------------------	-----------------------	-------	-------	----------	----------	--------

**Lab ID:** 1102011-02 **Soil - Sampled: 02/09/11 14:40**

Organochlorine Pesticides by EPA Method 8081B									
Endosulfan II	RE1	ND	U	20	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
4,4'-DDD	RE1	13	C1, J	20	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	31		20	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	100	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	20	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	6.5	C1, J	10	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		63 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		93 %	20-162%		"	"	"	

Conventional Chemistry Parameters by APHA/EPA Methods									
<b>Sample ID:</b> CFUA-2						B1B0069	02/21/11	02/22/11	3550C/SOP460
% Solids		83		1	%				

**Lab ID:** 1102011-03 **Soil - Sampled: 02/09/11 14:47**

Organochlorine Pesticides by EPA Method 8081B									
alpha-BHC	RE1	ND	U	10	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	ND	U	10	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Dieldrin	RE1	10	C1, J	20	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	33		20	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	10	C1, J	20	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	21		20	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	100	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	20	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	ND	U	10	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		57 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		86 %	20-162%		"	"	"	



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	----------------------	--------	-----------------------	--------------------	-------	-------	----------	----------	--------

<b>Lab ID:</b> 1102011-03		<b>Soil - Sampled:</b> 02/09/11 14:47
<b>Sample ID:</b> CFUA-3		<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>
% Solids	82	1 %
		B1B0069 02/21/11 02/22/11 3550C/SOP460

<b>Lab ID:</b> 1102011-04		<b>Soil - Sampled:</b> 02/09/11 14:57
<b>Sample ID:</b> CFUA-4		<b>Organochlorine Pesticides by EPA Method 8081B</b>
alpha-BHC	RE1	ND U
beta-BHC	RE1	ND U
delta-BHC	RE1	ND U
gamma-BHC (Lindane)	RE1	ND U
Heptachlor	RE1	ND U
Aldrin	RE1	ND U
Heptachlor epoxide	RE1	ND U
Endosulfan I	RE1	ND U
Dieldrin	RE1	11 C1, J
4,4'-DDE	RE1	40
Endrin	RE1	ND U
Endosulfan II	RE1	ND U
4,4'-DDD	RE1	12 C1, J
Endosulfan sulfate	RE1	ND U
4,4'-DDT	RE1	33
Methoxychlor	RE1	ND U
Endrin ketone	RE1	ND U
Endrin aldehyde	RE1	ND U
alpha-Chlordane	RE1	ND U
gamma-Chlordane	RE1	6.6 C1, J
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>	69 %
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>	121 %
		20-165%
		20-162%

<b>Sample ID:</b> CFUA-4		<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>
% Solids	83	1 %
		B1B0069 02/21/11 02/22/11 3550C/SOP460

<b>Lab ID:</b> 1102011-05		<b>Soil - Sampled:</b> 02/09/11 14:57
<b>Sample ID:</b> CFUA-5		<b>Organochlorine Pesticides by EPA Method 8081B</b>
alpha-BHC	RE1	ND U
beta-BHC	RE1	ND U
delta-BHC	RE1	ND U
gamma-BHC (Lindane)	RE1	ND U
Heptachlor	RE1	ND U
Aldrin	RE1	ND U
Heptachlor epoxide	RE1	ND U
Endosulfan I	RE1	ND U



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	-------------------------	--------	--------------------------	-----------------------	-------	-------	----------	----------	--------

**Lab ID:** 1102011-05

**Soil - Sampled: 02/09/11 14:57**

**Sample ID:** CFUA-5

**Organochlorine Pesticides by EPA Method 8081B**

Dieldrin	RE1	ND	U	20	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
4,4'-DDE	RE1	49		20	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	12	C1, J	20	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	120		20	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	100	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	20	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	8.4	C1, J	10	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		65 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		102 %	20-162%		"	"	"	

**Sample ID:** CFUA-5

**Conventional Chemistry Parameters by APHA/EPA Methods**

% Solids	83	1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460
----------	----	---	---	---------	----------	----------	--------------

**Lab ID:** 1102011-06

**Soil - Sampled: 02/09/11 15:05**

**Sample ID:** CFUA-6

**Organochlorine Pesticides by EPA Method 8081B**

alpha-BHC	RE1	ND	U	10	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	11		10	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	10	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	10	"	"	"	"	8081B/SOP330
Dieldrin	RE1	26	G1, J, N	20	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	57		20	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	15	C1, J	20	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	20	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	19	C1, G1, J, N	20	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	100	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	20	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	20	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	10	"	"	"	"	8081B/SOP330



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	----------------------	--------	-----------------------	--------------------	-------	-------	----------	----------	--------

<b>Lab ID:</b> 1102011-06									<b>Soil - Sampled: 02/09/11 15:05</b>
<b>Sample ID:</b> CFUA-6	<b>Organochlorine Pesticides by EPA Method 8081B</b>								
gamma-Chlordane	RE1	5.2	C1, J	10	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	RE1		70 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	RE1		122 %	20-162%		"	"	"	

<b>Sample ID:</b> CFUA-6	<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>								
% Solids		83		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460

<b>Lab ID:</b> 1102011-07									<b>Soil - Sampled: 02/09/11 13:09</b>
<b>Sample ID:</b> CFUB-1	<b>Organochlorine Pesticides by EPA Method 8081B</b>								
alpha-BHC	RE1	ND	U	9.4	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
Dieldrin	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	16	C1, J	18	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	18	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	ND	U	18	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	14	C1, J	18	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	94	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	18	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	18	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	9.4	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	10		9.4	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	RE1		55 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	RE1		66 %	20-162%		"	"	"	

<b>Sample ID:</b> CFUB-1	<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>								
% Solids		90		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460

<b>Lab ID:</b> 1102011-08									<b>Soil - Sampled: 02/09/11 13:21</b>
<b>Sample ID:</b> CFUB-2	<b>Organochlorine Pesticides by EPA Method 8081B</b>								
alpha-BHC	RE1	ND	U	9.5	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	6.8	C1, J	9.5	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone:(510) 412-2300 Fax:(510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	-------------------------	--------	--------------------------	-----------------------	-------	-------	----------	----------	--------

**Lab ID:** 1102011-08

**Soil - Sampled: 02/09/11 13:21**

**Sample ID:** CFUB-2

**Organochlorine Pesticides by EPA Method 8081B**

Heptachlor	RE1	ND	U	9.5	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
Aldrin	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330
Dieldrin	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	51		18	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	18	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	16	C1, J	18	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	18	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	51		18	"	"	"	"	8081B/SOP330
Methoxychlor	RE1	ND	U	95	"	"	"	"	8081B/SOP330
Endrin ketone	RE1	ND	U	18	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	18	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	9.5	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	6.7	C1, J	9.5	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		63 %	<i>20-165%</i>		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		67 %	<i>20-162%</i>		"	"	"	

**Sample ID:** CFUB-2

**Conventional Chemistry Parameters by APHA/EPA Methods**

% Solids	89	1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460
----------	----	---	---	---------	----------	----------	--------------

**Lab ID:** 1102011-09

**Soil - Sampled: 02/09/11 13:38**

**Sample ID:** CFUB-3

**Organochlorine Pesticides by EPA Method 8081B**

alpha-BHC	RE1	ND	U	9.7	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
beta-BHC	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
delta-BHC	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
Heptachlor	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
Aldrin	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
Heptachlor epoxide	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
Endosulfan I	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
Dieldrin	RE1	ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDE	RE1	72		19	"	"	"	"	8081B/SOP330
Endrin	RE1	ND	U	19	"	"	"	"	8081B/SOP330
Endosulfan II	RE1	ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDD	RE1	23		19	"	"	"	"	8081B/SOP330
Endosulfan sulfate	RE1	ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDT	RE1	81		19	"	"	"	"	8081B/SOP330





# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Sample Results

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
---------	----------------------	--------	-----------------------	--------------------	-------	-------	----------	----------	--------

**Lab ID:** 1102011-09 **Soil - Sampled: 02/09/11 13:38**

Sample ID:	CFUB-3	<b>Organochlorine Pesticides by EPA Method 8081B</b>							
Methoxychlor	RE1	ND	U	97	ug/kg dry	B1B0080	02/22/11	02/28/11	8081B/SOP330
Endrin ketone	RE1	ND	U	19	"	"	"	"	8081B/SOP330
Endrin aldehyde	RE1	ND	U	19	"	"	"	"	8081B/SOP330
alpha-Chlordane	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
gamma-Chlordane	RE1	ND	U	9.7	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>RE1</i>		60 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>	<i>RE1</i>		82 %	20-162%		"	"	"	

Sample ID:	CFUB-3	<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>							
% Solids		87		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460

**Lab ID:** 1102011-10 **Soil - Sampled: 02/09/11 13:46**

Sample ID:	CFUB-4	<b>Organochlorine Pesticides by EPA Method 8081B</b>							
alpha-BHC		ND	U	9.9	ug/kg dry	B1B0070	02/21/11	02/28/11	8081B/SOP330
beta-BHC		5.4	C1, J	9.9	"	"	"	"	8081B/SOP330
delta-BHC		ND	U	9.9	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)		ND	U	9.9	"	"	"	"	8081B/SOP330
Heptachlor		ND	U	9.9	"	"	"	"	8081B/SOP330
Aldrin		ND	U	9.9	"	"	"	"	8081B/SOP330
Heptachlor epoxide		ND	U	9.9	"	"	"	"	8081B/SOP330
Endosulfan I		ND	U	9.9	"	"	"	"	8081B/SOP330
Dieldrin		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDE		34		19	"	"	"	"	8081B/SOP330
Endrin		ND	U	19	"	"	"	"	8081B/SOP330
Endosulfan II		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDD		11	C1, J	19	"	"	"	"	8081B/SOP330
Endosulfan sulfate		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDT		31		19	"	"	"	"	8081B/SOP330
Methoxychlor		ND	U	99	"	"	"	"	8081B/SOP330
Endrin ketone		ND	U	19	"	"	"	"	8081B/SOP330
Endrin aldehyde		ND	U	19	"	"	"	"	8081B/SOP330
alpha-Chlordane		ND	U	9.9	"	"	"	"	8081B/SOP330
gamma-Chlordane		6.4	C1, J	9.9	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>			52 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			62 %	20-162%		"	"	"	

Sample ID:	CFUB-4	<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>							
% Solids		86		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460

**Lab ID:** 1102011-11 **Soil - Sampled: 02/09/11 13:48**

**Sample ID:** CFUB-5 **Organochlorine Pesticides by EPA Method 8081B**



**United States Environmental Protection Agency  
Region 9 Laboratory**

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone:(510) 412-2300 Fax:(510) 412-2302

<b>Project Manager:</b> Cameron McDonald	<b>RCRA Enforcement Office</b>	<b>SDG:</b> 11042A
<b>Project Number:</b> R11R03	<b>75 Hawthorne Street</b>	<b>Reported:</b> 03/28/11 15:36
<b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>San Francisco CA, 94105</b>	

**Sample Results**

Analyte	Reanalysis / Extract	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
<b>Lab ID:</b> 1102011-11								<b>Soil - Sampled: 02/09/11 13:48</b>	
<b>Sample ID:</b> CFUB-5									<b>Organochlorine Pesticides by EPA Method 8081B</b>
alpha-BHC		ND	U	9.8	ug/kg dry	B1B0070	02/21/11	02/28/11	8081B/SOP330
beta-BHC		ND	U	9.8	"	"	"	"	8081B/SOP330
delta-BHC		ND	U	9.8	"	"	"	"	8081B/SOP330
gamma-BHC (Lindane)		ND	U	9.8	"	"	"	"	8081B/SOP330
Heptachlor		ND	U	9.8	"	"	"	"	8081B/SOP330
Aldrin		ND	U	9.8	"	"	"	"	8081B/SOP330
Heptachlor epoxide		ND	U	9.8	"	"	"	"	8081B/SOP330
Endosulfan I		ND	U	9.8	"	"	"	"	8081B/SOP330
Dieldrin		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDE		30		19	"	"	"	"	8081B/SOP330
Endrin		ND	U	19	"	"	"	"	8081B/SOP330
Endosulfan II		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDD		12	C1, J	19	"	"	"	"	8081B/SOP330
Endosulfan sulfate		ND	U	19	"	"	"	"	8081B/SOP330
4,4'-DDT		31		19	"	"	"	"	8081B/SOP330
Methoxychlor		ND	U	98	"	"	"	"	8081B/SOP330
Endrin ketone		ND	U	19	"	"	"	"	8081B/SOP330
Endrin aldehyde		ND	U	19	"	"	"	"	8081B/SOP330
alpha-Chlordane		ND	U	9.8	"	"	"	"	8081B/SOP330
gamma-Chlordane		ND	U	9.8	"	"	"	"	8081B/SOP330
<i>Surrogate: Tetrachloro-m-xylene</i>			35 %	20-165%		"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			34 %	20-162%		"	"	"	
<b>Sample ID:</b> CFUB-5									<b>Conventional Chemistry Parameters by APHA/EPA Methods</b>
% Solids		87		1	%	B1B0069	02/21/11	02/22/11	3550C/SOP460



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------------	--------------------	-------	-------------	---------------	------	-------------	-----	-----------

### Batch B1B0069 - Solids, Dry Weight (Prep) - Solids, Dry Weight

Prepared: 02/21/11 Analyzed: 02/22/11

Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

#### Blank (B1B0069-BLK1)

% Solids	ND	U		1 %						
----------	----	---	--	-----	--	--	--	--	--	--

#### Blank (B1B0069-BLK2)

% Solids	ND	U		1 %						
----------	----	---	--	-----	--	--	--	--	--	--

#### Duplicate (B1B0069-DUP1)

Source: 1102011-06

% Solids	83			1 %		83			0.3	20
----------	----	--	--	-----	--	----	--	--	-----	----

#### Duplicate (B1B0069-DUP2)

Source: 1102011-19

% Solids	87			1 %		86			0.8	20
----------	----	--	--	-----	--	----	--	--	-----	----

### Batch B1B0070 - 3545A ASE/PFE - OC Pesticides

Prepared: 02/21/11 Analyzed: 03/01/11

Organochlorine Pesticides by EPA Method 8081B - Quality Control

#### Blank (B1B0070-BLK1)

alpha-BHC	ND	U		1.7 ug/kg wet						
beta-BHC	ND	U		1.7 "						
delta-BHC	ND	U		1.7 "						
gamma-BHC (Lindane)	ND	U		1.7 "						
Heptachlor	ND	U		1.7 "						
Aldrin	ND	U		1.7 "						
Heptachlor epoxide	ND	U		1.7 "						
Endosulfan I	ND	U		1.7 "						
Dieldrin	ND	U		3.3 "						
4,4'-DDE	ND	U		3.3 "						
Endrin	ND	U		3.3 "						
Endosulfan II	ND	U		3.3 "						
4,4'-DDD	ND	U		3.3 "						
Endosulfan sulfate	ND	U		3.3 "						
4,4'-DDT	ND	U		3.3 "						
Methoxychlor	ND	U		17 "						
Endrin ketone	ND	U		3.3 "						
Endrin aldehyde	ND	U		3.3 "						
alpha-Chlordane	ND	U		1.7 "						
gamma-Chlordane	ND	U		1.7 "						
Chlordane (technical)	ND	U		170 "						
Toxaphene	ND	U		170 "						

Surrogate: Tetrachloro-m-xylene	4.4	"	6.67	66	20-165
---------------------------------	-----	---	------	----	--------

Surrogate: Decachlorobiphenyl	5.1	"	6.67	76	20-162
-------------------------------	-----	---	------	----	--------

#### LCS (B1B0070-BS1)

alpha-BHC	5.1			1.7 ug/kg wet	6.67	77	65-135	200
beta-BHC	5.5			1.7 "	6.67	82	65-135	200
delta-BHC	5.4			1.7 "	6.67	81	65-135	200
gamma-BHC (Lindane)	5.1			1.7 "	6.67	77	65-135	200



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------------	--------------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch B1B0070 - 3545A ASE/PFE - OC Pesticides

Prepared: 02/21/11 Analyzed: 03/01/11

Organochlorine Pesticides by EPA Method 8081B - Quality Control

**LCS (B1B0070-BS1)**

Heptachlor	5.2		1.7	"	6.67		77	65-135		200
Aldrin	5.1		1.7	"	6.67		77	65-135		200
Heptachlor epoxide	5.4		1.7	"	6.67		81	65-135		200
Endosulfan I	5		1.7	"	6.67		75	65-135		200
Dieldrin	11.5		3.3	"	13.3		86	65-135		200
4,4'-DDE	11.9		3.3	"	13.3		89	65-135		200
Endrin	12.1		3.3	"	13.3		90	65-135		200
Endosulfan II	10.8		3.3	"	13.3		81	65-135		200
4,4'-DDD	12.3		3.3	"	13.3		92	65-135		200
Endosulfan sulfate	11.9		3.3	"	13.3		89	65-135		200
4,4'-DDT	12.3		3.3	"	13.3		92	65-135		200
Methoxychlor	61.9		17	"	66.7		93	65-135		200
Endrin ketone	12		3.3	"	13.3		90	65-135		200
Endrin aldehyde	9.2		3.3	"	13.3		69	65-135		200
alpha-Chlordane	5.5		1.7	"	6.67		82	65-135		200
gamma-Chlordane	5.4		1.7	"	6.67		81	65-135		200

Surrogate: Tetrachloro-m-xylene	4.5	"	6.67	68	20-165
Surrogate: Decachlorobiphenyl	5.5	"	6.67	83	20-162

Batch B1B0080 - 3545A ASE/PFE - OC Pesticides

Prepared: 02/22/11 Analyzed: 03/01/11

Organochlorine Pesticides by EPA Method 8081B - Quality Control

**Blank (B1B0080-BLK1)**

alpha-BHC	ND	U		1.7	ug/kg wet
beta-BHC	ND	U		1.7	"
delta-BHC	ND	U		1.7	"
gamma-BHC (Lindane)	ND	U		1.7	"
Heptachlor	ND	U		1.7	"
Aldrin	ND	U		1.7	"
Heptachlor epoxide	ND	U		1.7	"
Endosulfan I	ND	U		1.7	"
Dieldrin	ND	U		3.3	"
4,4'-DDE	ND	U		3.3	"
Endrin	ND	U		3.3	"
Endosulfan II	ND	U		3.3	"
4,4'-DDD	ND	U		3.3	"
Endosulfan sulfate	ND	U		3.3	"
4,4'-DDT	ND	U		3.3	"
Methoxychlor	ND	U		17	"
Endrin ketone	ND	U		3.3	"
Endrin aldehyde	ND	U		3.3	"
alpha-Chlordane	ND	U		1.7	"



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> 75 Hawthorne Street San Francisco CA, 94105	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------------	--------------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch B1B0080 - 3545A ASE/PFE - OC Pesticides

Prepared: 02/22/11 Analyzed: 03/01/11

Organochlorine Pesticides by EPA Method 8081B - Quality Control

### Blank (B1B0080-BLK1)

gamma-Chlordane	ND	U	1.7	"						
Chlordane (technical)	ND	U	170	"						
Toxaphene	ND	U	170	"						

<i>Surrogate: Tetrachloro-m-xylene</i>	4.7			"	6.67		71	20-165		
<i>Surrogate: Decachlorobiphenyl</i>	5.4			"	6.67		81	20-162		

### LCS (B1B0080-BS1)

alpha-BHC	5.1		1.7	ug/kg wet	6.67		77	65-135		200
beta-BHC	5.4		1.7	"	6.67		81	65-135		200
delta-BHC	5.3		1.7	"	6.67		80	65-135		200
gamma-BHC (Lindane)	5.2		1.7	"	6.67		78	65-135		200
Heptachlor	5.3		1.7	"	6.67		79	65-135		200
Aldrin	5.1		1.7	"	6.67		77	65-135		200
Heptachlor epoxide	5.5		1.7	"	6.67		83	65-135		200
Endosulfan I	4.9		1.7	"	6.67		73	65-135		200
Dieldrin	11.2		3.3	"	13.3		84	65-135		200
4,4'-DDE	11.6		3.3	"	13.3		87	65-135		200
Endrin	11.8		3.3	"	13.3		89	65-135		200
Endosulfan II	10.5		3.3	"	13.3		79	65-135		200
4,4'-DDD	11.9		3.3	"	13.3		89	65-135		200
Endosulfan sulfate	11.9		3.3	"	13.3		90	65-135		200
4,4'-DDT	12		3.3	"	13.3		90	65-135		200
Methoxychlor	59.9		17	"	66.7		90	65-135		200
Endrin ketone	11.6		3.3	"	13.3		87	65-135		200
Endrin aldehyde	9.2		3.3	"	13.3		69	65-135		200
alpha-Chlordane	5.5		1.7	"	6.67		82	65-135		200
gamma-Chlordane	5.4		1.7	"	6.67		82	65-135		200

<i>Surrogate: Tetrachloro-m-xylene</i>	4.7			"	6.67		70	20-165		
<i>Surrogate: Decachlorobiphenyl</i>	5.5			"	6.67		83	20-162		

### Matrix Spike (B1B0080-MS1)

Source: 1102011-01RE2

alpha-BHC	1.4	C1, J	2.1	ug/kg dry	8.13	1.9	NR	65-135		20
beta-BHC	13.4		2.1	"	8.13	10	43	65-135		20
delta-BHC	ND	U	2.1	"	8.13	ND		65-135		20
gamma-BHC (Lindane)	ND	U	2.1	"	8.13	ND		65-135		20
Heptachlor	5.2		2.1	"	8.13	ND	64	65-135		20
Aldrin	5.4		2.1	"	8.13	1.7	47	65-135		20
Heptachlor epoxide	14.2		2.1	"	8.13	10.2	50	65-135		20
Endosulfan I	1.1	C1, J	2.1	"	8.13	ND	13	65-135		20



# United States Environmental Protection Agency Region 9 Laboratory

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone: (510) 412-2300 Fax: (510) 412-2302

<b>Project Manager:</b> Cameron McDonald <b>Project Number:</b> R11R03 <b>Project:</b> Western Environmental, Inc. 2011 RCRA Inspection	<b>RCRA Enforcement Office</b> <b>75 Hawthorne Street</b> <b>San Francisco CA, 94105</b>	<b>SDG:</b> 11042A <b>Reported:</b> 03/28/11 15:36
---	--	---

## Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------------	--------------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch B1B0080 - 3545A ASE/PFE - OC Pesticides

Prepared: 02/22/11 Analyzed: 03/02/11

Organochlorine Pesticides by EPA Method 8081B - Quality Control

Matrix Spike (B1B0080-MS1)		Source: 1102011-01RE2								
Dieldrin	34.3		4	"	16.3	33.7	4	65-135		20
4,4'-DDE	69.3		4	"	16.3	59	63	65-135		20
Endrin	12.4		4	"	16.3	ND	76	65-135		20
Endosulfan II	ND	U	4	"	16.3	ND		65-135		20
4,4'-DDD	24		4	"	16.3	16.2	48	65-135		20
Endosulfan sulfate	ND	U	4	"	16.3	ND		65-135		20
4,4'-DDT	39.1		4	"	16.3	30	56	65-135		20
Methoxychlor	60.9		21	"	81.3	ND	75	65-135		20
Endrin ketone	7.3		4	"	16.3	ND	45	65-135		20
Endrin aldehyde	13.1		4	"	16.3	7.8	33	65-135		20
alpha-Chlordane	8.1		2.1	"	8.13	ND	99	65-135		20
gamma-Chlordane	10.8		2.1	"	8.13	6.9	47	65-135		20

Surrogate: Tetrachloro-m-xylene	7.3			"	8.13		89	20-165		
Surrogate: Decachlorobiphenyl	8.9			"	8.13		110	20-162		

Matrix Spike Dup (B1B0080-MSD1)		Source: 1102011-01RE2								
alpha-BHC	1.4	C1, J	2.1	ug/kg dry	8.16	1.9	NR	65-135	0.8	20
beta-BHC	9.7		2.1	"	8.16	10.9	NR	65-135	35	20
delta-BHC	ND	U	2.1	"	8.16	ND		65-135		20
gamma-BHC (Lindane)	ND	U	2.1	"	8.16	ND		65-135		20
Heptachlor	3.6		2.1	"	8.16	ND	44	65-135	36	20
Aldrin	3.2		2.1	"	8.16	1.7	19	65-135	52	20
Heptachlor epoxide	10.3		2.1	"	8.16	10.2	2	65-135	32	20
Endosulfan I	1.1	C1, J	2.1	"	8.16	ND	14	65-135	4	20
Dieldrin	29.5		4	"	16.3	36.5	NR	65-135	31	20
4,4'-DDE	49.3		4	"	16.3	56.1	NR	65-135	35	20
Endrin	8.7		4	"	16.3	ND	53	65-135	35	20
Endosulfan II	ND	U	4	"	16.3	ND		65-135		20
4,4'-DDD	16.3		4	"	16.3	16.2	0.7	65-135	38	20
Endosulfan sulfate	ND	U	4	"	16.3	ND		65-135		20
4,4'-DDT	19.1		4	"	16.3	30	NR	65-135	69	20
Methoxychlor	42.1		21	"	81.6	ND	52	65-135	37	20
Endrin ketone	4.7		4	"	16.3	ND	29	65-135	49	20
Endrin aldehyde	9.1		4	"	16.3	ND	56	65-135	73	20
alpha-Chlordane	5		2.1	"	8.16	ND	61	65-135	47	20
gamma-Chlordane	8.9		2.1	"	8.16	6.9	24	65-135	19	20

Surrogate: Tetrachloro-m-xylene	5.2			"	8.16		64	20-165		
Surrogate: Decachlorobiphenyl	6.9			"	8.16		84	20-162		



United States Environmental Protection Agency  
**Region 9 Laboratory**

1337 S. 46th Street, Building 201, Richmond, CA 94804  
Phone:(510) 412-2300 Fax:(510) 412-2302

**Project Manager:** Cameron McDonald

**Project Number:** R11R03

**Project:** Western Environmental, Inc. 2011 RCRA  
Inspection

**RCRA Enforcement Office**

75 Hawthorne Street

San Francisco CA, 94105

**SDG:** 11042A

**Reported:** 03/28/11 15:36

**Qualifiers and Comments**

Q6 Matrix spike/matrix spike duplicate precision criteria were not met for this analyte (see MS/MSD results for this batch in QC summary).

Q4 The matrix spike and/or matrix spike duplicate associated with this sample did not meet recovery criteria for this analyte (see MS/MSD results for this batch in QC summary)

N This analyte is tentatively identified.

J The reported result for this analyte should be considered an estimated value.

G1 The results from the two columns for this compound do not meet the dual column percent difference criteria for positive identification.

C1 The reported concentration for this analyte is below the quantitation limit.

U Not Detected

NR Not Reported

RE1, RE2, etc: Result is from a sample re-analysis.